

TABLE #3

Summary of Significant 1984, Silver-Zinc, Assays of BQ Drill Core.

<u>D.D.H. No.</u>	<u>Azimuth</u>	<u>Dip</u>	<u>From</u>	<u>To</u>	<u>Interval (Feet)</u>	<u>Zn. %</u>	<u>Ag. (Oz./Ton)</u>
AR-84-1	070 ⁰	-45 ⁰	18.5	25.7	6.2	11.25	0.69
			59.6	63.8	4.2	20.81	1.16
AR-84-2	050 ⁰	-45 ⁰	18.6	27.8	9.2	17.74	0.67
			57.8	68.4	10.6	22.75	0.40
			102.7	103.9	1.2	38.83	0.02
AR-84-3	105 ⁰	-61½ ⁰	67.8	77.9	10.1	12.38	1.07
			84.0	121.0	37.0	25.84	0.94
			154.8	156.6	1.8	17.24	1.44
AR-84-4	075 ⁰	-60 ⁰	51.9	65.8	13.9	16.21	0.80
			86.0	116.1	30.1	20.55	1.30
AR-84-5	090 ⁰	-45 ⁰	143.7	149.7	6.0	8.11	1.06
			187.8	203.4	15.6	21.41	1.16
			208.8	211.5	2.7	20.27	1.62
AR-84-6	090 ⁰	-65 ⁰	136.9	152.6	15.7	2.52	2.08
			201.7	210.4	8.7	21.38	0.64
AR-84-7	090 ⁰	-60 ⁰	205.4	207.0	1.6	13.88	0.62
			207.0	211.0	4.0	Dike	
			211.0	221.4	10.4	32.03	0.50
			247.0	250.7	3.7	24.44	1.06
			260.6	263.1	2.5	29.01	2.60
			271.6	276.2	4.6	17.63	1.32
AR-84-8	090 ⁰	-60 ⁰	110.6	118.4	7.9	18.84	0.49
			181.5	182.6	1.1	32.19	0.28
			228.3	230.1	1.8	9.69	3.62
AR-84-9	070 ⁰	-45 ⁰	215.7	216.8	1.1	5.63	1.18
			228.0	229.7	1.2	11.55	0.76
AR-84-10	090 ⁰	-45 ⁰	52.8	64.6	11.8	14.72	0.64
			79.0	101.5	22.5	22.86	0.37
			106.6	108.7	2.1	17.04	0.74
AR-84-11	070 ⁰	-45 ⁰	69.5	72.9	3.4	8.49	1.40
			79.3	107.0	27.7	18.27	0.47
			124.3	127.0	2.7	9.02	0.98

TABLE #4

Summary Of Weighted Averaged Assays 1960 And 1980, Gold-Silver-Lead-Zinc, Assays Of BQ Drill Core, From Related Drill Holes To The 1984 Drill Program.

<u>D.D.H. No.</u>	<u>From</u>	<u>To</u>	<u>Interval Feet</u>	<u>Ag Oz./T</u>	<u>Au Oz./T</u>	<u>Pb %</u>	<u>Zn %</u>
S-6-60	56.0	70.0	14.0	0.40	Tr	1.13	9.15
	96.1	108.6	12.5	2.00	0.02	4.45	28.76
	114.6	116.4	1.8	1.00	0.01	1.26	27.62
	142.8	147.5	4.7	1.40	Tr	3.12	8.77
S-7-60	98.2	103.4	5.2	2.90	0.02	2.90	26.28
	103.4	112.0	8.6	2.05	0.047	0.42	2.23
	139.2	140.6	1.4	1.40	Tr	4.51	30.57
S-9-60	147.5	150.4	2.9	0.60	----	----	7.49
	154.1	158.6	4.5	0.60	----	----	25.04
	174.1	176.6	2.5	0.70	----	----	31.21
	184.5	191.5	7.0	0.59	----	8.33	8.34
S-10-60	188.2	196.3	8.1	1.01	----	3.83	29.73
	196.3	201.3	5.0	0.10	----	----	3.75

S-11-80	207.7	214.5	6.8	0.57	0.005	0.94	28.36
	234.3	237.0	2.7	0.89	0.003	2.75	33.49
	249.6	251.8	2.2	4.47	0.012	8.15	24.38
	260.1	267.2	7.1	0.71	0.004	3.20	35.89
S-12-80	205.7	220.6	14.9	0.43	----	----	3.73
	238.6	253.6	15.0	0.30	----	----	1.05
	253.6	255.3	1.7	0.37	0.003	0.33	18.02
	257.7	299.2	41.5	0.19	----	----	1.36
	305.1	308.6	3.5	0.18	0.002	0.09	1.54
S-15-80	337.9	347.8	9.9	0.09	----	----	1.01
S-16-80	147.6	157.5	9.9	0.11	----	----	1.20
	167.3	218.2	50.9	0.26	0.003	0.18	2.17
	218.2	224.7	6.5	0.66	0.008	1.07	18.70
	226.4	241.8	15.4	0.86	0.008	1.79	2.84

TABLE #5

1984 Gold-Silver-Lead-Zinc Weighted Assay Averages Of BQ Drill Core.

<u>D.D.H. No.</u>	<u>From</u>	<u>To</u>	<u>Interval Feet</u>	<u>Ag Oz./T</u>	<u>Au Oz./T</u>	<u>Pb %</u>	<u>Zn %</u>
AR-84-1	18.5	25.7	6.2	0.69	0.03	1.85	11.25
	56.0	63.8	7.8	0.77	0.005	0.28	11.91
AR-84-2	18.6	27.8	9.2	0.78	0.014	2.19	17.74
	57.8	68.4	10.6	0.40	0.007	0.47	22.75
	102.7	103.9	1.2	0.20	0.004	0.19	38.83
AR-84-3	58.0	67.8	9.8	0.57	0.012	1.07	1.49
	67.8	77.8	10.1	1.07	0.011	2.38	12.38
	84.4	121.0	36.5	0.96	0.010	0.92	25.97
	154.8	162.1	5.8	0.65	0.009	0.83	6.47
AR-84-4	51.9	65.8	13.9	0.80	0.014	0.78	16.21
	86.1	116.7	29.6	1.21	0.017	2.70	20.55
	137.0	143.5	6.5	0.84	0.006	1.19	3.56
AR-84-5	143.7	149.7	6.0	1.06	0.006	1.07	8.11
	187.8	203.4	15.6	1.16	0.003	3.02	21.42
	208.8	211.5	2.7	1.62	0.006	5.82	20.27
	234.1	236.3	2.2	0.52	Tr	0.79	3.60
	241.3	243.3	2.0	0.60	0.002	0.43	1.98
AR-84-6	136.9	147.8	10.9	1.87	0.025	1.76	2.75
	163.6	175.9	12.3	1.28	0.027	0.94	1.81
	201.7	210.4	8.7	0.64	0.001	1.38	21.38
AR-84-7	205.4	221.4	16.0	0.39	0.005	0.89	22.23
	241.4	250.7	9.3	0.79	0.003	2.42	12.63
	260.6	278.0	17.4	0.94	0.003	2.69	9.97
AR-84-8	110.6	118.5	7.9	0.49	0.025	0.80	18.84
	181.5	182.6	1.1	0.28	0.022	0.02	32.19
	228.3	230.1	1.8	3.68	0.018	8.82	9.69
AR-84-9	215.7	216.8	1.1	1.18	0.006	2.09	5.63
	228.5	229.7	1.2	0.76	0.004	2.02	11.55
AR-84-10	52.8	64.6	11.8	0.64	0.009	1.72	14.72
	68.1	76.0	7.9	0.52	0.002	1.12	1.59
	79.0	181.5	22.5	0.37	0.005	0.82	22.86
	106.6	108.7	2.1	0.74	0.008	1.07	17.04
	126.2	130.0	3.8	1.12	0.004	1.41	2.06
AR-84-11	54.8	59.7	4.9	0.32	Tr	0.82	4.64
	69.5	72.9	3.4	1.40	0.008	1.63	8.49
	79.3	107.0	27.7	0.47	0.007	1.46	18.27
	124.3	127.0	2.7	0.98	0.004	0.55	9.02