

N.C. CARTER, Ph.D., P.Eng.

Consulting Geologist

1410 Wende Road
Victoria, B.C. V8P 3T5
(604) 477-0419

March 4, 1986

Mr. Lorne Spence
President
Faraway Gold Mines Ltd.
1100 - 475 Howe Street
Vancouver, B.C.
V6C 2B3

Dear Lorne:

The attached sketch shows the proposed location of four 500 ft. (150 m) drill holes on the SAM claim.

These would be -45 Holes designed to intercept better grade zones in the percussion holes. Holes 1 and 2 are set back 240 ft. from percussion holes 12 and 17 respectively to intercept better mineralized horizons at depths of between 220 and 300 ft. These would be drilled on an azimuth of 150.

Holes 3 and 4 are set back from holes 25 and 24 170 ft. and would be drilled on azimuths of 330.

I have given no consideration to location of additional percussion holes - you may wish to do the diamond drilling prior to the other part of the program.

Proposed locations should be examined and possibly modified by Lorne Warren and Tony L'Orsa.

I'll be in touch when I get back in about 10 days.

N.C. CARTER, Ph.D., P.Eng.

Consulting Geologist

1410 Wende Road
Victoria, B.C. V8P 3T5
(604) 477-0419

May 8, 1986

Mr. Lorne Spence
President
Faraway Gold Mines Ltd.
1100 - 475 Howe Street
Vancouver, B.C.
V6C 2B3

Dear Lorne:

Re: Diamond Drilling Program - Sam Claim

Attached are a rough plan and sections of two proposed drill holes to test better grade sections as indicated by 1985 percussion drilling of holes 12, 15 and 17.


On the basis of VLF surveys which show an apparent southerly dip, the diamond drill holes are to be drilled at -45 on an azimuth of 330. Holes should be drilled to 500 feet. Both holes should give some geological control and a better indication of the nature of the mineralization.

Pending results of the first two holes, the remaining 1,000 feet of diamond drilling could be directed to this zone with perhaps one hole to test the new zone to the southeast.


Samples from recent percussion drilling should be analysed as soon as possible and surveying of 1985 and 1986 percussion hole collars should be carried out.

Yours very truly,


N.C. Carter



MAIN ZONE DRILL SECTION
 SCALE 1:1000
 LOOKING SOUTHWEST
 AZIMUTH 150°



830374



MAIN ZONE DRILL SECTION
 SCALE 1:1000
 LOOKING SOUTHWEST
 AZIMUTH 150°

