

COMPANY: FARAWAY GOLD MINES LTD.
 PROJECT NO: 705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7N 1T2

MIN-TEN LABS LTD.
 (604) 980-5814 OR (604) 988-4524

830580 052 P01 Sam - Faraway
 FILE NO: 7-18228/0147
 * TYPE ROCK BEDCHEN * DATE: OCT 7, 1987

ATTENTION: R. COX/R. T. HEARD

(VALUES IN PPM)	AG	AL	AS	B	BA	BE	BI	CA	CD	CO	CU	FE
6 21.6-22.7	1.4	9690	32	1	201	1.4	2	2800	3.5	6	11	45370
6 22.7-24.7	1.5	8060	18	1	172	1.5	1	1720	.7	7	8	51260
6 24.7-26.2	3.7	7990	62	1	150	1.9	2	2170	7.8	7	14	63060
6 27.4-28.3	239.7	5870	179	1	114	3.6	103	880	18.7	6	946	126540
6 28.3-30.3	440.1	7850	196	1	146	2.5	123	1240	30.8	7	2140	86370
6 30.3-32.4	8.8	6480	21	1	133	1.6	1	1920	1.5	8	44	52800
6 32.4-34.6	3.4	9420	8	1	164	1.6	1	3290	3.9	8	19	49060
6 34.6-36.7	2.2	10300	7	1	199	1.5	1	4530	1.9	8	14	45680
6 36.7-38.0	3.1	7540	26	1	114	2.0	1	2830	45.1	6	15	63360
6 38.0-39.0	2.6	7460	18	1	106	2.3	2	3230	4.0	5	9	76150
6 39.0-41.1	6.8	7590	56	1	102	2.3	1	3130	55.1	4	19	75250
6 41.1-42.2	2.5	7240	21	1	120	2.2	1	2650	4.2	5	7	70190
6 42.2-43.2	3.7	9760	12	1	136	2.4	1	2840	8.4	4	7	74390
6 43.2-44.9	3.3	7720	27	1	102	1.9	1	2890	21.0	5	12	59530
6 44.9-45.9	3.2	7760	12	1	107	2.1	1	3190	8.9	5	8	64510
6 45.9-47.5	1.3	8750	15	1	119	1.5	1	3850	2.8	4	8	44290
6 47.5-48.8	2.0	9790	8	1	135	1.9	1	3240	4.4	4	6	57230
6 48.8-50.1	2.7	10560	22	1	234	2.2	1	2780	6.7	3	7	70670
6 50.1-51.3	1.6	11850	12	1	178	1.7	1	3660	2.6	4	6	53440
6 51.3-53.1	.9	7510	1	1	132	1.6	1	2670	1.0	4	6	46630
6 53.1-54.2	1.2	8120	10	1	124	1.7	1	1990	1.0	4	8	52760
6 54.2-55.2	1.8	9180	16	1	121	1.7	1	2700	2.4	3	8	53870
6 55.2-56.2	.7	8230	23	1	136	1.7	1	2870	2.0	4	8	52110
6 56.2-56.8	.2	8230	18	1	145	1.7	1	2540	.3	4	7	53350
6 56.8-57.9	.2	10300	16	1	182	1.8	1	2930	1.6	4	7	56910
6 57.9-59.4	.1	8380	11	1	172	1.7	1	3680	.3	4	6	53940
6 59.4-60.3	.5	8390	28	1	155	1.9	4	3980	.5	4	7	57690
6 60.3-61.5	.7	11040	25	1	229	2.4	5	3560	.6	4	9	74070
6 61.5-62.3	.2	6270	17	1	163	1.5	1	3570	.1	4	5	48380
6 62.3-62.7	.3	7770	25	1	191	1.6	2	3750	.8	4	6	52420
6 93.5-94.5	.9	9510	88	8	77	1.4	1	3790	4.6	5	16	43550
6 94.5-95.5	.3	11400	47	6	83	1.1	1	3750	2.2	5	4	31190
6 95.5-96.4	.6	13030	54	6	101	1.1	1	3850	2.3	5	7	32940
6 96.4-97.5	1.3	11900	196	15	224	1.4	8	5380	16.7	4	220	44680
6 97.5-98.5	1.3	11610	251	13	196	1.5	11	2830	28.1	4	484	45260
6 98.5-99.5	.7	8750	152	7	191	1.5	9	3170	6.5	5	95	40350
6 99.5-100.5	.5	8290	85	7	183	1.6	10	3260	2.4	6	6	49870
6 101.5-102.5	2.1	6760	118	9	112	1.1	8	3830	9	4	4	79960
6 102.5-103.5	1.9	5650	108	4	138	1.6	11	3640	8.2	4	5	52130
6 103.5-104.5	.9	8820	107	9	237	1.6	9	2540	2.3	4	6	51470
6 104.5-105.9	1.5	8700	152	9	174	1.9	4	4250	6.8	4	8	61980
6 105.9-106.5	1.2	12350	121	17	209	2.0	5	6090	5.2	4	7	61210
6 106.5-107.5	1.5	12000	60	14	221	1.8	5	4140	3.1	4	9	55280
6 107.5-108.8	1.3	10450	21	11	229	1.7	2	7340	2.1	4	9	53970
6 108.8-109.5	.7	6820	27	4	302	.9	1	9140	1.6	4	6	28220
6 109.5-111.0	1.5	10500	46	12	239	1.5	1	11580	4.4	4	7	45920
6 111.0-112.2	1.5	9620	55	8	236	1.5	1	21800	1.2	3	9	47990
6 112.2-114.1	1.1	7480	16	3	217	1.2	1	21920	1.4	4	7	35300
6 114.1-116.4	2.5	7030	65	3	169	1.9	1	5620	7.6	4	11	57240
6 116.4-117.7	5.7	6110	452	3	126	2.4	1	2570	12.7	3	15	80370
6 117.7-118.4	4.6	7260	437	6	125	2.6	1	3730	4.6	7	19	87290
6 118.4-119.0	5.5	7520	81	7	775	2.7	3	4900	10.6	6	14	87280
6 119.8-122.1	1.6	8230	112	5	141	2.0	2	4950	3.0	6	14	63620
6 122.1-123.1	8.5	8980	460	8	146	3.2	1	2440	3.1	6	30	115190
6 123.1-124.0	8.3	8210	465	9	89	5.3	6	890	16.0	5	50	186130
6 124.0-125.3	3.2	12620	30	10	158	2.5	3	3410	3.4	8	43	81850
6 125.3-125.7	3.8	13460	14	12	151	2.2	2	4380	3.9	9	58	70220
6 125.7-126.7	2.1	10150	20	6	115	2.1	2	7290	4.7	7	18	62620
6 126.7-127.7	2.1	8950	49	3	124	1.5	1	24160	5.5	7	15	43360

PRGMFT N#: _____

ATTENTION: R. COX/R.T. HEARD

(604) 280-2814 or (604) 285-1854

* TYPE RDCY GGCNCFM #

DATE LOG: 7. 1987

(VALUES IN PPM)	K	LJ	M5	MN	MO	NA	NI	P	PP	SB	SA	TH
6 21.6-22.7	3390	6	1380	37	1	270	1	240	81	1	65	1
6 22.7-24.7	3070	2	820	23	1	270	2	200	43	3	88	1
6 24.7-26.7	2760	2	1340	54	1	330	1	210	140	6	87	1
6 27.4-30.3	7000	1	990	6	2	270	3	220	850	450	68	1
6 28.3-30.3	2630	1	830	11	1	370	3	300	480	1810	60	1
6 30.3-32.4	2400	1	820	90	1	410	1	460	37	20	72	1
6 32.4-34.6	3370	2	1270	2523	1	540	2	810	130	8	72	1
6 34.6-36.7	3430	2	980	858	2	530	1	1250	115	4	74	1
6 36.7-38.8	2800	2	2190	6172	1	490	5	650	248	7	64	1
6 38.8-39.0	3380	2	2270	2071	1	460	4	840	98	3	57	1
6 39.0-41.1	3520	2	2470	5137	1	500	1	810	928	7	65	1
6 41.1-42.2	2390	3	1890	8021	1	520	4	640	160	5	55	1
6 42.2-43.2	3950	2	2620	8125	1	600	1	650	583	6	66	1
6 43.2-44.9	3110	2	1900	6882	2	560	2	620	393	6	65	1
6 44.9-45.9	3100	2	2560	8426	2	520	6	710	363	5	59	1
6 45.9-47.5	3070	5	1890	2182	1	580	1	690	153	3	52	1
6 47.5-48.8	4110	3	2240	5725	1	590	2	710	327	4	57	1
6 48.8-50.1	4770	2	2530	6658	1	570	4	610	491	4	62	1
6 50.1-51.3	4090	5	2280	3929	1	670	3	970	195	1	51	1
6 51.3-53.1	2400	4	1310	2034	2	620	3	660	92	3	51	1
6 53.1-54.2	3090	1	930	1006	1	590	1	460	59	2	62	1
6 54.2-55.2	3430	1	1050	1249	1	570	2	700	97	3	59	1
6 55.2-56.2	3040	2	1090	787	1	630	5	780	66	1	51	1
6 56.2-56.8	3070	1	990	265	1	630	7	700	22	1	48	1
6 56.8-57.9	3720	2	1160	121	1	660	1	820	24	4	47	1
6 57.9-59.4	3120	1	1040	218	1	620	2	970	23	1	53	1
6 59.4-60.3	3290	1	1040	1488	1	620	3	1040	27	2	63	1
6 60.3-61.5	4190	1	1350	1206	1	730	3	980	29	2	75	1
6 61.5-62.3	2380	2	1050	645	1	620	1	900	20	2	50	1
6 62.3-62.7	2980	1	1230	695	1	560	2	1000	19	2	42	1
6 93.5-94.5	2550	10	4750	3417	1	410	2	860	64	3	36	1
6 94.5-95.5	2840	9	4480	2282	2	460	6	910	55	1	41	1
6 95.5-96.4	2580	11	5280	2503	2	520	7	980	77	3	47	1
6 96.4-97.5	4520	2	2090	1819	1	510	2	960	165	3	41	1
6 97.5-98.5	4610	1	2030	1610	2	460	2	790	121	6	41	1
6 98.5-99.5	3620	1	1750	1414	1	500	2	920	48	3	37	1
6 99.5-100.5	3430	1	1030	598	1	500	1	1020	71	1	35	1
6 100.5-101.5	2920	1	1260	1847	1	470	1	800	72	1	34	1
6 101.5-102.5	3760	1	1520	3247	1	430	3	870	202	4	42	1
6 102.5-103.5	2690	1	1510	3539	1	400	3	790	201	4	35	1
6 103.5-104.5	3620	1	1030	1236	1	420	1	760	226	1	35	1
6 104.5-105.9	3840	1	1730	1314	1	400	3	890	195	2	43	1
6 105.9-106.5	4900	1	2280	870	1	480	1	960	196	2	38	1
6 106.5-107.5	4750	1	1690	1020	1	500	2	920	129	2	44	1
6 107.5-108.8	4250	1	2800	1423	1	450	1	800	93	2	42	1
6 108.8-109.5	2840	3	3400	1961	1	410	1	780	82	2	32	1
6 109.5-111.0	4230	1	3770	1648	1	470	2	870	80	1	37	1
6 111.0-112.2	3990	1	1910	1393	1	470	2	740	55	3	55	1
6 112.2-114.1	3130	1	2450	1736	1	470	1	820	71	1	46	1
6 114.1-116.4	3170	1	2710	2928	1	380	1	640	257	4	41	1
6 116.4-117.7	2730	1	1370	611	2	400	1	700	141	7	41	1
6 117.7-118.4	2590	5	2380	1634	1	400	1	1110	100	7	41	1
6 118.4-119.8	2500	8	7240	10422	1	350	3	1000	392	7	36	1
6 119.8-122.1	2510	6	5150	3881	1	440	2	970	56	4	49	1
6 122.1-123.1	3250	1	1100	87	1	410	2	820	67	2	37	1
6 123.1-124.0	1990	1	1310	24	3	350	1	340	310	6	46	1
6 124.0-125.3	3160	8	3680	1976	1	450	3	950	96	6	50	1
6 125.3-125.7	3110	12	4880	7160	1	390	3	1080	201	9	46	1
6 125.7-126.7	2230	9	5640	6912	1	520	4	1080	214	4	50	1
6 126.7-127.7	1990	7	10310	3552	1	550	3	920	156	2	46	1

PROJECT NO:

ATTENTION: R. COX/R.T. HEARD

(604)980-5814 OR (604)988-4524

* TYPE ROCK GEOCHEM * DATE: OCT 7, 1987

(VALUES IN PPM)	U	V	ZN	BA	SN	W	CR
6 21.6-22.7	1	7.6	470	1	2	1	39
6 22.7-24.7	1	5.2	148	1	2	1	31
6 24.7-26.2	1	6.5	627	1	2	2	26
6 27.4-28.3	1	9.0	1757	1	1	3	34
6 28.3-30.3	1	5.7	2517	1	3	3	33
6 30.3-32.4	1	5.9	157	1	2	1	21
6 32.4-34.6	1	5.7	528	1	1	2	21
6 34.6-36.7	1	5.7	245	1	1	1	65
6 36.7-38.0	1	5.7	5661	2	1	6	16
6 38.0-39.0	1	5.1	453	2	1	2	20
6 39.0-41.1	1	6.0	6251	2	1	7	16
6 41.1-42.2	4	6.4	306	3	1	2	26
6 42.2-43.2	3	7.9	1174	2	1	3	57
6 43.2-44.9	2	5.9	2339	3	1	3	28
6 44.9-45.9	4	6.5	1174	6	1	2	20
6 45.9-47.5	2	6.2	370	1	1	2	26
6 47.5-48.8	4	6.8	517	1	1	2	20
6 48.8-50.1	1	6.8	845	3	1	2	28
6 50.1-51.3	3	7.8	287	2	1	2	23
6 51.3-53.1	1	5.2	201	1	1	1	23
6 53.1-54.2	1	4.3	115	1	1	1	15
6 54.2-55.2	1	5.4	329	1	1	1	24
6 55.2-56.2	2	6.9	247	1	1	1	20
6 56.2-56.8	1	7.8	49	1	1	1	29
6 56.8-57.9	1	10.5	68	1	1	1	27
6 57.9-59.4	1	7.9	22	1	1	1	31
6 59.4-60.3	2	7.8	36	2	1	1	22
6 60.3-61.5	2	9.0	40	1	1	1	39
6 61.5-62.3	1	6.2	21	1	1	1	20
6 62.3-62.7	1	8.3	20	1	1	1	29
6 93.5-94.5	1	21.6	375	1	1	2	41
6 94.5-95.5	1	22.3	117	1	1	1	54
6 95.5-96.4	1	27.4	216	1	1	2	41
6 96.4-97.5	1	18.1	2075	1	1	3	36
6 97.5-98.5	1	16.1	3547	1	1	4	20
6 98.5-99.5	2	11.5	702	1	1	2	26
6 99.5-100.5	1	8.9	210	1	1	1	22
6 100.5-101.5	1	8.0	109	1	1	1	22
6 101.5-102.5	1	7.8	462	1	1	2	24
6 102.5-103.5	1	5.5	1054	3	1	2	21
6 103.5-104.5	1	10.5	366	1	1	2	19
6 104.5-105.9	1	8.5	889	1	1	2	30
6 105.9-106.5	2	13.6	571	2	1	2	27
6 106.5-107.5	2	11.9	445	1	1	2	32
6 107.5-108.8	1	10.3	228	3	1	2	21
6 108.8-109.5	3	9.5	111	3	1	1	28
6 109.5-111.0	1	11.8	398	3	1	2	24
6 111.0-112.2	2	10.0	70	2	1	1	24
6 112.2-114.1	1	8.5	104	3	1	1	8
6 114.1-116.4	1	7.0	929	1	1	2	19
6 116.4-117.7	1	6.7	1371	1	2	2	14
6 117.7-118.4	1	19.5	177	5	2	2	20
6 118.4-119.8	1	39.2	1339	1	1	3	19
6 119.8-122.1	2	32.4	307	1	1	2	23
6 122.1-123.1	2	12.5	190	2	3	2	28
6 123.1-124.0	3	7.5	1729	1	6	3	41
6 124.0-125.3	2	22.7	417	3	1	2	17
6 125.3-125.7	3	36.7	518	2	2	2	26
6 125.7-126.7	3	41.6	500	4	2	2	15
6 126.7-127.7	2	29.5	434	3	2	2	11

PROJECT NO:
ATTENTION: R. COX/R.T. HEARD

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7N 1T2
(604) 980-5814 OR (604) 988-4524

FILE NO: 7-1522R/P3+4
DATE: OCT 7, 1987

(VALUES IN PPM)	AB	AL	AS	B	BA	BE	BI	CA	CD	CO	CU	FE
6 127.7-128.9	1.6	13410	25	6	150	1.8	1	17500	4.5	6	20	55090
6 128.9-130.0	2.7	11700	51	4	134	1.9	1	20230	3.9	6	16	57390
6 130.0-132.0	2.5	11130	43	5	183	1.8	2	13600	4.8	6	15	57680
6 132.0-132.7	3.6	8290	16	4	246	2.1	2	4086	.6	7	11	69280
6 132.7-133.2	2.3	6780	58	3	141	3.2	1	1630	2.0	5	33	109500
6 133.2-134.3	3.9	5870	131	1	122	3.3	2	2110	4.0	4	28	117610
6 134.3-135.4	2.1	13410	15	9	196	2.2	2	3910	10.2	6	12	71090
6 135.4-136.6	2.9	6100	4	1	102	2.9	1	3200	1.0	7	28	104210
6 136.6-137.7	.5	12180	9	5	193	2.0	2	3930	.5	10	20	66450
6 137.7-138.7	.4	10630	19	2	128	2.3	1	3010	.9	11	23	76610
6 138.7-140.0	.4	24970	6	14	195	2.1	1	3790	1.0	9	18	67850
6 140.0-141.0	1.4	16230	1	9	191	2.0	1	3840	.4	9	15	66160
6 141.0-142.0	.4	16820	1	10	210	1.9	3	4960	.9	10	16	62780
6 142.0-143.0	.8	12500	5	6	175	1.9	1	5740	4.5	10	18	60940
6 143.0-144.0	.3	13650	17	5	160	1.9	1	4420	.7	9	16	61560
6 144.0-145.0	.7	13320	1	6	183	1.7	1	4800	1.7	6	14	54930
6 145.0-146.0	1.1	12880	1	6	184	1.9	1	4320	.6	9	15	62400
6 146.0-147.0	1.9	10060	12	6	181	2.2	2	4750	.7	11	10	71620
6 147.0-148.4	4.0	11190	80	6	174	2.2	1	4270	8.1	10	41	71250
6 148.4-149.5	3.4	12130	30	5	150	2.1	1	3820	2.6	10	15	67920
6 149.5-150.6	1.6	16080	77	8	138	1.9	1	4010	8.8	4	19	62030
6 150.6-151.6	2.0	16770	62	8	140	2.3	3	4510	2.3	7	42	73040
6 151.6-152.4	1.4	13370	27	5	165	1.9	2	3610	.8	9	36	60430
7 21.3-24.4	1.3	10190	40	3	131	1.8	1	4360	1.7	17	12	59040
7 24.4-27.8	.6	15420	1	5	152	1.5	2	4080	1.0	10	12	48620
7 27.8-29.8	.6	15010	30	5	153	1.6	1	4620	1.4	10	9	50446
7 29.8-35.4	1.4	10390	181	4	156	2.0	2	1550	2.5	8	11	65880
7 35.4-36.5	10.8	6230	159	1	114	2.5	1	1210	3.8	6	13	85016
7 36.5-38.4	3.4	7620	13	1	114	1.9	2	3010	6.4	7	9	58930
7 38.4-41.5	.6	8090	10	1	120	1.3	1	3120	2.5	8	8	40610
7 88.6-90.2	3.0	7850	114	5	421	1.6	2	4510	10.3	6	16	53420
7 90.2-91.3	13.1	6450	483	2	162	2.3	1	2470	47.7	5	54	77430
7 91.3-92.4	24.0	7730	421	3	115	2.4	15	1900	62.8	5	343	78570
7 41.5-43.5	4.0	8760	21	4	117	2.1	2	4340	5.4	11	14	66190
7 43.5-44.8	4.2	10280	18	6	137	1.9	1	3170	8.1	7	10	57300
7 44.5-45.8	5.9	5490	53	1	126	2.0	1	1430	1.8	17	17	64890
7 45.8-46.6	38.2	6070	226	1	64	2.5	20	3200	11.7	11	493	82500
7 46.6-48.1	1.0	7820	16	1	172	1.2	1	4240	1.4	11	14	35360
7 48.1-49.5	3.0	5170	16	1	108	1.8	2	4180	11.1	12	14	54620
7 49.5-50.5	2.2	7150	39	1	126	1.8	1	2060	12.4	8	15	57070
7 50.5-52.2	2.8	7410	20	1	111	1.6	1	2950	6.3	7	7	50640
7 52.2-54.1	3.5	7540	63	1	117	1.7	1	1430	12.4	4	22	50760
7 54.1-57.5	2.9	8750	20	3	122	1.6	1	1920	8.3	7	10	49770
7 57.5-62.0	1.8	7710	39	3	138	2.2	1	3910	2.1	11	19	70350
7 62.0-64.8	.3	8010	82	3	213	1.6	1	3850	1.7	12	10	47650
7 64.8-67.1	1.8	9630	70	8	194	2.0	1	4720	3.8	10	21	63180
7 67.1-70.2	6.3	9090	163	6	141	2.2	3	3240	26.9	8	157	70540
7 70.2-72.4	14.4	8670	280	5	110	2.8	7	1790	17.5	10	149	94210
7 72.4-73.8	56.4	6920	463	6	91	3.6	42	720	94.1	11	639	125490
7 73.8-74.6	377.9	5680	630	3	93	3.2	570	960	132.6	8	5073	111500
7 74.6-75.6	365.3	5970	597	2	77	3.2	130	1540	62.7	7	8604	109510
7 75.6-76.7	4.8	7620	56	1	112	2.2	2	2960	10.5	7	96	73980
7 76.7-78.0	3.7	11560	73	6	110	2.2	2	5480	30.5	6	25	69660
7 78.0-79.3	2.2	12940	146	5	100	1.8	1	15570	7.6	6	5	56950
7 79.3-80.2	3.4	12940	143	6	109	1.8	2	18030	8.7	6	5	57420
7 80.2-81.8	10.4	12150	189	9	128	2.1	3	10630	10.2	6	137	66720
7 81.8-82.7	5.2	8590	207	3	122	2.1	1	4440	18.4	7	36	69950
7 82.7-83.7	10.4	10650	143	4	108	1.5	4	4750	8.0	9	149	47750
7 83.7-85.0	4.3	9990	104	3	105	1.5	1	4760	11.9	8	29	48780
7 85.0-86.0	5.1	8470	175	7	117	2.1	4	4190	84.6	7	61	66480

PROJECT NO:

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

FILE NO: 7-1522R/P3+4

ATTENTION: R. COX/R. T. HEARD

(604)980-5814 OR (604)986-4524

* TYPE ROCK GEOCHEM *

DATE: OCT 7, 1987

(VALUES IN PPM)	K	LI	MS	MN	MO	NA	NI	P	PB	SB	SR	TH
6 127.7-128.7	2280	13	10660	3324	1	610	4	990	80	2	52	1
6 128.9-130.0	2140	12	11200	3227	1	590	4	1000	45	1	52	1
6 130.0-132.0	2400	9	7820	4302	1	600	1	1030	72	1	57	1
6 132.0-132.7	2970	2	3710	4326	1	570	4	990	51	1	59	1
6 132.7-133.2	2260	1	1150	536	1	490	1	460	93	1	54	1
6 133.2-134.3	1890	1	950	91	1	470	3	640	75	1	55	1
6 134.3-135.4	2350	19	5390	6352	1	540	4	1060	105	1	53	1
6 135.4-136.6	1850	2	1140	137	1	450	2	1030	36	6	43	2
6 136.6-137.7	2290	7	2820	51	1	650	1	1200	33	1	52	1
6 137.7-138.7	1700	6	3100	35	1	680	1	860	22	1	79	1
6 138.7-140.0	1560	22	9420	194	2	710	3	1210	21	4	52	1
6 140.0-141.0	2140	11	6180	1587	2	700	3	1100	55	1	58	1
6 141.0-142.0	2630	11	8310	1213	2	610	2	1340	45	5	46	1
6 142.0-143.0	2260	9	6270	979	1	610	2	1290	157	1	47	1
6 143.0-144.0	2200	11	6960	1195	1	660	2	1340	31	1	52	1
6 144.0-145.0	2540	9	6260	2278	1	520	1	1250	37	1	42	1
6 145.0-146.0	2670	8	5560	3309	1	560	2	1190	48	1	50	1
6 146.0-147.0	3390	4	3750	5503	2	560	3	1300	69	3	54	1
6 147.0-148.4	3490	4	2300	1376	1	680	1	1240	214	11	69	1
6 148.4-149.5	2560	8	3980	1761	1	500	1	1140	219	1	39	1
6 149.5-150.6	2100	15	7340	3209	1	570	2	1200	45	1	45	1
6 150.6-151.6	2290	16	7700	1642	1	570	1	1410	64	11	48	1
6 151.6-152.4	2760	10	5020	583	1	430	1	1090	49	2	40	1
7 21.3-24.4	3790	5	2760	5036	1	210	5	850	103	3	46	1
7 24.4-27.8	3080	9	4980	5994	1	480	1	480	28	4	53	1
7 27.8-29.8	3370	9	4320	2239	2	500	1	1050	68	5	59	1
7 29.8-35.4	3560	2	1070	91	1	520	2	390	54	10	71	1
7 35.4-36.5	2270	1	930	1078	1	430	1	280	127	5	62	1
7 36.5-38.4	3020	1	2050	10202	1	460	5	700	467	6	61	1
7 38.4-41.5	2760	1	880	880	1	540	2	860	136	2	67	1
7 88.6-90.2	3070	5	4570	7976	2	390	2	870	623	6	56	1
7 90.2-91.3	2870	1	1310	2664	1	330	4	690	1119	9	45	1
7 91.3-92.4	3170	1	970	652	1	410	2	530	1088	26	75	1
7 41.5-43.5	3340	3	2410	11800	1	520	1	1080	362	5	58	1
7 43.5-44.0	4370	2	2210	8261	1	480	4	840	651	4	58	1
7 44.5-45.8	2220	1	710	409	1	420	2	360	74	4	63	1
7 45.8-46.6	2500	1	1690	7434	1	400	4	830	284	160	50	1
7 46.6-48.1	2940	2	760	132	1	630	1	1120	54	3	80	1
7 48.1-49.8	2320	1	1340	7874	1	580	6	1080	155	5	76	1
7 49.5-50.5	2790	1	880	1160	1	500	1	550	237	4	58	1
7 50.5-52.2	2850	1	1100	3042	1	440	1	840	157	3	54	1
7 52.2-54.1	3010	1	870	398	1	440	2	360	101	6	55	1
7 54.1-57.5	3830	1	1170	2646	1	460	1	480	520	3	56	1
7 57.5-62.0	3160	1	1650	3838	1	450	1	1130	84	2	47	1
7 62.0-64.8	3010	1	870	147	1	570	2	1170	35	1	52	1
7 64.8-67.1	3480	2	2260	5131	1	550	5	1110	162	4	48	1
7 67.1-70.2	3280	3	2130	5532	1	430	2	840	632	26	55	1
7 70.2-72.4	3510	2	1280	1258	1	420	1	510	664	20	68	1
7 72.4-73.8	2840	1	1040	82	1	370	1	270	718	124	63	1
7 73.8-74.6	2070	2	900	57	2	330	2	430	6151	891	61	1
7 74.6-75.6	2170	1	1190	1753	1	440	5	600	1204	3781	73	1
7 75.6-76.7	2270	3	1560	1602	1	560	2	880	221	25	59	1
7 76.7-78.0	2510	7	5220	2714	2	430	2	1070	673	8	43	1
7 78.0-79.3	2470	11	9600	3597	1	500	2	1090	348	1	47	1
7 79.3-80.2	2710	11	9650	4515	1	560	1	1200	646	3	52	1
7 80.2-81.8	3240	6	5630	7662	1	520	4	1250	501	54	54	1
7 81.8-82.7	3040	2	1920	3126	1	430	2	1200	756	14	47	1
7 82.7-83.7	3410	4	2020	3056	1	640	3	1360	563	59	75	1
7 83.7-85.0	3270	3	2110	4816	1	490	2	1350	771	13	58	1
7 85.0-86.0	3020	2	1940	6560	1	360	4	1300	625	8	40	1

PROJECT NO:

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

FILE NO: 7-1522R/P3+4

ATTENTION: R. COX/R. I. HEARD

(604)980-5814 DR (604)988-4524

* TYPE ROCK GEOCHEM * DATE: OCT 7, 1987

(VALUES IN PPM)	U	V	ZN	BA	SN	H	CR
6 127.7-128.4	1	29.4	431	3	1	2	2
6 128.9-130.0	1	26.4	348	2	1	2	5
6 130.0-132.0	1	26.6	567	2	1	2	9
6 132.0-132.7	1	17.2	197	2	1	2	26
6 132.7-133.2	1	6.3	334	1	2	2	16
6 133.2-134.3	1	4.3	449	1	3	2	27
6 134.3-135.4	3	26.5	1631	3	1	3	13
6 135.4-136.6	2	7.3	100	1	3	1	29
6 136.6-137.7	2	14.8	137	1	1	2	14
6 137.7-138.7	2	12.8	186	1	2	2	16
6 138.7-140.0	1	35.2	173	2	1	2	3
6 140.0-141.0	1	21.3	170	1	3	2	15
6 141.0-142.0	2	29.3	73	3	2	2	2
6 142.0-143.0	2	20.6	502	1	1	2	7
6 143.0-144.0	1	23.8	60	1	3	2	6
6 144.0-145.0	3	22.5	72	1	1	2	9
6 145.0-146.0	5	22.8	101	1	1	2	9
6 146.0-147.0	4	19.3	239	2	1	2	12
6 147.0-148.4	4	17.1	1044	1	3	2	12
6 148.4-149.5	4	23.7	415	2	1	2	10
6 149.5-150.8	1	34.4	1328	3	2	3	5
6 150.6-151.6	2	32.3	263	1	1	2	3
6 151.6-152.4	2	20.1	180	1	2	2	5
7 21.3-24.4	4	22.5	413	2	1	2	18
7 24.4-27.8	4	27.1	422	1	2	2	15
7 27.8-29.8	2	21.8	302	2	1	2	11
7 29.8-35.4	1	7.1	440	1	2	2	19
7 35.4-36.5	2	3.4	607	1	1	2	18
7 36.5-38.4	1	6.0	848	7	1	2	15
7 38.4-41.5	1	4.8	470	1	1	1	10
7 88.8-90.2	1	26.1	1121	4	1	2	38
7 90.2-91.3	1	8.6	6226	1	1	7	45
7 91.3-92.4	1	8.7	8098	2	1	8	55
7 41.5-43.5	1	12.9	781	11	1	2	22
7 43.5-44.8	1	8.7	1150	4	1	2	19
7 44.5-45.8	1	4.9	191	1	1	1	20
7 45.8-46.6	2	8.6	1582	1	1	3	34
7 46.6-48.1	1	7.6	255	1	1	1	23
7 48.1-49.5	2	9.2	1386	4	1	2	28
7 49.5-50.5	1	5.9	1695	1	2	2	27
7 50.5-52.2	2	6.1	1056	1	2	2	24
7 52.2-54.1	1	5.3	1954	1	2	3	19
7 54.1-57.5	1	7.4	1327	1	1	2	25
7 57.5-62.0	7	12.6	274	2	1	2	26
7 62.0-64.8	2	12.3	253	1	2	1	23
7 64.8-67.1	2	16.5	767	2	2	2	32
7 67.1-70.2	1	14.8	3393	2	1	4	32
7 70.2-72.4	2	13.0	2054	1	3	3	34
7 72.4-73.8	1	11.5	9704	2	4	10	26
7 73.8-74.6	2	8.2	14101	1	1	14	29
7 74.6-75.6	1	9.2	5116	1	4	6	41
7 75.6-76.7	2	9.0	1270	1	3	2	24
7 76.7-78.0	2	19.3	3983	1	1	3	14
7 78.0-79.3	4	27.4	805	1	2	2	12
7 79.3-80.2	4	27.6	957	2	3	3	11
7 80.2-81.6	4	26.3	1078	2	1	3	18
7 81.6-82.7	4	12.7	2350	2	1	3	27
7 82.7-83.7	1	21.7	1003	1	1	2	18
7 83.7-85.0	4	20.5	1477	2	1	3	21
7 85.0-86.0	3	16.5	12679	2	4	12	19

PROJECT NO:

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

FILE NO: 7-1522R/P5+6

ATTENTION: R. CDX/R. T. HEARD

(604) 980-5814 OR (604) 986-4524

* TYPE ROCK GEOCHEM *

DATE: OCT 7, 1987

(VALUES IN PPM)	AS	AL	AG	B	BA	BE	BI	CA	CD	CO	CU	FE
7 86.0 - 87.1	2.3	5150	169	14	104	2.1	1	3980	7.5	9	15	66740
7 87.1 - 88.3	5.1	5350	102	8	217	1.9	3	4250	42.2	6	10	59330
7 88.3 - 88.6	2.8	5810	184	6	186	1.8	6	4160	4.3	7	61	56230
6 62.7 - 63.5	.6	6330	11	7	143	1.9	1	3380	.6	4	6	60650
6 63.5 - 64.5	1.4	7340	7	7	140	1.8	1	3290	8.8	4	12	55470
6 64.5 - 65.5	5.0	7870	54	10	150	1.9	2	2250	15.4	2	8	60590
6 65.5 - 66.6	2.9	7150	15	7	119	1.6	1	2760	2.9	5	14	51790
6 66.6 - 67.5	.4	6220	2	5	122	1.6	1	8370	.1	4	5	48780
6 67.5 - 68.5	.4	6170	9	4	125	1.4	3	7360	.3	5	5	44320
6 68.5 - 69.5	.9	7640	8	8	167	1.6	2	5710	1.1	6	7	50860
6 69.5 - 70.5	.7	7980	3	10	178	1.7	3	2720	.8	4	8	53910
6 70.5 - 71.5	.9	6810	2	7	152	1.6	2	3160	3.8	5	8	51360
6 71.5 - 72.5	3.6	8140	24	7	115	1.9	1	3290	5.2	6	13	61120
6 72.5 - 73.4	2.7	5180	136	5	117	1.9	1	3470	17.3	4	16	60970
6 73.4 - 75.3	5.0	5110	171	7	95	2.1	6	5340	14.9	4	57	67800
6 75.3 - 76.5	1.1	6290	173	5	81	1.5	11	3940	1.8	6	90	47860
6 76.5 - 77.7	4.6	6200	266	6	96	1.6	25	3890	3.8	4	320	50130
6 77.7 - 78.7	1.2	8570	66	4	79	1.2	1	4140	14.8	6	60	35800
6 78.7 - 79.6	2.2	8870	67	5	72	1.3	3	5320	43.1	8	72	39200
6 79.6 - 80.5	1.2	7990	36	3	74	1.3	1	4460	14.1	5	32	39180
6 80.5 - 81.5	.8	8230	19	4	104	1.5	1	3440	1.2	4	4	44390
6 81.5 - 82.5	1.6	7300	49	3	77	1.8	1	3850	2.9	5	11	53380
6 82.5 - 83.5	1.3	6170	29	3	80	1.7	1	5050	1.7	3	6	52300
6 83.5 - 84.5	1.6	5960	68	3	112	1.7	2	3450	5.2	5	8	51940
6 84.5 - 85.5	1.1	6630	42	3	74	1.7	1	3160	2.2	3	5	51930
6 85.5 - 86.5	2.5	6300	77	7	221	2.1	1	4140	5.9	5	4	64370
6 86.5 - 87.5	2.2	6820	67	6	231	2.0	1	4630	5.0	4	10	63180
6 87.5 - 88.5	1.7	6340	42	2	326	1.6	1	8300	3.9	6	7	48110
6 88.5 - 89.5	2.3	5230	58	1	301	1.4	2	6210	5.2	6	23	44540
6 89.5 - 90.5	2.3	5710	90	2	186	1.4	3	4600	8.3	8	73	43620
6 90.5 - 91.5	5.1	5080	121	1	112	1.0	14	5520	5.4	12	203	30620
6 91.5 - 92.5	1.4	6920	98	2	132	1.0	3	17480	2.0	6	61	30700
6 92.5 - 93.5	1.1	8350	41	4	137	1.0	1	3760	2.0	6	10	30770

PROJECT NO:
ATTENTION: R. COX/R. T. HEARD

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2
(604)980-5814 OR (604)988-4524

* TYPE ROCK GEOCHEM * DATE: OCT 7, 1987

(VALUES IN PPM)	K	LI	MS	NR	NO	NA	NI	P	PB	SB	SR	TH
7 86.0 - 87.1	2450	3	1090	256	1	390	2	990	415	4	48	1
7 87.1 - 88.3	2160	3	3360	10070	2	470	10	670	740	8	68	1
7 88.3 - 88.6	2320	3	3930	5649	2	390	2	870	229	18	51	1
6 62.7 - 63.5	2520	2	1570	1894	1	510	2	900	31	1	36	1
6 63.5 - 64.5	2390	3	1920	593	1	490	2	940	104	2	44	1
6 64.5 - 65.5	3040	1	1160	987	1	520	2	630	250	3	49	1
6 65.5 - 66.6	2330	3	1880	835	1	460	2	630	67	1	42	1
6 66.6 - 67.5	2340	2	1950	928	1	510	2	1080	18	1	36	1
6 67.5 - 68.5	2260	2	1970	851	1	500	1	940	19	1	38	1
6 68.5 - 69.5	2660	2	1960	1745	1	510	2	830	31	1	37	1
6 69.5 - 70.5	2960	2	1390	466	1	500	1	840	31	1	37	1
6 70.5 - 71.5	2390	2	1570	749	1	490	1	960	42	1	39	1
6 71.5 - 72.5	2210	5	3120	852	1	470	1	1060	111	1	41	1
6 72.5 - 73.4	2540	1	1910	2538	1	450	2	860	347	3	47	1
6 73.4 - 75.3	3010	2	3020	5250	1	370	3	790	618	5	42	1
6 75.3 - 76.5	2600	3	2570	1438	3	420	2	820	46	1	32	1
6 76.5 - 77.7	2640	2	1980	1312	1	420	2	760	277	5	34	1
6 77.7 - 78.7	1890	8	3560	1508	2	350	4	910	281	4	34	1
6 78.7 - 79.6	2160	7	3810	1919	3	360	2	970	762	6	38	1
6 79.6 - 80.5	2310	6	3460	2238	1	350	2	840	224	4	35	1
6 80.5 - 81.5	2370	8	4250	2804	1	340	2	890	55	2	34	1
6 81.5 - 82.5	2290	6	4190	3922	1	290	1	870	106	4	29	1
6 82.5 - 83.5	2330	5	3690	4041	1	300	1	900	105	4	29	1
6 83.5 - 84.5	2400	5	3640	2909	1	270	4	900	177	4	26	1
6 84.5 - 85.5	2610	5	3620	2956	1	320	2	880	117	3	33	1
6 85.5 - 86.5	3200	2	2250	6108	1	330	5	910	228	4	43	1
6 86.5 - 87.5	3050	3	2960	5391	1	320	4	880	215	3	42	1
6 87.5 - 88.5	2210	6	3990	2850	1	260	4	920	199	3	42	1
6 88.5 - 89.5	1840	5	3670	2040	1	230	1	870	355	6	31	1
6 89.5 - 90.5	2190	5	3510	1941	2	280	2	880	351	15	32	1
6 90.5 - 91.5	2040	4	2350	1501	3	230	2	790	500	42	30	1
6 91.5 - 92.5	2370	5	2970	2076	2	340	2	790	94	13	82	1
6 92.5 - 93.5	2830	6	3280	1776	2	390	4	840	135	2	40	1

COMPANY: PAKAMAT GULF MINES LTD.
 PROJECT NO:
 ATTENTION: R. GOY/R. T. HEARD

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2
 (604)980-5814 OR (604)988-4524

FILE NO: 7-1522K/P3+6

* TYPE RDCX GEOCHEM * DATE: OCT 7, 1987

(VALUES IN PPM)	U	V	ZN	BA	SN	W	CR
7 86.0 - 87.1	1	5.9	865	1	1	2	14
7 87.1 - 88.3	3	24.2	5756	7	1	6	29
7 88.3 - 88.6	1	21.1	260	1	2	1	26
6 62.7 - 63.5	1	7.5	65	1	1	1	9
6 63.5 - 64.5	1	7.8	1104	1	1	2	8
6 64.5 - 65.5	1	4.3	2255	1	1	3	16
6 65.5 - 66.6	1	8.4	427	1	1	1	8
6 66.6 - 67.5	1	7.3	38	1	1	1	7
6 67.5 - 68.5	1	7.3	23	1	1	1	5
6 68.5 - 69.5	2	9.8	97	2	1	1	8
6 69.5 - 70.5	1	9.0	151	1	1	1	10
6 70.5 - 71.5	1	7.6	529	1	1	1	7
6 71.5 - 72.5	1	11.7	714	1	1	2	7
6 72.5 - 73.4	2	6.9	2235	1	1	3	9
6 73.4 - 75.3	2	12.2	1824	2	1	3	13
6 75.3 - 76.5	1	12.4	108	1	1	1	15
6 76.5 - 77.7	1	10.1	236	1	1	1	10
6 77.7 - 78.7	1	25.3	1867	1	1	3	21
6 78.7 - 79.6	1	26.2	5249	1	1	6	23
6 79.6 - 80.5	1	23.9	1580	1	1	2	25
6 80.5 - 81.5	1	26.9	123	1	1	1	22
6 81.5 - 82.5	1	24.7	258	1	1	1	35
6 82.5 - 83.5	2	22.1	218	2	1	1	38
6 83.5 - 84.5	1	22.8	544	2	1	1	35
6 84.5 - 85.5	1	16.7	327	3	1	1	59
6 85.5 - 86.5	3	16.6	774	1	1	2	60
6 86.5 - 87.5	3	17.9	724	3	1	2	58
6 87.5 - 88.5	3	23.1	507	2	1	1	48
6 88.5 - 89.5	2	22.1	676	1	1	1	43
6 89.5 - 90.5	2	20.3	1036	2	1	2	49
6 90.5 - 91.5	2	19.4	625	1	1	1	45
6 91.5 - 92.5	3	18.6	231	1	1	1	45
6 92.5 - 93.5	1	19.4	203	2	1	1	44