

Sam - Faraway 830381

MIN-EN LABORATORIES LTD. DCH-5.

Specialists in Mineral Environments

705 West 15th Street North Vancouver, B.C. Canada V7M 1T2

PHONE: (604) 980-5814 OR (604) 988-4524

TELEX: VIA USA 7601067 UC

Certificate of ASSAY


Company: FARAWAY GOLD MINES
Project:
Attention: L. SPENCE

File: 6-725
Date: SEPT 8/86
Type: ROCK ASSAY

We hereby certify the following results for samples submitted.

Sample Number	AG G/TONNE	AG OZ/TON
5-23.7-25.0	6.0	0.18
5-25.7-27.0A	4.1	0.12
5-34.0-36.3	4.0	0.12
5-83.2-85.0	10.3	0.30
5-85.0-86.3	4.5	0.13
5-88.0-90.3	15.3	0.45
5-126.0-127.7	39.7	1.16
5-152.7-154.7	28.0	0.82
5-154.7-156.0	4.1	0.12
5-156.0-157.8	1.9	0.06
5-157.8-158.8	2.8	0.08
5-214.3-215.8	20.3	0.59
5-215.8-216.2	34.5	1.01
5-225.4-225.5	43.0	1.25
5-228.9-END	52.4	1.53

Certified by



MIN-EN LABORATORIES LTD.

PROJECT NO:

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

FILE NO: 6-725A/P1+2

ATTENTION: L. SPENCE

(604)980-5814 OR (604)988-4524

* TYPE ROCK GEOCHEM * DATE: SEPT 8, 1986

(VALUES IN PPM)	AG	AL	AS	B	BA	BE	BI	CA	CD	CO	CU	FE
5-19.0-21.4	2.9	4390	71	1	106	6.3	4	2340	7.5	8	11	42320
5-21.4-23.7	4.1	4390	80	1	112	5.0	5	1550	5.6	5	20	32180
5-23.7-25.0	4.3	4420	82	1	92	7.0	6	1660	9.0	7	47	55010
5-25.7-27.0A	3.6	5710	77	4	87	7.9	6	2140	24.4	7	11	66480
5-25.7-27.0B	1.7	5650	47	6	89	6.7	5	2190	8.8	7	9	56370
5-27.0-28.8	1.3	6950	30	10	107	5.8	3	2250	4.7	6	8	44230
5-28.8-31.0	1.0	6240	30	21	99	5.8	3	3550	12.5	5	6	47240
5-31.0-33.3	3.4	5480	60	25	93	6.9	5	2600	15.4	5	6	66130
5-33.3-34.0	.9	5700	52	30	84	6.9	4	3200	7.5	5	6	68280
5-34.0-36.3	4.6	6580	75	37	169	7.1	5	4120	86.9	6	25	63880
5-36.3-37.0	1.2	5240	32	23	93	5.5	3	6020	6.3	5	6	41700
5-37.0-40.5	.9	5760	23	30	115	4.3	3	7060	2.2	4	5	31890
5-40.5-42.7	.6	4440	39	28	87	4.5	3	4120	2.3	4	5	32240
5-42.7-44.2	1.0	4320	33	30	127	5.1	4	5150	5.2	4	12	37470
5-44.2-45.7	2.4	3770	42	21	76	6.0	5	3610	6.1	4	9	42920
5-45.7-47.0	.6	4860	18	15	89	4.3	3	5160	2.8	4	6	32100
5-47.0-48.8	1.1	5050	46	17	164	5.6	5	4890	7.4	5	7	55160
5-48.8-51.0	.9	7530	22	20	154	5.1	4	3690	3.9	5	7	36560
5-51.0-53.7	.6	7970	30	10	146	5.1	4	3480	3.5	5	7	38610
5-53.7-55.8	3.6	11110	52	16	190	4.8	4	2460	11.7	6	7	37470
5-55.8-57.3	.6	7320	17	8	141	4.2	4	6930	3.4	5	6	33530
5-57.3-58.3	.7	9780	19	7	154	4.2	4	12180	3.8	5	6	33580
5-58.3-60.0	.6	10950	16	6	175	4.8	4	16220	3.8	5	6	35230
5-60.0-61.3	.3	10720	8	4	191	4.0	4	15530	2.9	5	5	30470
5-61.3-63.0	.5	8420	21	3	161	4.2	4	11370	2.5	5	4	32920
5-63.0-64.3	.9	10400	24	9	221	5.0	4	3790	2.3	5	6	37800
5-64.3-66.7	2.6	6830	66	1	118	5.8	7	3360	15.2	6	8	49130
5-66.7-68.5	1.7	13190	84	4	91	6.4	6	3560	25.1	7	6	51620
5-68.5-71.0	.6	9890	28	1	88	4.2	4	5070	5.9	6	8	31500
5-71.0-73.5	.4	8790	21	1	134	4.2	4	2750	5.0	4	5	30740
5-73.5-75.6	5.3	7940	62	2	107	5.2	4	3320	8.7	5	8	38360
5-75.6-78.4	1.5	5740	121	1	187	5.7	4	6060	17.6	5	25	44490
5-78.4-79.6	.8	7700	48	1	135	4.9	4	2710	5.7	5	8	35970
5-79.6-81.2	.8	8790	46	1	68	5.0	4	3630	6.4	5	9	36870
5-81.2-83.2	1.0	8830	66	5	86	6.5	5	3650	8.5	6	7	51840
5-83.2-85.0	9.7	6130	454	5	109	9.5	9	2470	77.7	8	67	82530
5-85.0-86.3	4.6	6000	178	4	115	6.4	11	2100	22.8	6	168	60600
5-86.3-88.0	.7	5430	58	1	137	4.8	7	2210	6.8	4	24	36640
5-88.0-90.3	12.6	5710	130	6	130	7.5	8	2250	50.8	6	55	59330
5-90.3-92.4	2.1	6790	58	11	168	6.3	5	8580	8.2	5	7	50000
5-92.4-94.2	1.6	6460	39	11	200	5.2	4	11090	8.4	5	7	40500
5-94.2-95.0	1.3	5230	32	6	215	4.5	4	3750	5.0	4	7	34970
5-95.0-96.5	1.3	7690	15	10	235	4.6	4	2640	4.8	5	6	29580
5-96.5-98.1	1.6	6280	38	16	135	4.8	4	3920	5.9	5	6	36710
5-98.1-100.5	.8	6670	30	11	205	4.5	3	3210	3.3	5	5	29850
5-100.5-102.1	1.1	7710	59	15	215	5.0	5	7160	6.2	5	6	34080
5-102.1-104.5	.7	7170	40	9	164	5.1	3	10860	3.2	5	6	37210
5-104.5-106.2	.6	5960	25	3	165	4.6	3	8510	2.5	5	9	35690
5-106.2-107.9	.7	6060	31	2	171	4.9	3	8800	2.2	5	9	37280
5-107.9-108.8	.8	6530	23	4	226	5.1	3	9150	3.9	5	7	36140
5-108.8-110.0	.9	5500	26	4	204	4.3	3	13740	3.1	5	6	33060
5-110.0-111.5	.9	5670	31	6	115	5.0	3	5420	4.3	5	7	36200
5-111.5-113.0	.8	6610	22	9	247	4.3	3	7190	5.3	5	6	33510
5-113.0-114.5	1.0	9050	21	7	144	4.2	3	15690	6.2	5	7	34710
5-114.5-116.0	4.0	18140	35	15	123	6.4	5	4920	4.7	6	8	50350
5-116.0-117.3	.6	9460	30	7	175	5.8	6	2790	3.7	6	9	45700
5-117.3-119.5	1.4	6140	75	3	102	9.3	8	1750	6.6	7	12	76620
5-119.5-120.3	3.8	5430	151	3	86	13.1	10	920	14.7	8	22	111120
5-120.3-121.1	3.1	4930	95	1	86	9.3	8	1250	7.1	6	14	75580
5-121.1-122.8	4.2	4720	50	1	119	6.8	6	1180	4.6	5	10	52910

PROJECT NO:

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

FILE NO: 6-725A/PI+2

ATTENTION: L. SPENCE

(604)980-5814 OR (604)988-4524

* TYPE ROCK GEOCHEM * DATE: SEPT 8, 1986

(VALUES IN PPM)	K	LI	MG	MN	MO	NA	NI	P	PB	SB	SR	TH
5-19.0-21.4	1620	3	690	234	7	270	10	530	65	12	49	1
5-21.4-23.7	2030	2	470	454	7	300	7	390	95	11	46	1
5-23.7-25.0	2430	2	1040	3577	8	340	20	430	277	14	50	1
5-25.7-27.0A	2590	3	2230	3187	10	300	21	580	271	16	49	1
5-25.7-27.0B	2430	2	1690	7159	9	340	30	460	240	10	44	1
5-27.0-28.8	2590	1	1140	3802	7	430	17	680	155	9	41	1
5-28.8-31.0	2440	1	1510	5407	7	370	27	720	355	9	42	1
5-31.0-33.3	2860	1	1850	9589	8	340	43	650	489	12	46	1
5-33.3-34.0	2630	1	2210	11648	9	340	48	720	385	11	45	1
5-34.0-36.3	3120	1	1920	5971	8	340	29	700	421	17	47	1
5-36.3-37.0	2350	1	1350	3291	5	400	17	820	152	9	35	1
5-37.0-40.5	2320	1	1200	643	6	440	10	800	60	7	31	1
5-40.5-42.7	1690	1	1240	580	5	410	7	790	74	8	34	1
5-42.7-44.2	1860	1	1570	773	7	400	8	910	145	10	30	1
5-44.2-45.7	1840	1	930	382	6	450	6	700	246	12	39	1
5-45.7-47.0	2300	1	1570	1054	6	420	9	740	59	7	31	1
5-47.0-48.8	3080	1	1990	7013	8	380	33	800	205	11	41	1
5-48.8-51.0	2840	1	1130	565	7	610	10	890	53	9	41	1
5-51.0-53.7	2750	2	1200	613	6	520	10	1050	49	9	41	1
5-53.7-55.8	3720	1	970	740	6	290	8	1010	140	8	31	1
5-55.8-57.3	3030	2	1450	1406	5	400	11	990	54	7	28	1
5-57.3-58.3	2990	4	2120	1294	5	420	9	1040	48	7	31	1
5-58.3-60.0	2560	6	2720	1556	7	410	11	990	52	8	34	1
5-60.0-61.3	2970	5	2360	1230	4	520	10	1000	45	6	32	1
5-61.3-63.0	2780	3	1780	837	6	400	8	960	55	7	30	1
5-63.0-64.3	3870	2	1750	616	7	480	6	1020	48	9	33	1
5-64.3-66.7	3490	1	1750	2498	7	400	15	1000	572	12	36	1
5-66.7-68.5	2320	11	7080	4375	10	460	34	1060	480	13	48	1
5-68.5-71.0	2040	9	4830	1325	6	400	20	1080	135	8	33	1
5-71.0-73.5	2060	8	4020	1571	7	320	18	990	169	7	27	1
5-73.5-75.6	2280	8	3990	1451	7	300	15	910	282	8	30	1
5-75.6-78.4	2610	3	3130	1698	8	250	17	910	429	10	32	1
5-78.4-79.6	1970	8	3770	2263	7	310	19	920	307	7	26	1
5-79.6-81.2	2360	7	3740	2493	7	370	20	950	152	7	31	1
5-81.2-83.2	2590	5	3550	5279	8	440	33	1010	170	9	45	1
5-83.2-85.0	2430	2	2160	1971	12	300	25	840	1249	30	54	1
5-85.0-86.3	2820	2	1610	3736	11	290	22	680	419	28	40	1
5-86.3-88.0	2380	1	910	1774	6	290	10	670	156	9	32	1
5-88.0-90.3	2490	1	830	1685	10	300	12	870	2042	22	41	1
5-90.3-92.4	3050	1	2900	3645	7	370	19	980	219	11	39	1
5-92.4-94.2	2530	1	1240	1256	7	360	9	900	209	9	38	1
5-94.2-95.0	2150	1	890	1250	6	270	9	650	160	8	30	1
5-95.0-96.5	2990	2	750	144	6	390	4	890	203	7	33	1
5-96.5-98.1	2350	5	1040	540	6	390	6	1020	159	8	32	1
5-98.1-100.5	2680	2	830	255	5	420	7	950	56	8	32	1
5-100.5-102.1	3080	2	970	286	6	390	7	880	74	8	31	1
5-102.1-104.5	3150	2	1430	625	6	370	7	960	46	8	29	1
5-104.5-106.2	2420	2	1010	402	5	380	8	840	50	8	29	1
5-106.2-107.9	2490	2	1020	412	6	390	9	820	54	9	30	1
5-107.9-108.8	2620	1	1120	446	6	390	8	840	54	10	30	1
5-108.8-110.0	2200	1	1490	659	6	420	8	890	66	7	28	1
5-110.0-111.5	2150	2	1410	431	7	430	6	940	54	9	29	1
5-111.5-113.0	2300	3	2140	517	5	560	7	970	72	8	35	1
5-113.0-114.5	2230	5	4380	1116	7	570	9	980	116	7	38	1
5-114.5-116.0	2060	14	9880	886	10	390	13	950	92	13	44	1
5-116.0-117.3	2560	3	2500	213	8	410	7	1020	62	10	40	1
5-117.3-119.5	1940	1	790	65	10	390	9	640	75	18	50	1
5-119.5-120.3	1870	1	930	188	18	290	14	390	294	26	57	1
5-120.3-121.1	1850	1	720	196	15	360	13	450	125	18	49	1
5-121.1-122.8	1860	1	580	73	8	310	5	400	158	13	40	1

PROJECT NO:

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

FILE NO: 6-725A/P1+2

ATTENTION: L. SPENCE

(604)980-5814 OR (604)988-4524

* TYPE ROCK GEOCHEM * DATE: SEPT 8, 1986

(VALUES IN PPM)	U	V	ZN
5-19.0-21.4	1	6.0	232
5-21.4-23.7	1	3.5	185
5-23.7-25.0	1	4.9	703
5-25.7-27.0A	1	6.1	2506
5-25.7-27.0B	1	4.5	599
5-27.0-28.8	1	5.0	297
5-28.8-31.0	1	4.7	1289
5-31.0-33.3	2	4.6	1540
5-33.3-34.0	3	5.4	646
5-34.0-36.3	3	5.9	10389
5-36.3-37.0	3	3.8	567
5-37.0-40.5	3	4.8	112
5-40.5-42.7	2	3.7	105
5-42.7-44.2	3	4.2	361
5-44.2-45.7	3	3.6	606
5-45.7-47.0	2	4.2	39
5-47.0-48.8	3	4.3	381
5-48.8-51.0	3	8.6	29
5-51.0-53.7	3	9.2	33
5-53.7-55.8	1	9.6	1184
5-55.8-57.3	2	9.3	85
5-57.3-58.3	3	12.4	44
5-58.3-60.0	5	14.5	50
5-60.0-61.3	4	13.5	36
5-61.3-63.0	4	11.1	27
5-63.0-64.3	2	12.6	36
5-64.3-66.7	3	9.3	1650
5-66.7-68.5	4	30.3	2507
5-68.5-71.0	4	26.7	296
5-71.0-73.5	2	25.6	481
5-73.5-75.6	1	21.1	582
5-75.6-78.4	1	12.1	1485
5-78.4-79.6	1	22.9	253
5-79.6-81.2	1	24.2	210
5-81.2-83.2	2	25.1	521
5-83.2-85.0	1	14.0	9930
5-85.0-86.3	1	7.3	1898
5-86.3-88.0	1	5.2	520
5-88.0-90.3	1	6.6	7277
5-90.3-92.4	4	7.2	365
5-92.4-94.2	4	8.0	550
5-94.2-95.0	2	6.6	393
5-95.0-96.5	2	7.9	344
5-96.5-98.1	3	6.9	469
5-98.1-100.5	3	7.7	70
5-100.5-102.1	4	10.5	277
5-102.1-104.5	3	10.5	44
5-104.5-106.2	3	8.5	40
5-106.2-107.9	4	8.6	39
5-107.9-108.8	4	9.3	28
5-108.8-110.0	4	8.5	114
5-110.0-111.5	4	8.4	63
5-111.5-113.0	5	9.5	64
5-113.0-114.5	5	14.0	306
5-114.5-116.0	3	21.4	175
5-116.0-117.3	3	10.1	35
5-117.3-119.5	3	7.6	35
5-119.5-120.3	2	6.1	757
5-120.3-121.1	2	5.1	131
5-121.1-122.8	2	3.9	146

PROJECT NO:

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

FILE NO: 6-725A/P3+4

ATTENTION: L. SPENCE

(604)980-5814 OR (604)988-4524

* TYPE ROCK GEOCHEM *

DATE: SEPT 8, 1986

(VALUES IN PPM)	AG	AL	AS	B	BA	BE	BI	CA	CD	CO	CU	FE
5-122.8-124.5	3.1	5780	56	1	134	6.1	4	1520	8.1	4	9	48630
5-124.5-126.0	2.5	5720	100	1	131	8.2	7	900	6.5	5	9	75840
5-126.0-127.7	38.5	4620	422	2	56	22.9	28	920	39.5	12	229	239890
5-127.7-129.6	3.5	15240	88	3	136	8.9	9	5630	10.7	10	19	73830
5-129.6-130.2	1.4	14940	55	8	159	8.5	6	10690	11.8	10	19	65670
5-130.2-131.1	1.1	18590	42	6	203	6.8	6	6430	7.9	9	14	53880
5-131.1-131.8	1.2	17640	41	4	178	6.6	6	6750	9.7	9	15	53040
5-131.8-133.5	1.1	19080	33	8	159	6.8	6	6960	10.9	10	14	55490
5-133.5-135.0	.7	17500	50	6	143	6.7	5	9100	6.7	8	14	59530
5-135.0-136.5	.6	18000	45	6	154	6.8	5	11870	6.7	8	13	56220
5-136.5-138.0	.8	19470	57	12	188	7.7	5	8610	7.2	9	13	57760
5-138.0-139.5	.5	17470	38	6	162	6.6	5	8810	8.1	7	12	50920
5-139.5-141.0	.3	17190	31	5	190	6.1	5	6210	6.1	7	9	44190
5-141.0-142.5	.7	24740	40	13	145	6.6	5	8050	6.6	8	27	50460
5-143.0-144.5	.5	22180	38	8	195	5.8	5	6190	5.4	7	18	49260
5-144.5-146.0	.6	26640	36	9	118	6.0	4	6920	6.9	7	14	46100
5-146.0-147.5	.5	22120	35	7	165	6.0	5	8900	5.0	7	17	47610
5-147.5-149.0	.8	23060	32	5	138	6.8	5	10100	7.7	7	13	46810
5-149.0-150.5	.9	27180	34	15	203	6.6	4	14360	4.0	7	8	49860
5-150.5-152.7	.6	23510	30	11	249	6.0	4	14820	5.7	6	11	46380
5-152.7-154.7	26.2	7590	462	1	45	13.9	11	5010	24.2	12	255	127570
5-154.7-156.0	5.2	5990	302	1	81	8.9	7	2170	19.0	10	51	73510
5-156.0-157.8	2.1	12720	37	2	137	5.8	5	21540	6.7	7	76	43240
5-157.8-158.8	2.7	8310	44	1	193	6.0	3	16100	14.2	8	20	45130
5-158.8-160.5	.6	16250	18	3	250	5.1	4	20990	4.5	6	74	38220
5-160.5-162.0	.6	20010	16	4	283	5.1	3	21880	5.9	6	79	37440
5-162.0-164.0	.6	20960	24	4	388	6.1	4	14200	5.3	8	44	42760
5-164.0-165.2	.8	20120	10	2	154	5.0	3	15660	3.4	7	37	36630
5-165.3-167.0	2.2	17980	38	1	309	5.7	5	14930	6.4	8	35	43860
5-167.0-168.5	.7	15220	12	1	134	4.9	3	16730	4.3	7	33	38880
5-168.5-170.0	.6	15780	21	2	145	4.3	4	18150	4.9	6	31	36950
5-170.0-171.6	.8	15180	21	2	207	4.3	4	11120	6.5	6	16	37110
5-171.6-172.3	.6	15980	10	4	269	3.4	4	5720	2.9	4	4	29180
5-172.3-173.8	.6	17500	16	2	278	4.2	4	12660	5.9	6	10	37850
5-174.7-176.5	.7	18990	26	3	171	4.9	4	12740	2.9	8	14	39310
5-176.5-178.0	.7	17400	12	1	398	4.3	4	15820	2.8	5	8	33290
5-178.0-178.9	.9	12190	39	1	190	4.3	4	4060	8.3	4	10	31270
5-178.9-179.5	1.3	13700	51	1	123	5.6	5	5450	8.1	6	9	43070
5-179.5-180.9	.8	13790	28	1	180	5.0	5	13050	4.4	6	8	42280
5-181.6-183.0	.9	15370	32	4	169	5.7	5	9610	2.6	7	24	41080
5-183.0-184.9	.7	19850	33	4	154	5.9	6	23250	6.0	7	12	47020
5-184.9-185.8	.4	10230	1	1	368	3.1	1	4240	2.8	3	4	19150
5-185.8-187.5	.6	15300	20	1	249	4.3	3	14540	3.2	4	16	30530
5-187.5-189.0	.5	15960	17	1	217	4.3	3	11370	4.1	4	6	29030
5-189.0-190.5	.6	14830	14	1	306	4.3	3	17010	2.7	4	5	28780
5-190.5-192.0	.4	15240	15	2	294	4.1	3	25720	3.1	4	6	31920
5-192.0-193.5	.6	14280	20	3	335	4.6	3	20160	3.1	5	7	31820
5-193.5-195.0	.7	14920	21	2	141	4.7	3	17620	4.4	4	10	32110
5-195.0-196.5	.9	12030	56	1	134	4.8	3	17190	8.8	5	21	37930
5-196.5-196.9	.5	11950	32	1	87	4.7	3	26190	5.3	5	7	37010
5-196.9-198.0	.6	12050	32	1	99	3.9	3	26030	5.4	5	13	34140
5-198.0-199.5	.6	11710	24	1	119	3.9	3	15820	3.7	4	5	30900
5-199.5-201.4	1.0	14530	65	7	111	5.4	5	20850	7.8	5	6	44040
5-201.4-203.0	2.4	14220	217	4	175	7.1	5	2220	31.1	5	11	53610
5-203.0-204.5	.8	13130	29	3	147	5.1	4	22130	6.0	6	3	39870
5-204.5-206.0	.7	12390	25	1	142	4.5	3	27680	7.6	7	7	37420
5-207.0-207.8	2.5	21580	136	7	92	6.8	4	15910	23.4	8	28	54600
5-208.1-209.0	1.1	18110	35	4	194	5.2	4	14870	6.6	6	14	39850
5-209.6-211.0	1.0	15990	17	1	190	4.2	3	19850	6.3	5	13	32080
5-211.0-212.5	.8	14800	8	1	86	3.7	3	16910	4.6	5	13	30440

PROJECT NO:

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

FILE NO: 6-725A/P3+4

ATTENTION: L. SPENCE

(604)980-5814 OR (604)988-4524

* TYPE ROCK GEOCHEM * DATE: SEPT 8, 1986

(VALUES IN PPM)	K	LI	MG	MN	MO	NA	NI	P	PB	SB	SR	TH
5-122.8-124.5	2320	2	770	790	9	310	8	380	129	12	40	1
5-124.5-126.0	2210	1	760	37	11	250	10	320	132	17	46	1
5-126.0-127.7	1170	1	1610	1	27	150	19	440	1104	82	90	2
5-127.7-129.6	2010	14	7120	805	12	460	18	1340	268	19	53	1
5-129.6-130.2	2600	11	9010	926	10	500	15	1480	155	18	52	2
5-130.2-131.1	2050	19	9850	699	11	520	19	1170	108	13	46	1
5-131.1-131.8	1930	15	12130	1264	9	460	19	1190	96	14	40	1
5-131.8-133.5	1800	17	14850	1002	12	450	19	1400	102	13	44	1
5-133.5-135.0	1880	14	12810	1515	10	490	17	1200	98	15	49	2
5-135.0-136.5	1400	17	14430	2132	11	550	23	1080	100	14	54	1
5-136.5-138.0	2760	13	11730	1311	12	610	23	1120	96	16	53	2
5-138.0-139.5	1670	16	11940	1608	9	560	20	1060	83	12	49	1
5-139.5-141.0	2100	14	8910	810	9	630	17	1000	80	11	46	1
5-141.0-142.5	1340	28	13510	1300	9	820	19	1170	93	15	55	1
5-143.0-144.5	1430	20	12660	1085	10	880	17	1080	89	14	50	1
5-144.5-146.0	900	31	16100	1064	10	810	17	1040	100	13	52	2
5-146.0-147.5	1960	19	10700	745	9	780	17	1010	85	13	58	1
5-147.5-149.0	1750	24	12840	932	9	680	18	1080	99	14	54	1
5-149.0-150.5	2170	32	15240	1253	10	710	20	1170	87	13	60	2
5-150.5-152.7	2150	23	15690	1673	10	640	20	1100	92	11	61	2
5-152.7-154.7	2190	3	2670	493	23	370	32	560	306	75	65	1
5-154.7-156.0	2260	1	1170	303	13	330	17	740	281	23	45	1
5-156.0-157.8	2610	10	9820	2585	8	410	22	940	91	13	48	1
5-157.8-158.8	2430	4	5710	1838	7	320	16	1050	147	12	44	1
5-158.8-160.5	2530	10	10670	1414	7	470	18	910	54	13	50	1
5-160.5-162.0	2580	14	10440	1072	8	540	16	970	84	10	54	1
5-162.0-164.0	2330	14	10730	952	9	670	19	1100	77	11	61	1
5-164.0-165.2	2200	15	9940	933	7	810	16	990	63	9	60	1
5-165.3-167.0	2190	13	8990	802	9	810	15	980	98	13	63	1
5-167.0-168.5	1620	11	8270	765	7	670	17	860	59	10	53	1
5-168.5-170.0	1280	12	8420	880	7	660	15	890	95	9	54	1
5-170.0-171.6	1750	12	8270	721	8	650	16	1080	85	9	47	1
5-171.6-172.3	1860	11	9160	716	6	570	18	590	67	6	34	1
5-172.3-173.8	2000	10	7390	819	7	740	15	1100	75	9	60	1
5-174.7-176.5	2380	11	7300	810	8	980	16	1130	75	11	71	1
5-176.5-178.0	1690	11	7640	834	8	1020	14	1000	61	6	73	1
5-178.0-178.9	2010	8	6300	447	6	460	14	670	124	8	32	1
5-178.9-179.5	1490	11	6860	513	9	750	14	1030	82	10	53	1
5-179.5-180.9	1550	10	6510	680	8	700	11	1130	68	10	54	1
5-181.6-183.0	1650	11	6900	724	8	820	12	1040	59	12	61	1
5-183.0-184.9	900	17	11100	1259	10	850	18	1210	74	11	68	1
5-184.9-185.8	1710	7	4710	434	4	580	8	310	34	4	25	1
5-185.8-187.5	2000	10	6150	737	6	800	10	920	51	8	57	1
5-187.5-189.0	1920	11	6070	657	6	870	11	890	48	7	59	1
5-189.0-190.5	1510	10	6050	711	7	840	12	970	35	7	61	1
5-190.5-192.0	1330	12	6790	953	6	950	13	1050	54	6	67	1
5-192.0-193.5	1700	11	5350	791	8	760	12	1010	44	8	49	1
5-193.5-195.0	1820	14	6090	786	7	650	13	1060	69	8	46	1
5-195.0-196.5	2080	8	4550	731	6	580	10	900	110	10	42	1
5-196.5-196.9	1510	8	5410	934	7	620	13	1000	62	8	44	1
5-196.9-198.0	1520	7	5030	910	7	590	15	1010	60	9	45	1
5-198.0-199.5	2040	6	4940	746	6	490	12	680	56	7	36	1
5-199.5-201.4	2260	8	5660	1955	8	530	19	1000	163	10	53	1
5-201.4-203.0	2720	8	3340	1198	9	410	14	770	423	15	48	1
5-203.0-204.5	2740	5	4450	1434	7	470	14	890	120	8	45	1
5-204.5-206.0	2260	5	4880	1174	8	440	18	960	66	9	44	1
5-207.0-207.8	2530	12	11490	3199	10	650	31	1590	725	16	70	2
5-208.1-209.0	2530	9	10640	3100	9	550	24	1160	193	9	54	1
5-209.6-211.0	1900	8	10300	1375	8	550	20	1170	78	9	45	2
5-211.0-212.5	1600	11	9880	888	6	700	16	1120	59	8	46	1

PROJECT NO:

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

FILE NO: 6-725A/P3+4

ATTENTION: L.SPENCE

(604)980-5814 OR (604)988-4524

* TYPE ROCK GEOCHEM * DATE: SEPT 8, 1986

(VALUES IN PPM)	U	V	ZN
5-122.8-124.5	2	4.4	577
5-124.5-126.0	1	4.7	48
5-126.0-127.7	2	9.0	3013
5-127.7-129.6	3	28.7	404
5-129.6-130.2	4	24.9	650
5-130.2-131.1	3	31.6	187
5-131.1-131.8	3	36.7	622
5-131.8-133.5	3	42.9	556
5-133.5-135.0	4	38.9	123
5-135.0-136.5	4	39.0	142
5-136.5-138.0	4	38.5	77
5-138.0-139.5	4	31.6	127
5-139.5-141.0	3	28.0	96
5-141.0-142.5	3	41.3	89
5-143.0-144.5	3	37.1	102
5-144.5-146.0	3	47.3	208
5-146.0-147.5	3	33.9	70
5-147.5-149.0	4	37.4	137
5-149.0-150.5	4	45.8	69
5-150.5-152.7	4	44.5	73
5-152.7-154.7	3	14.5	1146
5-154.7-156.0	2	8.8	1110
5-156.0-157.8	4	25.2	153
5-157.8-158.8	4	14.8	1227
5-158.8-160.5	4	35.9	71
5-160.5-162.0	4	41.2	94
5-162.0-164.0	5	48.1	68
5-164.0-165.2	4	44.8	67
5-165.3-167.0	4	41.9	130
5-167.0-168.5	4	41.2	65
5-168.5-170.0	4	40.9	145
5-170.0-171.6	4	32.4	153
5-171.6-172.3	4	23.5	57
5-172.3-173.8	5	38.5	85
5-174.7-176.5	5	35.4	97
5-176.5-178.0	5	31.9	88
5-178.0-178.9	3	19.7	781
5-178.9-179.5	3	26.2	363
5-179.5-180.9	4	24.9	81
5-181.6-183.0	5	26.7	138
5-183.0-184.9	5	36.8	78
5-184.9-185.8	2	8.2	34
5-185.8-187.5	5	17.9	63
5-187.5-189.0	5	18.4	98
5-189.0-190.5	5	17.7	31
5-190.5-192.0	4	19.1	37
5-192.0-193.5	4	22.5	38
5-193.5-195.0	5	21.1	93
5-195.0-196.5	4	16.7	869
5-196.5-196.9	4	19.9	92
5-196.9-198.0	5	20.0	207
5-198.0-199.5	4	12.9	36
5-199.5-201.4	5	18.4	362
5-201.4-203.0	3	12.1	3011
5-203.0-204.5	4	16.4	240
5-204.5-206.0	5	16.7	267
5-207.0-207.8	5	47.3	2323
5-208.1-209.0	5	32.9	267
5-209.6-211.0	5	40.1	104
5-211.0-212.5	4	41.5	56

PROJECT NO:

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

FILE NO: 6-725A/PS

ATTENTION: L.SPENCE

(604)980-5814 OR (604)988-4524

* TYPE ROCK GEOCHEM * DATE: SEPT 8, 1986

(VALUES IN PPM)	AG	AL	AS	B	BA	BE	BI	CA	CD	CO	CU	FE
5-212.5-214.3	.9	15860	65	6	161	5.7	3	15860	9.3	6	17	44660
5-214.3-215.8	35.5	5660	129	1	98	8.3	7	3260	5.9	9	35	65170
5-215.8-216.2	40.3	12470	206	5	48	11.6	15	10370	10.5	14	535	104680
5-216.2-216.9	2.1	28830	51	14	607	7.0	8	49140	6.9	12	65	110560
5-216.9-218.5	5.2	4180	291	6	54	20.8	20	2010	14.6	12	43	180690
5-218.5-220.0	2.0	6440	73	1	138	7.6	7	1710	3.1	6	6	61570
5-220.0-221.5	.8	6310	21	1	152	4.1	4	1000	3.0	5	6	26220
5-221.5-222.2	.4	7600	13	1	148	4.1	4	2400	1.6	6	5	30110
5-222.2-223.7	.6	15260	20	6	104	5.0	5	10540	3.7	5	4	41350
5-223.7-225.4	.8	15390	10	8	121	4.9	3	24180	3.4	5	10	35560
5-225.4-225.5	43.2	4940	663	10	66	28.1	27	6500	35.4	24	351	244050
5-225.5-227.0	.7	14760	32	5	115	5.1	5	24900	5.0	6	11	39930
5-227.0-228.9	.7	11780	23	2	128	5.1	3	31260	4.3	6	7	37890
5-228.9-END	55.2	3870	676	11	62	30.5	28	2790	43.4	24	438	269060
5-165.2-165.5	7.8	6670	204	7	39	15.1	12	5260	50.2	8	63	113640
5-173.8-174.3	.9	13270	17	5	140	5.1	3	10420	4.8	5	11	31390
5-174.3-174.7	11.1	10590	185	4	134	9.2	8	10000	15.9	9	109	63730
5-180.9-181.6	1.2	12480	31	6	228	5.8	5	12390	4.1	5	16	38120
5-207.8-208.1	5.9	11200	1955	14	98	16.6	12	2390	304.2	10	114	111600
5-201.4-201.5	2.6	15010	117	10	81	8.6	5	6760	20.3	7	27	53060
5-206.0-207.3	1.0	15750	67	6	145	6.1	3	8150	5.6	5	5	36510
5-209.0-209.6	1.8	9420	59	1	89	6.2	5	3590	5.3	6	11	38180

(VALUES IN PPM)	K	LI	MG	MN	MO	NA	NI	P	PB	SB	SR	TH
5-212.5-214.3	2990	10	7950	3289	9	710	23	1300	214	11	60	1
5-214.3-215.8	2130	1	1020	67	10	410	17	1040	97	18	54	1
5-215.8-216.2	2780	5	3310	320	14	800	35	1220	7019	74	83	1
5-216.2-216.9	3220	17	11200	1602	10	1430	56	2640	163	11	143	1
5-216.9-218.5	1020	1	1610	16	23	200	27	660	219	42	76	2
5-218.5-220.0	2660	1	780	6	8	270	10	560	70	15	45	1
5-220.0-221.5	2790	1	500	5	5	400	6	320	57	7	40	1
5-221.5-222.2	3370	1	760	969	5	490	9	870	33	7	33	1
5-222.2-223.7	2440	9	5140	1802	8	520	16	1220	51	8	42	1
5-223.7-225.4	2370	8	5130	1135	8	590	11	1240	49	8	47	1
5-225.4-225.5	880	1	2740	391	33	130	56	650	654	108	84	2
5-225.5-227.0	2250	10	6010	1655	9	410	16	1020	72	10	42	1
5-227.0-228.9	2270	6	4250	1773	7	420	14	1120	60	9	46	1
5-228.9-END	790	1	2430	217	34	50	53	560	782	120	82	2
5-165.2-165.5	1670	1	2160	236	17	200	21	950	483	33	50	1
5-173.8-174.3	1830	10	6100	671	8	670	13	1010	69	8	44	1
5-174.3-174.7	2130	5	3860	514	17	410	26	820	250	31	50	1
5-180.9-181.6	2150	8	6130	648	7	450	13	1330	56	10	34	1
5-207.8-208.1	2320	6	3500	449	19	350	24	1140	370	50	66	1
5-201.4-201.5	2590	6	7560	2463	12	530	25	1230	444	17	59	1
5-206.0-207.3	2880	10	7960	1847	7	310	40	710	137	11	36	1
5-209.0-209.6	2210	3	4610	487	9	280	14	1040	123	11	33	1

PROJECT NO:

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

FILE NO: 6-725A/P5

ATTENTION: L.SPENCE

(604)980-5814 OR (604)988-4524

* TYPE ROCK GEOCHEM * DATE: SEPT 8, 1986

(VALUES IN PPM)	U	V	ZN
5-212.5-214.3	5	31.5	784
5-214.3-215.8	2	9.0	189
5-215.8-216.2	4	34.2	188
5-216.2-216.9	7	95.0	131
5-216.9-218.5	4	11.6	365
5-218.5-220.0	2	8.4	738
5-220.0-221.5	1	5.9	404
5-221.5-222.2	2	8.4	137
5-222.2-223.7	4	18.5	208
5-223.7-225.4	4	21.1	57
5-225.4-225.5	4	15.3	1515
5-225.5-227.0	4	20.9	75
5-227.0-228.9	5	20.7	52
5-228.9-END	4	14.2	2355
5-165.2-165.5	3	13.6	4245
5-173.8-174.3	3	24.0	100
5-174.3-174.7	4	20.6	1069
5-180.9-181.6	4	22.5	57
5-207.8-208.1	3	16.5	33053
5-201.4-201.5	4	26.1	2121
5-206.0-207.3	3	20.8	324
5-209.0-209.6	3	13.3	165