

POLARIS.Discovery Workings.

parallel

13 vein structures - North by trend.

Vertical to west dipping.
offset recorded by Plot fault

- Widths from 1 to 8" -

W'd Ave Grade.

| | <u>W</u> | <u>Au</u> | <u>Ag</u> | |
|-----|-------------|----------------|-----------|---------------|
| 2 | 0.26 | 0.52 | 0.90 | 1.80 |
| 3 | 0.54 | 1.62 | 1.26 | 3.78 |
| 1.5 | 0.16 | 0.24 | 0.66 | 0.99 |
| 6 | 0.04 | 0.24 | tr | — |
| 12 | 0.26 | 3.12 | 0.34 | 4.08 |
| 1 | 0.50 | 0.50 | 0.52 | 0.52 |
| 4 | 0.96 | 3.84 | 0.74 | 2.96 |
| 3 | 0.16 | 0.48 | 0.14 | 0.42 |
| 8 | 0.42 | 3.36 | 0.50 | 4.00 |
| | | 104.86 | 148.80 | |
| 18 | 29.60 | 532.8 | 4.34 | 78.12 |
| 16 | 0.04 | 0.64 | tr | — |
| 4 | 0.70 | 2.80 | 1.46 | 5.84 |
| 38 | | 536.24 | | 83.96 |
| 38 | | (14.11) 536.18 | (2.21) | 83.98 |
| 3 | tr | — | tr. | — |
| 1.5 | 2.88 | 4.32 | 1.62 | 2.43 |
| 6 | 0.22 | 1.32 | 0.16 | 0.96 |
| 4 | tr | — | tr | — |
| 3 | 0.12 | 0.36 | 0.54 | 1.62 |
| 3 | 0.20 | 0.60 | 0.20 | 0.60 |
| 5 | 0.08 | 0.40 | 0.28 | 1.40 |
| 8 | 0.27 | 2.16 | 0.47 | 3.26 |
| | <u>11.2</u> | <u>559.32</u> | | <u>113.28</u> |

Highest
Grades.

45cm

①
②
③
④
⑤
⑥
⑦
⑧
⑨
⑩
⑪
⑫
⑬
⑭
⑮
⑯
⑰
⑱

| | | | | |
|------------|------|----------------|--------|--------|
| 4 | + | - | + | - |
| 4 | + | - | + | - |
| 2.5 | 0.04 | 0.10 | + | - |
| 1 | 0.36 | 0.36 | 1.28 | 1.28 |
| 1 | 0.08 | 0.08 | 0.10 | 0.10 |
| 1 | 0.24 | 0.24 | 0.82 | 0.82 |
| 1.5 | + | - | + | - |
| 6 | 0.08 | 0.48 | 1.12 | 6.72 |
| 6 | 0.11 | 0.66 | 0.13 | 0.78 |
| 2 | 1.33 | 2.66 | 6.19 | 12.38 |
| 1.5 | 0.43 | 0.65 | 0.39 | 0.59 |
| 3 | 0.15 | 0.45 | 0.45 | 1.35 |
| 4.5 | 0.42 | 1.89 | 0.18 | 0.81 |
| 5 | 0.08 | 0.40 | 0.20 | 1.0 |
| 6 | 0.10 | 0.60 | 0.14 | 0.84 |
| 5 | 0.16 | 0.80 | 0.10 | 0.50 |
| 5 | 0.06 | 0.30 | + | - |
| 3 | 1.20 | 3.60 | 0.40 | 1.20 |
| 10 | 0.08 | 0.80 | 0.16 | 1.60 |
| <u>72</u> | | 14.07 | | 29.97 |
| 112 | | 559.32 | | 113.28 |
| <u>184</u> | | 573.39 (3.116) | 143.25 | (0.78) |
| - 38 | | 536.24 | 83.98 | |
| <u>146</u> | | 37.15 | 59.27 | |

4" Ad width. 0.254 Au 8.71 13.71
10.2 cm. 0.40 Ag

36 Samples.

Dimensions - 120 x 40' (lay)
35 x 12 m.
Max Van length = 10m.

JUPITER VEIN. - ADIT. - No. 2 Vein.

| | <u>W</u> | <u>Au</u> | <u>Ag</u> | |
|---|-------------|---------------|-----------|----------------|
| ① | 78 | 0.232 (18.10) | 1.24 | 96.72 |
| ② | 74 | 0.108 7.99 | 1.56 | 115.44 |
| ③ | 60 | 0.340 20.40 | 0.47 | 28.20 |
| ④ | 64 | 0.157 10.05 | 0.85 | 54.40 |
| ⑤ | 72 | 0.060 4.32 | 0.60 | 43.20 |
| ⑥ | 60 | 0.085 5.10 | 0.54 | 32.40 |
| ⑦ | 32 | 0.830 26.88 | 0.88 | 28.16 |
| ⑧ | 74 | 0.30 22.20 | 2.19 | 162.06 |
| ⑨ | 66 | 0.08 5.28 | 0.91 | 60.06 |
| ⑩ | 76 | 0.085 6.46 | 0.63 | 47.88 |
| ⑪ | 29 | 0.333 9.66 | 0.91 | 26.39 |
| ⑫ | 50 | 0.141 7.05 | 0.81 | 40.50 |
| ⑬ | 30 | 0.184 5.52 | 1.41 | 42.30 |
| ⑭ | 30 | 0.242 7.26 | 3.04 | 91.20 |
| ⑮ | 50 | 0.150 7.50 | 0.89 | 44.50 |
| ⑯ | 58 | 0.066 3.83 | 2.32 | 134.56 |
| ⑰ | 37 | 0.181 6.70 | 2.49 | 92.13 |
| ⑱ | 56 | 0.16 8.96 | 0.73 | 40.88 |
| ⑲ | 7 | 0.50 3.50 | 5.48 | 38.36 |
| ⑳ | 16 | 0.11 1.76 | 0.94 | 15.04 |
| | <u>1019</u> | <u>188.52</u> | | <u>1234.38</u> |

51" 0.185 Au. 1.21 Ag

80' strike length.

1.30 m cut width =
24.4 m strike length.

42 Samples -

30. m N - 12 m X-cut down east exposed vein
with w/d all grade of.

4 Samples - 0.466 Au 2.31 Ag / 1.26 m

No. 3 Vent.

| | <u>W</u> | <u>Au</u> | | <u>Ag</u> | |
|---|------------|-----------|--------------|-----------|-----------------|
| ① | 38 | 0.02 | 0.76 | 15.20 | 577.60 |
| ② | 36 | tr. | — | 71.80 | 2584.80 |
| ③ | 56 | 0.002 | 0.112 | 46.91 | 2626.96 |
| ④ | 12 | 0.02 | 0.24 | 127.93 | 1535.16 |
| ⑤ | 23 | tr. | — | 59.00 | 1357.00 |
| ⑥ | 20 | tr. | — | 55.94 | 1118.80 |
| ⑦ | 9 | 0.04 | 0.36 | 133.26 | 1199.34 |
| ⑧ | 25 | 0.02 | 0.50 | 132.75 | 3318.75 |
| ⑨ | 6 | 0.03 | — | 161.74 | 970.44 |
| ⑩ | 6 | tr. | — | 16.16 | 96.96 |
| | <u>231</u> | | <u>1.972</u> | | <u>15385.81</u> |
| | 23.10 | 0.009 Au | | 66.61 Ag | |

Ave Width. 0.57 m.

Stake length 10 m.

~~No. of~~

No. of Samples = 12

No. 1 VEIN

| | <u>W</u> | | <u>Au</u> | | <u>Ag</u> | |
|---|------------|------|--------------|-------|-----------------|---------|
| ① | 76 | | 0.010 | 0.76 | 7.16 | 544.16 |
| ② | 62 | | 0.005 | 0.31 | 4.32 | 267.84 |
| ③ | 60 | tr | — | — | 5.08 | 304.80 |
| ④ | 78 | | 0.021 | 1.638 | 13.51 | 1053.78 |
| ⑤ | 26 | tr | — | — | 22.65 | 588.90 |
| ⑥ | 42 | tr | — | — | 13.42 | 563.64 |
| ⑦ | 36 | tr | — | — | 11.82 | 425.52 |
| ⑧ | 60 | tr | — | — | 14.24 | 854.40 |
| ⑨ | 36 | tr | — | — | 26.85 | 966.60 |
| ⑩ | 35 | 0.02 | 0.70 | 32.70 | 1144.50 | |
| ⑪ | 58 | 0.02 | 1.16 | 56.18 | 3258.44 | |
| ⑫ | 57 | 0.02 | 1.14 | 64.60 | 3682.20 | |
| ⑬ | 55 | 0.02 | 1.10 | 53.70 | 2953.50 | |
| | <u>681</u> | | <u>6.808</u> | | <u>16608.28</u> | |
| | 52.38" | | (0.010) Au | | (24.39) Ag | |

Ave Width 1.33 m

Strike length 20 m

No. of Samples = 17

No. 3 Veint.

| | <u>W</u> | <u>Au</u> | <u>Ag</u> | |
|------------------|----------------------|----------------------------------|------------------|--------------------------------|
| 380 ① | <u>38</u> | (0.02) | 0.76 | (15.20) 577.60 |
| ② | <u>36</u> | (tr.) | | (71.80) 2584.80. |
| ③ | 52 4 <u>56</u> | tr — 0.03 0.12 (0.002) | 19.16 407.60 | 996.32 1630.40 (46.91) |
| ④ | 12 | 0.02 | | 127.93. |
| ⑤ | 23 | tr | | 59.80. |
| ⑥ | 20 | tr. | | 55.94 |
| ⑦ | 9 | 0.04 | | 133.26. |
| ⑧ | 3 22 <u>25</u> | 0.02 0.06 0.02 0.44 (0.02) | 272.56 113.68 | 817.68 2500.96 (132.75). |
| ⑨ | <u>6</u> | (0.035) | | (161.74) |
| ⑩ | <u>6</u> | tr. | | (16.16). |

No. 1 Vein


| | <u>W</u> | <u>Au</u> | <u>Ag</u> | |
|---|-----------------------------------|--|-----------------------------------|--------------------------------------|
| ① | 26 <u>50</u> <u>76</u> | 0.03 0.78 tr — (0.010) | 1.04 10.34 (7.16) | 27.04 517.00 (7.16) |
| ② | 48 <u>14</u> <u>62</u> | tr — 0.02 0.28 (0.005) | 3.13 8.42 (4.32) | 150.24 117.88 (4.32) |
| ③ | <u>60</u> | (tr) | | (5.08) |
| ④ | 30 40 <u>8</u> <u>78</u> | 0.02 0.60 0.02 0.80 0.03 0.24 (0.024) | 14.02 0.40 77.15 (13.51) | 420.60 16.00 617.20 (13.51) |
| ⑤ | <u>26</u> | tr. (—) | | (22.65) |
| ⑥ | <u>42</u> | (tr) | | (13.42) |
| ⑦ | <u>36</u> | (tr) | | (11.82) |
| ⑧ | <u>60</u> | (tr) | | (14.24) |
| ⑨ | <u>36</u> | (tr) | | (26.85) |
| ⑩ | <u>35</u> | (0.02) | | (32.70) |
| ⑪ | <u>58</u> | (0.02) | | (56.18) |
| ⑫ | 57 | (0.02) | | (64.60) |
| ⑬ | 55 | (0.02) | | (53.70) |

4-45-61-63-71-72-80-84
 -85-86-89-91-94-96-97-98
 2103-04-05

Main entry and
 No. 2 crosscut east
 Au: Tr - .02
 Ag: Tr - 2.16

No. 1443-50, 1951-52-53-66-67-69-70: Drill cuttings
 Main Entry and
 No. 2 crosscut east
 Au: Tr - .02
 Ag: Tr - .48

| | | | | |
|------|------|-------|----|-----------------------|
| 2147 | .40 | .94 | 14 | left, near roof |
| 2156 | .76 | 3.20 | 36 | right " " |
| 2155 | .04 | 3.96 | 24 | left " " |
| 2158 | Tr. | 3.10 | 24 | right |
| 2159 | 1.21 | 2.79 | 6 | left |
| 2165 | .15 | .89 | 6 | right |
| 2166 | .03 | 2.33 | 50 | entire vein |
| 2167 | .38 | 9.62 | 52 | left |
| 2170 | .40 | .72 | 6 | right |
| 2170 | .13 | 2.40 | 7 | left |
| 2170 | Tr. | 2.70 | 30 | right |
| 2178 | 7.18 | 27.73 | 56 | entire vein near roof |
| 2181 | Tr. | .18 | 2 | center floor |
| 2186 | .03 | .18 | 26 | fault breccia |
| 2190 | Tr. | .11 | 18 | " " |
| 2208 | Tr. | .15 | 36 | " " |
| 2210 | .50 | 5.48 | 7 | center of vein shear |
| 2211 | .11 | .94 | 16 | vein near roof |
| 2220 | .87 | 3.76 | 5 | vein at floor |
| | Tr. | .20 | 22 | entire vein near roof |



~~with no ...~~ apparently with little snow.

This leaves the area of the study zone as an unpaired long etc.

| | <u>W (m)</u> | <u>Area</u> | <u>Ag</u> | |
|---|--------------|-------------|-----------|--------------|
| ① | 4 | 2.76 | 11.04 | 7.80 |
| | 36 | — | — | 31.20 |
| | 2 | 3.51 | 7.02 | 32.61 |
| | <u>78</u> | 18.06 | | <u>65.22</u> |
| | | (0.232) | | (1.24) |

| | | | | | |
|---|-----------|---------|------|-------|---------------|
| ② | 72 | 0.03 | 2.16 | 1.04 | 74.88 |
| | <u>2</u> | 2.90 | 5.80 | 20.28 | 40.56 |
| | <u>74</u> | 7.96 | | | <u>115.44</u> |
| | | (0.108) | | | (1.56) |

| | | | | | |
|---|-----------|--------|--|--------|--|
| ③ | <u>60</u> | (0.34) | | (0.47) | |
|---|-----------|--------|--|--------|--|

| | | | | | |
|---|-------------|---------|------|-------|--------------|
| ④ | 1.2 | 0.15 | 0.18 | 5.51 | 6.61 |
| | 36 | — | — | — | — |
| | 3 | 2.67 | 8.01 | 13.72 | 41.16 |
| | 18 | — | — | — | — |
| | 6 | 0.31 | 1.86 | 1.09 | 6.54 |
| | <u>64.2</u> | 10.05 | | | <u>54.31</u> |
| | | (0.157) | | | (0.85) |

| | | | | | |
|---|-----------|--------|------|------|--------------|
| ⑤ | 12 | 0.03 | 0.36 | 2.17 | 26.04 |
| | 30 | — | — | 0.50 | 9.00 |
| | 30 | 0.12 | 3.6 | 0.28 | 8.40 |
| | <u>72</u> | 3.96 | | | <u>43.44</u> |
| | | (0.06) | | | (0.60) |

$$\begin{array}{r}
 58 \\
 2 \\
 \hline
 60
 \end{array}
 \begin{array}{r}
 0.02 \\
 1.98 \\
 \hline
 (0.085)
 \end{array}
 \begin{array}{r}
 1.16 \\
 3.96 \\
 \hline
 (0.085)
 \end{array}
 \begin{array}{r}
 0.17 \\
 11.39 \\
 \hline
 (0.085)
 \end{array}
 \begin{array}{r}
 9.86 \\
 22.78 \\
 \hline
 (0.54)
 \end{array}$$

$$\begin{array}{r}
 12 \\
 12 \\
 \hline
 8 \\
 32
 \end{array}
 \begin{array}{r}
 2.04 \\
 - \\
 0.26 \\
 \hline
 (0.830)
 \end{array}
 \begin{array}{r}
 24.48 \\
 - \\
 2.08 \\
 \hline
 (0.830)
 \end{array}
 \begin{array}{r}
 1.63 \\
 - \\
 1.09 \\
 \hline
 (0.830)
 \end{array}
 \begin{array}{r}
 19.56 \\
 - \\
 8.72 \\
 \hline
 (0.88)
 \end{array}$$

$$\begin{array}{r}
 26 \\
 24 \\
 24 \\
 \hline
 74
 \end{array}
 \begin{array}{r}
 + \\
 0.15 \\
 0.78 \\
 \hline
 (0.30)
 \end{array}
 \begin{array}{r}
 - \\
 3.6 \\
 18.72 \\
 \hline
 (0.30)
 \end{array}
 \begin{array}{r}
 3.43 \\
 1.25 \\
 1.80 \\
 \hline
 (0.30)
 \end{array}
 \begin{array}{r}
 89.18 \\
 30.00 \\
 43.20 \\
 \hline
 (2.19)
 \end{array}$$

$$\begin{array}{r}
 66 \\
 \hline
 \end{array}
 \begin{array}{r}
 (0.08) \\
 \hline
 \end{array}
 \begin{array}{r}
 (0.91) \\
 \hline
 \end{array}$$

$$\begin{array}{r}
 40 \\
 36 \\
 \hline
 76
 \end{array}
 \begin{array}{r}
 + \\
 0.18 \\
 \hline
 (0.085)
 \end{array}
 \begin{array}{r}
 - \\
 6.48 \\
 \hline
 (0.085)
 \end{array}
 \begin{array}{r}
 0.46 \\
 0.82 \\
 \hline
 (0.085)
 \end{array}
 \begin{array}{r}
 18.40 \\
 29.52 \\
 \hline
 (0.63)
 \end{array}$$

$$\begin{array}{r}
 20 \\
 6 \\
 3 \\
 \hline
 29
 \end{array}
 \begin{array}{r}
 0.08 \\
 0.39 \\
 1.91 \\
 \hline
 (0.333)
 \end{array}
 \begin{array}{r}
 1.6 \\
 2.34 \\
 5.73 \\
 \hline
 (0.333)
 \end{array}
 \begin{array}{r}
 0.57 \\
 1.08 \\
 4.12 \\
 \hline
 (0.333)
 \end{array}
 \begin{array}{r}
 11.40 \\
 2.53 \\
 12.36 \\
 \hline
 (0.91)
 \end{array}$$

$$\begin{array}{r}
 14 \\
 36 \\
 \hline
 50
 \end{array}
 \begin{array}{r}
 0.40 \\
 0.04 \\
 \hline
 (0.141)
 \end{array}
 \begin{array}{r}
 5.60 \\
 1.44 \\
 \hline
 (0.141)
 \end{array}
 \begin{array}{r}
 0.94 \\
 0.44 \\
 \hline
 (0.141)
 \end{array}
 \begin{array}{r}
 13.16 \\
 15.84 \\
 \hline
 (0.81)
 \end{array}$$

$$\begin{array}{r}
 6 \\
 24 \\
 \hline
 30
 \end{array}
 \begin{array}{r}
 0.76 \\
 0.04 \\
 \hline
 (0.184)
 \end{array}
 \begin{array}{r}
 4.56 \\
 0.96 \\
 \hline
 (0.184)
 \end{array}
 \begin{array}{r}
 3.20 \\
 0.96 \\
 \hline
 (0.184)
 \end{array}
 \begin{array}{r}
 19.20 \\
 23.04 \\
 \hline
 (1.41)
 \end{array}$$

14

| | | | |
|----------|---------|------|--------|
| 24 | 4. | 3.10 | 74.40 |
| <u>6</u> | 1.21 | 7.26 | 2.79 |
| 30 | (0.242) | | (3.04) |

15

| | | |
|-----------|---------|--------|
| <u>50</u> | (0.150) | (0.89) |
|-----------|---------|--------|

16

| | | | | |
|----------|---------|------|--------|--------|
| 52 | 0.03 | 1.56 | 2.33 | 121.16 |
| <u>6</u> | 0.38 | 2.28 | 9.62 | 13.68 |
| 58 | (0.066) | | (2.32) | |

17

| | | | | |
|-----------|---------|------|--------|-------|
| 7 | 0.40 | 2.80 | 0.72 | 5.04 |
| <u>30</u> | 0.13 | 3.90 | 2.90 | 87.80 |
| 37 | (0.181) | | (2.49) | |

18

| | | |
|------------|--------|--------|
| <u>56.</u> | (0.16) | (0.73) |
|------------|--------|--------|

19

| | | |
|----------|--------|--------|
| <u>7</u> | (0.50) | (5.48) |
|----------|--------|--------|

20

| | | |
|-----------|--------|--------|
| <u>16</u> | (0.11) | (0.94) |
|-----------|--------|--------|

9

4.0 0.38 1.52 1.20 4.80

1.0 1.95 1.95 7.80 7.80

2.4 0.42 1.008 2.10 5.04
3.4 (0.870) 2.958 (3.78) \$12.85


5.0 0.26 1.30 2.20 11.80

12.4 5.778 28.65

4.13' 0.466 Au, 2.31 Ag

1.26 m. Ave Width

(550) (21.0) 27
(84.7) (0.20) 17
(40.0) (11.0) 11



| No. | Au | Aq | Inches width |
|------|------|-------|--------------|
| 2219 | .02 | .37 | 16 |
| 2212 | Tr. | .20 | 52 |
| 2209 | .02 | .56 | 16 |
| 2201 | .03 | .31 | 70 |
| 2202 | .07 | .44 | 6 |
| 2187 | 2.76 | 7.80 | 4 |
| 2188 | 3.51 | 32.61 | 2 |
| 2177 | .03 | 1.04 | 72 |
| 2179 | 2.90 | 20.28 | 2 |
| 2168 | .34 | .47 | 60 |
| 2169 | 4.58 | 9.57 | 2 |
| 2160 | .15 | 5.51 | 12 |
| 2162 | 2.67 | 13.72 | 3 |
| 2164 | .31 | 1.09 | 6 |
| 2153 | .03 | 2.17 | 12 |
| 2149 | Tr. | .30 | 30 |
| 2156 | .12 | .28 | 30 |
| 2138 | .02 | .17 | 58 |
| 2129 | 1.98 | 11.39 | 2 |
| 2126 | 2.04 | 1.63 | 12 |
| 2128 | .26 | 1.09 | 8 |
| 2120 | Tr. | 3.43 | 26 |
| 2121 | .15 | 1.25 | 24 |
| 2122 | .78 | 1.80 | 24 |
| 2116 | .08 | .91 | 66 |
| 2101 | Tr. | .46 | 40 |
| 2102 | .18 | .82 | 36 |
| 1973 | .08 | .57 | 20 |
| 1974 | .39 | 1.08 | 6 |
| 1990 | 1.91 | 4.12 | 3 |
| 1999 | Tr. | .33 | 50 |
| 2000 | Tr. | .77 | 24 |
| 2146 | .08 | .77 | 40 |
| 2148 | .40 | .94 | 14 |
| 2147 | .04 | .44 | 36 |
| 2156 | .76 | 3.20 | 6 |
| 2153 | .04 | .96 | 24 |
| 2158 | Tr. | 3.10 | 24 |
| 2159 | 1.21 | 2.79 | 6 |
| 2161 | .15 | .89 | 50 |
| 2165 | .03 | 2.33 | 52 |
| 2166 | .38 | 9.62 | 6 |
| 2167 | .40 | .72 | 7 |
| 2170 | .13 | 2.90 | 30 |
| 2176 | .76 | .73 | 56 |
| 2178 | 7.18 | 27.17 | 2 |
| 2181 | Tr. | .18 | 26 |
| 2186 | .03 | .11 | 18 |
| 2190 | Tr. | .15 | 36 |
| 2208 | .50 | 5.48 | 7 |
| 2210 | .11 | .94 | 16 |
| 2211 | .87 | 3.76 | 5 |
| 2220 | Tr. | .20 | 22 |

left
right
left wall } 3'0" of barren
center } rock between
left
right, not included in 2177
left - 3
center, included in 2168
left } 3'0" of barren
center } dyke rock between
right, 1'6" of barren rock between 2162-2164
left
center } 5
right
left
right, not included in 2138
left } 1'0" of barren
right } rock between
left
right
center floor, 3'0" below 2120
entire vein
left
right
center } 1'6" of barren
right } rock between
left } across entire vein
right } at floor, below 1973-74-90
across vein at floor below 2148-47
left, near roof
right " " "
left
right
left
right
entire vein
left
right
entire vein near roof
center floor
fault breccia
" "
" "
center of vein shear
vein near roof
vein at floor
entire vein near roof

1
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20

1981-82-83-87-88-92-93 2106-07
2108-09-12-13-14-15-18-19-30
2131-34-35-36-37-39-40-45

No. Au Aq Inches width
1995 .13 .45 2
1961 .08 .53 72

7-41-42-47-48 } Rib and face samples
5-71-72-80-84 } Main entry and
11-94-96-97-98 } No. 2 crosscut east
Au: Tr. -.02
Aq: Tr. - 2.16

52-53-66-67-69-70: Drill cuttings
Main Entry and
No. 2 crosscut east
Au: Tr. -.02
Aq: Tr. -.48

Drill cuttings
North Drift
Au: Tr. -.04
Aq: Tr. -.96

68" .01 8
Rib sample

67" .02 1.1 103

115' to 160'
Sanded zone

38"
36" 101