


D.DH. 75-2
 @ -90° dip strike
 Coordinates 3+03N, 48+03W
 (Plot relative to 1N, 48W only)



COLUMN SYMBOL

EXPLANATIONS

COLUMN	SYMBOL	EXPLANATIONS
1	K,S	K=feldspathization noted Sericitization noted (S)
2	A,B	A=Argillic alteration noted (Discoloration and/or softening of plagioclase) B=Bleaching
3	S	S=Silicification of volc. noted (Fine grained introduced silica or silicates in volcanics) (For intrusive see columns 15,17).
4	B	B=Prominent secondary biotite development.
5	1, 2a, 2b, 2c 2d, 2, P, F	Rock type. 1 Volcanic, 2a=Diorite, 2b=qtz.dio. 2c=granodiorite 2d=monzonite 2=unclassified P=pegmatite, F=fragmental volcanic
6	F, M, C, A	Grain size, F=fine grained; M=med; C=coarse; A=aphanitic
7	0.25	Percentage total sulphide visually estimated. Semi quantitative only.
8	4:1	Chalcopyrite;pyrite ratio cpy:0=no noticeable pyrite. Semi quant. only.
9	y/y = present N=not present	Bornite/molybdenite No/yes = no noticeable bornite/MoS ₂ or vice versa.
10.		Core angle of fault = Fault intersection in feet.
11		Core angle of mineralized fracture or mineralized vein
12	20, 50	Actual measured core angle as (11).
13	A, B, C, D	Magnetism as determined with pencil magnet A strong B=mod. C=weak, D=non.
14	D, MD, 22	D=magmatic dyke MD=metasomatic dyke. Rock type as (5)
15	A, B, C, D	Habit of mineralization A=hairline fract. B=qts veins C=dissem. D=seams.
16	E, A	E=epidote A=augite phenocrysts
17	B, D, S	Misc. notes e.g. B=post mineral quartz vein D=dip of flows S=see logs.
18	1, 2, 3, 4,	Relatively heavy mineralization noted (1) bo, (2) cpy, (3) MoS ₂ (4) pyrite
19	L	Limonitic fractures noted
20	1=bo, 2=cpy, 3=MoS ₂	Leaching suggested by limonitic fractures with relict sulphides as noted.
21	0.2	Copper assay
22	0.001	Moly assay expressed as % MoS ₂ . (%Mo = 0.60 MoS ₂) ND = no data

Drawn by:	Traced by:
Revised by	Date
Revised by	Date

JEAN PROPERTY
 DDH 75-2
 STRIP LOG


Scale: 1"=100' Date: November 1975 Plate:

DDH 75-3

@ -90°

Coordinates 0+93N, 64+00W relative to 0+00N, 64+00W

34 30'



COLUMN SYMBOL

EXPLANATIONS

1	K, S	K=feldspathization noted Sericitization noted (S)
2	A, B	A=Argillic alteration noted (Discoloration and/or softening of plagioclase) B=Bleaching
3	S	S=Silicification of volc. noted (Fine grained introduced silica or silicates in volcanics) (For intrusive see columns 15,17).
4	B	B=Prominent secondary biotite development.
5	1, 2a, 2b, 2c	Rock type. 1 Volcanic, 2a=Diorite, 2b=qtz.dio. 2c=granodiorite
6	2d, 2, P, F	2d=monzonite 2=unclassified P=pegmatite, F=fragmental volcanic
7	F, M, C, A	Grain size, F=fine grained; M=med; C=coarse; A=aphanitic
8	0.25	Percentage total sulphide visually estimated. Semi quantitative only.
9	4:1	Chalcopyrite;pyrite ratio cpy:0=no noticeable pyrite. Semi quant. only.
10	y/y = present	Bornite/molybdenite No/yes = no noticeable bornite/MoS ₂ or vice versa.
11	N=not present	
12	10	Core angle of fault = Fault intersection in feet.
13	11	Core angle of mineralized fracture or mineralized vein
14	20, 50	Actual measured core angle as (11).
15	A, B, C, D	Magnetism as determined with pencil magnet A strong B=mod. C=weak, D=non.
16	D, MD, 22	D=magmatic dyke MD=metasomatic dyke. Rock type as (5)
17	A, B, C, D	Habit of mineralization A=hairline fract. B=qtz veins C=dissem. D=seams.
18	E, A	E=epidote A=augite phenocrysts
19	B, D, S	Misc. notes e.g. B=post mineral quartz vein D=dip of flows S=see logs.
20	1, 2, 3, 4,	Relatively heavy mineralization noted (1) bo, (2) cpy, (3) MoS ₂ (4) pyrite
21	L	Limonitic fractures noted
22	1=bo, 2=cpy, 3=MoS ₂	Leaching suggested by limonitic fractures with relict sulphides as noted.
23	0.2	Copper assay
24	0.001	Moly assay expressed as % MoS ₂ . (%Mo = 0.60 MoS ₂)
		ND = no data

Drawn by:		Traced by:	
Revised by	Date	Revised by	Date

JEAN PROPERTY

DDH 75-3


STRIP LOG

Scale: 1"=100'

Date: November 1975

Plate:

Elev. 3300'



> 4% Cu

COLUMN SYMBOL

EXPLANATIONS

1	K, S	K=feldspathization noted Sericitization noted (S)
2	A, B	A=Argillic alteration noted (Discoloration and/or softening of plagioclase) B=Bleaching
3	S	S=Silicification of volc. noted (Fine grained introduced silica or silicates in volcanics) (For intrusive see columns 15,17).
4	B	B=Prominent secondary biotite development.
5	1, 2a, 2b, 2c	Rock type. 1 Volcanic, 2a=Diorite, 2b=qtz.dio. 2c=granodiorite
6	2d, 2, P, F	2d=monzonite 2=unclassified P=pegmatite, F=fragmental volcanic
7	F, M, C, A	Grain size, F=fine grained; M=med; C=coarse; A=aphanitic
8	0.25	Percentage total sulphide visually estimated. Semi quantitative only.
9	4:1	Chalcopyrite;pyrite ratio cpy:0=no noticeable pyrite. Semi quant. only
9	y/y = present N=not present	Bornite/molybdenite No/yes = no noticeable bornite/MoS ₂ or vice versa.
10.		Core angle of fault = Fault intersection in feet.
11		Core angle of mineralized fracture or mineralized vein
12	20, 50	Actual measured core angle as (11).
13	A, B, C, D	Magnetism as determined with pencil magnet A strong B=mod. C=weak, D=non.
14	D, MD, 22	D=magmatic dyke MD=metasomatic dyke. Rock type as (5)
15	A, B, C, D	Habit of mineralization A=hairline fractns. B=qts veins C=dissem. D=seams.
16	E, A	E=epidote A=augite phenocrysts
17	B, D, S	Misc. notes e.g. B=post mineral quartz vein D=dip of flows S=see logs.
18	1, 2, 3, 4,	Relatively heavy mineralization noted (1) bo, (2) cpy, (3) MoS ₂ (4) pyrite
19	L	Limonitic fractures noted
20	1=bo, 2=cpy, 3MoS ₂	Leaching suggested by limonitic fractures with relict sulphides as noted.
21	0.2	Copper assay
22	0.001	Moly assay expressed as % MoS ₂ . (%Mo = 0.60 MoS ₂)
		ND = no data



Drawn by:	Traced by:
Revised by	Date
Revised by	Date

JEAN PROPERTY

DDH 75-4

STRIP LOG

Scale: 1"=100'


Date: November 1975

Plate:

D.D.H. 75-5

@ -90°

Coordinates 23+85 N, 77+90 W
Plot relative to 24N BOW only.



COLUMN SYMBOL

EXPLANATIONS

1	K, S	K=feldspathization noted	Sericitization noted (S)
2	A, B	A=Argillic alteration noted (Discoloration and/or softening of plagioclase)	B=Bleaching
3	S	S=Silicification of volc. noted (Fine grained introduced silica or silicates in volcanics) (For intrusive see columns 15,17).	
4	B	B=Prominent secondary biotite development.	
5	1, 2a, 2b, 2c	Rock type. 1 Volcanic, 2a=Diorite, 2b=qtz.dio. 2c=granodiorite	
6	2d, 2, P, F	2d=monzonite 2=unclassified P=pegmatite, F=fragmental volcanic	
7	F, M, C, A	Grain size, F=fine grained; M=med; C=coarse; A=aphanitic	
8	0.25	Percentage total sulphide visually estimated. Semi quantitative only.	
9	4:1	Chalcopyrite;pyrite ratio cpy:0=no noticeable pyrite. Semi quant. only.	
10	y/y = present	Bornite/molybdenite No/yes = no noticeable bornite/MoS ₂ or vice versa.	
11	N=not present		
12	Core angle of fault	= Fault intersection in feet.	
13	Core angle of mineralized fracture or mineralized vein	Actual measured core angle as (11).	
14	20, 50		
15	A, B, C, D	Magnetism as determined with pencil magnet A strong B=mod. C=weak, D=non.	
16	D, MD, 22	D=magmatic dyke MD=metasomatic dyke. Rock type as (5)	
17	A, B, C, D	Habit of mineralization A=hairline fract. B=qts veins C=dissem. D=seams.	
18	E, A	E=epidote A=augite phenocrysts	
19	B, D, S	Misc. notes e.g. B=post mineral quartz vein D=dip of flows S=see logs.	
20	1, 2, 3, 4,	Relatively heavy mineralization noted (1) bo, (2) cpy, (3) MoS ₂ (4) pyrite	
21	L	Limonitic fractures noted	
22	1=bo, 2=cpy, 3MoS ₂	Leaching suggested by limonitic fractures with relict sulphides as noted.	
23	0.2	Copper assay	
24	0.001	Moly assay expressed as % MoS ₂ . (%Mo = 0.60 MoS ₂)	
	ND = no data		

Drawn by:		Traced by:	
Revised by	Date	Revised by	Date

JEAN PROPERTY

DDH 75-5

STRIP LOG


Scale: 1"=100'

Date: November 1975

Plate:

D.D. H. 75-6
 @ - 90
 Coordinates 35+24W, 96+00W
 Plot relative to 35N 96W

PS
 THIS IS
 LIKELY
 AN EXTENSION
 OF PL 200P



COLUMN	SYMBOL	EXPLANATIONS
1	K, S	K=feldspathization noted Sericitization noted (S)
2	A, B	A=Argillic alteration noted (Discoloration and/or softening of plagioclase) B=Bleaching
3	S	S=Silicification of volc. noted (Fine grained introduced silica or silicates in volcanics) (For intrusive see columns 15,17).
4	B	B=Prominent secondary biotite development.
5	1, 2a, 2b, 2c	Rock type. 1 Volcanic, 2a=Diorite, 2b=qtz.dio. 2c=granodiorite
6	2d, 2, P, F	2d=monzonite 2=unclassified P=pegmatite, F=fragmental volcanic
7	F, M, C, A	Grain size, F=fine grained; M=med; C=coarse; A=aphanitic
8	0.25	Percentage total sulphide visually estimated. Semi quantitative only.
9	4:1	Chalcopyrite;pyrite ratio cpy:0=no noticeable pyrite. Semi quant. only.
10	y/y = present	Bornite/molybdenite No/yes = no noticeable bornite/MoS ₂ or vice versa.
11	N=not present	
12	20, 50	Core angle of fault = Fault intersection in feet.
13	A, B, C, D	Core angle of mineralized fracture or mineralized vein Actual measured core angle as (11).
14	D, MD, 22	Magnetism as determined with pencil magnet A strong B=mod. C=weak, D=non.
15	A, B, C, D	D=magmatic dyke MD=metasomatic dyke. Rock type as (5)
16	E, A	Habit of mineralization A=hairline fract. B=qtz veins C=dissem. D=seams.
17	B, D, S	E=epidote A=augite phenocrysts
18	1, 2, 3, 4,	Misc. notes e.g. B=post mineral quartz vein D=dip of flows S=see
19	L	Relatively heavy mineralization noted (1) bo, (2) cpy, (3) MoS ₂ logs. (4) pyrite
20	1=bo, 2=cpy, 3MoS ₂	Limonic fractures noted
21	0.2	Leaching suggested by limonic fractures with relict sulphides as noted.
22	0.001	Copper assay
		Moly assay expressed as % MoS ₂ . (%Mo = 0.60 MoS ₂)
		ND = no data

Drawn by:	Traced by:	JEAN PROPERTY DDH 75- 6 STRIP LOG			
Revised by	Date			Revised by	Date
Scale: 1"=100'		Date: November 1975	Plate:		