

Tatsi

830756

VANGEOCHEM LAB LIMITED

MAIN OFFICE: 1521 PEMBERTON AVE. N.V. COUVER B.C. V7P 2S3 PH: (604)986-5211 TELEX: 04-352578
BRANCH OFFICE: 1630 PANDORA ST. VANCOUVER B.C. V5L 1L6 PH: (604)251-5656

ICAP GEOCHEMICAL ANALYSIS

A .5 GRAM SAMPLE IS DIGESTED WITH 5 ML OF 3:1:2 HCL TO HNO3 TO H2O AT 95 DEG. C FOR 90 MINUTES AND IS DILUTED TO 10 ML WITH WATER.
THIS LEACH IS PARTIAL FOR SM, MN, FE, CA, P, CR, MG, BA, PD, AL, NA, K, U, PT AND SR. AU AND PD DETECTION IS 3 PPM.
IS= INSUFFICIENT SAMPLE, ND= NOT DETECTED, -= NOT ANALYZED

COMPANY: ATNA RES. LTD.
ATTENTION:
PROJECT: SMITHERS REGIONAL

REPORT#: PA
JOB#: 870864
INVOICE#: NA

DATE RECEIVED: 87/07/28
DATE COMPLETED: 87/08/04
COPY SENT TO: VANCOUVER & SMITHERS

ANALYST: [Signature]

Table with columns: SAMPLE NAME, AG, AL, AS, AU, BA, BI, CA, CD, CO, CR, CU, FE, K, MG, HM, HO, NA, NI, P, PB, PD, PT, SB, SM, SR, U, W, ZN. Rows include PS-82 to PS-96, LH-32, BB-53, DD-54, DE-270, CH-133, CH-126, CH-127, CH-128, CH-130, CH-132, CH-133, and DETECTION LIMIT.

CORE

*suggest verification of AU numbers.

ICAP GEOCHEMICAL ANALYSIS

A .5 GRAM SAMPLE IS DIGESTED WITH 5 ML OF 3:1:2 HCL TO HNO3 TO H2O AT 95 DEG. C FOR 90 MINUTES AND IS DILUTED TO 10 ML WITH WATER. THIS LEACH IS PARTIAL FOR SM, MN, FE, CA, P, CR, NG, BA, PD, AL, NA, K, U, PT AND SR. AU AND PB DETECTION IS 3 PPM. IS= INSUFFICIENT SAMPLE, ND= NOT DETECTED, -- NOT ANALYZED

COMPANY: ATNA RES. LTD.
ATTENTION:
PROJECT: SMITHERS REGIONAL

REPORT#: PA
JOB#: 870865
INVOICE#: NA

DATE RECEIVED: 87/07/28
DATE COMPLETED: 87/08/04
COPY SENT TO: VANCOUVER & SMITHERS

ANALYST *W. Pinner*

PAGE 1 OF 1

SAMPLE NAME	AG PPM	AL %	AS PPM	AU PPM	BA PPM	BI PPM	CA %	CO PPM	CR PPM	CU PPM	FE %	K %	MG %	MN PPM	MO PPM	NA %	NI PPM	P %	PB PPM	PD PPM	PT PPM	SB PPM	SH PPM	SR PPM	U PPM	V PPM	ZN PPM	
LH-160	.1	.24	143	ND	32	ND	.07	.1	1	100	94	1.09	.01	.05	160	9	.02	4	.01	24	ND	ND	3	ND	6	ND	5	39
LH-161	2.0	.03	14	ND	6	38	.05	.1	7	93	79	7.01	.01	.15	303	4	.13	5	.05	16	ND	ND	4	4	59	ND	ND	22
LH-162	.1	.53	12	ND	320	ND	.05	.2	2	162	1486	1.00	.01	.14	567	10	.06	5	.01	7	ND	ND	5	ND	4	ND	7	96
LH-163	13.9	.99	324	ND	11	3	.01	1.1	37	89	44698	13.25	.01	.14	147	103	.38	4	.01	762	ND	ND	7	ND	1	ND	ND	335
LH-164	2.5	1.20	28	ND	27	7	.02	.1	14	100	11695	4.94	.04	.19	347	91	.12	4	.01	60	ND	ND	6	ND	3	ND	ND	115
LH-165	14.1	.49	1118	ND	7	ND	.01	9.2	18	133	16644	7.89	.01	.04	84	42	.29	4	.01	864	ND	ND	16	ND	7	ND	ND	497
LH-166	.3	1.49	84	ND	253	ND	.02	.1	4	127	1487	4.02	.05	.31	957	21	.07	3	.01	52	ND	ND	8	ND	6	ND	ND	0
DETECTION LIMIT	.1	.01	3	3	1	3	.01	.1	1	1	1	.01	.01	.01	1	1	.01	1	.01	2	3	5	2	2	1	5	3	1

ICAP GEOCHEMICAL ANALYSIS

0.5 GRAM SAMPLE IS DIGESTED WITH 5 ML OF 3:1:2 HCL TO HNO3 TO H2O AT 95 DEG. C FOR 90 MINUTES AND IS DILUTED TO 10 ML WITH WATER.
 THIS LEACH IS PARTIAL FOR SN, W, FE, CA, P, CR, Ni, BA, PD, AL, NA, K, U, PT AND SR. NI AND PD DETECTION IS 3 PPM.
 IS= INSUFFICIENT SAMPLE, ND= NOT DETECTED, -- NOT ANALYZED

COMPANY: ATNA RESOURCES LTD.
 ATTENTION:
 PROJECT:

REPORT#: PA
 JOB#: 870741
 INVOICE#: NA

DATE RECEIVED: 87/07/16
 DATE COMPLETED: 87/07/22
 COPY SENT TO: SMITHERS B.C.

ANALYST *J. P. Rees*

SAMPLE NAME	AG	AL	AS	AU	BA	BI	CA	CO	CR	CU	FE	K	NI	PD	NA	NI	P	PB	PD	PT	SB	SR	SR	U	U	ZN			
	PPM	I	PPM	PPM	PPM	PPM	I	PPM	PPM	PPM	I	I	PPM	PPM	I	PPM	I	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM			
CH-68 NJU	.2	.20	40	ND	38	ND	2.37	.1	4	176	74	2.33	.10	.08	604	ND	.07	24	.01	15	ND	ND	11	2	14	ND	ND	61	
CH-70 SILVER HILL	.1	.53	ND	ND	855	ND	3.83	2.1	41	71	32	6.37	.12	.56	4654	ND	.32	59	.08	22	ND	ND	5	4	219	ND	ND	431	
CH-71	.1	.58	ND	ND	458	ND	2.11	3.5	38	78	56	6.05	.13	.40	3397	ND	.36	62	.08	26	ND	ND	6	5	153	ND	ND	567	
CH-72 BYMAO	.1	2.84	23	ND	121	ND	.12	.1	12	30	73	4.83	.07	.64	786	3	.17	20	.10	15	ND	ND	ND	5	11	ND	ND	162	
CH-73	5.4	.88	19	ND	64	3	.68	3.2	12	24	444	4.94	.10	.28	353	18	.17	5	.07	42	3	ND	3	ND	16	ND	ND	199	
CH-80 LEFTY	28.2	.71	7	ND	60	ND	.01	.1	7	24	8624	4.51	.05	.32	559	54	.19	4	.01	181	ND	ND	ND	4	551	ND	ND	152	
CH-81	.4	.17	ND	ND	1014	ND	.30	.6	1	118	78	1.23	.10	.01	423	4	.02	2	.01	9	ND	ND	4	1	27	ND	ND	71	
CH-82	.1	2.77	ND	ND	254	ND	1.67	.1	33	61	84	4.80	.13	.28	1813	1	.08	ND	.12	11	ND	ND	ND	10	73	ND	ND	74	
CH-83 KITAWAKA	.1	3.04	5	ND	199	ND	4.30	.1	34	58	78	4.54	.13	.38	1442	1	.07	86	.12	4	ND	ND	ND	9	96	ND	ND	58	
CH-84 RIVER	.1	.19	ND	3	158	ND	21.23	.8	22	41	24	4.17	.01	1.88	2266	ND	.22	38	.11	55	ND	ND	ND	5	113	ND	ND	225	
CH-85	.1	2.06	ND	ND	159	ND	9.63	.1	27	49	69	3.95	.04	.50	1556	ND	.08	ND	.07	15	ND	ND	ND	7	112	ND	ND	91	
CH-86	.1	3.59	ND	ND	1185	ND	1.86	.1	26	62	100	6.24	.11	2.25	6691	1	.20	94	83	4	ND	ND	ND	7	293	ND	ND	84	
CH-87	.5	.38	125	ND	85	ND	.22	.1	3	26	61	2.33	.07	.02	75	5	.05	3	.01	36	ND	ND	6	2	28	ND	ND	73	
CH-88 LEFTY	.5	.68	9	ND	198	ND	.28	.8	6	114	9	2.37	.08	.35	580	5	.10	4	.04	10	ND	ND	3	ND	18	ND	ND	281	
CH-90	.1	1.37	9	ND	101	ND	.84	.1	7	25	334	7.23	.12	.26	294	2	.19	5	.08	18	ND	ND	ND	5	110	ND	ND	70	
CH-91	.2	.88	ND	ND	2568	ND	.19	.1	2	27	225	5.20	.10	.20	245	2	.12	4	.02	6	ND	ND	4	2	81	ND	ND	44	
CH-92	.1	4.00	ND	ND	27	ND	2.58	.1	2	26	65	.88	.08	.24	165	1	.02	ND	.01	6	ND	ND	ND	8	213	ND	ND	37	
CH-93	.1	3.68	ND	ND	39	ND	1.41	.1	5	11	164	1.58	.08	.24	420	2	.04	5	.03	6	ND	ND	ND	7	164	ND	ND	40	
CH-94	.6	1.18	18	ND	61	4	.68	.1	18	19	74	6.27	.08	.77	465	1	.14	4	.17	2	ND	ND	ND	ND	29	ND	ND	47	
CH-95	.1	3.52	28	ND	49	5	.85	.1	25	18	244	6.89	.08	1.23	578	1	.20	6	.17	2	ND	ND	13	1	98	ND	ND	75	
CH-96	.5	.97	11	ND	20	ND	.56	.1	10	61	63	7.50	.11	.48	555	2	.17	5	.13	4	ND	ND	ND	ND	36	ND	ND	52	
CH-97	.1	3.98	ND	ND	143	ND	2.82	.1	8	24	51	3.35	.13	.77	568	2	.01	3	.05	4	ND	ND	ND	7	341	ND	ND	68	
CH-98	.6	1.39	3	ND	29	ND	.69	.1	4	62	33	5.62	.13	.51	347	10	.15	4	.10	16	ND	ND	71	ND	53	ND	ND	63	
CH-99	.3	.17	ND	ND	73	ND	.20	.1	3	37	3	.88	.10	.02	324	ND	.01	4	.02	ND	ND	ND	3	ND	11	6	3	22	
CH-100	.2	.25	ND	ND	52	ND	.13	.1	2	96	3	2.83	.12	.02	629	3	.03	2	.06	5	ND	ND	5	ND	5	3	ND	16	
CH-101	.4	.19	ND	ND	91	ND	.84	.1	1	25	19	1.16	.12	.01	264	ND	.01	1	.01	ND	ND	ND	4	ND	5	7	ND	15	
CH-102	.1	2.65	ND	ND	628	ND	.93	.1	14	46	84	2.75	.16	1.13	3745	2	.11	42	.25	20	ND	ND	ND	4	66	ND	ND	238	
CH-103	.1	2.49	ND	ND	259	ND	.34	.1	15	63	37	3.45	.11	1.51	1269	2	.13	50	.14	15	ND	ND	ND	2	38	ND	ND	177	
CH-104	12.1	1.12	ND	ND	3582	ND	.94	9.5	5	37	555	2.27	.12	.27	967	2	.54	4	.08	9876	ND	ND	5	ND	258	ND	ND	1382	
CH-105	.1	.46	ND	ND	164	ND	.82	.1	ND	16	4	2.86	.13	.17	76	1	.03	2	.01	54	ND	ND	3	1	5	6	ND	20	
CH-106	.4	.32	ND	ND	268	ND	.81	.1	ND	25	5	.91	.12	.02	37	27	.01	1	.01	106	ND	ND	3	ND	5	9	ND	21	
CH-107	.2	.48	ND	ND	324	ND	.81	.1	ND	10	1	1.41	.12	.32	51	ND	.01	1	.01	12	ND	ND	3	ND	8	7	ND	15	
CH-108	.1	3.07	3	ND	43	ND	1.20	.1	15	22	44	4.78	.08	1.29	1168	2	.13	9	.02	20	ND	ND	ND	ND	35	ND	ND	93	
CH-109	.1	1.16	ND	ND	261	ND	1.12	.1	9	9	16	3.27	.17	.66	773	1	.18	3	.06	7	ND	ND	3	1	40	ND	ND	97	
CH-110	.6	.68	ND	ND	343	ND	1.45	.2	7	12	44	2.56	.17	.39	569	4	.06	1	.03	14	ND	ND	10	1	41	ND	ND	71	
CH-111	.1	.89	5	ND	146	ND	.88	.2	6	49	38	2.79	.11	.24	2419	1	.13	4	.06	42	ND	ND	ND	1	4	ND	ND	239	
CH-112	.1	.68	ND	ND	129	ND	.67	.1	4	57	33	2.33	.12	.16	1986	ND	.11	4	.05	49	ND	ND	3	4	ND	3	4	ND	232
CH-114	.1	1.37	ND	ND	78	ND	.22	.1	18	29	15	3.65	.08	.63	1387	1	.14	8	.06	23	ND	ND	ND	ND	8	ND	ND	193	
CH-115 HERO DOME	87.8	.22	8	ND	265	ND	.88	.4	1	40	2579	1.31	.18	.01	351	ND	.08	4	.02	36	ND	ND	4	ND	4	3	ND	148	

SEP 03 '87 11:47 VAN-GEOCHEM LAB (604)251-5656

Sold to: *W.?*

ALEC

HERO DOME



VANGEOCHEM LAB LIMITED

MAIN OFFICE
1321 PEMBERTON AVE.
NORTH VANCOUVER, B.C. V7P 2S3
(604) 986-5211 TELEX. 04-352578

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

REPORT NUMBER: 870864 GA

JOB NUMBER: 870864

ATMA RESOURCES

PAGE 1 OF 1

SAMPLE #	Au ppb
PS-82	nd
PS-83	2740
PS-84	80
PS-85	nd
PS-86	nd
PS-87	140
PS-88	nd
PS-89	10
PS-90	nd
PS-91	70
PS-92	3150
PS-93	610
PS-94	300
PS-95	610
PS-96	100

Handwritten notes:
ALEC (next to PS-83 to PS-86)
SIMON (next to PS-88 to PS-91)
KNAUS CR (next to PS-92 to PS-96)
L. G. (next to PS-92 to PS-96)

DETECTION LIMIT

5

nd = none detected

-- = not analysed

is = insufficient sample



VANGEOCHEM LAB LIMITED

MAIN OFFICE
1521 PEMBERTON AVE.
NORTH VANCOUVER, B.C. V7P 2S3
(604) 986-5211 TELEX: 04-352578

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5658

pat 5-

REPORT NUMBER: 870739 6A

JOB NUMBER: 870739

ATNA RESOURCES

PAGE 1 OF 1

SAMPLE #	Au
	ppb
PS-47R	440
PS-48R	650
PS-49R	100
PS-50R	750
PS-51R	nd
PS-52R	4350 · 0.126
PS-53R	7610 · 0.222
PS-54R	445
PS-55R	≈ 51490 1.5003
PS-56R	3600
PS-57R	4250 0.124
PS-58R	410
PS-59R	≈ 16350 0.477
PS-60R	≈ 60410 0.762
PS-61R	5450 0.160
PS-62R	130
PS-63R	40
PS-64R	35
PS-65R	40
PS-66R	200
PS-67R	510
PS-68R	380
PS-69R	500
PS-70R	260
PS-71R	≈ 57360
PS-72R	1710
PS-73R	780
PS-74R	470
PS-75R	10
PS-77R	5100

ALFC

NANIKA

SUBOLA

Parrot Lakes Area

WIN area + 2 Grants to east of WIN 1-4

DETECTION LIMIT
nd = none detected

5
-- = not analysed

is = insufficient sample

VANGUARD CHEM LAB LIMITED

MAIN OFFICE: 1521 PEMBERTON AVE. N. VANCOUVER B.C. V7P 2S3 PH: (604) 986-5211 TELEX: 04-352578
 BRANCH OFFICE: 1630 PANDORA ST. VANCOUVER B.C. V5L 1L6 PH: (604) 251-5656

ICAP GEOCHEMICAL ANALYSIS

A .5 GRAM SAMPLE IS DIGESTED WITH 5 ML OF 3:1:2 HCL TO HNO₃ TO H₂O AT 95 DEG. C FOR 90 MINUTES AND IS DILUTED TO 10 ML WITH WATER.
 THIS LEACH IS PARTIAL FOR SR, NM, FE, CA, P, CR, NG, BA, PB, AL, NA, K, H, PT AND SR. AU AND PD DETECTOR IS 3 PPM.
 SS= INSUFFICIENT SAMPLE, ND= NOT DETECTED, -- NOT ANALYZED

COMPANY: ATNA RESOURCES
 ATTENTION:
 PROJECT: SMITHERS REGIONAL

REPORT#: PA
 JOB#: 870739
 INVOICE#: NA

DATE RECEIVED: 87/07/16
 DATE COMPLETED: 87/07/23
 COPY SENT TO:

ANALYST *C. J. P. P. P.*

PAGE 1 OF 1

SAMPLE NAME	AG	AL	AS	AU	BA	BI	CA	CB	CO	CR	CU	FE	K	MG	NM	NO	NA	NJ	P	PB	PC	PI	SB	SM	SR	U	N	ZK
	PPM	I	PPM	PPM	PPM	PPM	I	PPM	PPM	PPM	PPM	I	I	I	PPM	PPM	I	PPM	I	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM
PS-R47	1.2	.04	ND	ND	17	ND	.11	1.1	6	47	179	1.31	.05	.02	422	2	.01	3	.01	194	ND	ND	3	ND	5	6	7	62
PS-R48	>100	.06	70	ND	520	ND	.75	12.6	12	26	2924	2.12	.08	.03	785	15	.01	5	.01	1327	ND	ND	959	ND	27	5	3	388
PS-R49	61.5	.11	58	ND	1007	ND	3.12	15.3	10	41	1622	2.29	.10	.07	955	6	.01	9	.02	43	ND	ND	1267	ND	98	ND	ND	385
PS-R50	11.1	.34	ND	ND	1165	ND	.07	.6	2	14	1885	1.61	.10	.08	135	3	.01	2	.01	184	ND	ND	23	ND	34	9	205	59
PS-R51	.1	1.20	ND	3	245	ND	3.59	.1	25	9	183	5.91	.17	2.16	1135	2	.15	13	.22	4	ND	ND	3	ND	145	ND	ND	64
PS-R52	84.5	.03	ND	ND	26	40	.03	4.1	4	35	16775	3.62	.04	.01	43	11	.05	19	.01	18131	ND	ND	11	ND	13	ND	3	271
PS-R53	70.5	.02	6	7	11	ND	.03	12.8	13	44	26497	7.96	.07	.02	1913	23	.01	11	.01	4527	ND	ND	8	ND	82	ND	ND	1686
PS-R54	4.5	.17	ND	ND	520	ND	.24	.8	3	21	402	1.34	.08	.01	889	1	.01	1	.03	747	ND	ND	5	ND	13	6	4	101
PS-R55	>100	.06	12	46	21	111	.01	2.9	2	50	10304	4.72	.06	.01	57	3	.06	4	.01	14731	ND	ND	10	ND	5	ND	ND	269
PS-R56	20.2	.29	ND	ND	189	8	.36	27.2	5	24	5021	4.12	.10	.03	1197	2	.01	3	.03	4951	ND	ND	7	ND	17	ND	ND	907
PS-R57	>100	.01	ND	ND	23	7	.01	14.1	2	56	4859	1.97	.04	.01	51	3	.01	6	.01	30117	ND	ND	22	ND	5	5	ND	469
PS-R58	1.2	.43	ND	ND	585	ND	2.27	6.9	16	4	372	5.10	.16	.73	2029	ND	.05	3	.07	806	ND	ND	1	113	ND	ND	ND	360
PS-R59	>100	.06	5	36	22	24	.01	5.9	4	66	28815	5.37	.04	.01	53	3	.10	7	.01	9615	ND	ND	4	ND	4	ND	ND	355
PS-R60	>100	.07	15	22	10	386	.01	2.5	5	216	1717	7.58	.06	.01	32	9	.11	7	.01	28826	ND	ND	25	2	10	ND	ND	313
PS-R61	17.1	.02	ND	4	311	14	.01	.1	1	214	277	1.27	.05	.01	31	1	.01	3	.01	1454	ND	ND	11	ND	76	7	304	63
PS-R62	2.1	.71	339	ND	129	11	.38	.1	12	54	633	8.39	.10	.17	124	6	.16	ND	.03	405	ND	ND	6	5	6	ND	ND	142
PS-R63	.4	.30	44	ND	106	ND	.04	.1	ND	97	65	5.94	.07	.07	51	2	.13	1	.05	120	ND	ND	6	4	3	ND	ND	20
PS-R64	.1	1.52	4	ND	61	4	.28	.1	13	35	22	4.75	.05	1.28	551	1	.09	2	.04	51	ND	ND	ND	ND	18	ND	ND	51
PS-R65	.8	1.75	6	ND	50	15	.04	.1	2	87	378	5.29	.07	1.09	948	4	.11	22	.04	37	ND	ND	ND	6	5	ND	ND	78
PS-R66	17.6	.13	126	ND	14	17	.01	.1	5	179	1621	7.79	.07	.02	76	69	.14	6	.01	24	ND	ND	9	1	1	ND	ND	187
PS-R67	37.1	.34	137	3	12	250	.03	.1	4	105	11001	16.31	.10	.04	99	55	.13	5	.01	74	ND	ND	8	5	1	ND	ND	457
PS-R68	18.5	.08	29	11	5	14	.07	173.1	10	57	635	42.09	.22	.04	1220	7	.01	1	.01	69	ND	ND	9	29	:	ND	ND	26644
PS-R69	7.1	.44	22	ND	19	4	.01	.2	29	53	104	6.56	.10	.04	79	3	.12	6	.01	10	ND	ND	5	2	ND	ND	ND	164
PS-R70	11.6	.38	43	ND	44	17	.01	1.1	2	62	84	1.41	.10	.03	303	5	.01	2	.01	500	ND	ND	5	ND	1	6	14	278
PS-R71	78.1	.08	1771	31	9	106	.01	682.2	18	179	1489	2.86	.03	.01	712	19	.01	9	.01	1514	ND	ND	11	ND	ND	ND	152	57456
PS-R72	55.2	.05	87	20	3	119	.01	>1000	39	133	259	6.78	.02	.01	2379	42	.01	14	.01	11236	ND	ND	7	ND	ND	ND	1294	>101
PS-R73	6.1	.15	5	ND	8	3	.32	15.8	45	218	2451	6.55	.06	.06	154	788	.01	5	.01	99	ND	ND	6	5	2	ND	ND	2258
PS-R74	.5	.44	20	ND	37	3	.28	5.4	13	54	48	2.95	.10	.10	157	19	.01	11	.07	50	ND	ND	5	ND	27	9	3	820
PS-R75	.3	.91	56	ND	43	4	.40	6.8	23	96	69	5.47	.15	.19	213	76	.01	17	.12	64	ND	ND	6	ND	6.2	10	ND	1023
PS-R77	1.5	.31	ND	ND	375	5	.07	1.1	5	182	48	.93	.06	.17	136	8	.01	7	.02	84	ND	ND	7	ND	17	10	8	175
DETECTION LIMIT	.1	.01	3	3	1	3	.01	.1	1	1	1	.01	.01	.01	1	1	.01	1	.01	2	3	5	2	2	1	5	3	1

ALEC

1770

1770



VANGEOCHEM LAB LIMITED

MAIN OFFICE
1321 PEMBERTON AVE.
NORTH VANCOUVER, B.C. V7P 2B3
(604) 960-6211 TELEX: 04-362578

BRANCH OFFICE
1830 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5858

REPORT NUMBER: 870865 BA

JOB NUMBER: 870865

ATMA RESOURCES

PAGE 1 OF 1

SAMPLE #		Au
LH-160	- ALec	ppb
LH-161	- simen <i>simen</i>	10
LH-162	- Lefty	nd
LH-163		15
LH-164		20
LH-164		10
LH-165		25
LH-166		20

DETECTION LIMIT
nd = none detected

5
-- = not analysed is = insufficient sample



VANGEOCHEM LAB LIMITED

MAIN OFFICE
1521 PEMBERTON AVE.
NORTH VANCOUVER, B.C. V7P 2S3
(604) 988-5211 TELEX: 04-352578

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

REPORT NUMBER: 870741 GA

JOB NUMBER: 870741

ATMA RESOURCES

PAGE 1 OF 2

SAMPLE #	Au
	ppb
CH 48 (ROCK) - NJV	15
CH 70 (SOIL) SILVER HILL	120
CH 71 (SOIL)	500
CH 78 (SOIL)	nd
CH 79 (ROCK) STICKS ~ 11140 FEED.	11140
CH 80 (ROCK)	10
CH 81 (ROCK)	nd
CH 82 (SOIL)	50
CH 83 (SOIL)	nd
CH 84 (ROCK) ACEC.	5
CH 85 (SOIL)	nd
CH 86 (SOIL)	nd
CH 87 (ROCK)	nd
CH 89 (ROCK)	5
CH 90 (SOIL)	10
CH 91 (ROCK)	nd
CH 92 (ROCK)	nd
CH 93 (SOIL)	80
CH 94 (ROCK)	60
CH 95 (SOIL)	140
CH 96 (ROCK)	nd
CH 97 (ROCK)	nd
CH 98 (ROCK)	nd
CH 99 (ROCK)	10
CH 100 (ROCK) L&T	25
CH 101 (ROCK)	nd
CH 102 (SOIL)	nd
CH 103 (SOIL)	10
CH 104 (ROCK)	370
CH 105 (ROCK)	nd
CH 106 (ROCK)	5
CH 107 (ROCK)	15
CH 108 (ROCK)	15
CH 109 (ROCK)	10
CH 110 (ROCK)	nd
CH 111 (SOIL)	nd
CH 112 (SOIL) H&D.	45
CH 113 (SOIL)	5
CH 114 (SOIL)	nd

DETECTION LIMIT

5

nd = none detected

-- = not analysed

is = insufficient sample