



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

840065

Page No. : 1-A
Tot. Pages: 5
Date : 30-AUG-87
Invoice # : I-8720438
P.O. # : 36858

Project : M541-DOG
Comments : CC. S. McALLISTER

DOG

CERTIFICATE OF ANALYSIS A8720438

SAMPLE DESCRIPTION	PREP CODE		Au ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
			FA+AA																		
JB7D-0996	201	238	10	1.19	0.2	5	160	< 0.5	< 2	0.83	0.5	44	499	32	3.71	< 10	< 1	0.05	20	5.05	572
JB7D-0997	201	238	< 5	0.52	< 0.2	20	50	< 0.5	< 2	0.21	< 0.5	129	1545	7	5.77	< 10	< 1	< 0.01	< 10	> 15.00	1205
JB7D-0998	201	238	< 5	0.69	< 0.2	30	60	< 0.5	< 2	0.20	< 0.5	125	1360	4	4.46	< 10	< 1	< 0.01	< 10	14.20	1185
JB7D-0999	201	238	< 5	4.05	< 0.2	5	70	< 0.5	< 2	2.49	< 0.5	67	418	47	4.28	10	< 1	< 0.01	10	4.53	959
JB7D-1000	201	238	< 5	1.13	< 0.2	< 5	120	< 0.5	< 2	0.59	< 0.5	17	91	9	2.31	< 10	< 1	0.03	10	0.72	463
JB7D-1001	201	238	< 5	1.42	< 0.2	15	100	< 0.5	2	0.66	< 0.5	14	59	9	2.55	10	< 1	0.06	20	0.61	270
JB7D-1002	201	238	< 5	1.80	< 0.2	< 5	130	< 0.5	< 2	0.75	< 0.5	16	68	12	2.83	10	< 1	0.05	20	0.75	317
JB7D-1003	201	238	< 5	1.56	< 0.2	< 5	80	< 0.5	< 2	0.75	< 0.5	13	57	10	2.52	10	< 1	0.06	20	0.61	259
JB7D-1004	201	238	< 5	1.72	< 0.2	< 5	120	< 0.5	4	0.80	< 0.5	14	57	11	2.68	10	< 1	0.04	20	0.56	402
JB7D-1005	201	238	< 5	1.65	< 0.2	< 5	80	< 0.5	2	0.78	< 0.5	14	68	11	2.86	10	1	0.04	10	0.63	304
JB7D-1006	201	238	< 5	1.49	< 0.2	< 5	110	< 0.5	2	0.48	< 0.5	11	55	16	2.70	10	< 1	0.03	10	0.51	257
JB7D-1007	201	238	< 5	1.30	< 0.2	5	110	< 0.5	< 2	0.58	1.0	8	45	12	2.55	10	< 1	0.02	10	0.44	214
JB7D-1008	201	238	< 5	1.53	< 0.2	< 5	120	< 0.5	4	0.67	< 0.5	14	62	17	2.91	10	< 1	0.03	20	0.60	282
JB7D-1009	201	238	< 5	1.74	< 0.2	5	200	< 0.5	2	0.75	< 0.5	22	61	34	2.79	10	< 1	0.03	20	0.63	846
JB7D-1010	201	238	< 5	1.70	0.4	< 5	210	< 0.5	< 2	0.87	0.5	18	56	68	2.84	< 10	2	0.02	10	0.59	677
JB7D-1011	201	238	< 5	1.31	< 0.2	5	80	< 0.5	< 2	0.58	< 0.5	1	42	7	2.28	< 10	1	0.03	10	0.36	212
JB7D-1012	201	238	< 5	1.50	0.2	< 5	100	< 0.5	< 2	0.54	0.5	7	50	11	2.74	< 10	< 1	0.03	10	0.45	197
JB7D-1013	201	238	< 5	1.93	0.8	5	360	< 0.5	2	1.30	1.0	12	59	87	2.93	< 10	1	0.09	10	0.76	1045
JB7D-1014	201	238	< 5	1.06	< 0.2	< 5	140	< 0.5	< 2	0.56	0.5	2	40	8	1.99	< 10	< 1	0.05	10	0.25	181
JB7D-1015	201	238	< 5	1.51	< 0.2	< 5	180	< 0.5	< 2	0.60	0.5	9	45	12	2.23	< 10	2	0.03	10	0.53	206
JB7D-1016	201	238	< 5	1.65	< 0.2	< 5	170	< 0.5	< 2	0.46	1.0	10	58	14	3.39	< 10	< 1	0.03	10	0.52	261
JB7D-1017	201	238	< 5	1.61	0.4	10	180	< 0.5	< 2	0.44	1.0	9	57	32	4.49	< 10	< 1	0.05	10	0.47	315
JB7D-1018	201	238	< 5	0.23	1.0	< 5	730	< 0.5	2	4.84	1.5	2	11	86	0.28	< 10	1	0.02	< 10	0.35	574
JB7D-1019	201	238	< 5	2.10	< 0.2	< 5	290	< 0.5	< 2	1.62	0.5	15	144	22	3.72	< 10	2	0.08	10	0.95	1070
JB7D-1020	201	238	20	0.94	< 0.2	10	350	< 0.5	< 2	0.53	< 0.5	5	27	14	2.29	< 10	1	0.09	20	0.21	1450
JB7D-1021	201	238	< 5	1.99	0.6	< 5	400	< 0.5	< 2	0.32	1.0	9	48	20	5.21	< 10	2	0.05	10	0.16	329
JB7D-1022	201	238	< 5	2.88	2.0	< 5	1210	< 0.5	< 2	0.77	2.0	19	72	71	4.84	< 10	2	0.12	20	0.55	2110
JB7D-1023	201	238	< 5	0.96	< 0.2	< 5	200	< 0.5	< 2	0.32	0.5	2	27	7	2.21	< 10	1	0.06	20	0.21	168
JB7D-1024	201	238	< 5	0.99	< 0.2	10	660	< 0.5	< 2	0.30	1.5	12	28	33	2.80	< 10	< 1	0.08	20	0.17	2220
JB7D-1025	201	238	< 5	1.12	< 0.2	< 5	290	< 0.5	< 2	0.38	0.5	4	31	14	2.80	< 10	< 1	0.10	20	0.27	221
JB7D-1026	201	238	< 5	1.56	0.4	< 5	390	< 0.5	< 2	0.41	0.5	10	42	16	2.58	< 10	< 1	0.09	20	0.54	339
JB7D-1027	201	238	< 5	1.32	< 0.2	5	370	< 0.5	< 2	0.44	0.5	8	32	18	2.46	< 10	< 1	0.11	20	0.34	223
JB7D-1028	201	238	< 5	1.10	< 0.2	< 5	250	< 0.5	< 2	0.35	0.5	3	25	11	2.05	< 10	1	0.12	20	0.23	317
JB7D-1029	201	238	< 5	1.84	< 0.2	10	230	< 0.5	< 2	0.47	< 0.5	11	43	40	3.42	< 10	< 1	0.11	30	0.49	373
JB7D-1030	201	238	< 5	1.68	0.2	10	600	< 0.5	< 2	0.17	< 0.5	11	35	70	4.14	< 10	1	0.11	20	0.27	265
JB7D-1031	201	238	< 5	0.86	< 0.2	10	430	< 0.5	< 2	0.12	< 0.5	4	17	24	2.05	< 10	1	0.07	20	0.11	96
JB7D-1032	201	238	< 5	1.74	0.6	< 5	420	< 0.5	< 2	1.25	2.5	15	41	62	2.97	< 10	< 1	0.06	10	0.61	567
JB7D-1033	201	238	< 5	1.93	< 0.2	< 5	130	< 0.5	< 2	0.54	1.0	10	52	20	3.67	< 10	< 1	0.08	20	0.54	304
JB7D-1034	201	238	< 5	1.58	< 0.2	5	190	< 0.5	< 2	0.61	< 0.5	9	42	16	2.80	< 10	1	0.03	20	0.37	252
JB7D-1035	201	238	< 5	1.41	0.2	5	130	< 0.5	< 2	0.67	1.0	10	37	18	3.63	< 10	1	0.04	20	0.36	267

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project: M543-DOG
Comments: CC: S. McALLISTER

Page No.: 1-B
Tot. Pages: 5
Date: 30-AUG-87
Invoice #: I-8720438
P.O. #: 36858

CERTIFICATE OF ANALYSIS A8720438

SAMPLE DESCRIPTION	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Se	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
JB7D-0996	201	238	< 1	< 0.01	633	2160	6	< 5	< 10	37	0.02	< 10	< 10	56	< 5	116
JB7D-0997	201	238	< 1	< 0.01	1820	20	8	< 5	< 10	8	0.01	< 10	< 10	31	< 5	43
JB7D-0998	201	238	< 1	< 0.01	1685	40	< 2	< 5	< 10	9	0.02	< 10	< 10	38	< 5	28
JB7D-0999	201	238	< 1	< 0.01	327	180	8	< 5	30	9	0.11	< 10	< 10	80	< 5	32
JB7D-1000	201	238	< 1	< 0.01	61	540	6	< 5	10	19	0.10	< 10	< 10	61	< 5	45
JB7D-1001	201	238	< 1	< 0.01	31	610	< 2	< 5	10	23	0.14	< 10	< 10	82	< 5	42
JB7D-1002	201	238	< 1	0.01	51	920	2	< 5	10	32	0.14	< 10	< 10	84	< 5	41
JB7D-1003	201	238	< 1	0.01	37	610	< 2	< 5	10	34	0.15	< 10	< 10	81	< 5	45
JB7D-1004	201	238	< 1	0.01	35	1020	< 2	< 5	10	32	0.14	< 10	< 10	86	< 5	50
JB7D-1005	201	238	< 1	< 0.01	34	610	< 2	< 5	10	29	0.14	< 10	< 10	95	< 5	62
JB7D-1006	201	238	< 1	< 0.01	37	360	8	< 5	< 10	33	0.16	< 10	< 10	100	< 5	55
JB7D-1007	201	238	< 1	< 0.01	23	480	< 2	< 5	10	25	0.16	< 10	< 10	100	< 5	37
JB7D-1008	201	238	< 1	< 0.01	35	700	< 2	< 5	< 10	31	0.14	< 10	< 10	90	< 5	59
JB7D-1009	201	238	< 1	< 0.01	49	460	4	< 5	10	35	0.14	< 10	< 10	87	< 5	64
JB7D-1010	201	238	< 1	< 0.01	49	620	8	< 5	< 10	50	0.11	< 10	< 10	83	< 5	42
JB7D-1011	201	238	< 1	< 0.01	16	390	2	< 5	< 10	34	0.15	< 10	< 10	96	< 5	30
JB7D-1012	201	238	< 1	< 0.01	25	560	2	< 5	< 10	29	0.14	< 10	< 10	86	< 5	41
JB7D-1013	201	238	< 1	< 0.01	71	560	6	< 5	< 10	65	0.08	< 10	< 10	78	< 5	55
JB7D-1014	201	238	< 1	< 0.01	13	570	4	< 5	< 10	35	0.12	< 10	< 10	68	< 5	35
JB7D-1015	201	238	< 1	< 0.01	26	180	8	< 5	< 10	28	0.12	< 10	< 10	76	< 5	35
JB7D-1016	201	238	< 1	< 0.01	26	1030	4	< 5	< 10	24	0.12	< 10	< 10	98	< 5	99
JB7D-1017	201	238	< 1	< 0.01	29	1000	10	< 5	< 10	31	0.13	< 10	< 10	107	< 5	82
JB7D-1018	201	238	1	0.01	36	1140	4	< 5	10	169	< 0.01	< 10	< 10	4	< 5	7
JB7D-1019	201	238	< 1	0.02	42	530	2	< 5	< 10	44	0.29	< 10	< 10	101	5	55
JB7D-1020	201	238	< 1	< 0.01	18	590	6	< 5	< 10	43	0.08	< 10	< 10	62	< 5	56
JB7D-1021	201	238	< 1	< 0.01	21	1130	22	< 5	< 10	30	0.07	< 10	< 10	73	< 5	96
JB7D-1022	201	238	1	< 0.01	77	620	10	< 5	< 10	75	0.09	< 10	< 10	81	< 5	103
JB7D-1023	201	238	< 1	< 0.01	12	680	10	< 5	< 10	31	0.09	< 10	< 10	63	< 5	54
JB7D-1024	201	238	< 1	< 0.01	28	850	10	< 5	< 10	37	0.05	< 10	< 10	51	< 5	97
JB7D-1025	201	238	< 1	< 0.01	19	430	8	< 5	< 10	31	0.08	< 10	< 10	64	< 5	60
JB7D-1026	201	238	< 1	< 0.01	27	500	6	< 5	< 10	36	0.11	< 10	< 10	67	< 5	67
JB7D-1027	201	238	< 1	< 0.01	22	400	8	< 5	< 10	36	0.08	< 10	< 10	60	< 5	69
JB7D-1028	201	238	< 1	< 0.01	16	600	4	< 5	< 10	24	0.07	< 10	< 10	54	< 5	55
JB7D-1029	201	238	< 1	< 0.01	48	760	12	< 5	< 10	28	0.10	< 10	< 10	62	< 5	80
JB7D-1030	201	238	< 1	< 0.01	61	700	8	< 5	< 10	18	0.04	< 10	< 10	54	< 5	138
JB7D-1031	201	238	< 1	< 0.01	21	240	10	< 5	< 10	25	0.03	< 10	< 10	41	< 5	58
JB7D-1032	201	238	< 1	< 0.01	52	470	12	< 5	< 10	80	0.06	< 10	< 10	53	< 5	118
JB7D-1033	201	238	< 1	< 0.01	32	740	4	< 5	< 10	42	0.13	< 10	< 10	95	< 5	87
JB7D-1034	201	238	< 1	< 0.01	23	470	10	< 5	< 10	42	0.15	< 10	< 10	87	< 5	80
JB7D-1035	201	238	< 1	< 0.01	24	690	14	< 5	< 10	31	0.13	< 10	< 10	98	< 5	97

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project: M543-DOG
Comments: CC: S. McALLISTER

Page No.: 2-A
Tot. Pages: 5
Date: 30-AUG-87
Invoice #: I-8720438
P.O. #: 36858

CERTIFICATE OF ANALYSIS A8720438

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
JB7D-1036	201 238	< 5	2.20	< 0.2	< 5	230	< 0.5	< 2	1.07	0.5	13	65	31	3.95	< 10	< 1	0.09	10	0.70	724
JB7D-1037	201 238	< 5	1.46	< 0.2	< 5	130	< 0.5	< 2	0.67	0.5	5	40	15	2.66	< 10	3	0.02	10	0.25	196
JB7D-1038	201 238	< 5	0.10	< 0.2	< 5	160	< 0.5	< 2	3.60	< 0.5	1	9	17	0.15	< 10	1	0.01	< 10	0.38	292
JB7D-1039	201 238	< 5	2.06	0.2	< 5	310	< 0.5	< 2	2.05	0.5	10	63	31	3.12	< 10	1	0.04	< 10	0.60	893
JB7D-1040	201 238	< 5	2.55	< 0.2	< 5	150	< 0.5	< 2	1.18	0.5	17	68	26	4.86	< 10	1	0.07	10	0.72	643
JB7D-1041	201 238	< 5	1.94	< 0.2	< 5	200	< 0.5	< 2	0.97	0.5	14	55	22	3.64	< 10	< 1	0.07	10	0.84	761
JB7D-1042	201 238	< 5	2.09	< 0.2	< 5	180	< 0.5	< 2	1.01	1.0	11	52	24	3.93	< 10	3	0.05	10	0.72	508
JB7D-1043	201 238	< 5	2.26	< 0.2	< 5	280	< 0.5	< 2	1.08	0.5	17	66	34	4.33	< 10	< 1	0.06	< 10	0.75	951
JB7D-1044	201 238	< 5	3.74	1.2	< 5	450	< 0.5	< 2	1.69	1.0	26	160	149	6.30	< 10	< 1	0.12	< 10	1.01	1775
JB7D-1045	201 238	< 5	2.58	0.6	< 5	350	< 0.5	< 2	1.18	1.0	15	81	109	4.14	< 10	< 1	0.05	10	0.53	625
JB7D-1086	201 238	< 5	1.83	< 0.2	< 5	140	< 0.5	< 2	0.52	0.5	10	73	22	3.78	< 10	< 1	0.07	10	0.60	616
JB7D-1087	201 238	< 5	1.61	< 0.2	5	90	< 0.5	< 2	0.37	0.5	27	328	16	4.22	< 10	< 1	0.01	10	1.01	460
JB7D-1088	201 238	10	1.41	0.2	10	90	< 0.5	2	0.38	0.5	28	458	4	2.90	< 10	< 1	< 0.01	10	1.53	303
JB7D-1089	201 238	25	1.42	0.2	< 5	160	< 0.5	< 2	0.56	1.0	11	63	15	2.35	< 10	2	0.05	20	0.40	336
JB7D-1090	201 238	< 5	1.47	< 0.2	5	120	< 0.5	< 2	0.82	< 0.5	11	72	23	2.20	< 10	2	0.05	10	0.66	210
JB7D-1091	201 238	5	1.40	< 0.2	< 5	160	< 0.5	< 2	0.70	0.5	10	65	10	1.99	< 10	< 1	0.07	10	0.31	282
JB7D-1092	201 238	< 5	1.63	< 0.2	< 5	160	< 0.5	< 2	0.79	0.5	11	76	9	2.15	< 10	< 1	0.04	10	0.35	175
JB7D-1093	201 238	< 5	1.77	< 0.2	< 5	120	< 0.5	< 2	0.60	1.0	12	108	20	2.66	< 10	< 1	0.05	10	0.74	278
JB7D-1094	201 238	< 5	1.83	< 0.2	< 5	120	< 0.5	< 2	0.43	0.5	11	71	19	3.15	< 10	< 1	0.05	10	0.59	372
JB7D-1095	201 238	< 5	1.92	< 0.2	< 5	110	< 0.5	< 2	0.73	1.0	16	91	39	2.85	< 10	1	0.04	10	0.93	295
JB7D-1096	201 238	< 5	1.80	< 0.2	< 5	120	< 0.5	< 2	0.36	0.5	9	67	16	3.02	< 10	1	0.04	10	0.42	248
JB7D-1097	201 238	< 5	2.06	< 0.2	5	150	< 0.5	< 2	0.52	0.5	10	87	23	3.58	< 10	1	0.04	10	0.69	259
JB7D-1098	201 238	< 5	2.51	< 0.2	< 5	120	< 0.5	< 2	0.59	1.0	20	159	19	3.95	< 10	< 1	0.03	10	1.49	474
JB7D-1099	201 238	< 5	2.19	< 0.2	5	130	< 0.5	< 2	0.72	< 0.5	17	114	19	2.59	< 10	< 1	0.01	10	1.04	283
JB7D-1100	201 238	< 10	0.71	< 0.2	5	200	< 0.5	< 2	3.38	0.5	4	22	34	0.69	< 10	2	0.01	< 10	0.22	1200
JB7D-1101	201 238	< 5	1.59	< 0.2	< 5	90	< 0.5	< 2	0.32	0.5	8	63	19	2.92	< 10	< 1	0.03	10	0.51	413
JB7D-1102	201 238	< 5	1.76	< 0.2	< 5	200	< 0.5	< 2	0.62	0.5	12	62	30	2.66	< 10	2	0.04	10	0.56	339
JB7D-1103	201 238	< 5	1.28	< 0.2	< 5	140	< 0.5	< 2	0.67	0.5	29	461	13	4.86	< 10	< 1	0.01	< 10	0.47	402
JB7D-1104	201 238	5	1.55	< 0.2	< 5	150	< 0.5	< 2	0.64	0.5	4	42	8	1.66	< 10	< 1	0.04	20	0.39	222
JB7D-1105	201 238	< 5	2.78	< 0.2	5	200	< 0.5	< 2	0.68	< 0.5	20	94	52	4.23	< 10	1	0.04	10	1.11	520
JB7D-1106	201 238	< 5	2.67	< 0.2	< 5	190	< 0.5	< 2	0.63	0.5	20	87	39	3.74	< 10	< 1	0.04	10	1.00	379
JB7D-1107	201 238	< 5	3.13	< 0.2	< 5	330	< 0.5	< 2	0.52	1.0	27	117	47	4.17	< 10	< 1	0.03	10	1.18	279
JB7D-1108	201 238	< 5	1.53	0.2	10	280	< 0.5	< 2	0.84	0.5	12	46	61	2.89	< 10	< 1	0.06	20	0.55	412
JB7D-1109	201 238	< 5	3.42	1.2	15	660	< 0.5	2	1.45	2.5	28	110	246	6.43	< 10	< 1	0.11	10	0.97	3320
JB7D-1110	201 238	5	1.88	< 0.2	< 5	230	< 0.5	< 2	0.67	0.5	16	65	53	2.98	< 10	< 1	0.06	20	0.82	374
JB7D-1111	201 238	< 5	1.71	< 0.2	5	160	< 0.5	< 2	0.43	0.5	7	58	20	3.70	< 10	< 1	0.03	10	0.45	239
JB7D-1112	201 238	< 5	1.32	< 0.2	5	200	< 0.5	< 2	0.46	0.5	8	34	12	3.08	< 10	1	0.09	20	0.26	270
JB7D-1113	201 238	< 5	1.14	< 0.2	5	240	< 0.5	< 2	0.47	< 0.5	5	27	10	2.08	< 10	< 1	0.08	20	0.29	200
JB7D-1114	201 238	< 5	1.54	< 0.2	< 5	360	< 0.5	< 2	1.35	0.5	12	47	32	1.83	< 10	< 1	0.04	10	0.72	276
JB7D-1115	201 238	< 5	2.14	< 0.2	5	380	< 0.5	< 2	0.50	0.5	13	58	30	3.57	< 10	< 1	0.08	20	0.65	455

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221


To: CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project: M543-DOG
Comments: CC: S. McALLISTER

Page No. : 2-B
Tot. Pages: 5
Date : 30-AUG-87
Invoice #: I-8720438
P.O. #: 36858

CERTIFICATE OF ANALYSIS A8720438

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
JB7D-1036	201 238	< 1	< 0.01	32	680	< 2	< 5	< 10	29	0.23	< 10	< 10	124	< 5	64
JB7D-1037	201 238	< 1	< 0.01	13	300	10	< 5	< 10	32	0.20	< 10	< 10	108	< 5	38
JB7D-1038	201 238	< 1	< 0.01	7	710	8	< 5	10	155	< 0.01	< 10	< 10	7	< 5	4
JB7D-1039	201 238	< 1	< 0.01	24	350	4	< 5	< 10	84	0.18	< 10	< 10	100	5	44
JB7D-1040	201 238	< 1	< 0.01	30	1220	8	< 5	< 10	35	0.21	< 10	< 10	130	< 5	128
JB7D-1041	201 238	< 1	< 0.01	32	800	2	< 5	< 10	28	0.21	< 10	< 10	92	5	60
JB7D-1042	201 238	< 1	< 0.01	27	540	8	< 5	< 10	27	0.21	< 10	< 10	114	< 5	63
JB7D-1043	201 238	< 1	< 0.01	31	990	2	< 5	< 10	28	0.19	< 10	< 10	120	5	90
JB7D-1044	201 238	< 1	< 0.01	78	780	4	< 5	< 10	62	0.11	< 10	< 10	142	5	79
JB7D-1045	201 238	< 1	< 0.01	51	670	10	< 5	< 10	58	0.13	< 10	< 10	106	5	88
JB7D-1086	201 238	< 1	< 0.01	56	1850	10	< 5	< 10	43	0.12	< 10	< 10	89	< 5	123
JB7D-1087	201 238	< 1	< 0.01	337	450	8	< 5	< 10	29	0.11	< 10	< 10	69	< 5	63
JB7D-1088	201 238	< 1	< 0.01	325	430	4	< 5	< 10	28	0.08	< 10	< 10	65	5	135
JB7D-1089	201 238	< 1	< 0.01	56	2200	8	< 5	< 10	37	0.07	< 10	< 10	56	5	145
JB7D-1090	201 238	< 1	< 0.01	93	2620	6	< 5	< 10	50	0.07	< 10	< 10	57	5	88
JB7D-1091	201 238	1	< 0.01	49	2620	12	< 5	< 10	46	0.06	< 10	< 10	58	5	129
JB7D-1092	201 238	< 1	< 0.01	61	3370	6	< 5	< 10	47	0.07	< 10	< 10	60	5	139
JB7D-1093	201 238	< 1	< 0.01	97	1760	4	< 5	< 10	34	0.09	< 10	< 10	76	5	79
JB7D-1094	201 238	< 1	< 0.01	39	1640	8	< 5	< 10	34	0.11	< 10	< 10	92	5	100
JB7D-1095	201 238	< 1	0.01	84	1310	2	< 5	< 10	39	0.11	< 10	< 10	77	5	53
JB7D-1096	201 238	< 1	< 0.01	29	870	< 2	< 5	< 10	33	0.13	< 10	< 10	103	5	76
JB7D-1097	201 238	< 1	< 0.01	52	800	2	< 5	< 10	33	0.14	< 10	< 10	116	5	66
JB7D-1098	201 238	< 1	< 0.01	66	660	< 2	< 5	< 10	24	0.14	< 10	< 10	141	< 5	74
JB7D-1099	201 238	< 1	< 0.01	72	260	4	< 5	< 10	31	0.11	< 10	< 10	79	< 5	39
JB7D-1100	201 238	< 1	< 0.01	15	1020	20	< 5	< 10	100	0.01	< 10	< 10	19	< 5	8
JB7D-1101	201 238	< 1	< 0.01	25	980	2	< 5	< 10	32	0.14	< 10	< 10	101	< 5	50
JB7D-1102	201 238	< 1	< 0.01	36	340	8	< 5	< 10	50	0.13	< 10	< 10	90	< 5	60
JB7D-1103	201 238	< 1	< 0.01	490	590	8	< 5	< 10	30	0.10	< 10	< 10	87	< 5	58
JB7D-1104	201 238	< 1	< 0.01	19	320	8	< 5	< 10	36	0.13	< 10	< 10	65	< 5	44
JB7D-1105	201 238	< 1	0.01	67	760	< 2	< 5	< 10	40	0.16	< 10	< 10	116	< 5	70
JB7D-1106	201 238	< 1	< 0.01	59	1220	2	< 5	< 10	31	0.14	< 10	< 10	109	< 5	78
JB7D-1107	201 238	< 1	< 0.01	86	580	4	< 5	< 10	25	0.14	< 10	< 10	120	< 5	70
JB7D-1108	201 238	< 1	< 0.01	45	550	6	< 5	< 10	36	0.09	< 10	< 10	62	< 5	78
JB7D-1109	201 238	1	0.01	127	1100	14	< 5	< 10	72	0.09	< 10	< 10	122	< 5	138
JB7D-1110	201 238	< 1	0.01	54	610	8	< 5	< 10	36	0.12	< 10	< 10	82	< 5	56
JB7D-1111	201 238	< 1	< 0.01	23	620	4	< 5	< 10	40	0.14	< 10	< 10	125	< 5	66
JB7D-1112	201 238	< 1	< 0.01	16	620	10	< 5	< 10	33	0.10	< 10	< 10	77	< 5	77
JB7D-1113	201 238	< 1	< 0.01	18	280	6	< 5	< 10	37	0.09	< 10	< 10	58	< 5	58
JB7D-1114	201 238	< 1	< 0.01	35	690	6	< 5	< 10	52	0.18	< 10	< 10	65	< 5	69
JB7D-1115	201 238	< 1	< 0.01	44	440	12	< 5	< 10	55	0.10	< 10	< 10	79	< 5	80

CERTIFICATION : 



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
 MINERALS STAFF
 1900 - 1055 W. HASTINGS ST.
 VANCOUVER, B.C.
 V6E 2E9

Project: M543-DOG
 Comments: CC: S. McALLISTER

Page No. : 3-A
 Tot. Pages: 5
 Date : 30-AUG-87
 Invoice # : I-8720438
 P.O. # : 36858

CERTIFICATE OF ANALYSIS A8720438

SAMPLE DESCRIPTION	PREP CODE		Au ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
	FA+AA																				
JB7D-1116	201	238	< 5	2.30	0.6	5	680	< 0.5	< 2	0.75	1.5	16	56	63	3.46	< 10	2	0.08	20	0.54	1390
JB7D-1117	201	238	< 5	1.65	0.4	< 5	530	< 0.5	2	1.98	2.0	15	43	47	3.13	< 10	2	0.06	< 10	0.58	2050
JB7D-1118	201	238	< 5	1.90	< 0.2	< 5	250	< 0.5	< 2	0.46	0.5	20	36	21	4.41	< 10	1	0.07	30	0.47	544
JB7D-1119	201	238	< 5	2.32	0.2	10	240	< 0.5	< 2	0.37	0.5	27	41	35	6.55	< 10	< 1	0.07	30	0.78	483
JB7D-1120	201	238	< 5	1.95	< 0.2	< 5	340	< 0.5	< 2	0.51	0.5	18	38	21	3.79	< 10	1	0.09	20	0.50	515
JB7D-1121	201	238	< 5	0.88	< 0.2	< 5	210	< 0.5	< 2	0.24	< 0.5	3	15	9	2.10	< 10	1	0.11	30	0.15	125
JB7D-1122	201	238	< 5	2.08	< 0.2	5	90	< 0.5	< 2	0.40	0.5	10	72	21	4.06	< 10	< 1	0.05	10	0.55	440
JB7D-1123	201	238	< 5	4.57	0.4	< 5	70	< 0.5	< 2	1.50	0.5	38	604	69	4.09	< 10	< 1	< 0.01	< 10	3.41	422
JB7D-1124	201	238	< 5	2.10	0.4	5	160	< 0.5	< 2	1.34	1.0	22	166	117	3.28	< 10	< 1	0.08	10	1.13	1035
JB7D-1125	201	238	< 5	2.56	< 0.2	< 5	130	< 0.5	< 2	1.01	0.5	17	151	17	2.14	< 10	4	0.04	10	1.12	350
JB7D-1126	201	238	< 5	1.99	< 0.2	< 5	150	< 0.5	< 2	0.78	0.5	28	90	26	5.52	10	< 1	0.06	10	0.68	1215
JB7D-1127	201	238	< 5	1.87	< 0.2	< 5	150	< 0.5	< 2	0.81	1.0	23	129	42	3.79	< 10	< 1	0.03	20	1.62	417
JB7D-1128	201	238	40	1.80	< 0.2	10	100	< 0.5	< 2	0.67	< 0.5	16	74	11	3.03	< 10	< 1	0.03	20	0.69	238
JB7D-1129	201	238	< 5	1.94	< 0.2	< 5	200	< 0.5	< 2	0.86	0.5	21	74	67	3.56	10	< 1	0.04	10	0.94	671
JB7D-1130	201	238	< 5	2.19	< 0.2	< 5	110	< 0.5	< 2	0.69	0.5	21	86	115	3.84	< 10	< 1	0.04	10	0.73	358
JB7D-1131	201	238	< 5	1.67	< 0.2	< 5	110	< 0.5	< 2	0.75	< 0.5	14	63	32	2.80	< 10	< 1	0.02	20	0.56	415
JB7D-1132	201	238	< 5	2.26	< 0.2	< 5	140	< 0.5	< 2	0.95	< 0.5	17	93	26	2.80	10	< 1	0.03	20	0.86	340
JB7D-1133	201	238	5	1.79	< 0.2	5	190	< 0.5	< 2	0.50	< 0.5	16	92	8	3.94	10	< 1	0.03	20	0.53	495
IZ7D-0599	201	238	< 5	2.43	< 0.2	< 5	120	< 0.5	< 2	0.51	0.5	20	64	51	4.57	10	< 1	0.14	20	1.08	406
IZ7D-0600	201	238	160	1.50	< 0.2	< 5	140	< 0.5	< 2	0.51	1.0	14	74	12	3.92	10	< 1	0.07	20	0.46	897
IZ7D-0601	201	238	100	0.92	< 0.2	< 5	110	< 0.5	< 2	0.28	1.0	7	18	24	3.62	< 10	1	0.05	30	0.07	153
IZ7D-0602	201	238	< 5	0.87	< 0.2	615	80	< 0.5	< 2	0.28	< 0.5	217	1570	22	9.28	< 10	< 1	< 0.01	< 10	5.48	1530
IZ7D-0603	201	238	< 5	1.09	< 0.2	< 5	140	< 0.5	< 2	0.44	0.5	10	52	9	2.04	< 10	< 1	0.06	20	0.33	338
IZ7D-0604	201	238	20	1.60	< 0.2	25	180	< 0.5	< 2	0.65	< 0.5	27	148	34	3.70	< 10	< 1	0.06	20	1.18	450
IZ7D-0605	201	238	5	1.42	< 0.2	< 5	120	< 0.5	< 2	0.56	0.5	13	60	10	2.12	< 10	< 1	0.08	20	0.55	288
IZ7D-0606	201	238	10	1.68	< 0.2	< 5	200	< 0.5	< 2	0.73	1.0	27	171	19	3.27	< 10	1	0.09	20	1.16	958
IZ7D-0607	201	238	160	1.53	< 0.2	< 5	120	< 0.5	< 2	0.73	0.5	21	196	5	2.78	< 10	< 1	0.02	20	1.23	328
IZ7D-0608	201	238	< 5	1.70	< 0.2	< 5	140	< 0.5	< 2	0.76	0.5	17	122	11	2.66	10	< 1	0.04	20	0.90	365
IZ7D-0609	201	238	< 5	1.78	< 0.2	< 5	80	< 0.5	< 2	0.62	< 0.5	16	84	10	2.81	< 10	< 1	0.02	20	0.73	266
IZ7D-0610	201	238	< 5	1.88	< 0.2	< 5	90	< 0.5	< 2	0.53	1.0	15	63	24	3.23	< 10	< 1	0.05	10	0.69	450
IZ7D-0611	201	238	< 5	1.60	< 0.2	< 5	130	< 0.5	< 2	0.45	< 0.5	14	52	18	2.93	< 10	< 1	0.04	10	0.55	392
IZ7D-0612	201	238	< 10	0.35	0.2	15	140	< 0.5	< 2	4.38	< 0.5	3	5	62	0.22	10	< 1	0.01	10	0.38	177
IZ7D-0613	201	238	< 5	1.75	< 0.2	< 5	100	< 0.5	< 2	0.57	< 0.5	15	63	30	3.11	< 10	< 1	0.03	10	0.68	260
IZ7D-0614	201	238	< 5	2.13	0.6	15	240	< 0.5	< 2	1.34	< 0.5	17	82	110	3.43	10	< 1	0.03	30	0.64	1025
IZ7D-0615	201	238	< 5	1.87	< 0.2	< 5	130	< 0.5	< 2	0.89	< 0.5	22	108	20	3.46	< 10	< 1	0.04	20	1.08	409
IZ7D-0616	201	238	15	1.76	< 0.2	< 5	180	< 0.5	< 2	0.70	0.5	16	62	21	2.96	< 10	< 1	0.05	20	0.70	447
IZ7D-0617	201	238	10	1.50	< 0.2	< 5	90	< 0.5	< 2	0.60	< 0.5	10	48	16	2.71	< 10	< 1	0.05	10	0.45	230
IZ7D-0618	201	238	< 5	1.73	< 0.2	< 5	140	< 0.5	< 2	0.69	< 0.5	18	52	30	2.72	< 10	< 1	0.05	20	0.57	576
IZ7D-0619	201	238	< 5	2.33	< 0.2	20	150	< 0.5	< 2	0.81	< 0.5	21	58	50	3.31	< 10	< 1	0.04	20	0.68	999
IZ7D-0620	201	238	< 5	2.01	< 0.2	10	130	< 0.5	< 2	0.67	< 0.5	16	49	14	2.97	10	1	0.03	20	0.56	412

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
 MINERALS STAFF
 1900 - 1055 W. HASTINGS ST.
 VANCOUVER, B.C.
 V6E 2E9

Project: M543-DOG
 Comments: CC: S. McALLISTER

Page No. : 3-B
 Tot. Pages: 5
 Date : 30-AUG-87
 Invoice #: I-8720438
 P.O. #: 36858

CERTIFICATE OF ANALYSIS A8720438

SAMPLE DESCRIPTION	PREP CODE	Mb ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
JB7D-1116	201 238	< 1	< 0.01	49	490	8	< 5	< 10	110	0.07	< 10	< 10	67	< 5	116
JB7D-1117	201 238	< 1	< 0.01	37	1170	8	< 5	< 10	272	0.05	< 10	< 10	50	< 5	74
JB7D-1118	201 238	< 1	< 0.01	35	720	14	< 5	< 10	50	0.08	< 10	< 10	80	< 5	87
JB7D-1119	201 238	< 1	< 0.01	63	1290	12	< 5	< 10	39	0.06	< 10	< 10	103	< 5	122
JB7D-1120	201 238	< 1	< 0.01	34	910	8	< 5	< 10	40	0.08	< 10	< 10	76	< 5	84
JB7D-1121	201 238	< 1	< 0.01	12	480	12	< 5	< 10	17	0.04	< 10	< 10	36	< 5	43
JB7D-1122	201 238	< 1	< 0.01	35	2320	4	< 5	< 10	29	0.10	< 10	< 10	100	< 5	115
JB7D-1123	201 238	< 1	< 0.01	158	320	< 2	< 5	< 10	43	0.03	< 10	< 10	87	< 5	34
JB7D-1124	201 238	< 1	< 0.01	164	1410	6	< 5	< 10	61	0.07	< 10	< 10	82	< 5	94
JB7D-1125	201 238	< 1	< 0.01	65	540	< 2	< 5	< 10	37	0.08	< 10	< 10	72	< 5	41
JB7D-1126	201 238	< 1	< 0.01	69	810	8	< 5	10	27	0.12	< 10	< 10	127	< 5	91
JB7D-1127	201 238	< 1	< 0.01	144	670	< 2	< 5	10	29	0.10	< 10	< 10	92	< 5	67
JB7D-1128	201 238	< 1	< 0.01	48	1180	< 2	< 5	10	26	0.11	< 10	< 10	88	< 5	89
JB7D-1129	201 238	< 1	< 0.01	54	1080	4	< 5	10	29	0.12	< 10	< 10	103	< 5	62
JB7D-1130	201 238	< 1	< 0.01	71	590	4	< 5	10	23	0.13	< 10	< 10	107	< 5	86
JB7D-1131	201 238	< 1	< 0.01	49	400	4	< 5	10	30	0.13	< 10	< 10	93	< 5	53
JB7D-1132	201 238	< 1	< 0.01	61	490	< 2	< 5	< 10	36	0.13	< 10	< 10	92	< 5	62
JB7D-1133	201 238	2	< 0.01	49	210	< 2	< 5	10	37	0.15	< 10	< 10	127	< 5	44
IZ7D-0599	201 238	2	< 0.01	48	750	30	< 5	10	38	0.21	< 10	< 10	124	< 5	89
IZ7D-0600	201 238	< 1	< 0.01	22	730	20	< 5	10	36	0.15	< 10	< 10	119	< 5	134
IZ7D-0601	201 238	4	< 0.01	35	2400	< 2	< 5	10	21	0.01	< 10	< 10	30	< 5	207
IZ7D-0602	201 238	< 1	< 0.01	3200	750	< 2	< 5	10	22	0.01	< 10	< 10	37	< 5	106
IZ7D-0603	201 238	< 1	< 0.01	46	1060	12	< 5	< 10	26	0.06	< 10	< 10	47	< 5	105
IZ7D-0604	201 238	< 1	< 0.01	197	1490	14	< 5	10	32	0.09	< 10	< 10	81	< 5	83
IZ7D-0605	201 238	< 1	< 0.01	48	850	< 2	< 5	< 10	33	0.11	< 10	< 10	63	< 5	66
IZ7D-0606	201 238	< 1	< 0.01	146	980	8	< 5	10	40	0.12	< 10	< 10	83	< 5	125
IZ7D-0607	201 238	< 1	< 0.01	97	470	6	< 5	< 10	31	0.13	< 10	< 10	77	< 5	55
IZ7D-0608	201 238	< 1	0.01	65	530	< 2	< 5	10	33	0.14	< 10	< 10	90	< 5	49
IZ7D-0609	201 238	< 1	< 0.01	51	330	< 2	< 5	< 10	30	0.16	< 10	< 10	95	< 5	44
IZ7D-0610	201 238	< 1	< 0.01	42	990	2	< 5	10	33	0.14	< 10	< 10	106	< 5	44
IZ7D-0611	201 238	< 1	< 0.01	33	900	< 2	< 5	< 10	30	0.13	< 10	< 10	90	< 5	69
IZ7D-0612	201 238	< 1	< 0.01	36	790	< 2	10	< 10	144	< 0.01	< 10	< 10	7	< 5	3
IZ7D-0613	201 238	< 1	< 0.01	54	600	4	5	< 10	36	0.14	< 10	< 10	92	< 5	45
IZ7D-0614	201 238	< 1	0.01	142	850	18	< 5	10	58	0.12	< 10	< 10	93	< 5	60
IZ7D-0615	201 238	< 1	0.01	99	530	4	< 5	10	34	0.15	< 10	< 10	104	< 5	42
IZ7D-0616	201 238	< 1	< 0.01	52	950	< 2	< 5	10	37	0.13	< 10	< 10	85	< 5	56
IZ7D-0617	201 238	< 1	< 0.01	28	360	4	< 5	< 10	33	0.15	< 10	< 10	97	< 5	48
IZ7D-0618	201 238	< 1	< 0.01	51	490	4	< 5	< 10	31	0.12	< 10	< 10	80	< 5	50
IZ7D-0619	201 238	< 1	< 0.01	66	450	< 2	< 5	10	32	0.13	< 10	< 10	112	< 5	61
IZ7D-0620	201 238	< 1	< 0.01	28	470	10	< 5	10	28	0.17	< 10	< 10	113	< 5	59

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project: M543-DOG
Comments: CC: S. McALLISTER

Page No.: 4-A
Tot. Pages: 5
Date: 30-AUG-87
Invoice #: I-8720438
P.O. #: 36858

CERTIFICATE OF ANALYSIS A8720438

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
IZ7D-0621	201 238	< 5	1.81	< 0.2	20	100	< 0.5	2	0.53	< 0.5	12	53	13	3.04	10	< 1	0.03	10	0.58	234
IZ7D-0622	201 238	< 5	1.85	< 0.2	5	100	< 0.5	2	0.63	< 0.5	13	65	20	3.22	10	< 1	0.06	10	0.76	293
IZ7D-0623	201 238	< 5	1.36	< 0.2	10	130	< 0.5	< 2	0.46	< 0.5	11	54	14	3.32	10	< 1	0.04	10	0.40	2050
IZ7D-0624	201 238	40	1.53	< 0.2	20	170	< 0.5	4	0.53	< 0.5	9	50	16	2.44	10	< 1	0.04	20	0.52	249
IZ7D-0625	201 238	< 5	2.20	0.8	5	470	0.5	4	1.76	1.5	17	77	124	3.29	10	< 1	0.07	30	0.73	1330
IZ7D-0626	201 238	< 5	1.97	< 0.2	5	150	< 0.5	2	0.51	< 0.5	15	74	22	3.98	10	< 1	0.05	10	0.66	312
IZ7D-0628	201 238	< 5	2.03	< 0.2	< 5	230	< 0.5	< 2	0.44	< 0.5	14	72	30	4.11	10	< 1	0.07	20	0.64	294
IZ7D-0629	201 238	< 5	3.37	< 0.2	15	170	< 0.5	2	1.06	< 0.5	39	92	36	7.40	20	2	0.03	10	1.59	590
IZ7D-0630	201 238	< 5	1.75	< 0.2	15	320	< 0.5	< 2	0.49	< 0.5	15	47	25	2.62	10	< 1	0.08	20	0.46	588
IZ7D-0631	201 238	< 5	1.60	0.8	20	380	< 0.5	< 2	0.32	< 0.5	11	46	36	3.54	< 10	< 1	0.09	10	0.35	233
IZ7D-0632	201 238	< 5	1.04	< 0.2	< 5	330	< 0.5	< 2	0.51	< 0.5	8	35	13	2.11	< 10	< 1	0.09	20	0.33	424
IZ7D-0633	201 238	< 5	0.69	< 0.2	10	150	< 0.5	2	0.31	< 0.5	3	22	8	1.46	< 10	< 1	0.05	20	0.12	106
IZ7D-0634	201 238	< 5	2.89	0.4	10	750	< 0.5	4	0.96	0.5	22	85	56	4.59	10	< 1	0.19	20	0.96	1595
IZ7D-0635	201 238	< 5	1.13	< 0.2	15	350	< 0.5	< 2	0.51	< 0.5	5	29	19	1.55	< 10	< 1	0.06	20	0.23	124
IZ7D-0636	201 238	< 5	1.49	< 0.2	25	160	< 0.5	2	0.30	< 0.5	9	38	19	2.91	< 10	< 1	0.06	20	0.32	225
IZ7D-0637	201 238	< 5	1.22	< 0.2	5	200	< 0.5	< 2	0.45	0.5	9	33	22	2.85	< 10	< 1	0.07	20	0.33	220
IZ7D-0638	201 238	< 5	0.72	3.2	< 5	680	< 0.5	< 2	3.57	3.0	9	22	73	1.27	10	< 1	0.04	10	0.35	1485
IZ7D-0639	201 238	< 5	0.93	< 0.2	< 5	170	< 0.5	< 2	0.34	< 0.5	5	30	9	2.00	< 10	< 1	0.09	20	0.21	168
IZ7D-0640	201 238	< 5	0.59	0.2	5	80	< 0.5	< 2	0.22	< 0.5	4	26	12	1.62	< 10	< 1	0.04	30	0.06	95
IZ7D-0641	201 238	< 5	0.65	0.2	10	90	< 0.5	2	0.26	< 0.5	2	14	3	0.82	< 10	< 1	0.06	30	0.08	59
IZ7D-0642	201 238	< 5	1.36	< 0.2	< 5	130	< 0.5	2	0.43	1.0	12	39	28	3.79	< 10	< 1	0.07	20	0.44	287
IZ7D-0643	201 238	< 5	1.43	< 0.2	10	110	< 0.5	< 2	0.31	< 0.5	8	40	14	3.50	10	1	0.05	20	0.26	184
IZ7D-0644	201 238	< 5	1.27	< 0.2	10	220	< 0.5	2	0.75	< 0.5	9	40	16	2.37	10	< 1	0.02	30	0.47	344
IZ7D-0645	201 238	< 5	1.92	< 0.2	< 5	250	< 0.5	2	1.24	< 0.5	20	70	62	3.98	10	< 1	0.03	20	0.71	1005
IZ7D-0646	201 238	< 5	1.27	< 0.2	< 5	100	< 0.5	2	0.36	2.5	10	41	23	3.41	< 10	< 1	0.03	20	0.37	218
IZ7D-0647	201 238	< 5	2.03	< 0.2	10	90	< 0.5	< 2	0.69	< 0.5	17	67	31	4.77	10	< 1	0.02	10	0.74	433
IZ7D-0648	201 238	< 5	0.98	< 0.2	< 5	270	< 0.5	2	3.09	0.5	12	40	97	2.14	10	1	0.02	20	0.48	937
IZ7D-0649	201 238	< 5	2.60	< 0.2	< 5	290	< 0.5	< 2	1.10	0.5	25	100	84	5.32	< 10	1	0.02	20	0.72	1580
IZ7D-0650	201 238	< 5	1.64	< 0.2	5	260	< 0.5	< 2	1.73	< 0.5	16	66	53	3.33	< 10	< 1	0.05	20	0.61	1260
IZ7D-0651	201 238	< 5	1.57	< 0.2	10	270	< 0.5	< 2	2.18	< 0.5	14	63	51	3.04	< 10	< 1	0.03	20	0.67	1165
IZ7D-0652	201 238	< 5	1.18	< 0.2	< 5	120	< 0.5	< 2	0.60	< 0.5	8	38	27	2.68	< 10	< 1	0.02	20	0.26	232
IZ7D-0653	201 238	< 5	1.93	< 0.2	15	170	< 0.5	< 2	1.15	0.5	17	63	28	3.42	< 10	< 1	0.03	20	0.74	599
IZ7D-0654	201 238	< 5	1.82	< 0.2	5	200	< 0.5	< 2	1.14	< 0.5	14	55	20	3.03	< 10	< 1	0.03	20	0.71	475
IZ7D-0655	201 238	< 5	2.00	< 0.2	< 5	230	< 0.5	2	1.23	< 0.5	13	51	24	2.70	< 10	1	0.01	20	0.72	328
IZ7D-0656	201 238	< 5	1.98	< 0.2	< 5	220	< 0.5	< 2	1.02	0.5	15	53	19	3.72	< 10	< 1	0.03	20	0.50	455
IZ7D-0657	201 238	< 5	2.50	< 0.2	5	250	< 0.5	< 2	1.17	< 0.5	20	70	25	3.70	< 10	< 1	0.03	20	0.77	694
IZ7D-0658	201 238	< 5	1.83	< 0.2	< 5	110	< 0.5	2	0.94	1.0	12	51	11	3.39	< 10	< 1	0.05	20	0.51	361
IZ7D-0659	201 238	10	2.14	< 0.2	< 5	160	< 0.5	< 2	1.21	< 0.5	27	93	63	4.56	< 10	< 1	0.06	20	0.97	1115
IZ7D-0660	201 238	< 5	2.69	< 0.2	< 5	110	< 0.5	< 2	1.28	< 0.5	22	72	39	4.81	< 10	< 1	0.04	20	1.03	613
IZ7D-0661	201 238	< 5	2.04	< 0.2	< 5	110	< 0.5	2	0.81	0.5	14	53	20	3.78	< 10	< 1	0.05	20	0.59	519

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
 MINERALS STAFF
 1900 - 1055 W. HASTINGS ST.
 VANCOUVER, B.C.
 V6E 2E9

Project: M543-DOG
 Comments: CC: S. McALLISTER

Page No. : 4-B
 Tot. Pages: 5
 Date : 30-AUG-87
 Invoice #: I-8720438
 P.O. #: 36858

CERTIFICATE OF ANALYSIS A8720438

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
IZ7D-0621	201 238	< 1	< 0.01	27	320	12	5	< 10	31	0.15	< 10	< 10	107	< 5	45
IZ7D-0622	201 238	< 1	< 0.01	37	850	8	5	10	28	0.14	< 10	< 10	104	< 5	41
IZ7D-0623	201 238	< 1	0.01	16	870	4	< 5	10	37	0.16	< 10	< 10	118	< 5	91
IZ7D-0624	201 238	< 1	< 0.01	25	370	< 2	5	< 10	36	0.12	< 10	< 10	82	< 5	59
IZ7D-0625	201 238	< 1	0.01	68	1680	10	< 5	10	77	0.04	10	< 10	67	< 5	47
IZ7D-0626	201 238	< 1	0.01	38	1330	2	10	< 10	43	0.13	< 10	< 10	124	< 5	68
IZ7D-0628	201 238	< 1	< 0.01	39	660	10	5	< 10	34	0.14	< 10	< 10	121	< 5	83
IZ7D-0629	201 238	< 1	0.01	42	650	2	< 5	10	36	0.30	< 10	< 10	371	< 5	142
IZ7D-0630	201 238	< 1	< 0.01	31	360	6	5	10	35	0.11	< 10	< 10	79	< 5	110
IZ7D-0631	201 238	< 1	< 0.01	39	470	4	5	< 10	34	0.08	< 10	< 10	80	< 5	125
IZ7D-0632	201 238	< 1	< 0.01	18	720	4	5	< 10	33	0.08	< 10	< 10	58	< 5	73
IZ7D-0633	201 238	< 1	< 0.01	11	440	< 2	5	< 10	27	0.08	< 10	< 10	50	< 5	42
IZ7D-0634	201 238	< 1	0.01	81	920	14	< 5	10	52	0.08	< 10	< 10	85	< 5	116
IZ7D-0635	201 238	< 1	< 0.01	12	290	< 2	< 5	< 10	39	0.07	< 10	< 10	47	< 5	41
IZ7D-0636	201 238	< 1	< 0.01	24	1080	2	< 5	< 10	25	0.07	< 10	< 10	64	< 5	100
IZ7D-0637	201 238	< 1	< 0.01	26	1790	18	5	< 10	30	0.06	< 10	< 10	61	< 5	92
IZ7D-0638	201 238	< 1	< 0.01	62	1630	8	10	20	192	0.01	< 10	10	17	< 5	24
IZ7D-0639	201 238	< 1	< 0.01	13	730	2	< 5	< 10	27	0.07	< 10	< 10	53	< 5	91
IZ7D-0640	201 238	< 1	< 0.01	18	260	10	5	< 10	25	0.06	< 10	< 10	57	< 5	92
IZ7D-0641	201 238	< 1	< 0.01	4	210	< 2	< 5	< 10	20	0.05	< 10	< 10	32	< 5	33
IZ7D-0642	201 238	< 1	< 0.01	36	1350	2	5	< 10	30	0.07	< 10	< 10	60	< 5	151
IZ7D-0643	201 238	< 1	< 0.01	21	1030	12	< 5	< 10	23	0.08	< 10	< 10	71	< 5	62
IZ7D-0644	201 238	< 1	< 0.01	20	860	4	< 5	< 10	42	0.10	< 10	< 10	57	< 5	35
IZ7D-0645	201 238	< 1	< 0.01	39	470	4	5	< 10	40	0.13	< 10	< 10	93	< 5	51
IZ7D-0646	201 238	< 1	< 0.01	26	810	14	5	< 10	18	0.09	< 10	< 10	61	< 5	65
IZ7D-0647	201 238	< 1	< 0.01	30	460	14	5	10	17	0.22	< 10	< 10	123	< 5	65
IZ7D-0648	201 238	< 1	0.01	41	640	8	15	10	91	0.05	< 10	< 10	45	< 5	27
IZ7D-0649	201 238	< 1	< 0.01	47	450	8	5	10	37	0.13	< 10	< 10	119	< 5	52
IZ7D-0650	201 238	< 1	< 0.01	33	660	< 2	5	< 10	53	0.12	< 10	< 10	78	< 5	46
IZ7D-0651	201 238	< 1	< 0.01	31	910	8	5	< 10	65	0.11	< 10	< 10	71	< 5	43
IZ7D-0652	201 238	< 1	< 0.01	19	240	4	< 5	< 10	19	0.14	< 10	< 10	108	< 5	40
IZ7D-0653	201 238	< 1	< 0.01	32	390	< 2	< 5	10	26	0.25	< 10	< 10	115	< 5	47
IZ7D-0654	201 238	< 1	< 0.01	24	280	4	< 5	10	29	0.23	< 10	< 10	106	< 5	38
IZ7D-0655	201 238	< 1	0.01	24	350	4	5	< 10	39	0.20	< 10	< 10	96	< 5	45
IZ7D-0656	201 238	< 1	< 0.01	17	580	2	5	10	31	0.22	< 10	< 10	126	< 5	62
IZ7D-0657	201 238	< 1	< 0.01	32	200	< 2	5	< 10	34	0.20	< 10	< 10	115	< 5	43
IZ7D-0658	201 238	< 1	< 0.01	19	420	< 2	< 5	10	23	0.18	< 10	< 10	110	< 5	58
IZ7D-0659	201 238	< 1	< 0.01	57	330	10	5	10	31	0.11	< 10	< 10	112	< 5	58
IZ7D-0660	201 238	< 1	0.01	41	610	14	5	10	25	0.24	< 10	< 10	140	< 5	61
IZ7D-0661	201 238	< 1	< 0.01	25	770	2	5	< 10	21	0.17	< 10	< 10	109	< 5	74

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project: M543-DOG
Comments: CC: S. McALLISTER

Page No. : 5-A
Tot. Pages: 5
Date : 30-AUG-87
Invoice #: I-8720438
P.O. #: 36858

CERTIFICATE OF ANALYSIS A8720438

SAMPLE DESCRIPTION	PREP CODE		Au ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
			FA+AA	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm
IZ7D-0662	201	238	< 5	2.52	0.2	15	290	< 0.5	< 2	0.69	1.0	23	80	55	4.28	< 10	< 1	0.10	20	0.97	906
IZ7D-0663	201	238	< 5	1.32	< 0.2	< 5	160	< 0.5	< 2	0.72	0.5	190	1590	30	10.55	< 10	< 1	< 0.01	10	1.79	2350
IZ7D-0664	201	238	< 5	1.14	< 0.2	5	280	< 0.5	< 2	1.88	< 0.5	12	43	32	2.16	< 10	< 1	0.08	20	0.59	358
IZ7D-0665	201	238	< 5	1.49	< 0.2	20	160	< 0.5	< 2	0.43	< 0.5	11	51	22	2.71	< 10	< 1	0.10	10	0.59	359
IZ7D-0666	201	238	< 5	1.50	< 0.2	< 5	100	< 0.5	< 2	0.53	< 0.5	11	52	26	2.89	< 10	< 1	0.06	10	0.53	329
IZ7D-0667	201	238	< 5	1.73	0.2	5	240	< 0.5	< 2	1.44	2.0	13	49	43	2.50	< 10	< 1	0.04	20	0.57	1390
IZ7D-0668	201	238	< 5	2.23	< 0.2	20	250	< 0.5	< 2	0.76	0.5	21	68	38	4.22	< 10	< 1	0.07	20	0.77	1145
IZ7D-0669	201	238	< 5	1.75	< 0.2	15	160	< 0.5	< 2	0.52	< 0.5	14	53	19	3.15	< 10	< 1	0.04	20	0.56	431
IZ7D-0670	201	238	< 5	1.37	0.4	< 5	220	< 0.5	< 2	2.01	1.5	12	55	58	2.22	< 10	< 1	0.06	20	0.62	618
IZ7D-0671	201	238	< 5	1.53	< 0.2	10	160	< 0.5	< 2	0.99	< 0.5	11	56	23	2.53	< 10	< 1	0.04	20	0.74	423
IZ7D-0672	201	238	< 5	2.40	0.2	55	640	0.5	< 2	2.43	2.5	15	67	130	3.11	10	< 1	0.27	20	0.84	885
IZ7D-0673	201	238	< 5	2.38	< 0.2	5	310	1.5	2	0.89	1.0	16	65	28	3.35	10	< 1	0.07	20	0.75	597
IZ7D-0674	201	238	< 5	0.44	0.2	< 5	300	< 0.5	< 2	4.90	2.0	4	13	72	0.58	10	1	0.02	10	0.28	364
IZ7D-0675	201	238	< 5	1.95	< 0.2	10	360	1.0	< 2	2.22	0.5	13	56	69	3.01	10	2	0.06	30	0.60	770
IZ7D-0676	201	238	25	2.09	< 0.2	< 5	260	1.0	< 2	0.83	0.5	19	59	24	3.45	< 10	< 1	0.07	20	0.74	771
IZ7D-0677	201	238	< 5	1.57	< 0.2	5	140	0.5	< 2	1.19	0.5	11	53	23	2.66	10	1	0.03	20	0.56	257
IZ7D-0678	201	238	< 5	0.82	< 0.2	< 5	310	0.5	< 2	2.64	1.0	5	38	35	1.45	10	< 1	0.02	20	0.25	186
IZ7D-0679	201	238	< 5	1.14	< 0.2	< 5	170	0.5	< 2	0.54	< 0.5	9	31	13	2.39	< 10	1	0.04	20	0.34	703

CERTIFICATION :

BCJ



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project: M543-DOG
Comments: CC: S. McALLISTER

Page No. : 5-B
Tot. Pages: 5
Date : 30-AUG-87
Invoice #: I-8720438
P.O. #: 36858

CERTIFICATE OF ANALYSIS A8720438

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
IZ7D-0662	201 238	< 1	< 0.01	90	550	8	5	10	44	0.09	< 10	< 10	85	< 5	90
IZ7D-0663	201 238	< 1	< 0.01	2870	690	10	< 5	< 10	32	0.05	< 10	< 10	81	< 5	55
IZ7D-0664	201 238	< 1	< 0.01	48	730	4	5	< 10	89	0.06	< 10	< 10	38	< 5	58
IZ7D-0665	201 238	< 1	< 0.01	33	580	4	< 5	< 10	31	0.11	< 10	< 10	76	< 5	75
IZ7D-0666	201 238	< 1	< 0.01	32	720	2	< 5	10	35	0.13	< 10	< 10	89	< 5	51
IZ7D-0667	201 238	< 1	0.01	28	670	2	5	< 10	75	0.10	< 10	< 10	74	< 5	88
IZ7D-0668	201 238	< 1	< 0.01	67	1140	6	5	< 10	45	0.13	< 10	< 10	103	< 5	121
IZ7D-0669	201 238	< 1	< 0.01	25	940	4	5	< 10	35	0.13	< 10	< 10	87	< 5	89
IZ7D-0670	201 238	< 1	< 0.01	57	1070	2	5	10	79	0.07	< 10	< 10	52	< 5	46
IZ7D-0671	201 238	< 1	0.01	38	490	2	5	10	61	0.14	< 10	< 10	74	< 5	43
IZ7D-0672	201 238	1	0.03	30	740	164	10	10	84	0.11	< 10	< 10	74	< 5	330
IZ7D-0673	201 238	< 1	0.01	42	300	4	< 5	< 10	58	0.13	< 10	< 10	90	< 5	90
IZ7D-0674	201 238	< 1	< 0.01	40	1170	6	5	< 10	232	0.01	< 10	< 10	8	< 5	16
IZ7D-0675	201 238	< 1	0.01	68	840	8	< 5	< 10	134	0.08	< 10	< 10	74	< 5	55
IZ7D-0676	201 238	< 1	< 0.01	41	330	10	< 5	< 10	58	0.14	< 10	< 10	89	< 5	63
IZ7D-0677	201 238	< 1	< 0.01	33	420	< 2	< 5	< 10	77	0.11	< 10	< 10	76	< 5	43
IZ7D-0678	201 238	1	< 0.01	23	590	12	< 5	< 10	162	0.07	< 10	< 10	43	< 5	19
IZ7D-0679	201 238	< 1	< 0.01	28	960	< 2	< 5	< 10	33	0.08	< 10	< 10	59	< 5	54

CERTIFICATION :