



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project: M543 - DOG
Comments: CC: S. MCALLISTER

840067

Page No. : 1-A
Tot. Pages: 5
Date : 9-SEP-87
Invoice #: I-8720930
P.O. #: 56859/60

Dog & Soils

CERTIFICATE OF ANALYSIS A8720930

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
T27D 770	201 238	< 5	1.55	0.2	< 5	90	< 0.5	< 2	0.72	< 0.5	18	113	6	2.50	< 10	< 1	0.05	10	0.91	276
T27D 771	201 238	< 5	1.52	0.2	< 5	90	< 0.5	< 2	0.68	0.5	19	119	10	2.53	< 10	< 1	0.05	10	1.03	283
T27D 772	201 238	< 5	1.17	< 0.2	< 5	110	< 0.5	< 2	0.46	< 0.5	14	60	10	2.03	< 10	< 1	0.04	10	0.52	424
T27D 773	201 238	< 5	1.99	0.2	< 5	120	< 0.5	< 2	0.49	0.5	17	86	23	3.57	10	< 1	0.05	10	0.79	356
T27D 774	201 238	< 5	1.60	0.2	< 5	120	< 0.5	< 2	0.57	0.5	15	77	15	2.54	< 10	< 1	0.06	10	0.67	258
T27D 775	201 238	< 5	1.70	0.4	5	120	< 0.5	< 2	0.76	< 0.5	18	108	12	2.49	< 10	< 1	0.07	10	0.86	259
T27D 776	201 238	< 5	1.54	0.4	< 5	150	< 0.5	< 2	0.89	0.5	13	71	19	2.28	< 10	< 1	0.10	20	0.53	235
T27D 777	201 238	80	1.71	0.4	5	140	< 0.5	< 2	0.71	< 0.5	17	94	11	2.45	< 10	< 1	0.08	10	0.79	256
T27D 778	201 238	< 5	1.41	0.2	5	110	< 0.5	< 2	0.65	< 0.5	16	86	9	2.24	< 10	< 1	0.07	10	0.65	349
T27D 779	201 238	< 5	1.68	0.2	5	120	< 0.5	< 2	0.85	0.5	18	108	16	2.63	< 10	< 1	0.08	20	0.94	231
T27D 780	201 238	< 5	1.67	0.2	< 5	150	< 0.5	< 2	0.45	0.5	13	56	11	2.78	< 10	< 1	0.06	10	0.51	240
T27D 781	201 238	15	1.25	0.4	5	210	< 0.5	< 2	0.93	1.5	14	57	18	2.25	< 10	< 1	0.11	10	0.41	575
T27D 782	201 238	< 5	1.00	< 0.2	< 5	90	< 0.5	< 2	0.42	< 0.5	5	44	7	1.81	< 10	< 1	0.04	10	0.23	132
T27D 783	201 238	20	1.19	< 0.2	5	350	< 0.5	< 2	0.69	3.5	9	34	22	2.77	< 10	< 1	0.17	20	0.14	414
T27D 784	201 238	5	1.13	< 0.2	25	380	< 0.5	< 2	0.63	0.5	11	39	30	3.09	< 10	< 1	0.07	20	0.20	232
T27D 785	201 238	< 5	1.30	< 0.2	< 5	160	< 0.5	< 2	0.61	< 0.5	9	49	11	1.99	< 10	1	0.06	10	0.39	182
T27D 786	201 238	< 5	1.41	< 0.2	< 5	120	< 0.5	< 2	0.66	< 0.5	14	73	23	2.75	< 10	< 1	0.05	10	0.55	288
T27D 787	201 238	30	1.10	< 0.2	35	120	< 0.5	< 2	1.61	< 0.5	11	37	68	2.40	10	< 1	0.13	20	0.13	254
T27D 788	201 238	< 5	1.28	< 0.2	< 5	110	< 0.5	< 2	0.66	< 0.5	12	55	18	2.24	< 10	< 1	0.06	20	0.49	227
T27D 789	201 238	< 5	1.12	< 0.2	5	80	< 0.5	< 2	0.76	< 0.5	8	42	23	2.04	< 10	< 1	0.05	20	0.32	147
T27D 790	201 238	< 5	0.73	0.8	15	90	< 0.5	2	1.52	< 0.5	6	20	23	2.20	< 10	< 1	0.13	20	0.11	308
T27D 791	201 238	< 5	0.60	1.0	10	70	< 0.5	< 2	1.26	< 0.5	6	16	29	2.40	< 10	< 1	0.11	20	0.08	217
T27D 792	201 238	< 5	1.32	< 0.2	10	110	< 0.5	< 2	0.83	< 0.5	14	77	40	2.42	< 10	< 1	0.09	20	0.64	334
T27D 793	201 238	< 5	1.45	< 0.2	< 5	110	< 0.5	< 2	0.54	< 0.5	14	66	21	2.93	< 10	< 1	0.06	10	0.47	298
T27D 794	201 238	< 5	0.96	< 0.2	< 5	80	< 0.5	2	0.41	< 0.5	9	41	8	2.01	< 10	< 1	0.05	20	0.27	559
T27D 795	201 238	< 5	1.21	< 0.2	< 5	110	< 0.5	< 2	0.49	< 0.5	11	51	5	2.31	< 10	< 1	0.08	20	0.37	284
T27D 796	201 238	< 5	1.40	< 0.2	< 5	150	< 0.5	< 2	0.61	< 0.5	14	55	12	2.43	< 10	< 1	0.10	20	0.51	527
T27D 797	201 238	< 5	1.68	< 0.2	< 5	110	< 0.5	< 2	0.61	< 0.5	15	73	15	2.99	< 10	1	0.05	20	0.58	262
T27D 798	201 238	< 5	1.82	< 0.2	< 5	140	< 0.5	< 2	0.49	< 0.5	13	67	17	3.10	< 10	< 1	0.07	20	0.58	329
T27D 799	201 238	< 5	1.71	< 0.2	< 5	160	< 0.5	< 2	1.00	< 0.5	13	74	21	2.57	< 10	< 1	0.05	20	0.82	305
T27D 800	201 238	< 5	2.51	< 0.2	< 5	380	< 0.5	< 2	1.04	1.5	33	196	82	4.35	< 10	1	0.11	20	1.19	1735
T27D 801	201 238	< 5	1.98	< 0.2	55	2020	< 0.5	< 2	1.49	< 0.5	46	167	82	5.67	< 10	1	0.11	20	2.04	>10000
T27D 802	201 238	< 5	1.64	< 0.2	< 5	110	< 0.5	2	0.63	< 0.5	14	73	19	2.89	< 10	< 1	0.12	20	0.68	270
T27D 803	201 238	< 5	2.33	< 0.2	< 5	360	< 0.5	< 2	0.83	1.0	25	126	71	3.93	< 10	< 1	0.12	20	0.97	1360
T27D 804	201 238	< 5	1.44	< 0.2	5	130	< 0.5	< 2	0.52	< 0.5	11	59	12	2.99	< 10	< 1	0.08	20	0.46	243
T27D 805	201 238	< 5	1.38	< 0.2	< 5	190	< 0.5	< 2	0.44	< 0.5	11	41	7	2.33	< 10	< 1	0.08	20	0.38	205
T27D 806	201 238	5	1.69	< 0.2	< 5	370	< 0.5	< 2	1.48	0.5	26	126	52	4.12	< 10	< 1	0.06	20	1.14	800
T27D 807	201 238	< 5	1.42	0.6	25	180	< 0.5	< 2	1.48	2.0	14	82	43	2.62	< 10	< 1	0.14	30	0.68	319
T27D 808	201 238	< 5	1.65	< 0.2	< 5	170	< 0.5	< 2	0.60	< 0.5	12	58	17	3.05	< 10	< 1	0.07	20	0.59	279
T27D 809	201 238	< 5	1.71	< 0.2	< 5	210	< 0.5	< 2	0.59	2.0	19	60	17	2.92	< 10	< 1	0.12	20	0.44	595

CERTIFICATION :

BC



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project: M543 - DOG

Comments: CC: S. MCALLISTER

Page No. : 1-B
Tot. Pages: 5
Date : 9-SEP-87
Invoice #: I-8720930
P.O. #: 56859/60

CERTIFICATE OF ANALYSIS A8720930

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T27D 770	201 238	< 1	< 0.01	63	440	< 2	< 5	< 10	27	0.14	< 10	< 10	68	< 5	37
T27D 771	201 238	< 1	< 0.01	77	610	< 2	< 5	< 10	29	0.12	< 10	< 10	66	< 5	42
T27D 772	201 238	< 1	< 0.01	50	450	2	< 5	< 10	22	0.10	< 10	< 10	54	< 5	31
T27D 773	201 238	< 1	< 0.01	60	1430	4	< 5	< 10	42	0.13	< 10	< 10	108	< 5	54
T27D 774	201 238	< 1	< 0.01	68	1550	4	< 5	< 10	39	0.10	< 10	< 10	69	< 5	57
T27D 775	201 238	< 1	< 0.01	79	1600	4	< 5	< 10	45	0.10	< 10	< 10	66	< 5	52
T27D 776	201 238	1	< 0.01	84	2990	8	< 5	< 10	62	0.06	< 10	< 10	52	< 5	66
T27D 777	201 238	< 1	< 0.01	74	1380	8	< 5	< 10	40	0.10	< 10	< 10	64	< 5	55
T27D 778	201 238	< 1	< 0.01	60	1270	2	< 5	< 10	37	0.10	< 10	< 10	59	< 5	51
T27D 779	201 238	< 1	< 0.01	85	1800	< 2	< 5	< 10	51	0.09	< 10	< 10	67	< 5	83
T27D 780	201 238	< 1	< 0.01	35	1420	6	< 5	< 10	35	0.10	< 10	< 10	76	< 5	138
T27D 781	201 238	3	< 0.01	74	2840	8	< 5	< 10	60	0.05	< 10	< 10	49	< 5	279
T27D 782	201 238	< 1	< 0.01	23	350	2	< 5	< 10	33	0.09	< 10	< 10	69	< 5	73
T27D 783	201 238	3	< 0.01	55	3090	28	< 5	< 10	62	0.01	< 10	< 10	65	< 5	309
T27D 784	201 238	4	< 0.01	66	3130	24	< 5	< 10	46	0.01	< 10	< 10	60	< 5	260
T27D 785	201 238	1	< 0.01	46	2550	16	< 5	10	37	0.07	10	< 10	57	< 5	196
T27D 786	201 238	< 1	0.01	102	2510	< 2	5	< 10	39	0.08	< 10	< 10	68	< 5	192
T27D 787	201 238	30	< 0.01	162	7930	40	< 5	< 10	110	< 0.01	< 10	< 10	62	< 5	319
T27D 788	201 238	< 1	< 0.01	74	2090	18	< 5	< 10	35	0.07	< 10	< 10	53	< 5	93
T27D 789	201 238	1	< 0.01	62	2720	24	< 5	< 10	44	0.05	< 10	< 10	42	< 5	122
T27D 790	201 238	6	< 0.01	70	4370	36	5	10	80	< 0.01	< 10	< 10	25	< 5	196
T27D 791	201 238	7	< 0.01	71	3590	30	5	< 10	66	< 0.01	10	< 10	22	< 5	236
T27D 792	201 238	1	0.01	112	2770	6	< 5	< 10	49	0.07	< 10	< 10	54	< 5	106
T27D 793	201 238	1	0.01	61	1420	6	< 5	< 10	27	0.08	< 10	< 10	72	< 5	130
T27D 794	201 238	< 1	< 0.01	21	1130	6	< 5	< 10	23	0.09	< 10	< 10	56	< 5	73
T27D 795	201 238	< 1	0.01	26	360	8	< 5	10	25	0.11	< 10	< 10	76	< 5	61
T27D 796	201 238	< 1	0.01	42	730	16	< 5	< 10	25	0.11	< 10	< 10	68	< 5	80
T27D 797	201 238	< 1	0.01	59	1040	< 2	< 5	< 10	23	0.11	< 10	< 10	83	< 5	92
T27D 798	201 238	< 1	0.01	54	1130	14	< 5	10	31	0.12	< 10	< 10	83	< 5	101
T27D 799	201 238	< 1	0.01	48	360	12	< 5	< 10	41	0.12	< 10	< 10	81	< 5	44
T27D 800	201 238	< 1	0.01	170	630	18	< 5	10	43	0.09	< 10	< 10	110	< 5	69
T27D 801	201 238	15	0.01	256	1100	10	5	30	79	0.09	< 10	< 10	89	< 5	69
T27D 802	201 238	< 1	0.03	41	460	102	< 5	< 10	29	0.13	< 10	< 10	90	< 5	87
T27D 803	201 238	< 1	0.01	105	770	4	< 5	10	44	0.09	< 10	< 10	86	< 5	60
T27D 804	201 238	< 1	0.01	31	360	18	< 5	< 10	23	0.12	< 10	< 10	89	< 5	60
T27D 805	201 238	< 1	0.01	23	800	8	< 5	< 10	25	0.09	< 10	< 10	66	< 5	117
T27D 806	201 238	< 1	0.01	120	850	8	< 5	10	57	0.08	< 10	< 10	85	< 5	68
T27D 807	201 238	19	0.01	110	1930	14	< 5	< 10	58	0.05	< 10	< 10	79	< 5	230
T27D 808	201 238	< 1	0.01	42	900	14	< 5	< 10	32	0.09	< 10	< 10	86	< 5	71
T27D 809	201 238	< 1	0.01	41	1240	6	< 5	< 10	34	0.09	< 10	< 10	92	< 5	119

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.

MINERALS STAFF

1900 - 1055 W. HASTINGS ST.

VANCOUVER, B.C.

V6E 2E9

Project: M543 - DOG

Comments: CC:S. MCALLISTER

Page No. : 2-A

Tot. Pages: 5

Date : 9-SEP-87

Invoice #: I-8720930


P.O. #: 56859/60

CERTIFICATE OF ANALYSIS A8720930

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
T27D 810	201 238	< 5	1.51	0.2	20	230	< 0.5	< 2	1.09	1.0	10	50	28	2.84	< 10	< 1	0.15	40	0.35	244
T27D 811	201 238	< 5	1.64	< 0.2	15	210	< 0.5	< 2	0.68	< 0.5	10	57	9	2.53	< 10	< 1	0.06	20	0.41	453
T27D 812	201 238	< 5	2.04	< 0.2	< 5	130	< 0.5	< 2	0.63	< 0.5	19	91	35	3.24	< 10	< 1	0.04	20	0.77	284
T27D 813	201 238	< 5	2.00	< 0.2	< 5	130	< 0.5	< 2	0.72	< 0.5	20	114	36	3.44	< 10	< 1	0.07	20	1.06	525
T27D 814	201 238	< 5	1.75	< 0.2	< 5	120	< 0.5	< 2	0.73	< 0.5	17	55	30	3.17	< 10	< 1	0.05	20	0.50	234
T27D 815	201 238	< 5	2.16	< 0.2	< 5	120	< 0.5	< 2	0.60	< 0.5	19	108	38	4.24	< 10	< 1	0.03	10	1.02	283
T27D 816	201 238	< 5	1.68	0.6	< 5	180	< 0.5	4	1.15	1.5	16	104	88	2.93	< 10	< 1	0.06	20	0.67	467
T27D 817	201 238	< 5	3.92	< 0.2	< 5	100	< 0.5	< 2	1.25	1.0	59	408	52	3.91	< 10	< 1	0.03	10	2.74	786
T27D 818	201 238	< 5	1.50	< 0.2	< 5	90	< 0.5	< 2	0.51	0.5	15	58	27	3.05	< 10	< 1	0.04	10	0.74	385
T27D 819	201 238	< 5	1.19	< 0.2	< 5	90	< 0.5	2	0.40	0.5	11	47	8	2.63	< 10	< 1	0.05	10	0.35	592
T27D 820	201 238	< 5	1.13	< 0.2	< 5	70	< 0.5	2	0.38	< 0.5	8	29	5	2.16	< 10	< 1	0.05	20	0.33	273
T27D 821	201 238	< 5	2.52	0.6	10	250	1.0	< 2	1.14	3.0	18	40	36	3.62	< 10	< 1	0.46	40	0.75	2130
T27D 822	201 238	< 5	1.62	< 0.2	< 5	100	0.5	< 2	0.70	0.5	9	23	12	2.15	< 10	< 1	0.19	50	0.50	384
T27D 823	201 238	< 5	1.40	< 0.2	< 5	160	< 0.5	< 2	0.58	0.5	17	52	11	2.99	< 10	< 1	0.15	20	0.62	759
T27D 824	201 238	< 5	1.10	< 0.2	< 5	40	< 0.5	< 2	0.31	< 0.5	9	51	8	3.21	< 10	< 1	0.07	20	0.38	185
T27D 825	201 238	< 5	1.01	< 0.2	5	50	< 0.5	2	0.20	< 0.5	8	42	11	2.73	< 10	< 1	0.11	30	0.34	161
T27D 826	201 238	< 5	1.29	< 0.2	5	70	< 0.5	< 2	0.28	< 0.5	8	43	12	3.29	< 10	< 1	0.08	20	0.41	221
T27D 827	201 238	< 5	0.81	< 0.2	< 5	100	< 0.5	2	0.29	0.5	6	31	13	2.18	< 10	< 1	0.06	20	0.27	149
T27D 828	201 238	< 5	1.37	< 0.2	10	60	< 0.5	< 2	0.19	< 0.5	11	34	12	3.94	< 10	< 1	0.09	20	0.46	230
T27D 829	201 238	< 5	2.56	1.2	< 5	360	0.5	< 2	1.50	2.0	22	69	75	3.99	10	< 1	0.21	40	0.67	2740
T27D 830	201 238	< 5	2.91	< 0.2	< 5	80	< 0.5	< 2	0.27	0.5	11	44	11	4.48	< 10	< 1	0.06	10	0.51	313
T27D 831	201 238	35	0.94	< 0.2	10	60	< 0.5	2	0.11	< 0.5	3	6	2	0.84	< 10	< 1	0.05	20	0.20	188
T27D 832	201 238	< 5	0.68	< 0.2	< 5	70	< 0.5	< 2	0.17	< 0.5	6	15	5	1.60	< 10	< 1	0.09	20	0.19	216
T27D 833	201 238	< 5	2.39	< 0.2	< 5	120	1.0	< 2	0.77	0.5	21	28	34	3.81	< 10	< 1	0.30	50	0.93	512
T27D 834	201 238	< 5	1.50	< 0.2	10	70	0.5	< 2	0.19	< 0.5	6	21	5	2.20	< 10	< 1	0.07	20	0.29	152
T27D 835	201 238	< 5	0.90	< 0.2	< 5	30	< 0.5	< 2	0.17	< 0.5	4	17	2	1.71	< 10	< 1	0.06	30	0.21	146
T27D 836	201 238	< 5	2.61	< 0.2	< 5	90	0.5	< 2	0.30	0.5	14	67	17	4.67	< 10	< 1	0.06	20	0.82	195
T27D 837	201 238	< 5	1.34	< 0.2	< 5	20	< 0.5	4	0.04	< 0.5	3	6	< 1	0.99	< 10	< 1	0.02	40	0.10	133
T27D 838	201 238	< 5	2.47	< 0.2	10	120	1.0	< 2	1.35	1.5	18	37	19	3.60	< 10	< 1	0.29	40	0.83	1290
T27D 839	201 238	< 5	2.46	0.2	< 5	110	1.0	< 2	1.30	1.0	15	37	19	3.29	< 10	< 1	0.20	50	0.79	616
T27D 840	201 238	< 5	2.72	< 0.2	< 5	110	1.0	< 2	1.10	2.5	17	43	25	3.41	< 10	< 1	0.08	40	0.65	823
T27D 841	201 238	< 5	2.23	0.4	< 5	100	1.0	< 2	0.39	1.5	16	40	13	2.96	< 10	< 1	0.19	30	0.64	483
T27D 842	201 238	< 5	3.51	< 0.2	< 5	120	1.0	< 2	0.65	2.0	20	51	38	4.26	< 10	< 1	0.46	40	0.99	667
T27D 843	201 238	< 5	7.18	< 0.2	< 5	70	2.5	< 2	1.61	1.0	22	86	10	5.15	< 10	< 1	0.36	60	1.41	1075
T27D 844	201 238	< 5	2.33	< 0.2	< 5	80	0.5	< 2	0.19	< 0.5	10	38	20	3.63	< 10	< 1	0.24	20	0.70	267
T27D 845	201 238	< 5	3.11	< 0.2	< 5	70	1.0	< 2	0.41	1.0	16	41	13	4.25	< 10	< 1	0.17	30	0.77	323
T27D 846	201 238	< 5	3.92	< 0.2	< 5	110	1.0	< 2	0.30	1.5	20	52	13	6.17	< 10	< 1	0.15	30	0.96	1515
T27D 847	201 238	< 5	1.07	< 0.2	< 5	60	< 0.5	< 2	0.11	< 0.5	5	18	4	2.11	< 10	< 1	0.12	20	0.26	147
T27D 848	201 238	< 5	2.83	< 0.2	< 5	70	0.5	< 2	0.18	0.5	13	54	6	5.22	< 10	< 1	0.16	20	0.69	310
T27D 849	201 238	< 5	1.83	< 0.2	< 5	90	0.5	< 2	0.30	< 0.5	9	35	1	3.25	< 10	< 1	0.12	20	0.48	345

CERTIFICATION :

[Signature]



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project: M543 - DOG

Comments: CC:S. MCALLISTER

Page No. : 2-B
Tot. Pages: 5
Date : 9-SEP-87
Invoice #: I-8720930
P.O. #: 56859/60

CERTIFICATE OF ANALYSIS A8720930

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T27D 810	201 238	< 1	< 0.01	50	4930	6	< 5	< 10	62	0.04	10	< 10	71	< 5	167
T27D 811	201 238	< 1	< 0.01	33	3030	6	< 5	< 10	41	0.09	< 10	< 10	73	< 5	145
T27D 812	201 238	< 1	< 0.01	57	670	< 2	< 5	< 10	28	0.11	< 10	< 10	93	< 5	72
T27D 813	201 238	< 1	< 0.01	58	1420	< 2	< 5	< 10	33	0.09	< 10	< 10	85	< 5	86
T27D 814	201 238	< 1	< 0.01	66	2940	10	< 5	< 10	42	0.08	< 10	< 10	70	< 5	95
T27D 815	201 238	< 1	< 0.01	60	460	< 2	< 5	< 10	30	0.11	< 10	< 10	120	< 5	95
T27D 816	201 238	< 1	< 0.01	134	610	< 2	< 5	< 10	51	0.05	< 10	< 10	90	< 5	94
T27D 817	201 238	< 1	0.01	143	350	< 2	5	< 10	38	0.04	< 10	< 10	98	< 5	45
T27D 818	201 238	< 1	0.01	32	740	< 2	< 5	< 10	37	0.12	< 10	< 10	87	< 5	38
T27D 819	201 238	< 1	< 0.01	13	1070	< 2	< 5	< 10	30	0.11	< 10	< 10	82	< 5	52
T27D 820	201 238	< 1	< 0.01	16	740	< 2	< 5	< 10	29	0.13	< 10	< 10	65	< 5	56
T27D 821	201 238	3	0.02	46	1220	14	< 5	< 10	78	0.14	10	< 10	56	< 5	169
T27D 822	201 238	< 1	0.02	22	1250	18	< 5	< 10	55	0.09	10	< 10	37	< 5	62
T27D 823	201 238	< 1	0.01	27	550	12	< 5	< 10	45	0.16	< 10	< 10	87	< 5	67
T27D 824	201 238	< 1	< 0.01	26	420	2	< 5	< 10	25	0.15	10	< 10	98	< 5	48
T27D 825	201 238	< 1	< 0.01	29	560	< 2	< 5	< 10	16	0.11	10	< 10	67	< 5	49
T27D 826	201 238	< 1	< 0.01	20	340	6	< 5	< 10	29	0.20	< 10	< 10	125	< 5	59
T27D 827	201 238	< 1	< 0.01	18	230	6	< 5	< 10	31	0.13	< 10	< 10	81	< 5	55
T27D 828	201 238	< 1	< 0.01	21	1010	32	< 5	< 10	20	0.10	< 10	< 10	67	< 5	58
T27D 829	201 238	< 1	0.01	86	960	36	< 5	< 10	105	0.08	< 10	< 10	69	< 5	79
T27D 830	201 238	< 1	< 0.01	18	3580	6	< 5	10	22	0.13	< 10	< 10	117	< 5	98
T27D 831	201 238	< 1	< 0.01	3	210	< 2	5	< 10	8	0.09	10	< 10	25	< 5	18
T27D 832	201 238	< 1	< 0.01	8	280	8	< 5	< 10	15	0.11	< 10	< 10	52	< 5	36
T27D 833	201 238	< 1	0.04	30	1180	98	< 5	< 10	87	0.16	10	< 10	54	< 5	84
T27D 834	201 238	< 1	< 0.01	10	840	4	< 5	< 10	15	0.10	10	< 10	52	< 5	45
T27D 835	201 238	< 1	< 0.01	6	350	16	< 5	< 10	19	0.13	10	< 10	62	< 5	23
T27D 836	201 238	< 1	0.01	38	420	64	< 5	< 10	30	0.24	< 10	< 10	102	< 5	63
T27D 837	201 238	< 1	< 0.01	2	130	< 2	< 5	< 10	6	0.05	10	< 10	20	< 5	12
T27D 838	201 238	3	0.04	28	1110	92	< 5	< 10	148	0.13	10	< 10	39	< 5	198
T27D 839	201 238	< 1	0.08	24	680	186	< 5	< 10	188	0.14	10	< 10	35	< 5	130
T27D 840	201 238	< 1	0.04	24	600	22	< 5	< 10	134	0.15	10	< 10	63	< 5	103
T27D 841	201 238	< 1	0.01	29	480	78	< 5	< 10	54	0.12	10	< 10	43	< 5	137
T27D 842	201 238	< 1	0.07	41	510	112	< 5	< 10	124	0.19	10	< 10	46	< 5	123
T27D 843	201 238	< 1	0.16	34	550	68	< 5	< 10	423	0.32	20	< 10	51	< 5	96
T27D 844	201 238	2	< 0.01	26	670	44	< 5	< 10	21	0.13	< 10	< 10	41	< 5	87
T27D 845	201 238	< 1	< 0.01	23	250	100	< 5	< 10	45	0.15	< 10	< 10	43	< 5	138
T27D 846	201 238	< 1	0.01	28	920	64	< 5	< 10	43	0.22	< 10	< 10	54	< 5	138
T27D 847	201 238	< 1	< 0.01	9	530	20	< 5	< 10	15	0.14	< 10	< 10	53	< 5	31
T27D 848	201 238	< 1	< 0.01	21	960	12	< 5	< 10	21	0.17	10	< 10	69	< 5	107
T27D 849	201 238	< 1	< 0.01	16	680	12	< 5	< 10	35	0.22	10	< 10	60	< 5	81

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project: M543 - DOG
Comments: CC: S. MCALLISTER

Page No.: 3-A
Tot. Pages: 5
Date: 9-SEP-87
Invoice #: I-8720930
P.O. #: 56859/60

CERTIFICATE OF ANALYSIS A8720930

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
T27D 850	203 238	< 5	0.92	< 0.2	< 5	140	< 0.5	< 2	2.35	< 0.5	7	33	11	1.46	< 10	< 1	0.12	30	0.29	1015
T27D 851	203 238	< 10	0.82	< 0.2	< 5	160	< 0.5	< 2	2.45	< 0.5	8	43	13	1.41	10	< 1	0.10	30	0.24	1560
T27D 852	203 238	< 5	0.36	< 0.2	10	120	< 0.5	< 2	4.08	< 0.5	2	16	10	0.45	10	< 1	0.04	10	0.11	288
T27D 853	201 238	< 5	2.80	< 0.2	< 5	110	1.0	< 2	1.03	0.5	11	47	6	3.22	< 10	< 1	0.07	30	0.84	339
T27D 854	201 238	< 5	1.28	0.4	< 5	160	0.5	< 2	1.58	< 0.5	5	16	10	1.16	10	< 1	0.10	70	0.31	280
T27D 855	201 238	< 5	1.31	< 0.2	< 5	50	< 0.5	< 2	0.43	0.5	7	22	3	1.79	< 10	< 1	0.10	30	0.45	181
T27D 856	201 238	< 5	0.76	0.2	< 5	90	< 0.5	< 2	1.54	0.5	2	8	11	1.02	< 10	< 1	0.05	40	0.10	54
T27D 857	201 238	< 5	1.61	< 0.2	< 5	110	0.5	< 2	0.51	0.5	9	21	6	2.00	< 10	< 1	0.13	40	0.45	366
T27D 858	201 238	< 5	1.05	0.2	< 5	80	< 0.5	< 2	0.45	< 0.5	7	15	4	1.28	< 10	< 1	0.14	30	0.34	203
T27D 859	201 238	< 5	1.03	< 0.2	< 5	60	< 0.5	< 2	0.09	< 0.5	5	15	8	1.33	< 10	< 1	0.18	10	0.26	70
T27D 860	201 238	< 5	1.73	0.2	10	90	< 0.5	< 2	0.59	< 0.5	13	34	14	2.67	10	< 1	0.23	40	0.57	414
T27D 861	201 238	< 5	1.77	0.4	5	120	< 0.5	< 2	0.47	< 0.5	13	29	17	2.70	10	< 1	0.19	30	0.56	438
T27D 862	201 238	< 5	1.80	0.2	< 5	120	< 0.5	< 2	0.38	0.5	15	36	16	3.15	10	< 1	0.18	30	0.63	394
T27D 863	201 238	< 5	1.53	0.2	5	90	< 0.5	< 2	0.34	< 0.5	16	30	11	2.66	< 10	< 1	0.17	30	0.61	235
T27D 864	201 238	< 5	1.25	0.2	< 5	140	< 0.5	< 2	0.78	0.5	9	19	22	2.17	< 10	< 1	0.15	90	0.37	229
T27D 865	201 238	< 5	1.32	< 0.2	< 5	210	< 0.5	< 2	0.31	< 0.5	7	18	10	1.87	10	< 1	0.13	30	0.36	148
T27D 866	201 238	< 5	2.40	0.4	< 5	190	1.0	< 2	0.67	1.0	15	67	43	3.41	10	< 1	0.08	20	0.87	574
T27D 867	201 238	< 5	1.42	< 0.2	< 5	60	< 0.5	< 2	0.31	0.5	13	57	8	3.33	10	< 1	0.04	10	0.40	475
T27D 868	201 238	< 5	1.27	0.4	< 5	50	< 0.5	< 2	0.22	< 0.5	8	34	14	2.35	10	< 1	0.03	10	0.29	201
T27D 869	201 238	10	1.58	0.4	10	70	< 0.5	< 2	0.33	< 0.5	13	53	19	2.66	10	< 1	0.05	10	0.51	300
T27D 870	201 238	< 5	1.53	0.2	5	120	< 0.5	< 2	0.28	< 0.5	11	37	16	2.56	10	< 1	0.08	20	0.49	368
T27D 871	201 238	< 5	1.50	< 0.2	5	70	< 0.5	< 2	0.25	< 0.5	12	40	14	2.37	10	1	0.08	20	0.46	437
T27D 872	201 238	< 5	2.00	0.2	5	120	< 0.5	< 2	0.27	< 0.5	13	44	21	3.18	10	< 1	0.09	20	0.63	274
T27D 873	201 238	< 5	1.89	0.2	< 5	70	< 0.5	< 2	0.22	< 0.5	7	40	11	2.33	10	< 1	0.04	10	0.31	137
T27D 874	201 238	< 5	1.59	0.2	< 5	80	< 0.5	< 2	0.20	0.5	12	33	13	2.99	10	< 1	0.07	10	0.46	334
T27D 875	201 238	< 5	1.07	0.2	< 5	70	< 0.5	< 2	0.18	0.5	9	53	9	1.82	< 10	< 1	0.04	10	0.36	178
T27D 876	201 238	< 5	1.73	0.2	< 5	70	< 0.5	< 2	0.24	0.5	13	46	18	2.92	10	< 1	0.07	10	0.63	227
T27D 877	201 238	< 5	1.75	< 0.2	10	70	< 0.5	< 2	0.18	< 0.5	12	41	13	3.16	10	< 1	0.04	10	0.44	307
T27D 878	201 238	< 5	2.92	0.2	10	60	< 0.5	< 2	0.23	< 0.5	14	58	23	3.96	< 10	< 1	0.05	10	0.54	335
T27D 879	201 238	< 5	1.88	0.2	< 5	120	< 0.5	< 2	0.36	0.5	13	43	23	3.53	10	1	0.10	10	0.68	314
T27D 880	201 238	< 5	1.48	0.2	< 5	70	< 0.5	< 2	0.22	0.5	10	27	12	2.53	10	< 1	0.07	10	0.39	449
T27D 881	201 238	< 5	1.57	0.4	< 5	70	< 0.5	< 2	0.24	0.5	9	31	13	2.58	10	< 1	0.07	20	0.40	441
T27D 882	201 238	< 5	1.46	0.2	< 5	60	< 0.5	< 2	0.22	0.5	7	23	9	2.05	10	1	0.05	10	0.31	155
T27D 883	201 238	< 5	2.07	0.2	< 5	70	< 0.5	< 2	0.29	0.5	12	45	19	2.93	10	1	0.05	20	0.48	381
T27D 884	201 238	< 5	1.23	0.2	< 5	50	< 0.5	< 2	0.17	< 0.5	7	26	12	2.31	10	< 1	0.04	10	0.30	152
T27D 885	201 238	< 5	1.00	0.2	< 5	90	< 0.5	< 2	0.22	< 0.5	8	35	12	1.78	< 10	< 1	0.10	30	0.38	193
T27D 886	201 238	< 5	0.96	0.4	< 5	60	< 0.5	< 2	0.17	< 0.5	7	24	7	2.14	10	1	0.05	20	0.22	142
T27D 887	201 238	< 5	0.71	< 0.2	< 5	40	< 0.5	< 2	0.12	< 0.5	6	40	5	1.24	< 10	< 1	0.05	20	0.23	99
T27D 888	201 238	5	2.22	0.2	5	180	0.5	< 2	0.83	0.5	22	84	36	4.12	10	1	0.28	30	1.03	486
T27D 889	201 238	< 5	1.28	0.2	< 5	60	< 0.5	< 2	0.11	< 0.5	9	29	12	2.57	< 10	1	0.07	20	0.45	173

CERTIFICATION :

[Signature]



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project: M543 - DOG

Comments: CC:S. MCALLISTER

Page No. : 3-B
Tot. Pages: 5
Date : 9-SEP-87
Invoice # : I-8720930
P.O. # : 56859/60

CERTIFICATE OF ANALYSIS A8720930

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T27D 850	203 238	3	0.01	9	1040	8	< 5	< 10	120	0.04	< 10	< 10	21	15	31
T27D 851	203 238	2	0.01	9	1210	2	< 5	< 10	123	0.03	< 10	< 10	20	5	25
T27D 852	203 238	1	0.01	< 1	610	< 2	< 5	< 10	200	0.01	< 10	< 10	4	< 5	10
T27D 853	201 238	< 1	0.02	12	490	14	< 5	< 10	86	0.19	< 10	< 10	53	5	42
T27D 854	201 238	1	0.01	13	830	6	< 5	< 10	97	0.06	< 10	< 10	21	5	40
T27D 855	201 238	< 1	0.01	11	1000	14	< 5	< 10	29	0.07	< 10	< 10	32	< 5	50
T27D 856	201 238	< 1	< 0.01	8	450	6	< 5	< 10	87	0.05	< 10	< 10	16	< 5	19
T27D 857	201 238	< 1	0.02	16	910	12	< 5	< 10	44	0.09	< 10	< 10	34	5	71
T27D 858	201 238	< 1	< 0.01	9	500	< 2	< 5	< 10	31	0.07	< 10	< 10	25	< 5	34
T27D 859	201 238	< 1	< 0.01	3	250	8	< 5	< 10	19	0.07	< 10	< 10	15	< 5	23
T27D 860	201 238	< 1	0.03	21	370	8	< 5	< 10	55	0.12	< 10	< 10	31	< 5	48
T27D 861	201 238	< 1	0.01	22	570	10	< 5	< 10	31	0.11	< 10	< 10	33	< 5	62
T27D 862	201 238	< 1	< 0.01	19	430	6	< 5	< 10	25	0.13	< 10	< 10	38	< 5	72
T27D 863	201 238	< 1	< 0.01	28	790	6	< 5	< 10	22	0.11	< 10	< 10	33	< 5	57
T27D 864	201 238	< 1	< 0.01	17	520	14	< 5	< 10	44	0.08	< 10	< 10	26	< 5	36
T27D 865	201 238	< 1	< 0.01	11	300	8	< 5	< 10	27	0.11	< 10	< 10	35	< 5	43
T27D 866	201 238	2	< 0.01	52	510	26	< 5	< 10	50	0.09	< 10	< 10	73	< 5	49
T27D 867	201 238	< 1	< 0.01	15	1210	8	< 5	< 10	25	0.13	< 10	< 10	94	< 5	94
T27D 868	201 238	< 1	< 0.01	8	1130	6	< 5	< 10	22	0.11	< 10	< 10	70	< 5	61
T27D 869	201 238	< 1	< 0.01	16	1180	2	< 5	< 10	34	0.13	< 10	< 10	83	< 5	40
T27D 870	201 238	< 1	0.01	11	570	6	< 5	< 10	31	0.16	< 10	< 10	83	< 5	80
T27D 871	201 238	< 1	< 0.01	17	770	6	< 5	< 10	26	0.15	< 10	< 10	67	< 5	91
T27D 872	201 238	< 1	< 0.01	24	580	14	< 5	< 10	29	0.19	< 10	< 10	98	< 5	72
T27D 873	201 238	< 1	< 0.01	14	1040	10	< 5	< 10	26	0.13	< 10	< 10	71	< 5	56
T27D 874	201 238	< 1	< 0.01	15	1160	10	< 5	< 10	19	0.12	< 10	< 10	75	< 5	107
T27D 875	201 238	< 1	< 0.01	11	380	10	< 5	< 10	18	0.10	< 10	< 10	51	< 5	55
T27D 876	201 238	< 1	< 0.01	26	570	102	< 5	< 10	20	0.16	< 10	< 10	88	< 5	77
T27D 877	201 238	< 1	< 0.01	16	910	10	< 5	< 10	16	0.13	< 10	< 10	80	< 5	80
T27D 878	201 238	< 1	< 0.01	24	2510	4	< 5	< 10	17	0.11	< 10	< 10	93	< 5	113
T27D 879	201 238	< 1	< 0.01	21	1440	8	< 5	< 10	30	0.14	< 10	< 10	97	< 5	89
T27D 880	201 238	< 1	< 0.01	10	910	8	< 5	< 10	22	0.13	< 10	< 10	66	< 5	83
T27D 881	201 238	< 1	< 0.01	10	890	10	< 5	< 10	26	0.14	< 10	< 10	70	< 5	86
T27D 882	201 238	< 1	< 0.01	6	750	6	< 5	< 10	25	0.12	< 10	< 10	66	< 5	56
T27D 883	201 238	< 1	< 0.01	15	1420	6	< 5	< 10	26	0.12	< 10	< 10	86	< 5	60
T27D 884	201 238	< 1	< 0.01	9	610	10	< 5	< 10	21	0.12	< 10	< 10	79	< 5	39
T27D 885	201 238	< 1	< 0.01	16	370	10	< 5	< 10	22	0.09	< 10	< 10	40	< 5	38
T27D 886	201 238	< 1	< 0.01	9	420	12	< 5	< 10	20	0.10	< 10	< 10	59	< 5	33
T27D 887	201 238	< 1	< 0.01	18	320	6	< 5	< 10	12	0.06	< 10	< 10	28	< 5	23
T27D 888	201 238	< 1	0.01	59	1080	18	< 5	< 10	56	0.12	< 10	< 10	57	< 5	105
T27D 889	201 238	< 1	< 0.01	21	600	12	< 5	< 10	11	0.03	< 10	< 10	30	< 5	47

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.

MINERALS STAFF

1900 - 1055 W. HASTINGS ST.

VANCOUVER, B.C.

V6E 2E9

Project: M543 - DOG

Comments: CC:S. MCALLISTER

Page No.: 4-A

Tot. Pages: 5

Date: 9-SEP-87

Invoice #: I-8720930

P.O. #: 56859/60

CERTIFICATE OF ANALYSIS A8720930

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
T27D 890	201 238	< 5	1.21	0.2	< 5	60	< 0.5	< 2	0.44	0.5	14	52	22	2.78	< 10	< 1	0.04	10	0.68	302
T27D 891	201 238	< 5	1.37	0.2	< 5	60	< 0.5	< 2	0.45	0.5	17	56	18	2.84	< 10	< 1	0.05	10	0.71	423
T27D 892	201 238	< 5	2.09	0.2	< 5	150	1.0	< 2	1.19	1.0	18	46	44	3.20	< 10	< 1	0.23	40	0.79	948
T27D 893	201 238	< 5	2.02	0.2	< 5	70	< 0.5	< 2	0.31	0.5	11	75	10	4.31	10	1	0.04	10	0.58	242
T27D 894	201 238	< 5	2.38	0.2	< 5	60	< 0.5	< 2	0.34	0.5	12	47	12	4.24	10	< 1	0.05	10	0.73	251
T27D 895	201 238	< 5	2.52	0.2	< 5	120	0.5	< 2	0.24	0.5	15	71	9	3.03	< 10	1	0.10	20	0.46	240
T27D 896	201 238	< 5	0.86	0.2	< 5	30	< 0.5	< 2	0.16	< 0.5	5	24	4	0.80	< 10	< 1	0.03	20	0.18	89
T27D 897	201 238	< 5	0.40	0.2	< 5	30	< 0.5	< 2	0.12	< 0.5	4	19	3	0.39	< 10	< 1	0.04	20	0.10	56
T27D 898	201 238	< 5	0.79	0.2	5	70	< 0.5	< 2	0.17	< 0.5	8	49	10	1.66	< 10	< 1	0.07	20	0.31	132
T27D 899	201 238	< 5	1.10	0.2	< 5	60	< 0.5	< 2	0.24	< 0.5	8	39	5	2.14	< 10	< 1	0.08	20	0.33	209
T27D 900	201 238	5	0.76	0.2	< 5	50	< 0.5	< 2	0.15	< 0.5	5	31	4	1.31	< 10	< 1	0.05	20	0.21	104
T27D 901	201 238	5	1.34	0.2	10	50	0.5	< 2	0.16	< 0.5	9	43	7	2.57	< 10	< 1	0.08	20	0.35	131
T27D 902	201 238	< 5	1.18	0.2	5	50	0.5	< 2	0.16	< 0.5	10	45	12	2.45	< 10	< 1	0.13	20	0.46	175
T27D 903	201 238	< 5	1.76	0.2	< 5	100	1.5	< 2	0.04	0.5	15	25	20	5.32	10	< 1	0.18	10	0.64	364
T27D 904	201 238	40	3.02	0.2	10	120	1.5	< 2	0.66	0.5	26	62	60	4.59	10	2	0.18	20	1.16	652
T27D 905	201 238	< 5	2.31	0.2	< 5	250	0.5	< 2	0.40	0.5	35	191	3	5.30	20	< 1	0.42	10	1.18	406
T27D 906	201 238	< 5	1.63	0.2	< 5	70	0.5	< 2	0.70	0.5	17	83	19	3.47	10	1	0.01	10	1.03	228
T27D 907	201 238	< 5	1.27	0.2	10	110	1.0	< 2	0.29	0.5	19	24	11	5.39	10	< 1	0.04	10	0.51	366
T27D 908	201 238	5	3.17	0.2	< 5	310	1.5	< 2	0.26	0.5	25	62	27	4.80	10	< 1	0.34	10	1.43	281
T27D 909	201 238	5	2.26	0.2	< 5	100	1.0	< 2	0.15	< 0.5	14	48	20	4.14	10	< 1	0.15	20	0.75	241
T27D 910	201 238	< 5	1.36	0.2	< 5	70	0.5	< 2	0.16	< 0.5	12	28	13	2.95	10	< 1	0.20	20	0.56	197
T27D 911	201 238	< 5	1.32	0.2	< 5	70	0.5	< 2	0.16	< 0.5	11	27	12	2.94	10	< 1	0.19	20	0.51	195
T27D 912	201 238	< 5	2.59	0.2	< 5	170	1.5	< 2	0.46	0.5	17	43	30	3.83	10	< 1	0.50	40	0.96	426
T27D 913	201 238	< 5	2.10	0.2	45	180	1.5	< 2	0.76	1.0	23	32	18	4.25	10	< 1	0.22	90	0.42	2300
T27D 914	201 238	< 5	2.20	0.2	< 5	100	1.5	< 2	0.27	0.5	16	30	18	3.28	10	< 1	0.42	30	0.73	302
T27D 915	201 238	< 5	0.23	0.2	5	160	< 0.5	< 2	5.15	3.5	5	2	17	0.33	< 10	< 1	0.02	< 10	0.09	88
T27D 916	201 238	< 5	1.65	0.4	< 5	180	1.0	< 2	1.91	3.0	14	25	28	2.56	< 10	< 1	0.31	10	0.59	2620
T27D 917	201 238	< 5	2.24	0.2	< 5	80	1.5	< 2	0.21	0.5	14	34	16	3.64	10	1	0.18	20	0.73	327
T27D 918	201 238	< 5	2.10	0.2	5	90	2.0	< 2	0.21	< 0.5	14	32	16	3.41	10	< 1	0.18	30	0.63	190
T27D 919	201 238	< 5	2.26	0.2	< 5	80	1.5	< 2	0.20	0.5	13	41	11	3.50	10	< 1	0.29	30	0.71	229
T27D 920	201 238	< 5	2.99	0.2	5	210	2.0	< 2	1.02	1.0	22	59	40	4.42	10	< 1	0.66	30	1.05	959
T27D 921	201 238	< 5	3.98	0.2	< 5	130	2.0	< 2	1.46	1.5	19	52	23	4.73	10	< 1	0.12	50	1.14	3680
T27D 922	201 238	< 5	2.42	0.2	5	130	1.5	< 2	0.36	0.5	16	49	21	3.73	10	1	0.27	20	0.97	285
T27D 923	201 238	< 5	2.97	0.2	10	150	1.5	< 2	0.28	< 0.5	15	43	18	3.39	10	< 1	0.31	30	0.75	408
T27D 924	201 238	< 5	2.38	0.2	5	140	1.5	< 2	0.42	< 0.5	15	41	18	3.53	10	1	0.23	30	0.81	350
T27D 925	201 238	< 5	2.18	0.2	5	250	1.0	< 2	0.95	1.0	14	34	32	3.00	10	2	0.25	40	0.67	2710
T27D 926	201 238	< 5	0.36	0.2	< 5	110	< 0.5	< 2	0.14	< 0.5	4	7	9	1.13	< 10	< 1	0.05	20	0.07	133
T27D 927	201 238	< 5	0.52	0.2	< 5	30	< 0.5	< 2	0.08	< 0.5	4	7	4	0.90	10	< 1	0.02	30	0.04	76
T27D 928	201 238	< 5	3.69	0.2	< 5	100	0.5	< 2	0.98	0.5	42	281	47	3.72	< 10	< 1	0.06	10	2.68	615
T27D 929	201 238	< 5	3.05	0.2	< 5	100	0.5	< 2	0.80	0.5	26	181	68	3.27	< 10	< 1	0.04	10	1.48	276

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project: M543 - DOG
Comments: CC:S. MCALLISTER

Page No. : 4-B
Tot. Pages: 5
Date : 9-SEP-87
Invoice #: I-8720930
P.O. #: 56859/60

CERTIFICATE OF ANALYSIS A8720930

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T27D 890	201 238	< 1	< 0.01	26	620	4	< 5	< 10	30	0.11	< 10	< 10	87	< 5	36
T27D 891	201 238	< 1	< 0.01	28	890	6	< 5	< 10	31	0.10	< 10	< 10	81	< 5	51
T27D 892	201 238	< 1	0.02	41	1060	28	< 5	10	93	0.10	< 10	< 10	47	< 5	74
T27D 893	201 238	< 1	< 0.01	16	1790	6	< 5	10	28	0.12	< 10	< 10	123	< 5	61
T27D 894	201 238	< 1	< 0.01	18	2620	4	< 5	10	26	0.14	< 10	< 10	129	< 5	92
T27D 895	201 238	< 1	< 0.01	31	1770	24	< 5	10	21	0.10	< 10	< 10	68	< 5	145
T27D 896	201 238	< 1	< 0.01	5	310	6	< 5	< 10	17	0.09	< 10	< 10	35	< 5	21
T27D 897	201 238	< 1	< 0.01	5	260	4	< 5	< 10	12	0.04	< 10	< 10	12	< 5	10
T27D 898	201 238	< 1	< 0.01	30	290	12	< 5	< 10	17	0.07	< 10	< 10	37	< 5	37
T27D 899	201 238	< 1	< 0.01	17	700	20	< 5	< 10	20	0.10	< 10	< 10	49	< 5	50
T27D 900	201 238	< 1	< 0.01	10	260	8	< 5	< 10	16	0.07	< 10	< 10	41	< 5	27
T27D 901	201 238	< 1	< 0.01	21	760	24	< 5	< 10	16	0.09	< 10	< 10	47	< 5	36
T27D 902	201 238	< 1	< 0.01	28	500	14	< 5	< 10	16	0.08	< 10	< 10	43	< 5	43
T27D 903	201 238	< 1	< 0.01	20	920	10	< 5	10	10	0.06	< 10	< 10	37	< 5	79
T27D 904	201 238	< 1	0.04	75	670	82	< 5	10	97	0.22	< 10	< 10	71	< 5	120
T27D 905	201 238	< 1	< 0.01	84	630	2	< 5	10	17	0.51	< 10	< 10	142	< 5	50
T27D 906	201 238	< 1	0.02	46	250	12	< 5	10	30	0.33	< 10	< 10	94	< 5	33
T27D 907	201 238	< 1	0.01	26	1100	16	< 5	10	11	0.22	< 10	< 10	103	< 5	47
T27D 908	201 238	< 1	0.01	41	780	14	< 5	10	19	0.21	< 10	< 10	77	< 5	91
T27D 909	201 238	< 1	< 0.01	24	750	30	< 5	10	17	0.14	< 10	< 10	63	< 5	68
T27D 910	201 238	< 1	< 0.01	19	350	18	< 5	< 10	17	0.13	< 10	< 10	48	< 5	48
T27D 911	201 238	< 1	< 0.01	17	330	22	< 5	< 10	18	0.13	< 10	< 10	47	< 5	47
T27D 912	201 238	< 1	0.01	31	830	68	< 5	10	49	0.14	< 10	< 10	48	< 5	113
T27D 913	201 238	< 1	< 0.01	35	680	48	< 5	10	53	0.06	< 10	< 10	33	< 5	103
T27D 914	201 238	< 1	0.01	25	410	54	< 5	< 10	47	0.12	< 10	< 10	37	< 5	81
T27D 915	201 238	< 1	< 0.01	4	610	4	< 5	< 10	310	0.01	< 10	< 10	4	< 5	13
T27D 916	201 238	< 1	0.02	21	900	42	< 5	10	151	0.08	< 10	< 10	26	< 5	97
T27D 917	201 238	< 1	< 0.01	23	540	66	< 5	< 10	25	0.15	< 10	< 10	45	< 5	84
T27D 918	201 238	< 1	0.01	23	850	44	< 5	< 10	32	0.13	< 10	< 10	43	< 5	67
T27D 919	201 238	< 1	< 0.01	25	250	36	< 5	< 10	35	0.17	< 10	< 10	44	< 5	62
T27D 920	201 238	< 1	0.03	42	970	12	< 5	10	92	0.14	< 10	< 10	68	< 5	95
T27D 921	201 238	< 1	0.06	27	860	106	< 5	20	212	0.14	< 10	< 10	40	10	94
T27D 922	201 238	1	0.01	29	1140	12	< 5	< 10	29	0.15	< 10	< 10	66	< 5	55
T27D 923	201 238	< 1	0.03	28	470	22	< 5	10	52	0.16	< 10	< 10	46	< 5	69
T27D 924	201 238	1	0.01	29	950	4	< 5	< 10	33	0.14	< 10	< 10	63	< 5	75
T27D 925	201 238	< 1	0.01	33	750	16	< 5	10	70	0.10	< 10	< 10	50	< 5	87
T27D 926	201 238	1	< 0.01	4	230	4	< 5	< 10	15	0.06	< 10	< 10	25	< 5	21
T27D 927	201 238	< 1	< 0.01	2	180	6	< 5	< 10	13	0.07	< 10	< 10	28	< 5	13
T27D 928	201 238	< 1	< 0.01	117	320	< 2	< 5	10	33	0.05	< 10	< 10	95	< 5	43
T27D 929	201 238	< 1	< 0.01	103	300	6	< 5	10	25	0.07	< 10	< 10	96	< 5	41

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project: M543 - DOG
Comments: CC:S. MCALLISTER

Page No. : 5-A
Tot. Pages: 5
Date : 9-SEP-87
Invoice #: I-8720930
P.O. #: 56859/60

CERTIFICATE OF ANALYSIS A8720930

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
T27D 930	201 238	< 5	1.78	0.4	5	120	< 0.5	< 2	0.81	0.5	17	90	24	2.19	< 10	< 1	0.06	10	0.70	683
T27D 931	201 238	< 5	1.78	0.4	< 5	90	0.5	< 2	0.63	0.5	18	84	16	2.63	< 10	< 1	0.07	10	0.67	242
T27D 932	201 238	< 5	3.57	0.4	< 5	120	0.5	< 2	1.08	0.5	33	309	31	3.22	< 10	< 1	0.08	< 10	2.14	401
T27D 933	201 238	< 5	3.21	0.4	5	90	0.5	< 2	1.02	< 0.5	28	259	36	3.00	< 10	1	0.04	10	2.07	313
T27D 934	201 238	< 5	2.31	< 0.2	< 5	120	< 0.5	< 2	0.85	< 0.5	21	131	38	2.79	< 10	< 1	0.03	20	1.07	390
T27D 935	201 238	< 5	1.79	< 0.2	5	110	< 0.5	< 2	0.85	< 0.5	15	99	11	2.00	< 10	< 1	0.06	20	0.81	618
T27D 936	201 238	< 5	1.68	< 0.2	< 5	120	< 0.5	< 2	0.60	0.5	15	78	8	2.52	< 10	< 1	0.04	20	0.63	381
T27D 937	201 238	< 5	1.65	< 0.2	< 5	90	< 0.5	< 2	0.81	< 0.5	16	84	29	2.32	< 10	< 1	0.07	20	0.80	490
T27D 938	201 238	< 5	2.00	< 0.2	< 5	100	< 0.5	< 2	0.88	< 0.5	20	82	11	2.44	< 10	< 1	0.06	20	0.81	480
T27D 939	201 238	< 5	1.76	< 0.2	5	130	< 0.5	< 2	0.84	< 0.5	17	96	7	2.51	< 10	< 1	0.04	20	0.67	325
T27D 940	201 238	< 5	2.03	< 0.2	< 5	140	< 0.5	< 2	0.94	0.5	19	105	32	2.71	< 10	< 1	0.05	20	1.07	336
T27D 941	201 238	< 5	1.79	< 0.2	5	150	< 0.5	< 2	0.90	< 0.5	17	83	16	2.64	< 10	< 1	0.11	20	0.86	366
T27D 942	201 238	< 5	1.95	< 0.2	< 5	80	< 0.5	< 2	0.87	0.5	15	87	7	2.22	< 10	< 1	0.05	20	0.80	232
T27D 943	201 238	< 5	2.10	< 0.2	< 5	90	< 0.5	< 2	0.93	0.5	17	111	25	2.46	< 10	< 1	0.03	20	1.02	239
T27D 944	201 238	< 5	1.74	< 0.2	< 5	90	< 0.5	< 2	0.52	< 0.5	14	70	11	2.74	< 10	< 1	0.02	10	0.69	226

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project: M543 - DOG

Comments: CC: S. MCALLISTER

Page No.: 5-B
Tot. Pages: 5
Date: 9-SEP-87
Invoice #: I-8720930
P.O. #: 56859/60

CERTIFICATE OF ANALYSIS A8720930

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T27D 930	201 238	< 1	< 0.01	51	520	4	< 5	< 10	41	0.10	< 10	< 10	70	< 5	70
T27D 931	201 238	< 1	< 0.01	47	1310	< 2	< 5	< 10	32	0.11	< 10	< 10	75	< 5	107
T27D 932	201 238	< 1	< 0.01	114	430	4	< 5	10	36	0.07	< 10	< 10	80	< 5	39
T27D 933	201 238	< 1	< 0.01	103	210	4	< 5	< 10	32	0.08	< 10	< 10	79	< 5	38
T27D 934	201 238	1	< 0.01	97	540	8	< 5	< 10	34	0.09	< 10	< 10	75	10	45
T27D 935	201 238	< 1	< 0.01	44	540	< 2	< 5	< 10	31	0.08	< 10	< 10	58	5	39
T27D 936	201 238	< 1	< 0.01	39	520	< 2	< 5	< 10	29	0.11	< 10	< 10	67	10	46
T27D 937	201 238	< 1	< 0.01	50	710	2	< 5	< 10	34	0.11	< 10	< 10	62	5	42
T27D 938	201 238	< 1	0.01	45	520	2	5	< 10	35	0.12	< 10	< 10	71	5	44
T27D 939	201 238	< 1	< 0.01	54	370	8	< 5	< 10	31	0.12	< 10	< 10	73	5	36
T27D 940	201 238	< 1	< 0.01	73	1610	20	< 5	< 10	38	0.08	< 10	< 10	67	5	51
T27D 941	201 238	< 1	0.01	69	1700	4	< 5	< 10	41	0.09	< 10	< 10	66	5	50
T27D 942	201 238	< 1	< 0.01	42	720	2	< 5	< 10	36	0.11	< 10	< 10	63	5	50
T27D 943	201 238	< 1	0.01	66	900	10	< 5	< 10	34	0.09	< 10	< 10	63	< 5	43
T27D 944	201 238	< 1	< 0.01	37	280	< 2	< 5	< 10	30	0.11	< 10	< 10	77	5	51

CERTIFICATION :

[Signature]