



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
 MINERALS STAFF
 1900 - 1055 W. HASTINGS ST.
 VANCOUVER, B.C.
 V6E 2E9
 Project: M543-FAIR
 Comments: S. McALLISTER

SGM

Page No. : 1-A
 Tot. Pages: 1
 Date : 31-AUG-87
 Invoice #: I-8720441
 P.O. #: 27048

840075


FAIR

CERTIFICATE OF ANALYSIS A8720441

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA-AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
MMTP-163	205 238	< 5	0.20	0.2	50	< 10	< 0.5	< 2	7.95	< 0.5	77	755	< 1	3.42	20	< 1	< 0.01	< 10	13.35	674
MMTP-164	205 238	< 5	0.89	0.2	65	40	< 0.5	< 2	6.07	< 0.5	40	729	15	3.32	20	< 1	< 0.01	< 10	6.88	850
MMTP-165	205 238	< 5	0.64	0.2	10	< 10	< 0.5	< 2	1.75	< 0.5	14	542	< 1	0.93	< 10	< 1	< 0.01	10	1.53	182
MMTP-166	205 238	4200	0.49	3.2	10	30	< 0.5	< 2	5.44	0.5	9	242	801	1.33	10	< 1	< 0.01	< 10	1.70	482
MMTP-167	205 238	20	0.22	0.2	20	30	1.0	< 2	>15.00	< 0.5	14	95	4	1.46	40	< 1	< 0.01	< 10	7.86	377
ATP-122	205 238	< 5	0.08	0.2	90	< 10	< 0.5	< 2	0.29	< 0.5	108	275	18	4.52	< 10	2	< 0.01	< 10	9.24	595
SMTP-123	205 238	2950	0.03	8.8	40	10	< 0.5	< 2	0.71	0.5	5	201	261	0.72	< 10	1	< 0.01	10	0.57	140
SMTP-124	205 238	>10000	0.02	38.0	30	10	< 0.5	< 2	0.39	1.5	3	193	815	0.38	< 10	< 1	< 0.01	< 10	0.26	76
SMTP-125	205 238	1000	0.01	26.2	195	10	< 0.5	< 2	3.00	< 0.5	16	163	470	1.22	10	1	< 0.01	20	1.90	283
SMTP-126	205 238	< 5	2.95	0.4	< 5	20	0.5	2	3.42	< 0.5	11	174	24	1.50	10	1	< 0.01	20	0.53	551
SMTP-127	205 238	< 5	0.04	0.2	205	10	< 0.5	< 2	2.29	< 0.5	66	289	9	3.90	< 10	< 1	< 0.01	20	10.65	685
SMTP-128	205 238	< 5	0.04	0.4	180	30	< 0.5	< 2	3.42	< 0.5	60	312	3	3.99	10	< 1	< 0.01	20	9.59	798
SMTP-129	205 238	15	0.12	0.4	20	50	< 0.5	< 2	3.61	0.5	19	101	23	3.15	10	1	0.01	20	1.57	639
SMTP-130	205 238	15	0.11	1.0	45	100	< 0.5	< 2	2.92	0.5	20	120	112	3.75	10	2	0.01	20	1.50	746
SMTP-131	205 238	10	0.24	0.4	25	50	< 0.5	< 2	8.88	< 0.5	13	102	10	1.68	20	< 1	0.02	< 10	5.36	1405
SMTP-132	205 238	5	0.29	0.2	205	30	0.5	< 2	5.01	< 0.5	54	618	6	2.65	10	< 1	< 0.01	10	7.75	678
SMTP-133	205 238	< 5	0.08	0.2	25	< 10	0.5	< 2	0.57	< 0.5	71	270	20	3.28	< 10	< 1	< 0.01	< 10	6.36	353
SMTP-134	205 238	< 5	0.07	0.2	120	10	1.0	< 2	0.20	< 0.5	68	339	6	4.08	< 10	< 1	< 0.01	< 10	11.65	449
SMTP-135	205 238	10	0.07	20.0	140	20	0.5	< 2	2.33	< 0.5	25	189	581	1.79	< 10	3	< 0.01	20	3.87	285
SMTP-136	205 238	< 5	0.02	0.2	240	10	1.0	< 2	3.34	< 0.5	49	184	16	3.39	10	< 1	< 0.01	20	9.08	518
SMTP-137	205 238	5000	0.04	4.0	20	< 10	< 0.5	< 2	0.76	< 0.5	4	250	110	0.61	< 10	< 1	< 0.01	10	0.44	132
SMTP-138	205 238	>10000	0.03	6.6	15	10	< 0.5	< 2	1.16	< 0.5	4	231	152	0.76	< 10	1	< 0.01	10	0.57	176
SMTP-139	205 238	2950	0.01	7.8	80	< 10	< 0.5	2	0.71	< 0.5	5	256	134	0.56	< 10	1	< 0.01	10	0.53	93
SMTP-140	205 238	20	0.03	0.2	215	20	0.5	< 2	4.02	< 0.5	35	247	8	2.60	10	< 1	< 0.01	10	8.81	431
SMTP-141	205 238	95	1.04	1.6	300	160	1.0	< 2	5.08	< 0.5	64	235	89	3.55	10	< 1	0.09	20	4.00	635
MTP-142	205 238	< 5	0.37	0.4	120	30	1.0	< 2	1.35	< 0.5	70	779	34	3.89	< 10	< 1	< 0.01	10	7.20	472
SMTP-143	205 238	1000	0.03	2.8	35	30	< 0.5	2	3.25	< 0.5	9	182	35	0.94	10	< 1	< 0.01	20	2.12	246
SMTP-144	205 238	>10000	0.05	78.0	70	20	< 0.5	< 2	1.05	1.0	6	218	845	0.87	< 10	< 1	< 0.01	10	0.63	201
SMTP-145	205 238	>10000	0.03	1.6	75	20	< 0.5	< 2	3.50	< 0.5	9	147	12	1.21	10	< 1	< 0.01	20	1.91	308
SMTP-146	205 238	>10000	0.04	12.2	15	< 10	< 0.5	< 2	0.59	0.5	2	207	1180	0.37	< 10	4	< 0.01	< 10	0.33	74
SMTP-147	205 238	50	0.55	0.8	65	20	0.5	< 2	4.85	< 0.5	40	1095	10	2.33	10	1	< 0.01	10	8.07	489
SMTP-148	205 238	15	0.05	4.0	40	50	< 0.5	< 2	1.93	< 0.5	5	241	269	0.90	< 10	< 1	< 0.01	10	0.98	297
SMTP-149	205 238	15	0.04	1.4	10	20	< 0.5	< 2	1.38	< 0.5	4	247	141	0.71	< 10	< 1	< 0.01	10	0.73	182
SMTP-150	205 238	< 5	< 0.01	0.2	5	< 10	< 0.5	< 2	0.11	< 0.5	< 1	244	4	0.27	< 10	1	< 0.01	< 10	0.08	74
SMTP-151	205 238	< 5	0.09	0.2	5	< 10	< 0.5	< 2	2.25	< 0.5	67	566	1	2.90	< 10	< 1	< 0.01	20	8.87	338
SMTP-152	205 238	< 5	0.05	0.2	30	< 10	< 0.5	< 2	0.10	< 0.5	61	550	2	3.55	< 10	1	< 0.01	< 10	13.60	226
SMTP-153	205 238	< 5	0.02	0.2	20	< 10	< 0.5	< 2	0.58	< 0.5	66	264	1	3.12	< 10	3	< 0.01	10	11.80	467
SMTP-154	205 238	< 5	0.47	0.2	5	80	< 0.5	4	>15.00	0.5	6	102	6	0.62	40	1	0.12	< 10	1.48	218
SMTP-155	205 238	< 5	0.04	0.2	15	10	< 0.5	< 2	>15.00	2.0	34	357	4	1.31	40	1	< 0.01	< 10	6.95	999
SMTP-156	205 238	< 5	0.10	0.2	20	10	< 0.5	< 2	>15.00	< 0.5	87	832	5	3.54	40	< 1	< 0.01	< 10	6.07	838

CERTIFICATION :

PCJ



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project: M543-FAIR

Comments: CC: S. McALLISTER

Page No. : 1-B
Tot. Pages: 1
Date : 31-AUG-87
Invoice #: I-8720441
P.O. #: 27048

CERTIFICATE OF ANALYSIS A8720441

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
MMTF-163	205 238	< 1	< 0.01	1315	< 10	< 2	5	< 10	315	< 0.01	20	< 10	19	< 5	17
MMTF-164	205 238	< 1	< 0.01	258	20	10	5	< 10	94	< 0.01	< 10	< 10	61	< 5	18
MMTF-165	205 238	< 1	< 0.01	55	10	< 2	< 5	< 10	11	0.03	< 10	< 10	24	< 5	6
MMTF-166	205 238	< 1	< 0.01	28	< 10	10	< 5	< 10	97	< 0.01	< 10	< 10	30	< 5	9
MMTF-167	205 238	< 1	< 0.01	16	900	< 2	10	< 10	342	< 0.01	< 10	< 10	27	< 5	28
SMTF-122	205 238	< 1	< 0.01	742	< 10	< 2	< 5	< 10	6	< 0.01	< 10	< 10	4	< 5	7
SMTF-123	205 238	< 1	< 0.01	31	< 10	4	60	< 10	42	< 0.01	< 10	< 10	7	< 5	295
SMTF-124	205 238	< 1	< 0.01	15	< 10	< 2	295	< 10	24	< 0.01	< 10	< 10	4	< 5	326
SMTF-125	205 238	< 1	< 0.01	97	< 10	10	215	< 10	246	< 0.01	< 10	< 10	11	< 5	98
SMTF-126	205 238	< 1	< 0.01	10	200	4	5	< 10	10	0.12	< 10	< 10	69	< 5	15
SMTF-127	205 238	< 1	< 0.01	476	< 10	< 2	5	< 10	141	< 0.01	< 10	< 10	20	< 5	24
SMTF-128	205 238	< 1	< 0.01	264	< 10	< 2	< 5	< 10	181	< 0.01	< 10	< 10	46	< 5	46
SMTF-129	205 238	< 1	0.04	21	160	< 2	5	< 10	197	< 0.01	< 10	< 10	39	< 5	22
SMTF-130	205 238	< 1	0.04	21	140	< 2	10	< 10	199	< 0.01	< 10	< 10	44	< 5	75
SMTF-131	205 238	< 1	< 0.01	12	120	< 2	5	< 10	367	< 0.01	< 10	< 10	14	< 5	17
SMTF-132	205 238	< 1	< 0.01	443	< 10	< 2	5	< 10	126	< 0.01	< 10	< 10	11	< 5	14
SMTF-133	205 238	< 1	< 0.01	477	< 10	< 2	< 5	< 10	11	< 0.01	< 10	< 10	3	< 5	4
SMTF-134	205 238	< 1	< 0.01	518	< 10	< 2	< 5	< 10	8	< 0.01	< 10	< 10	6	< 5	9
SMTF-135	205 238	< 1	< 0.01	149	< 10	4	140	< 10	117	< 0.01	< 10	< 10	8	< 5	58
SMTF-136	205 238	< 1	< 0.01	306	< 10	2	10	< 10	165	< 0.01	< 10	< 10	10	< 5	18
SMTF-137	205 238	< 1	< 0.01	18	< 10	< 2	< 5	< 10	38	< 0.01	< 10	< 10	5	< 5	29
SMTF-138	205 238	< 1	< 0.01	18	< 10	4	< 5	< 10	59	< 0.01	< 10	< 10	9	< 5	13
SMTF-139	205 238	< 1	< 0.01	49	< 10	< 2	45	< 10	53	< 0.01	< 10	< 10	4	< 5	48
SMTF-140	205 238	< 1	< 0.01	183	< 10	8	10	< 10	257	< 0.01	< 10	< 10	16	< 5	21
SMTF-141	205 238	< 1	0.01	404	640	8	10	< 10	212	0.03	10	< 10	53	< 5	81
SMTF-142	205 238	< 1	< 0.01	249	< 10	< 2	5	< 10	26	< 0.01	< 10	< 10	26	< 5	22
SMTF-143	205 238	< 1	< 0.01	25	< 10	< 2	5	< 10	237	< 0.01	< 10	< 10	8	< 5	9
SMTF-144	205 238	< 1	< 0.01	27	< 10	< 2	340	< 10	69	< 0.01	< 10	< 10	12	< 5	405
SMTF-145	205 238	< 1	< 0.01	32	10	< 2	10	< 10	254	< 0.01	< 10	< 10	12	< 5	21
SMTF-146	205 238	< 1	< 0.01	1	< 10	4	240	< 10	25	< 0.01	< 10	< 10	3	< 5	185
SMTF-147	205 238	< 1	< 0.01	138	< 10	6	5	< 10	103	< 0.01	< 10	< 10	53	5	13
SMTF-148	205 238	< 1	< 0.01	21	40	6	20	< 10	107	< 0.01	< 10	< 10	9	< 5	210
SMTF-149	205 238	< 1	< 0.01	15	< 10	4	5	< 10	87	< 0.01	< 10	< 10	6	< 5	117
SMTF-150	205 238	< 1	< 0.01	15	10	8	< 5	< 10	14	< 0.01	< 10	< 10	2	< 5	4
SMTF-151	205 238	< 1	< 0.01	1525	< 10	8	< 5	< 10	23	< 0.01	20	< 10	8	< 5	12
SMTF-152	205 238	< 1	< 0.01	1150	< 10	< 2	< 5	< 10	4	< 0.01	10	< 10	7	< 5	9
SMTF-153	205 238	< 1	< 0.01	997	< 10	2	< 5	< 10	47	< 0.01	< 10	< 10	6	< 5	4
SMTF-154	205 238	< 1	< 0.01	14	2510	6	5	< 10	487	< 0.01	< 10	< 10	22	< 5	36
SMTF-155	205 238	< 1	< 0.01	478	< 10	6	5	< 10	524	< 0.01	10	< 10	9	< 5	17
SMTF-156	205 238	< 1	< 0.01	1805	10	20	10	< 10	327	< 0.01	40	< 10	23	< 5	14

CERTIFICATION :