

Nechaluk - Bussy, Mukharik, Pytkin, Slippery, Gypsy file M508 Geochemistry M



CHEMEX LABS LTD.

840361

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604)984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
MINERALS STAFF
#901 - 355 BURREARD ST.
VANCOUVER, B.C.
V6C 2G8

CERT. # : A8115377-001-A
INVOICE # : 18115377
DATE : 03-DEC-81
P.O. # : NONE
M508 BUGSY CLAIM

CC: K.E. NORTHCOTE & ASSOC. LTD.

Sample description	Prep code	Cu ppm	Pb ppm	Zn ppm	Ag ppm	AS ppm	
B.8L 3+25W	201	21	6	203	0.4	4	--
B.8L 3+50W	201	34	5	113	0.6	3	--
B.8L 3+75W	201	19	5	126	0.2	4	--
B.8L 4+00W	201	14	5	105	0.1	5	--
B-2+50S 0+00	201	11	5	114	0.2	4	--
B-2+75S 0+00	201	11	5	90	0.1	3	--
B-3+00S 0+00	201	12	7	58	0.1	2	--
B-3+25S 0+00	201	10	5	85	0.2	3	--
B-3+50S 0+00	201	11	7	94	0.1	3	--
B-3+75S 0+00	201	12	5	96	0.1	4	--
B-4+00S 0+00	201	14	6	90	0.1	5	--
B-4+25S 0+00	201	9	6	93	0.1	2	--
B-4+50S 0+00	201	12	4	58	0.1	5	--
B-4+75S 0+00	201	9	6	115	0.3	3	--
B-5+00S 0+00	201	12	5	105	0.3	4	--
B-2+50S 0+50E	201	10	4	86	0.1	4	--
B-2+75S 0+50E	201	9	6	110	0.1	3	--
B-3+00S 0+50E	201	9	4	92	0.1	3	--
B-3+25S 0+50E	201	9	4	71	0.1	3	--
B-3+50S 0+50E	201	9	4	80	0.1	3	--
B-3+75S 0+50E	201	8	6	80	0.1	3	--
B-4+00S 0+50E	201	8	5	63	0.1	3	--
B-4+25S 0+50E	201	8	5	78	0.3	3	--
B-4+50S 0+50E	201	7	4	67	0.1	4	--
B-4+75S 0+50E	201	8	4	112	0.1	3	--
B-5+00S 0+50E	201	12	4	65	0.1	5	--
B-2+50S 1E	201	13	5	78	0.1	5	--
B-2+75S 1E	201	13	3	64	0.1	4	--
B-3+00S 1E	201	11	5	85	0.1	4	--
B-3+25S 1E	201	9	4	90	0.1	4	--
B-3+50S 1E	201	8	5	82	0.1	4	--
B-3+75S 1E	201	9	4	102	0.1	4	--
B-4+00S 1E	201	12	4	100	0.2	5	--
B-4+25S 1E	201	10	4	90	0.2	5	--
B-4+50S 1E	201	9	4	86	0.1	4	--
B-4+75S 1E	201	12	4	75	0.1	5	--
B-5+00S 1E	201	11	3	60	0.1	4	--
B-2+50S 0+50W	201	8	3	76	0.1	3	--
B-2+75S 0+50W	201	6	5	110	0.1	4	--
B-3+00S 0+50W	201	11	3	138	0.1	4	--



Certified by *John A. Bichler*.....



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604)984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
MINERALS STAFF
#901 - 355 BURRARD ST.
VANCOUVER, B.C.
V6C 2G8

CERT. # : A8115377-002-A
INVOICE # : 18115377
DATE : 03-DEC-81
P.O. # : NONE
M508 BUGSY CLAIM

CC: K.E. NORTHCOTE & ASSOC. LTD.

Sample description	Prep code	Cu ppm	Pb ppm	Zn ppm	Ag ppm	AS ppm	
B-3+25S 0+50W	201	11	5	90	0.1	3	--
B-3+50S 0+50W	201	12	5	74	0.1	4	--
B-3+75S 0+50W	201	7	6	88	0.1	4	--
B-4+00S 0+50W	201	9	6	100	0.1	4	--
B-4+25S 0+50W	201	10	4	110	0.1	4	--
B-4+50S 0+50W	201	7	5	70	0.1	4	--
B-4+75S 0+50W	201	11	5	86	0.1	5	--
B-5+00S 0+50W	201	9	5	110	0.1	4	--
B-0+25S 2+50W	201	11	7	122	0.1	4	--
B-0+50S 2+50W	201	8	5	76	0.1	4	--
B-0+75S 2+50W	201	7	5	112	0.1	4	--
B-1+00S 2+50W	201	10	5	96	0.1	4	--
B-1+25S 2+50W	201	14	4	55	0.1	6	--
B-0+25N 2+50W	201	10	7	193	0.1	3	--
B-0+50N 2+50W	201	6	6	110	0.1	2	--
B-0+75N 2+50W	201	7	5	85	0.1	5	--
B-1+00N 2+50W	201	11	5	85	0.1	4	--
B-1+25N 2+50W	201	11	7	95	0.1	4	--
B-0+25S 3W	201	12	6	142	0.1	3	--
B-0+50S 3W	201	9	6	114	0.5	5	--
B-0+75S 3W	201	8	8	110	0.1	3	--
B-1+00S 3W	201	6	7	98	0.1	3	--
B-1+25S 3W	201	14	6	120	0.1	3	--
B-0+25N 3W	201	15	5	133	0.1	4	--
B-0+50N 3W	201	19	4	108	0.1	4	--
B-0+75N 3W	201	13	5	78	0.1	4	--
B-1+00N 3W	201	7	5	95	0.1	4	--
B-1+25N 3W	201	16	3	210	0.2	3	--
B-0+25S 3+50W	201	12	5	108	0.1	2	--
B-0+50S 3+50W	201	13	3	55	0.1	3	--
B-0+75S 3+50W	201	13	5	82	0.1	4	--
B-1+00S 3+50W	201	11	5	80	0.1	4	--
B-1+25S 3+50W	201	10	5	84	0.1	4	--
B-0+25N 3+50W	201	32	9	155	0.5	4	--
B-0+50N 3+50W	201	14	5	135	0.2	4	--
B-0+75N 3+50W	201	13	6	83	0.1	4	--
B-1+00N 3+50W	201	12	6	105	0.1	3	--
B-1+25N 3+50W	201	11	5	88	0.1	4	--
B-0+25S 4W	203	26	5	116	0.1	6	--
B-0+50S 4W	201	10	7	113	0.1	4	--

Certified by *Hart Bichler*



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604)984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
MINERALS STAFF
#901 - 355 BARRARD ST.
VANCOUVER, B.C.
V6C 2G8

CERT. # : A8115377-003-A
INVOICE # : 18115377
DATE : 03-DEC-81
P.O. # : NONE
M508 BUGSY CLAIM

CC: K.E. NORTHCOTE & ASSOC. LTD.

Sample description	Prep code	Cu ppm	Pb ppm	Zn ppm	Ag ppm	AS ppm	
B-0+75S 4W	201	15	4	102	0.1	5	--
B-1+00S 4W	201	7	7	80	0.1	3	--
B-1+25S 4W	201	8	5	100	0.1	4	--
B-0+25N 4W	201	6	7	96	0.1	3	--
B-0+50N 4W	203	6	5	110	0.1	3	--
B-0+75N 4W	203	27	6	80	0.6	9	--
B-1+00N 4W	203	20	5	80	0.4	5	--
B-1+25N 4W	201	7	5	55	0.1	4	--



MEMBER
CANADIAN TESTING
ASSOCIATION

Certified by



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
 MINERALS STAFF
 #901 - 355 BURRARD ST.
 VANCOUVER, B.C.
 V6C 2G8

CERT. # : A8115376-001-A
 INVOICE # : I8115376
 DATE : 03-DEC-81
 P.O. # : NONE
 M508 MUKALUK CLAIM

CC:K.E. NORTHCOTE & ASSOC. LTD.

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	AS ppm
M- 2+75S 1E	201	12	1	5	85	0.1	2
M- 3+00S 1E	201	8	1	6	105	0.2	2
M- 4+25S 1E	201	8	1	4	93	0.2	2
M- 4+50S 1E	201	8	1	4	78	0.1	2
M- 4+75S 1E	201	10	1	5	182	0.1	3
M- 5+00S 1E	201	26	1	4	95	1.4	5
M- 5+25S 1E	203	24	1	6	115	0.2	6
M- 5+50S 1E	201	10	1	10	105	0.1	6
M- 5+75S 1E	203	29	1	7	120	0.3	5
M- 6+00S 1E	201	11	1	6	112	0.1	2
M- 6+25S 1E	201	5	1	5	67	0.1	3
M- 6+50S 1E	201	14	1	4	110	0.1	3
M- 6+75S 1E	201	16	1	5	164	0.2	3
M- 7+00S 1E	203	17	1	6	152	0.3	5
M- 7+25S 1E	201	11	1	4	112	0.1	5
M- 7+50S 1E	201	8	1	5	104	0.1	4
M- 7+75S 1E	201	8	1	4	102	0.1	3
M- 2+75S 2E	201	8	1	2	98	0.2	4
M- 3+00S 2E	201	6	1	4	115	0.2	4
M- 3+25S 2E	201	6	1	4	152	0.1	2
M- 3+50S 2E	201	9	1	3	140	0.2	2
M- 3+75S 2E	201	10	1	3	113	0.1	4
M- 4+00S 2E	201	6	1	4	82	0.1	2
M- 4+25S 2E	201	7	1	3	106	0.1	3
M- 4+50S 2E	201	9	1	4	105	0.2	3
M- 4+75S 2E	201	10	1	4	125	0.1	3
M- 5+00S 2E	201	6	1	4	110	0.1	3
M- 5+25S 2E	201	9	1	4	114	0.1	2
M- 5+50S 2E	201	8	1	2	90	0.2	2
M- 5+75S 2E	201	7	1	4	97	0.1	3
M- 6+00S 2E	201	7	1	3	72	0.1	4
M- 6+25S 2E	201	10	1	4	110	0.1	3
M- 6+75S 2E	201	9	1	3	115	0.1	2
M- 7+00S 2E	201	10	1	4	110	0.1	3
M- 7+25S 2E	203	18	1	5	105	0.1	4
M- 7+50S 2E	201	6	1	5	112	0.1	4
M- 7+75S 2E	201	10	1	4	82	0.1	4
M- 3+25S 1E	201	9	1	3	108	0.1	3
M- 3+50S 1E	201	9	1	3	120	0.1	4
M- 3+75S 1E	201	11	1	4	106	0.2	4

Certified by *Hart Buchler*





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604)984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
MINERALS STAFF
#901 - 355 BARRARD ST.
VANCOUVER, B.C.
V6C 2G8

CERT. # : A8115376-002-A
INVOICE # : I8115376
DATE : 03-DEC-81
P.O. # : NONE
M508 MUKALUK CLAIM

CC:K.E. NORTHCOTE & ASSOC. LTD.

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	AS ppm
M- 4+00S 1E	201	6	1	6	82	0.1	1
M- 6+50S 2E	201	16	1	4	125	0.1	2



MEMBER
CANADIAN TESTING
ASSOCIATION

Certified by *[Signature]*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
 MINERALS STAFF
 #901 - 355 BURRARD ST.
 VANCOUVER, B.C.
 V6C 2G8

CERT. # : A8114272-001-A
 INVOICE # : I8114272
 DATE : 05-OCT-81
 P.O. # : S6809
 M508 MUKULUK CLAIMS

CC: KE NORTHCOTE - AGASSIZ, B.C.

Sample description	Prep code	AS ppm					
B.L. 0+00E	214	1	--	--	--	--	--
B.L. 0+25E	214	1	--	--	--	--	--
B.L. 0+50E	214	2	--	--	--	--	--
B.L. 0+75E	214	1	--	--	--	--	--
B.L. 1+00E	214	1	--	--	--	--	--
B.L. 1+25E	214	1	--	--	--	--	--
B.L. 1+50E	214	2	--	--	--	--	--
B.L. 1+75E	214	3	--	--	--	--	--
B.L. 2+00E	214	2	--	--	--	--	--
B.L. 2+25E	214	1	--	--	--	--	--
B.L. 2+50E	214	2	--	--	--	--	--
B.L. 2+75E	214	2	--	--	--	--	--
B.L. 3+00E	214	2	--	--	--	--	--
B.L. 3+25E	214	3	--	--	--	--	--
B.L. 3+50E	214	1	--	--	--	--	--
B.L. 3+75E	214	3	--	--	--	--	--
B.L. 4+00E	214	2	--	--	--	--	--
B.L. 0+25W	214	2	--	--	--	--	--
B.L. 0+50W	214	1	--	--	--	--	--
B.L. 0+75W	214	2	--	--	--	--	--
B.L. 1+00W	214	2	--	--	--	--	--
B.L. 1+25W	214	3	--	--	--	--	--
B.L. 1+50W	214	2	--	--	--	--	--
B.L. 1+75W	214	1	--	--	--	--	--
B.L. 2+00W	214	2	--	--	--	--	--
OE 0+25N	214	1	--	--	--	--	--
OE 0+50N	214	3	--	--	--	--	--
OE 0+75N	214	2	--	--	--	--	--
OE 1+00N	214	1	--	--	--	--	--
OE 1+25N	214	2	--	--	--	--	--
OE 1+50N	214	1	--	--	--	--	--
OE 1+75N	214	2	--	--	--	--	--
OE 2+00N	214	1	--	--	--	--	--
OE 2+25N	214	4	--	--	--	--	--
OE 2+50N	214	2	--	--	--	--	--
OE 2+75N	214	2	--	--	--	--	--
OE 3+00N	214	2	--	--	--	--	--
OE 3+25N	214	2	--	--	--	--	--
OE 3+50N	214	2	--	--	--	--	--
OE 3+75N	214	1	--	--	--	--	--



MEMBER
 CANADIAN TESTING
 ASSOCIATION

Certified by *J.F. McPhay*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604)984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
MINERALS STAFF
#901 - 355 BURRARD ST.
VANCOUVER, B.C.
V6C 2G8

CERT. # : A8114272-002-A
INVOICE # : I8114272
DATE : 05-OCT-81
P.O. # : S6809
M508 MUKULUK CLAIMS

CC: KE NORTHCOTE - AGASSIZ, B.C.

Sample description	Prep code	AS ppm					
0E 4+00N	214	2	--	--	--	--	--
0E 0+25S	214	1	--	--	--	--	--
0E 0+50S	214	1	--	--	--	--	--
0E 0+75S	214	2	--	--	--	--	--
0E 1+00S	214	2	--	--	--	--	--
0E 1+25S	214	2	--	--	--	--	--
0E 1+50S	214	1	--	--	--	--	--
0E 1+75S	214	3	--	--	--	--	--
0E 2+00S	214	2	--	--	--	--	--
0E 2+25S	214	2	--	--	--	--	--
0E 2+50S	214	2	--	--	--	--	--
1E 0+25N	214	2	--	--	--	--	--
1E 0+50N	214	2	--	--	--	--	--
1E 0+75N	214	2	--	--	--	--	--
1E 1+00N	214	2	--	--	--	--	--
1E 1+25N	214	2	--	--	--	--	--
1E 1+50N	214	2	--	--	--	--	--
1E 1+75N	214	4	--	--	--	--	--
1E 2+00N	214	1	--	--	--	--	--
1E 2+25N	214	2	--	--	--	--	--
1E 2+50N	214	1	--	--	--	--	--
1E 0+25S	214	2	--	--	--	--	--
1E 0+50S	214	2	--	--	--	--	--
1E 0+75S	214	1	--	--	--	--	--
1E 1+00S	214	2	--	--	--	--	--
1E 1+25S	214	3	--	--	--	--	--
1E 1+50S	214	2	--	--	--	--	--
1E 1+75S	214	3	--	--	--	--	--
1E 2+00S	214	3	--	--	--	--	--
1E 2+25S	214	2	--	--	--	--	--
1E 2+50S	214	1	--	--	--	--	--
1W 0+25 N	214	2	--	--	--	--	--
1W 0+50 N	214	2	--	--	--	--	--
1W 0+75 N	214	2	--	--	--	--	--
1W 1+00 N	214	2	--	--	--	--	--
1W 1+25 N	214	2	--	--	--	--	--
1W 1+50 N	214	2	--	--	--	--	--
1W 1+75 N	214	2	--	--	--	--	--
1W 2+00 N	214	2	--	--	--	--	--
1W 2+25 N	214	2	--	--	--	--	--



MEMBER
CANADIAN TESTING
ASSOCIATION

Certified by

J.F. McKay



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
 MINERALS STAFF
 #901 - 355 BURRARD ST.
 VANCOUVER, B.C.
 V6C 2G8

CERT. # : A8115504-001-A
 INVOICE # : I8115504
 DATE : 23-DEC-81
 P.O. # : S 6809
 M-508

CC:K.E. NORTHCOTE AND ASSOC. LTD.

Sample description	Prep code	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Au ppb	FA+AA ppb	
81 GYP-1 35-37	205	61	10	75	0.1	<5		--
81 GYP-1 72-74	205	67	13	85	0.1	<5		--
81 GYP-1 95-97	205	69	4	96	0.1	10		--
81 GYP-1 112-114	205	60	4	123	0.1	15		--
81 GYP-1 124-126	205	44	3	101	0.1	10		--
81 GYP-1 144-146	205	66	4	85	0.1	10		--
81 GYP-1 157-159	205	60	1	105	0.1	10		--
81 GYP-1 171-173	205	40	5	71	0.1	10		--
81 GYP-1 187-189	205	63	4	190	0.1	10		--
81 GYP-1 205-207	205	54	3	82	0.1	15		--
81 GYP-1 217-219	205	22	1	37	0.1	10		--
81 GYP-1 222-224	205	28	2	55	0.1	5		--
81 GYP-1 234-236	205	35	1	54	0.1	10		--
81 GYP-1 242-244	205	21	13	120	0.1	15		--
81 GYP-1 270-272	205	68	1	80	0.1	5		--
81 GYP-1 305-307	205	21	4	55	0.1	10		--
81 GYP-1 335-337	205	21	3	51	0.1	10		--
81 GYP-1 354-356	205	24	1	80	0.1	10		--
81 GYP-1 376-378	205	25	2	80	0.1	10		--
81 GYP-1 389-391	205	23	4	58	0.1	5		--
81 GYP-1 397-399	205	38	7	108	0.1	10		--
81 GYP-1 407-409	205	50	3	140	0.1	15		--
81 GYP-1 417-419	205	71	6	220	0.4	20		--
81 GYP-1 432-434	205	46	2	93	0.1	10		--
81 GYP-1 458-460	205	30	2	75	0.1	10		--
81 GYP-1 477-479	205	33	2	92	0.1	15		--
81 GYP-1 484-486	205	50	5	110	0.1	15		--
81 SLP-1 80-82	205	78	1	57	0.1	10		--
81 SLP-1 121-123	205	85	1	53	0.1	5		--
81 SLP-1 151-153	205	108	1	50	0.1	5		--
81 SLP-1 167-169	205	98	1	55	0.1	5		--
81 SLP-1 192-194	205	26	1	40	0.1	10		--
81 SLP-1 207-209	205	68	1	54	0.1	5		--
81 SLP-1 215-217	205	56	1	45	0.1	10		--
81 SLP-1 228-230	205	23	3	175	1.6	5		--
81 SLP-1 284-286	205	26	6	326	3.0	10		--
81 SLP-1 295-297	205	28	4	275	0.3	10		--
81 SLP-1 313-315	205	23	5	95	0.1	10		--
81 SLP-1 330-332	205	28	6	292	0.2	20		--
81 SLP-1 353-355	205	35	5	323	0.2	5		--



MEMBER
 CANADIAN TESTING
 ASSOCIATION

Certified by *San Amerini*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604)984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
MINERALS STAFF
#901 - 355 BURRARD ST.
VANCOUVER, B.C.
V6C 2G8

CERT. # : A8115504-002-A
INVOICE # : I8115504
DATE : 23-DEC-81
P.O. # : S 6809
M-508

CC:K.E. NORTHCOTE AND ASSOC. LTD.

Sample description	Prep code	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Au FA+AA ppb	
81 SLP-1 365-367	205	31	4	130	0.4	10	--
81 SLP-1 413-415	205	37	6	141	0.5	5	--
81 SLP-1 449-451	205	23	8	136	0.5	5	--
81 WEA-1 145-147	205	2	7	33	0.1	5	--
81 WEA-1 187-189	205	1	9	30	0.1	10	--
81 WEA-1 197-199	205	1	8	29	0.1	5	--
81 WEA-1 213-215	205	1	7	28	0.1	5	--
81 WEA-1 227-229	205	1	4	21	0.1	10	--
81 WEA-1 240-242	205	1	4	15	0.1	5	--
81 WEA-1 255-257	205	1	5	16	0.1	10	--
81 WEA-1 269-271	205	2	8	21	0.1	10	--
81 WEA-1 280-282	205	1	4	18	0.1	10	--
81 WEA-1 303-305	205	1	4	15	0.1	10	--
81 WEA-1 317-319	205	1	4	16	0.1	5	--
81 WEA-1 332-334	205	1	4	21	0.1	10	--
81 WEA-1 347-349	205	1	3	18	0.1	5	--
81 WEA-1 365-367	205	1	5	20	0.1	5	--
81 WEA-1 378-380	205	1	5	21	0.1	10	--
81 WEA-1 387-389	205	1	6	21	0.1	10	--
81 WEA-1 405-407	205	1	6	24	0.1	10	--
81 WEA-1 426-428	205	1	5	23	0.1	10	--
81 WEA-1 448-450	205	1	6	24	0.1	5	--
81 WEA-1 477-479	205	1	5	32	0.1	10	--
81 WEA-1 487-489	205	1	10	28	0.1	10	--
81 WEA-1 502-504	205	1	5	27	0.1	10	--
81 WEA-1 514-516	205	1	7	30	0.6	10	--
81 WEA-1 537-539	205	1	8	30	1.2	15	--
81 WEA-1 557-559	205	1	7	34	0.1	15	--
81 WEA-1 573-575	205	1	8	33	0.1	15	--
81 WEA-1 587-589	205	1	8	32	0.1	15	--
81 WEA-1 611-613	205	1	17	12	0.1	10	--
81 WEA-1 625-627	205	1	4	18	0.1	10	--
81 WEA-1 634-636	205	1	12	24	0.1	10	--



MEMBER
CANADIAN TESTING
ASSOCIATION

Certified by

Mr. Marinini



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604)984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
MINERALS STAFF
#901 - 355 BURRARD ST.
VANCOUVER, B.C.
V6C 2G8

CERT. # : A8115504-001-A
INVOICE # : I8115504
DATE : 15-DEC-81
P.O. # : S 6309
M-508

CC:K.E. NORTHCOTE AND ASSOC. LTD.

Sample description	Prep code	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Au FA+AA ppb
81 GYP-1 35-37	205	61	10	75	0.1	DELAYED --
81 GYP-1 72-74	205	67	13	85	0.1	DELAYED --
81 GYP-1 95-97	205	69	4	96	0.1	DELAYED --
81 GYP-1 112-114	205	60	4	123	0.1	DELAYED --
81 GYP-1 124-126	205	44	3	101	0.1	DELAYED --
81 GYP-1 144-146	205	66	4	85	0.1	DELAYED --
81 GYP-1 157-159	205	60	1	105	0.1	DELAYED --
81 GYP-1 171-173	205	40	5	71	0.1	DELAYED --
81 GYP-1 187-189	205	63	4	190	0.1	DELAYED --
81 GYP-1 205-207	205	54	3	82	0.1	DELAYED --
81 GYP-1 217-219	205	22	1	37	0.1	DELAYED --
81 GYP-1 222-224	205	28	2	55	0.1	DELAYED --
81 GYP-1 234-236	205	35	1	54	0.1	DELAYED --
81 GYP-1 242-244	205	21	13	120	0.1	DELAYED --
81 GYP-1 270-272	205	68	1	30	0.1	DELAYED --
81 GYP-1 305-307	205	21	4	55	0.1	DELAYED --
81 GYP-1 335-337	205	21	3	51	0.1	DELAYED --
81 GYP-1 354-356	205	24	1	80	0.1	DELAYED --
81 GYP-1 376-378	205	25	2	80	0.1	DELAYED --
81 GYP-1 389-391	205	23	4	58	0.1	DELAYED --
81 GYP-1 397-399	205	38	7	108	0.1	DELAYED --
81 GYP-1 407-409	205	50	3	140	0.1	DELAYED --
81 GYP-1 417-419	205	71	6	220	0.4	DELAYED --
81 GYP-1 432-434	205	46	2	93	0.1	DELAYED --
81 GYP-1 458-460	205	30	2	75	0.1	DELAYED --
81 GYP-1 477-479	205	33	2	92	0.1	DELAYED --
81 GYP-1 484-486	205	50	5	110	0.1	DELAYED --
81 SLP-1 80-82	205	78	1	57	0.1	DELAYED --
81 SLP-1 121-123	205	85	1	53	0.1	DELAYED --
81 SLP-1 151-153	205	108	1	50	0.1	DELAYED --
81 SLP-1 167-169	205	98	1	55	0.1	DELAYED --
81 SLP-1 192-194	205	26	1	40	0.1	DELAYED --
81 SLP-1 207-209	205	68	1	54	0.1	DELAYED --
81 SLP-1 215-217	205	56	1	45	0.1	DELAYED --
81 SLP-1 228-230	205	23	3	175	1.6	DELAYED --
81 SLP-1 284-286	205	26	6	326	3.0	DELAYED --
81 SLP-1 295-297	205	28	4	275	0.3	DELAYED --
81 SLP-1 313-315	205	23	5	95	0.1	DELAYED --
81 SLP-1 330-332	205	28	6	292	0.2	DELAYED --
81 SLP-1 353-355	205	35	5	323	0.2	DELAYED --

Certified by *[Signature]*



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604)984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
MINERALS STAFF
#901 - 355 BURRARD ST.
VANCOUVER, B.C.
-V6C 2G8

CERT. # : A8115504-002-A
INVOICE # : I8115504
DATE : 15-DEC-81
P.O. # : S 6809
M-508


CC:K.E. NORTHCOTE AND ASSOC. LTD.

Sample description	Prep code	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Au FA+AA ppb	
81 SLP-1 365-367	205	31	4	130	0.4	DELAYED	--
81 SLP-1 413-415	205	37	6	141	0.5	DELAYED	--
81 SLP-1 449-451	205	23	8	136	0.5	DELAYED	--
81 WEA-1 145-147	205	2	7	33	0.1	DELAYED	--
81 WEA-1 187-189	205	1	9	30	0.1	DELAYED	--
81 WEA-1 197-199	205	1	8	29	0.1	DELAYED	--
81 WEA-1 213-215	205	1	7	28	0.1	DELAYED	--
81 WEA-1 227-229	205	1	4	21	0.1	DELAYED	--
81 WEA-1 240-242	205	1	4	15	0.1	DELAYED	--
81 WEA-1 255-257	205	1	5	16	0.1	DELAYED	--
81 WEA-1 269-271	205	2	8	21	0.1	DELAYED	--
81 WEA-1 280-282	205	1	4	18	0.1	DELAYED	--
81 WEA-1 303-305	205	1	4	15	0.1	DELAYED	--
81 WEA-1 317-319	205	1	4	16	0.1	DELAYED	--
81 WEA-1 332-334	205	1	4	21	0.1	DELAYED	--
81 WEA-1 347-349	205	1	3	18	0.1	DELAYED	--
81 WEA-1 365-367	205	1	5	20	0.1	DELAYED	--
81 WEA-1 378-380	205	1	5	21	0.1	DELAYED	--
81 WEA-1 387-389	205	1	6	21	0.1	DELAYED	--
81 WEA-1 405-407	205	1	6	24	0.1	DELAYED	--
81 WEA-1 426-428	205	1	5	23	0.1	DELAYED	--
81 WEA-1 448-450	205	1	6	24	0.1	DELAYED	--
81 WEA-1 477-479	205	1	5	32	0.1	DELAYED	--
81 WEA-1 487-489	205	1	10	28	0.1	DELAYED	--
81 WEA-1 502-504	205	1	5	27	0.1	DELAYED	--
81 WEA-1 514-516	205	1	7	30	0.6	DELAYED	--
81 WEA-1 537-539	205	1	8	30	1.2	DELAYED	--
81 WEA-1 557-559	205	1	7	34	0.1	DELAYED	--
81 WEA-1 573-575	205	1	8	33	0.1	DELAYED	--
81 WEA-1 587-589	205	1	8	32	0.1	DELAYED	--
81 WEA-1 611-613	205	1	17	12	0.1	DELAYED	--
81 WEA-1 625-627	205	1	4	18	0.1	DELAYED	--
81 WEA-1 634-636	205	1	12	24	0.1	DELAYED	--



MEMBER
CANADIAN TESTING
ASSOCIATION

Certified by *Hart Buchler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604)984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS


CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
MINERALS STAFF
#901 - 355 BURRARD ST.
VANCOUVER, B.C.
V6C 2G8

CERT. # : A8114272-003-A
INVOICE # : I8114272
DATE : 05-OCT-81
P.O. # : S6809
M508 MUKULUK CLAIMS

CC: KE NORTHCOTE - AGASSIZ, B.C.

Sample description	Prep code	AS ppm						
1W 2+50N	214	2	--	--	--	--	--	--
1W 2+75N	214	2	--	--	--	--	--	--
1W 3+00N	214	1	--	--	--	--	--	--
1W 3+25N	214	2	--	--	--	--	--	--
1W 3+50N	214	3	--	--	--	--	--	--
1W 3+75N	214	1	--	--	--	--	--	--
1W 4+00N	214	2	--	--	--	--	--	--
1W 0+25S	214	3	--	--	--	--	--	--
1W 0+50S	214	1	--	--	--	--	--	--
1W 0+75S	214	1	--	--	--	--	--	--
1W 1+00S	214	2	--	--	--	--	--	--
1W 1+25S	214	1	--	--	--	--	--	--
1W 1+50S	214	2	--	--	--	--	--	--
1W 1+75S	214	1	--	--	--	--	--	--
1W 2+00S	214	1	--	--	--	--	--	--
1W 2+25S	214	2	--	--	--	--	--	--
1W 2+50S	214	2	--	--	--	--	--	--
2E 0+25N	214	2	--	--	--	--	--	--
2E 0+50N	214	2	--	--	--	--	--	--
2E 0+75N	214	3	--	--	--	--	--	--
2E 1+00N	214	1	--	--	--	--	--	--
2E 1+25N	214	1	--	--	--	--	--	--
2E 1+50N	214	2	--	--	--	--	--	--
2E 1+75N	214	1	--	--	--	--	--	--
2E 2+00N	214	1	--	--	--	--	--	--
2E 2+25N	214	1	--	--	--	--	--	--
2E 2+50N	214	2	--	--	--	--	--	--
2E 0+25S	214	2	--	--	--	--	--	--
2E 0+50S	214	1	--	--	--	--	--	--
2E 0+75S	214	2	--	--	--	--	--	--
2E 1+00S	214	2	--	--	--	--	--	--
2E 1+25S	214	2	--	--	--	--	--	--
2E 1+50S	214	1	--	--	--	--	--	--
2E 1+75S	214	3	--	--	--	--	--	--
2E 2+00S	214	1	--	--	--	--	--	--
2E 2+25S	214	2	--	--	--	--	--	--
2E 2+50S	214	1	--	--	--	--	--	--
2W 0+25N	214	2	--	--	--	--	--	--
2W 0+50N	214	1	--	--	--	--	--	--
2W 0+75N	214	2	--	--	--	--	--	--



Certified by *J.F. McHenry*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604)984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
MINERALS STAFF
#901 - 355 BURRARD ST.
VANCOUVER, B.C.
V6C 2G8

CERT. # : A8114272-004-A
INVOICE # : I8114272
DATE : 05-OCT-81
P.O. # : S6809
M508 MUKULUK CLAIMS

CC: KE NORTHCOTE - AGASSIZ, B.C.

Sample description	Prep code	AS ppm						
2W 1+00N	214	1	--	--	--	--	--	--
2W 1+25N	214	1	--	--	--	--	--	--
2W 1+50N	214	2	--	--	--	--	--	--
2W 1+75N	214	2	--	--	--	--	--	--
2W 2+00N	214	1	--	--	--	--	--	--
2W 2+25N	214	2	--	--	--	--	--	--
2W 2+50N	214	1	--	--	--	--	--	--
2W 2+75N	214	4	--	--	--	--	--	--
2W 3+00N	214	1	--	--	--	--	--	--
2W 3+25N	214	1	--	--	--	--	--	--
2W 3+50N	214	3	--	--	--	--	--	--
2W 3+75N	214	2	--	--	--	--	--	--
2W 4+00N	214	1	--	--	--	--	--	--
2W 0+25S	214	2	--	--	--	--	--	--
2W 0+50S	214	1	--	--	--	--	--	--
2W 0+75S	214	3	--	--	--	--	--	--
2W 1+00S	214	2	--	--	--	--	--	--
2W 1+25S	214	2	--	--	--	--	--	--
2W 1+50S	214	1	--	--	--	--	--	--
2W 1+75S	214	1	--	--	--	--	--	--
2W 2+00S	214	2	--	--	--	--	--	--
2W 2+25S	214	3	--	--	--	--	--	--
2W 2+50S	214	2	--	--	--	--	--	--
3E 0+25N	214	3	--	--	--	--	--	--
3E 0+50N	214	2	--	--	--	--	--	--
3E 0+75N	214	2	--	--	--	--	--	--
3E 1+00N	214	2	--	--	--	--	--	--
3E 1+25N	214	1	--	--	--	--	--	--
3E 1+50N	214	2	--	--	--	--	--	--
3E 1+75N	214	1	--	--	--	--	--	--
3E 2+00N	214	2	--	--	--	--	--	--
3E 2+25N	214	2	--	--	--	--	--	--
3E 2+50N	214	2	--	--	--	--	--	--
3E 0+25S	214	2	--	--	--	--	--	--
3E 0+50S	214	4	--	--	--	--	--	--
3E 0+75S	214	1	--	--	--	--	--	--
3E 1+00S	214	2	--	--	--	--	--	--
3E 1+25S	214	1	--	--	--	--	--	--
3E 1+50S	214	2	--	--	--	--	--	--
3E 1+75S	214	2	--	--	--	--	--	--

Certified by *J.F. McPhay*



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604)984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS


TO : CHEVRON STANDARD LIMITED
MINERALS STAFF
#901 - 355 BARRARD ST.
VANCOUVER, B.C.
V6C 2G8

CERT. # : A8114272-005-A
INVOICE # : I8114272
DATE : 05-OCT-81
P.O. # : S6809
M508 MUKULUK CLAIMS

CC: KE NORTHCOTE - AGASSIZ, B.C.

Sample description	Prep code	AS ppm						
3E 2+00S	214	2	--	--	--	--	--	--
3E 2+25S	214	2	--	--	--	--	--	--
3E 2+50S	214	2	--	--	--	--	--	--
4E 0+25N	214	2	--	--	--	--	--	--
4E 0+50N	214	1	--	--	--	--	--	--
4E 0+75N	214	4	--	--	--	--	--	--
4E 1+00N	214	1	--	--	--	--	--	--
4E 1+25N	214	1	--	--	--	--	--	--
4E 1+50N	214	2	--	--	--	--	--	--
4E 1+75N	214	1	--	--	--	--	--	--
4E 2+00N	214	1	--	--	--	--	--	--
4E 2+25N	214	2	--	--	--	--	--	--
4E 2+50N	214	1	--	--	--	--	--	--
4E 0+25S	214	2	--	--	--	--	--	--
4E 0+50S	214	2	--	--	--	--	--	--
4E 0+75S	214	2	--	--	--	--	--	--
4E 1+00S	214	1	--	--	--	--	--	--
4E 1+25S	214	2	--	--	--	--	--	--
4E 1+50S	214	1	--	--	--	--	--	--
4E 1+75S	214	1	--	--	--	--	--	--
4E 2+00S	214	3	--	--	--	--	--	--
4E 2+25S	214	2	--	--	--	--	--	--
4E 2+50S	214	1	--	--	--	--	--	--
2W 3+00W	214	2	--	--	--	--	--	--

Certified by *D.F. McKay*





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604)984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
MINERALS STAFF
#901 - 355 BURRARD ST.
VANCOUVER, B.C.
V6C 2G8

CERT. # : A8114271-001-A
INVOICE # : I8114271
DATE : 06-OCT-81
P.O. # : S6809
B508 BUGSY CLAIM

CC: K.E. NORTHCOTE AGASSIZ, B.C.

Sample description	Prep code	AS ppm						
5088 BLO 3+00 S	214	1	--	--	--	--	--	--
5088 BLO 3+25 S	214	4	--	--	--	--	--	--
5088 BLO 3+50 S	214	3	--	--	--	--	--	--
5088 BLO 3+75 S	214	3	--	--	--	--	--	--
5088 BLO 4+00 S	214	2	--	--	--	--	--	--
5088 BLO 4+25 S	214	1	--	--	--	--	--	--
5088 BLO 4+50 S	214	3	--	--	--	--	--	--



MEMBER
CANADIAN TESTING
ASSOCIATION

Certified by *J.F. McKay*



CHEMEX LABS LTD. *JH*

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604)984-0221
TELEX: 043-52597

- ANALYTICAL CHEMISTS
- GEOCHEMISTS
- REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
 MINERALS STAFF
 #901 - 355 BURRARD ST.
 VANCOUVER, B.C.
 V6C 2G8

CERT. # : A8114270-001-A
 INVOICE # : 18114270
 DATE : 06-OCT-81
 P.O. # : S6809
 GYPSY CLAIM

CC: K.E. NORTHCOTE - AGASSIZ, B.C.

Sample description	Prep code	Pb ppm	Zn ppm	AS ppm			
508G 3W 00+25S	214	9	103	4	--	--	--
508G 3W 00+50S	214	360	1300	30	--	--	--
508G 3W 00+75S	214	42	290	9	--	--	--
508G 3W 01+00S	214	25	180	32	--	--	--



Certified by *J.F. McMay*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
 MINERALS STAFF
 #901 - 355 BURREARD ST.
 VANCOUVER, B.C.
 V6C 2G8

CERT. # : A3112547-001-A
 INVOICE # : I2112547
 DATE : 06-AUG-81
 P.O. # : NONE
 M508-MUKULUK CLAIMS

CC: K.E. NORTHCOTE & ASSOC. LTD.

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	
B.L. 0+00E	201	10	1	5	88	0.1	--
B.L. 0+25E	201	9	1	4	103	0.1	--
B.L. 0+50E	201	11	1	5	90	0.1	--
B.L. 0+75E	201	7	1	4	80	0.1	--
B.L. 1+00E	201	12	1	4	85	0.1	--
B.L. 1+25E	201	8	1	4	110	0.1	--
B.L. 1+50E	201	5	1	4	94	0.1	--
B.L. 1+75E	201	10	1	4	88	0.1	--
B.L. 2+00E	201	8	1	5	76	0.1	--
B.L. 2+25E	201	10	1	5	75	0.1	--
B.L. 2+50E	201	9	1	5	102	0.1	--
B.L. 2+75E	201	11	1	5	105	0.1	--
B.L. 3+00E	201	8	1	5	90	0.1	--
B.L. 3+25E	201	10	1	4	80	0.1	--
B.L. 3+50E	201	10	1	4	32	0.1	--
B.L. 3+75E	201	12	1	5	88	0.1	--
B.L. 4+00E	201	10	1	6	55	0.1	--
B.L. 0+25W	201	11	1	5	92	0.1	--
B.L. 0+50W	201	7	1	4	50	0.1	--
B.L. 0+75W	201	10	1	5	110	0.1	--
B.L. 1+00W	201	5	1	5	110	0.1	--
B.L. 1+25W	201	28	1	4	200	0.1	--
B.L. 1+50W	201	18	1	5	142	0.1	--
B.L. 1+75W	201	18	1	5	90	0.1	--
B.L. 2+00W	201	9	1	3	65	0.1	--
OE 0+25N	201	4	1	4	77	0.1	--
OE 0+50N	201	9	1	4	65	0.1	--
OE 0+75N	201	6	1	2	60	0.1	--
OE 1+00N	201	7	1	4	115	0.1	--
OE 1+25N	201	7	1	4	52	0.1	--
OE 1+50N	201	10	3	5	58	0.1	--
OE 1+75N	201	8	1	5	90	0.1	--
OE 2+00N	201	10	1	7	125	0.1	--
OE 2+25N	201	12	1	5	72	0.1	--
OE 2+50N	201	9	1	1	85	0.1	--
OE 2+75N	201	9	1	2	83	0.1	--
OE 3+00N	201	10	1	4	52	0.1	--
OE 3+25N	201	7	1	2	76	0.1	--
OE 3+50N	201	8	1	2	75	0.1	--
OE 3+75N	201	9	1	4	118	0.1	--

Certified by *Hart Richler*



MEMBER
 CANADIAN TESTING
 ASSOCIATION



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
 MINERALS STAFF
 #901 - 355 BURNARD ST.
 VANCOUVER, B.C.
 V6C 2G8

CERT. # : A8112547-002-A
 INVOICE # : I8112547
 DATE : 06-AUG-81
 P.O. # : NONE
 M508-MUKULUK CLAIMS

CC: K.E. NORTHCOTE & ASSOC. LTD.

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	
0E 4+00N	201	13	1	3	135	0.1	--
0E 0+25S	201	9	1	4	130	0.1	--
0E 0+50S	201	10	1	3	88	0.1	--
0E 0+75S	201	9	1	1	80	0.1	--
0E 1+00S	201	9	1	2	42	0.1	--
0E 1+25S	201	8	1	4	80	0.1	--
0E 1+50S	201	5	1	4	98	0.1	--
0E 1+75S	201	11	1	2	65	0.1	--
0E 2+00S	201	7	1	3	115	0.1	--
0E 2+25S	201	11	1	5	120	0.1	--
0E 2+50S	201	10	1	1	115	0.1	--
1E 0+25N	201	7	1	2	35	0.1	--
1E 0+50N	201	8	1	3	130	0.2	--
1E 0+75N	201	8	1	5	110	0.1	--
1E 1+00N	201	9	1	2	100	0.1	--
1E 1+25N	201	9	1	2	85	0.1	--
1E 1+50N	201	9	1	3	82	0.1	--
1E 1+75N	201	8	1	2	98	0.1	--
1E 2+00N	201	8	1	3	102	0.1	--
1E 2+25N	201	9	1	1	100	0.1	--
1E 2+50N	201	9	1	2	106	0.1	--
1E 0+25S	201	10	1	2	75	0.1	--
1E 0+50S	201	10	1	2	88	0.1	--
1E 0+75S	201	9	1	2	98	0.1	--
1E 1+00S	201	11	1	4	80	0.1	--
1E 1+25S	201	13	1	3	120	0.1	--
1E 1+50S	201	11	1	2	130	0.1	--
1E 1+75S	201	13	1	1	80	0.1	--
1E 2+00S	201	10	1	3	88	0.1	--
1E 2+25S	201	9	1	2	138	0.1	--
1E 2+50S	201	8	1	5	83	0.1	--
1W 0+25N	201	7	1	3	85	0.1	--
1W 0+50N	201	16	1	3	160	0.1	--
1W 0+75N	201	13	1	3	128	0.1	--
1W 1+00N	201	9	1	5	78	0.1	--
1W 1+25N	201	10	1	3	55	0.1	--
1W 1+50N	201	9	1	3	72	0.1	--
1W 1+75N	201	11	1	1	80	0.1	--
1W 2+00N	201	8	1	1	78	0.1	--
1W 2+25N	201	11	1	2	58	0.1	--

Hart Richler

Certified by





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
 MINERALS STAFF
 #901 - 355 BARRARD ST.
 VANCOUVER, B.C.
 V6C 2G8

CERT. # : A8112547-003-A
 INVOICE # : I8112547
 DATE : 06-AUG-81
 P.O. # : NONE
 M508-MUKULUK CLAIMS

CC: K.E. NORTHCOTE & ASSOC. LTD.

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	
1W 2+50N	201	12	1	1	55	0.1	--
1W 2+75N	201	10	1	1	63	0.1	--
1W 3+00N	201	9	1	2	75	0.1	--
1W 3+25N	201	9	1	1	80	0.1	--
1W 3+50N	201	8	1	3	68	0.1	--
1W 3+75N	201	7	1	3	92	0.1	--
1W 4+00N	201	8	1	3	100	0.1	--
1W 0+25S	201	10	1	3	115	0.1	--
1W 0+50S	201	8	1	2	102	0.2	--
1W 0+75S	201	8	1	2	98	0.1	--
1W 1+00S	201	11	1	3	60	0.1	--
1W 1+25S	201	9	1	2	110	0.1	--
1W 1+50S	201	8	1	4	110	0.1	--
1W 1+75S	201	8	1	2	92	0.2	--
1W 2+00S	201	9	1	2	120	0.1	--
1W 2+25S	201	8	1	1	90	0.1	--
1W 2+50S	201	10	1	4	148	0.1	--
2E 0+25N	201	10	1	3	93	0.1	--
2E 0+50N	201	11	1	1	72	0.1	--
2E 0+75N	201	11	1	1	115	0.1	--
2E 1+00N	201	13	1	1	48	0.1	--
2E 1+25N	201	10	1	1	98	0.1	--
2E 1+50N	201	7	1	2	90	0.2	--
2E 1+75N	201	7	1	3	100	0.2	--
2E 2+00N	201	8	1	2	75	0.1	--
2E 2+25N	201	7	1	2	135	0.1	--
2E 2+50N	201	10	1	3	65	0.3	--
2E 0+25S	201	6	1	2	38	0.1	--
2E 0+50S	201	10	1	1	50	0.1	--
2E 0+75S	201	10	1	2	115	0.1	--
2E 1+00S	201	11	4	2	80	0.1	--
2E 1+25S	201	10	1	1	73	0.1	--
2E 1+50S	201	9	1	1	100	0.1	--
2E 1+75S	201	9	1	2	73	0.1	--
2E 2+00S	201	8	3	2	92	0.1	--
2E 2+25S	201	8	1	1	85	0.1	--
2E 2+50S	201	7	1	1	72	0.1	--
2W 0+25N	201	10	1	1	85	0.1	--
2W 0+50N	201	7	1	1	42	0.1	--
2W 0+75N	201	10	1	4	95	0.1	--

Certified by *Hart Richter*





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
 MINERALS STAFF
 #901 - 355 BURREARD ST.
 VANCOUVER, B.C.
 V6C 2G8

CERT. # : A8112547-004-A
 INVOICE # : I3112547
 DATE : 06-AUG-81
 P.O. # : NGNE
 M505-MUKULUK CLAIMS

CC: K.E. NORTHCOTE & ASSOC. LTD.

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	
2W 1+00N	201	11	1	1	50	0.1	--
2W 1+25N	201	9	1	2	76	0.2	--
2W 1+50N	201	7	1	2	35	0.1	--
2W 1+75N	201	8	1	1	32	0.1	--
2W 2+00N	201	10	1	1	92	0.1	--
2W 2+25N	201	10	1	2	145	0.1	--
2W 2+50N	201	9	1	2	60	0.1	--
2W 2+75N	201	23	1	4	115	0.3	--
2W 3+00N	201	10	1	3	96	0.1	--
2W 3+25N	201	9	1	2	80	0.1	--
2W 3+50N	201	12	1	1	94	0.1	--
2W 3+75N	201	10	1	1	55	0.1	--
2W 4+00N	201	8	1	2	88	0.1	--
2W 0+25S	201	8	1	4	33	0.1	--
2W 0+50S	201	12	1	3	80	0.1	--
2W 0+75S	201	25	1	5	35	0.1	--
2W 1+00S	201	11	1	3	158	0.1	--
2W 1+25S	201	10	1	2	150	0.1	--
2W 1+50S	201	9	1	3	140	0.1	--
2W 1+75S	201	9	1	3	135	0.1	--
2W 2+00S	201	11	1	3	165	0.1	--
2W 2+25S	201	12	1	3	82	0.1	--
2W 2+50S	201	10	1	2	126	0.1	--
3E 0+25N	201	10	1	2	82	0.1	--
3E 0+50N	201	19	1	3	136	0.1	--
3E 0+75N	201	11	1	2	83	0.1	--
3E 1+00N	201	10	1	3	95	0.1	--
3E 1+25N	201	7	1	3	70	0.1	--
3E 1+50N	201	10	1	2	90	0.1	--
3E 1+75N	201	10	1	3	243	0.1	--
3E 2+00N	201	13	1	1	90	0.1	--
3E 2+25N	201	12	1	3	112	0.1	--
3E 2+50N	201	9	1	3	35	0.1	--
3E 0+25S	201	10	1	3	90	0.1	--
3E 0+50S	201	11	1	2	55	0.1	--
3E 0+75S	201	10	1	3	135	0.1	--
3E 1+00S	201	3	1	2	82	0.1	--
3E 1+25S	201	10	1	1	75	0.1	--
3E 1+50S	201	9	1	2	98	0.1	--
3E 1+75S	201	10	1	1	58	0.1	--

Hart Bickler

Certified by





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604)984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
MINERALS STAFF
#901 - 355 BURNARD ST.
VANCOUVER, B.C.
V6C 2G8

CERT. # : A8112547-005-A
INVOICE # : I8112547
DATE : 06-AUG-81
P.C. # : NONE
M508-MUKULUK CLAIMS

CC: K.E. NORTHCOTE & ASSOC. LTD.

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	
3E 2+00S	201	13	1	2	105	0.1	--
3E 2+25S	201	11	1	1	122	0.1	--
3E 2+50S	201	9	1	3	100	0.1	--
4E 0+25N	201	9	1	2	80	0.1	--
4E 0+50N	201	7	1	1	40	0.1	--
4E 0+75N	201	10	1	1	58	0.1	--
4E 1+00N	201	8	1	4	110	0.1	--
4E 1+25N	201	6	1	2	28	0.1	--
4E 1+50N	201	8	1	3	65	0.1	--
4E 1+75N	201	25	1	3	55	0.1	--
4E 2+00N	201	26	1	3	53	0.1	--
4E 2+25N	201	11	1	2	85	0.1	--
4E 2+50N	201	11	1	2	90	0.1	--
4E 0+25S	201	10	1	3	73	0.1	--
4E 0+50S	201	11	1	2	83	0.1	--
4E 0+75S	201	8	1	3	100	0.1	--
4E 1+00S	201	12	1	3	66	0.1	--
4E 1+25S	201	11	1	1	88	0.1	--
4E 1+50S	201	8	1	2	29	0.1	--
4E 1+75S	201	11	1	3	40	0.1	--
4E 2+00S	201	12	1	2	95	0.1	--
4E 2+25S	201	12	1	2	42	0.1	--
4E 2+50S	201	12	1	5	215	0.1	--
2W 3+00W	201	10	1	3	135	0.1	--

Certified by *Hart Richter*



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604)984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
MINERALS STAFF
#901 - 355 BURREARD ST.
VANCOUVER, B.C.
V6C 2G8

CERT. # : A8112549-001-A
INVOICE # : I3112549
DATE : 05-AUG-81
P.O. # : 56809
R508-BUGGSY CLAIM

CC: K.E. NORTHCOTE & ASSOC.

Sample description	Prep code	Cu ppm	Pb ppm	Zn ppm	Ag ppm	AS cpm	
5088 BL 0+00E	201	15	6	90	0.1	6	--
5088 BL 0+25E	201	12	2	63	0.1	9	--
5088 BL 0+50E	201	16	4	75	0.1	7	--
5088 BL 0+75E	201	14	5	120	0.1	6	--
5088 BL 1+00E	201	12	4	90	0.1	7	--
5088 BL 1+25E	201	10	5	110	0.1	6	--
5088 BL 1+50E	201	9	4	93	0.1	6	--
5088 BL 1+75E	201	10	5	120	0.1	9	--
5088 BL 2+00E	201	8	4	130	0.1	9	--
5088 BL 0+25W	201	9	5	102	0.1	6	--
5088 BL 0+50W	201	11	2	75	0.1	6	--
5088 BL 0+75W	201	10	4	105	0.1	7	--
5088 BL 1+00W	201	11	3	128	0.1	9	--
5088 BL 1+25W	201	12	5	150	0.1	6	--
5088 BL 1+50W	201	9	5	120	0.1	6	--
5088 BL 1+75W	201	10	5	78	0.1	5	--
5088 BL 2+00W	203	29	5	50	0.1	7	--
5088 BL 2+25W	201	16	6	270	0.1	5	--
5088 BL 2+50W	203	64	12	150	0.4	14	--
5088 BL 2+75W	201	18	5	160	0.1	7	--
5088 BL 3+00W	201	17	5	168	0.1	5	--
5088 OL 0+25N	201	11	4	92	0.1	6	--
5088 OL 0+50N	201	11	4	85	0.1	6	--
5088 OL 0+75N	201	10	4	112	0.1	7	--
5088 OL 1+00N	201	11	6	140	0.1	5	--
5088 OL 1+25N	201	13	4	115	0.1	5	--
5088 OL 1+50N	201	11	5	120	0.1	6	--
5088 OL 1+75N	201	10	4	145	0.1	5	--
5088 OL 2+00N	201	9	5	110	0.1	11	--
5088 OL 2+25N	201	9	5	34	0.1	5	--
5088 OL 2+50N	201	16	4	92	0.1	5	--
5088 OL 2+75N	201	9	5	120	0.1	5	--
5088 OL 3+00N	201	10	3	70	0.1	6	--
5088 OL 3+25N	201	9	4	90	0.1	5	--
5088 OL 3+50N	201	12	5	165	0.1	4	--
5088 OL 3+75N	201	23	3	72	0.1	6	--
5088 OL 4+00N	201	18	5	67	0.1	6	--
5088 OL 0+25S	201	12	5	112	0.1	6	--
5088 OL 0+50S	201	12	4	110	0.1	5	--
5088 OL 0+75S	201	15	5	74	0.1	6	--

Certified by *Hart Biddle*





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
 MINERALS STAFF
 #901 - 355 BURRARD ST.
 VANCOUVER, B.C.
 V6C 2G8

CERT. # : A8112549-002-A
 INVOICE # : I8112549
 DATE : 06-AUG-81
 P.O. # : 56809
 B508-BUGGSY CLAIM

CC: K.E. NORTHCOTE & ASSOC.

Sample description	Prep code	Cu ppm	Pd ppm	Zn ppm	Ag ppm	AS ppm	
5088 BLO 1+00S	201	16	7	78	0.1	7	--
5088 BLO 1+25S	201	12	4	35	0.1	5	--
5088 BLO 1+50S	201	10	5	123	0.1	7	--
5088 BLO 1+75S	201	11	4	58	0.1	5	--
5088 BLO 2+00S	201	11	5	100	0.1	4	--
5088 BLO 2+25S	201	11	7	75	0.1	3	--
5088 BLO 2+50S	201	13	7	116	0.1	4	--
5088 BLO 2+75S	201	9	8	120	0.1	5	--
5088 BLO 3+00S	201	12	13	75	0.1	4	--
5088 BLO 3+25S	201	12	5	72	0.1	7	--
5088 BLO 3+50S	201	13	4	88	0.1	15	--
5088 BLO 3+75S	201	10	5	115	0.1	73	--
5088 BLO 4+00S	201	12	4	85	0.1	6	--
5088 BLO 4+25S	201	10	5	118	0.1	5	--
5098 BLO 4+50S	201	13	3	68	0.1	6	--
5088 BLO 4+75S	201	10	6	85	0.1	5	--
5088 BLO 5+00S	201	9	2	140	0.1	3	--
5088 BLO 5+25S	201	8	5	78	0.1	4	--
5088 BLO 5+50S	201	9	5	85	0.1	5	--
5088 BLO 5+75S	201	9	2	75	0.1	5	--
5088 BLO 6+00S	201	10	2	98	0.1	6	--
5088 1E 0+25N	201	12	5	140	0.1	7	--
5088 1E 0+50N	201	9	4	118	0.1	5	--
5088 1E 0+75N	201	10	6	36	0.1	6	--
5088 1E 1+00N	201	11	5	175	0.2	6	--
5088 1E 1+25N	201	11	5	210	0.1	3	--
5088 1E 1+50N	201	8	4	110	0.1	4	--
5088 1E 1+75N	201	4	3	135	0.1	6	--
5088 1E 2+00N	201	11	4	110	0.1	7	--
5088 1E 2+25N	201	10	4	105	0.1	4	--
5088 1E 2+50N	201	21	3	130	0.1	6	--
5088 1E 2+75N	201	9	4	128	0.1	5	--
5088 1E 3+00N	201	8	2	120	0.1	3	--
5088 1E 3+25N	201	8	2	98	0.1	4	--
5088 1E 3+50N	201	7	2	98	0.1	3	--
5088 1E 3+75N	201	10	4	38	0.1	3	--
5088 1E 4+00N	201	11	4	102	0.1	5	--
5088 1E 4+25N	201	12	3	90	0.1	6	--
5088 1E 0+25S	201	12	2	60	0.1	4	--
5088 1E 0+50S	201	12	1	100	0.1	6	--

Hart Bichler

Certified by



MEMBER
 CANADIAN TESTING
 ASSOCIATION



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
 MINERALS STAFF
 #901 - 355 BURNARD ST.
 VANCOUVER, B.C.
 V6C 2G8

CERT. # : AB112549-003-A
 INVOICE # : I8112549
 DATE : 06-AUG-81
 P.O. # : 56809
 3508-BUGGSY CLAIM

CC: K.E. NORTHCOE & ASSOC.

Sample description	Prep code	Cu ppm	Pb ppm	Zn ppm	Ag ppm	AS ppm	
5088 1E 0+75S	201	13	3	115	0.1	5	--
5088 1E 1+00S	201	12	4	115	0.1	5	--
5088 1E 1+25S	201	10	3	85	0.1	6	--
5088 1E 1+50S	201	11	1	65	0.1	5	--
5088 1E 1+75S	201	10	3	84	0.1	5	--
5088 1E 2+00S	201	11	2	74	0.1	4	--
5088 1E 2+25S	201	10	3	95	0.1	5	--
5088 1E 2+50S	201	12	4	62	0.1	7	--
5088 1E 2+75S	201	11	4	68	0.1	6	--
5088 1E 3+00S	201	8	3	78	0.1	5	--
5088 1W 0+25N	201	12	5	72	0.1	3	--
5088 1W 0+50N	201	11	6	95	0.1	6	--
5088 1W 0+75N	201	10	5	120	0.1	6	--
5088 1W 1+00N	201	11	3	135	0.1	4	--
5088 1W 1+25N	201	9	4	110	0.1	4	--
5088 1W 1+50N	201	13	3	82	0.1	4	--
5088 1W 1+75N	201	8	3	108	0.1	5	--
5088 1W 2+00N	201	12	6	50	0.1	4	--
5088 1W 2+25N	201	11	3	115	0.1	5	--
5088 1W 2+50N	201	10	3	55	0.1	4	--
5088 1W 2+75N	201	13	2	140	0.1	4	--
5088 1W 3+00N	201	15	2	65	0.1	6	--
5088 1W 3+25N	201	8	2	48	0.1	3	--
5088 1W 3+50N	201	15	5	57	0.1	3	--
5088 1W 3+75N	201	10	5	63	0.1	4	--
5088 1W 4+00N	201	10	3	70	0.1	3	--
5088 1W 0+25S	201	10	4	88	0.1	9	--
5088 1W 0+50S	201	9	5	100	0.1	5	--
5088 1W 0+75S	201	10	3	120	0.1	4	--
5088 1W 1+00S	201	9	3	110	0.1	3	--
5088 1W 1+25S	201	11	2	90	0.1	4	--
5088 1W 1+50S	201	11	2	70	0.1	7	--
5088 1W 1+75S	201	11	3	120	0.1	6	--
5088 1W 2+00S	201	9	5	82	0.1	4	--
5088 1W 2+25S	201	12	5	118	0.1	5	--
5088 1W 2+50S	201	12	2	60	0.1	7	--
5088 1W 2+75S	201	13	2	55	0.1	6	--
5088 1W 3+00S	201	9	3	118	0.1	6	--
5088 1W 3+25S	201	8	5	100	0.1	6	--
5088 1W 3+50S	201	10	2	94	0.1	5	--

Certified by *Hart Bickler*





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
 MINERALS STAFF
 #901 - 355 BURRARD ST.
 VANCOUVER, B.C.
 V5C 2G8

CERT. # : A8112549-004-A
 INVOICE # : I8112549
 DATE : 06-AUG-81
 P.O. # : 50809
 B508-BUGGSY CLAIM

CC: K.E. NORTHCOTE & ASSOC.

Sample description	Prep code	Cu ppm	Pb ppm	Zn ppm	Ag ppm	AS ppm	
5088 1W 3+75S	201	16	3	100	0.1	6	--
5088 1W 4+00S	201	11	3	118	0.1	7	--
5088 1W 4+25S	201	11	2	94	0.1	9	--
5088 1W 4+50S	201	12	2	95	0.1	6	--
5088 1W 4+75S	201	11	4	75	0.1	7	--
5088 1W 5+00S	201	10	2	90	0.1	7	--
5088 1W 5+25S	201	9	3	40	0.1	7	--
5088 1W 5+50S	201	11	3	85	0.1	5	--
5088 1W 5+75S	201	13	3	135	0.1	9	--
5088 1W 6+00S	201	10	3	125	0.1	7	--
5088 2E 0+25N	201	11	3	115	0.1	7	--
5088 2E 0+50N	201	11	2	90	0.1	5	--
5088 2E 0+75N	201	12	3	98	0.1	9	--
5088 2E 1+00N	201	11	3	115	0.1	6	--
5088 2E 1+25N	201	9	2	48	0.1	6	--
5088 2E 1+50N	201	43	1	58	0.2	7	--
5088 2E 1+75N	201	11	1	50	0.1	7	--
5088 2E 2+00N	201	10	1	90	0.1	9	--
5088 2E 2+25N	201	12	2	50	0.1	4	--
5088 2E 2+50N	201	11	4	160	0.1	6	--
5088 2E 2+75N	201	9	4	133	0.1	5	--
5088 2E 3+00N	201	9	3	95	0.1	5	--
5088 2E 3+25N	201	10	1	80	0.1	6	--
5088 2E 3+50N	201	9	2	100	0.1	5	--
5088 2E 3+75N	201	12	3	88	0.1	4	--
5088 2E 4+00N	201	10	3	58	0.1	4	--
5088 2E 0+25S	201	10	4	115	0.1	6	--
5088 2E 0+50S	201	11	3	42	0.1	6	--
5088 2E 0+75S	201	9	4	105	0.1	6	--
5088 2E 1+00S	201	7	6	95	0.1	4	--
5088 2E 1+25S	201	12	2	112	0.1	7	--
5088 2E 1+50S	201	12	2	80	0.1	9	--
5088 2E 1+75S	201	11	2	75	0.1	7	--
5088 2E 2+00S	201	17	1	55	0.1	6	--
5088 2E 2+25S	201	13	2	50	0.1	3	--
5088 2E 2+50S	201	12	1	66	0.1	4	--
5088 2E 2+75S	201	12	1	58	0.1	5	--
5088 2E 3+00S	201	12	4	100	0.1	6	--
5088 2W 0+25N	201	13	5	88	0.1	3	--
5088 2W 0+50N	201	10	1	117	0.1	5	--

Certified by *Hart Bichler*



MEMBER
 CANADIAN TESTING
 ASSOCIATION



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
 MINERALS STAFF
 #901 - 355 BURRARD ST.
 VANCOUVER, B.C.
 V6C 2G8

CERT. # : A8112549-005-A
 INVOICE # : I8112549
 DATE : 05-AUG-81
 P.O. # : 56809
 3503-BUGGSY CLAIM

CC: K.E. NORTHCOOTE & ASSOC.

Sample description	Prep code	Cu ppm	Pb ppm	Zn ppm	Ag ppm	AS ppm	
5088 2W 0+75N	201	14	1	58	0.1	6	--
5088 2W 1+00N	201	11	3	110	0.1	5	--
5038 2W 1+25N	201	11	2	150	0.1	6	--
5088 2W 1+50N	201	14	2	125	0.1	4	--
5088 2W 1+75N	201	10	1	35	0.1	5	--
5088 2W 2+00N	201	11	2	105	0.1	6	--
5088 2W 2+25N	201	11	2	73	0.1	6	--
5088 2W 2+50N	201	12	1	109	0.1	4	--
5088 2W 2+75N	201	16	1	80	0.1	5	--
5088 2W 3+00N	201	12	1	78	0.1	5	--
5088 2W 3+25N	201	11	3	44	0.1	5	--
5088 2W 3+50N	201	8	1	52	0.1	5	--
5088 2W 3+75N	201	9	1	30	0.1	4	--
5088 2W 4+00N	201	6	1	38	0.1	2	--
5088 2W 0+25S	201	10	1	105	0.1	3	--
5088 2W 0+50S	201	12	1	72	0.1	4	--
5088 2W 0+75S	201	9	3	80	0.1	2	--
5088 2W 1+00S	201	12	1	98	0.1	5	--
5088 2W 1+25S	201	11	2	70	0.1	3	--
5088 2W 1+50S	201	12	1	62	0.1	4	--
5088 2W 1+75S	201	7	1	105	0.1	5	--
5088 2W 2+00S	201	13	1	90	0.1	5	--
5088 2W 2+25S	201	11	1	115	0.1	6	--
5088 2W 2+50S	201	10	1	75	0.1	4	--
5088 2W 2+75S	201	10	1	50	0.1	4	--
5088 2W 3+00S	201	12	1	112	0.1	4	--
5088 2W 3+25S	201	11	1	45	0.1	4	--
5088 2W 3+50S	201	15	3	128	0.2	6	--
5088 2W 3+75S	201	11	3	108	0.1	5	--
5088 2W 4+00S	201	11	2	78	0.1	5	--
5088 2W 4+25S	201	18	1	126	0.2	6	--
5088 2W 4+50S	201	10	1	84	0.1	4	--
5088 2W 4+75S	201	11	1	84	0.1	3	--
5088 2W 5+00S	201	11	1	86	0.1	5	--
5088 2W 5+25S	201	10	1	138	0.1	4	--
5088 2W 5+45S	201	10	1	80	0.1	6	--
5088 2W 5+70S	201	10	10	125	0.1	5	--
5088 2W 6+00S	201	11	1	70	0.1	6	--
5088 3W 0+25N	201	11	1	35	0.1	3	--
5088 3W 0+50N	201	10	1	39	0.1	4	--

Certified by *Hart Bickler*





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
 MINERALS STAFF
 #901 - 355 BARRARD ST.
 VANCOUVER, B.C.
 V6C 2G8

CERT. # : A8112549-006-A
 INVOICE # : I8112549
 DATE : 06-AUG-81
 P.O. # : 56809
 B508-BUGGSY CLAIM

CC: K.E. NORTHCOTE & ASSOC.

Sample description	Prep code	Cu ppm	Pb ppm	Zn ppm	Ag ppm	AS ppm	
508B 3W 0+75N	201	12	1	122	0.1	5	--
508B 3W 1+00N	201	12	1	85	0.1	4	--
508B 3W 1+25N	201	12	6	148	0.1	5	--
508B 3W 1+50N	201	10	8	168	0.1	4	--
508B 3W 1+75N	201	8	5	140	0.1	6	--
508B 3W 2+00N	201	10	5	75	0.1	4	--
508B 3W 2+25N	201	8	3	130	0.1	4	--
508B 3W 2+50N	201	12	4	132	0.1	5	--
508B 3W 2+75N	201	9	4	70	0.1	4	--
508B 3W 3+00N	201	13	2	95	0.1	5	--
508B 3W 3+25N	201	11	4	78	0.1	4	--
508B 3W 3+50N	203	44	8	125	0.1	9	--
508B 3W 3+75N	201	27	5	85	0.1	3	--
508B 3W 4+00N	203	21	6	78	0.1	7	--
508B 3W 4+25N	203	33	8	138	0.1	6	--
508B 3W 4+50N	201	11	3	102	0.1	4	--
508B 3W 4+75N	201	9	3	88	0.1	3	--
508B 3W 5+00N	201	11	5	112	0.1	4	--
508B 3W 0+25S	201	12	6	158	0.1	4	--
508B 3W 0+50S	201	12	5	100	0.1	5	--
508B 3W 0+75S	201	10	5	110	0.1	5	--
508B 3W 1+00S	201	8	4	130	0.1	3	--
508B 3W 1+25S	201	12	3	65	0.1	6	--
508B 3W 1+50S	201	8	4	95	0.1	4	--
508B 3W 1+75S	201	10	4	95	0.1	4	--
508B 3W 2+00S	201	12	4	90	0.1	4	--
508B 3W 2+25S	201	10	5	105	0.1	5	--
508B 3W 2+50S	201	12	6	88	0.1	3	--
508B 3W 2+75S	201	14	5	105	0.1	5	--
508B 3W 3+00S	201	11	4	85	0.1	4	--
508B 3W 3+25S	201	11	4	92	0.1	4	--
508B 3W 3+50S	201	11	3	95	0.1	5	--
508B 3W 3+75S	201	13	5	130	0.1	4	--
508B 3W 4+00S	201	10	5	105	0.1	5	--
508B 3W 4+25S	201	9	4	110	0.1	3	--
508B 3W 4+50S	201	12	4	80	0.1	5	--
508B 3W 4+75S	201	12	3	102	0.1	4	--
508B 3W 5+00S	201	12	5	92	0.1	4	--
508B 3W 5+25S	201	10	5	104	0.1	4	--
508B 3W 5+50S	201	11	2	76	0.1	5	--

Certified by *Hart Bickler*





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
 MINERALS STAFF
 #901 - 355 BARRARD ST.
 VANCOUVER, B.C.
 V6C 2G8

CERT. # : A8112548-002-A
 INVOICE # : I8112548
 DATE : 11-AUG-81
 P.C. # : 56809
 S508-SLIPPERY CLM.

CC: K.E. NORTHCOTE & ASSOC.

Sample description	Prep code	Cu ppm	Pb ppm	Zn ppm	Ag ppm	AS ppm	
508S 0 2L 3+00E	201	22	3	65	0.1	4	--
508S 0+00 0+25W	201	17	0	160	0.1	3	--
508S 0+00 0+50W	201	14	0	112	0.1	4	--
508S 0+00 0+75W	201	15	3	145	0.1	5	--
508S 0+00 1+00W	201	24	4	140	0.1	3	--
508S 0+00 1+25W	201	21	5	235	0.1	4	--
508S 0+00 1+50W	201	19	0	168	0.1	5	--
508S 0+00 1+75W	201	11	3	150	0.1	4	--
508S 0+00 2+00W	201	15	1	135	0.1	5	--
508S 0+00 2+25W	201	15	2	98	0.1	7	--
508S 0+00 2+50W	201	17	3	220	0.1	5	--
508S 0+00 2+75W	201	15	4	220	0.1	6	--
508S 0+00 3+00W	201	11	3	125	0.1	5	--
508S IN 0+25E	201	13	3	95	0.1	3	--
508S IN 0+50E	201	11	1	68	0.1	5	--
508S IN 0+75E	201	15	2	85	0.1	5	--
508S IN 1+00E	201	14	2	80	0.1	4	--
508S IN 1+25E	201	13	1	58	0.1	6	--
508S IN 1+50E	201	13	1	78	0.1	4	--
508S IN 1+75E	201	10	2	76	0.1	4	--
508S IN 2+00E	201	11	3	70	0.1	5	--
508S IN 2+25E	201	15	1	76	0.1	4	--
508S IN 2+50E	201	9	2	85	0.1	3	--
508S IN 2+75E	201	9	4	98	0.1	4	--
508S IN 3+00E	201	11	2	85	0.1	5	--
508S IN 3+25E	201	11	3	98	0.1	4	--
508S IN 3+50E	201	11	2	102	0.1	5	--
508S IN 3+75E	201	12	3	68	0.1	5	--
508S IN 4+00E	201	11	4	95	0.1	4	--
508S IN 4+25E	201	10	3	70	0.1	5	--
508S IN 4+50E	201	10	2	90	0.1	6	--
508S IN 0+25W	201	10	4	160	0.1	5	--
508S IN 0+50W	201	12	1	145	0.1	6	--
508S IN 0+75W	201	11	3	120	0.1	4	--
508S IN 1+00W	201	11	2	118	0.1	5	--
508S IN 1+25W	201	11	2	122	0.1	5	--
508S IN 1+50W	201	10	4	78	0.1	5	--
508S IN 1+75W	201	12	3	113	0.1	6	--
508S IN 2+00W	201	13	1	102	0.1	4	--
508S IN 2+25W	201	10	2	140	0.1	5	--



Certified by *Hart Bisher*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
 MINERALS STAFF
 #901 - 355 BURRARD ST.
 VANCOUVER, B.C.
 V6C 2G8

CERT. # : A8112548-001-A
 INVOICE # : IB112548
 DATE : 11-AUG-81
 P.O. # : 56809
 S508-SLIPPERY CLM.

CC: K.E. NORTHCOE & ASSOC.

Sample description	Prep code	Cu ppm	Pb ppm	Zn ppm	Ag ppm	AS ppm	
508S BL 0+00	201	11	3	60	0.1	5	--
508S BL 0+00 S.G	201	16	5	115	0.1	4	--
508S BL 0+25N	201	12	4	105	0.1	5	--
508S BL 0+25NS.G	201	13	4	103	0.1	6	--
508S BL 0+50N	201	10	3	60	0.1	5	--
508S BL 0+50NS.G	201	9	3	55	0.1	5	--
508S BL 0+75N	201	10	4	35	0.1	4	--
508S BL 0+75NS.G	201	10	3	80	0.1	4	--
508S BL 1+00N	201	10	5	75	0.1	5	--
508S BL 1+25N	201	9	5	100	0.1	4	--
508S BL 1+50N	201	11	5	118	0.1	5	--
508S BL 1+75N	201	13	4	155	0.1	4	--
508S BL 2+00N	201	14	5	178	0.1	5	--
508S BL 2+25N	201	56	3	96	0.3	6	--
508S BL 2+50N	201	12	4	65	0.1	5	--
508S BL 2+75N	201	13	3	112	0.1	5	--
508S BL 3+00N	201	38	4	86	0.1	6	--
508S BL 0+25S	201	13	8	150	0.1	4	--
508S BL 0+25 D.A	201	12	6	140	0.2	4	--
508S BL 0+50S	201	11	3	90	0.1	6	--
508S BL 0+50 D.A	201	12	7	148	0.1	5	--
508S BL 0+75S	201	11	5	105	0.1	6	--
508S BL 0+75 D.A	201	12	6	150	0.1	4	--
508S BL 1+00S	201	13	3	80	0.1	4	--
508S BL 1+00 D.A	201	14	4	62	0.1	4	--
508S BL 1+25S	201	13	2	78	0.1	5	--
508S BL 1+50S	201	13	5	112	0.1	4	--
508S BL 1+75S	201	12	2	90	0.1	3	--
508S BL 2+00S	201	12	5	80	0.1	3	--
508S OBL 0+25E	201	13	4	92	0.1	7	--
508S OBL 0+50E	201	12	2	75	0.1	4	--
508S OBL 0+75E	201	13	4	192	0.1	5	--
508S OBL 1+00E	201	11	5	105	0.1	4	--
508S OBL 1+25E	201	11	5	140	0.1	2	--
508S OBL 1+50E	201	9	3	110	0.1	5	--
508S OBL 1+75E	201	18	4	65	0.1	4	--
508S OBL 2+00E	201	27	7	78	0.1	6	--
508S OBL 2+25E	201	61	5	110	0.1	9	--
508S OBL 2+50E	201	50	4	110	0.1	6	--
508S OBL 2+75E	201	63	5	140	0.1	7	--

Handwritten signature

Certified by





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
 MINERALS STAFF
 #901 - 355 BURRARD ST.
 VANCOUVER, B.C.
 V6C 2G8

CERT. # : A8112548-003-A
 INVOICE # : I8112548
 DATE : 11-AUG-81
 P.O. # : 56809
 S503-SLIPPERY CLM.

CC: K.F. NORTHCOTE & ASSOC.

Sample description	Prep code	Cu ppm	Pb ppm	Zn ppm	Ag ppm	AS ppm	
508S IN 2+50W	201	18	2	110	0.1	6	--
508S IN 2+75W	201	12	1	130	0.2	5	--
508S IN 3+00W	201	11	2	108	0.1	5	--
508S IS 0+25E	201	23	2	114	0.1	5	--
508S IS 0+50E	201	22	1	97	0.1	6	--
508S IS 0+75E	201	12	1	95	0.1	6	--
508S IS 1+00E	201	11	2	75	0.1	6	--
508S IS 1+25E	201	17	2	195	0.1	3	--
508S IS 1+50E	201	12	2	102	0.1	6	--
508S IS 1+75E	201	25	4	135	0.1	6	--
508S IS 2+00E	201	14	2	130	0.1	5	--
508S IS 2+25E	201	26	2	88	0.1	6	--
508S IS 2+50E	201	18	2	93	0.1	6	--
508S IS 2+75E	201	15	2	130	0.1	5	--
508S IS 3+00E	201	12	3	94	0.1	5	--
508S IS 0+25W	201	10	1	78	0.1	5	--
508S IS 0+50W	201	9	1	110	0.1	5	--
508S IS 0+75W	201	10	3	55	0.1	5	--
508S IS 1+00W	201	16	6	215	0.1	6	--
508S IS 1+25W	201	13	6	165	0.1	5	--
508S IS 1+50W	201	12	4	105	0.1	5	--
508S IS 1+75W	201	13	4	73	0.1	4	--
508S IS 2+00W	201	12	6	150	0.1	7	--
508S IS 2+25W	201	10	5	118	0.1	5	--
508S IS 2+50W	201	11	3	115	0.1	5	--
508S IS 2+75W	201	11	4	48	0.1	5	--
508S IS 3+00W	201	12	5	155	0.1	6	--
508S 2N 0+25E	201	19	4	120	0.1	5	--
508S 2N 0+50E	201	25	5	70	0.1	7	--
508S 2N 0+75E	201	36	6	98	0.3	6	--
508S 2N 1+00E	201	32	5	198	0.3	5	--
508S 2N 1+25E	201	28	3	160	0.2	5	--
508S 2N 1+50E	203	45	1	55	0.3	5	--
508S 2N 1+75E	203	40	1	80	0.1	6	--
508S 2N 2+00E	203	33	1	76	0.1	4	--
508S 2N 2+25E	201	18	4	75	0.1	5	--
508S 2N 2+50E	201	16	4	65	0.1	7	--
508S 2N 2+75E	201	19	4	38	0.1	5	--
508S 2N 3+00E	201	17	2	80	0.1	5	--
508S 2N 3+25E	201	24	4	88	0.1	6	--

Certified by *Hart Richler*





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
 MINERALS STAFF
 #901 - 355 BURRARD ST.
 VANCOUVER, B.C.
 V6C 2G8

CERT. # : A8112548-005-A
 INVOICE # : I8112548
 DATE : 11-AUG-81
 P.O. # : 56809
 S508-SLIPPERY CLM.

CC: K.F. NORTHCOLE & ASSOC.

Sample description	Prep code	Cu ppm	Pb ppm	Zn ppm	Ag ppm	AS ppm	
508S 2S 3+00W	201	13	5	94	0.1	6	--
508S 3N 0+25E	201	16	3	118	0.1	5	--
508S 3N 0+50E	201	17	4	120	0.1	5	--
508S 3N 0+75E	201	18	3	76	0.1	5	--
508S 3N 1+00E	201	16	3	88	0.1	5	--
508S 3N 1+25E	201	13	5	95	0.1	4	--
508S 3N 1+50E	201	12	2	120	0.1	4	--
508S 3N 1+75E	201	18	2	65	0.1	5	--
508S 3N 2+00E	201	19	5	218	0.1	5	--
508S 3N 2+25E	201	13	4	138	0.1	6	--
508S 3N 2+50E	201	65	6	160	0.1	7	--
508S 3N 2+75E	201	24	3	90	0.1	6	--
508S 3N 3+00E	201	20	5	168	0.1	5	--
508S 3N 3+25E	201	13	1	90	0.1	5	--
508S 3N 3+50E	201	17	2	93	0.1	5	--
508S 3N 3+75E	201	12	4	78	0.1	6	--
508S 3N 4+00E	201	12	3	130	0.1	5	--
508S 3N 4+25E	201	17	5	260	0.1	4	--
508S 3N 4+50E	201	39	5	145	0.1	4	--
508S 3N 4+75E	201	87	5	148	0.6	4	--
508S 3N 0+25W	201	25	1	38	0.2	4	--
508S 3N 0+50W	201	29	4	130	0.1	5	--
508S 3N 0+75W	201	13	4	88	0.1	6	--
508S 3N 1+00W	201	13	3	112	0.1	6	--
508S 3N 1+25W	201	19	5	135	0.1	12	--
508S 3N 1+50W	201	16	6	82	0.1	10	--
508S 3N 1+75W	201	60	4	60	0.3	13	--
508S 3N 2+00W	201	66	6	112	0.6	19	--
508S 3N 2+25W	201	16	5	75	0.1	6	--
508S 3N 2+50W	201	12	4	115	0.1	4	--
508S 3N 2+75W	201	10	3	80	0.1	6	--
508S 3N 3+00W	201	8	5	100	0.1	5	--
508S 3N DA81-1	201	53	2	100	0.1	7	--
LC 3+00E KEN	201	55	5	65	0.1	5	--



Certified by *Hart Bickler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
 MINERALS STAFF
 #901 - 355 BURRARD ST.
 VANCOUVER, B.C.
 V6C 2G8


CERT. # : A8112548-004-A
 INVOICE # : I8112548
 DATE : 11-AUG-81
 P.O. # : 56809
 S508-SLIPPERY CLM.

CC: K.E. NORTHCOOTE & ASSOC.

Sample description	Prep code	Cu ppm	Pb ppm	Zn ppm	Ag ppm	AS ppm	
508S 2N 3+50E	203	83	7	132	0.4	7	--
508S 2N 4+00E	201	25	7	95	0.1	6	--
508S 2N 4+25E	201	49	2	135	0.1	6	--
508S 2N 4+50E	201	22	5	105	0.1	6	--
508S 2N 4+75E	201	21	5	102	0.1	7	--
508S 2N 0+25W	201	13	4	140	0.1	4	--
508S 2N 0+50W	201	16	5	148	0.1	5	--
508S 2N 0+75W	201	13	5	180	0.1	5	--
508S 2N 1+00W	201	16	3	140	0.1	4	--
508S 2N 1+25W	201	11	3	86	0.1	4	--
508S 2N 1+50W	201	10	2	78	0.1	4	--
508S 2N 1+75W	201	13	4	125	0.1	6	--
508S 2N 2+00W	201	14	3	50	0.1	6	--
508S 2N 2+25W	201	10	5	125	0.1	5	--
508S 2N 2+50W	201	12	5	135	0.1	4	--
508S 2N 2+75W	201	11	5	136	0.1	4	--
508S 2N 3+00W	201	10	7	140	0.1	4	--
508S 2S 0+25E	201	19	3	118	0.1	5	--
508S 2S 0+50E	201	11	3	68	0.1	4	--
508S 2S 0+75E	201	12	5	102	0.1	4	--
508S 2S 1+00E	201	12	4	90	0.1	5	--
508S 2S 1+25E	201	12	4	65	0.1	4	--
508S 2S 1+50E	201	23	3	68	0.1	3	--
508S 2S 1+75E	201	13	4	88	0.1	4	--
508S 2S 2+00E	201	12	4	80	0.1	5	--
508S 2S 2+25E	201	17	5	245	0.1	4	--
508S 2S 2+50E	201	14	3	140	0.1	3	--
508S 2S 2+75E	201	13	4	135	0.1	5	--
508S 2S 3+00E	201	17	2	98	0.1	4	--
508S 2S 0+25W	201	19	4	73	0.1	5	--
508S 2S 0+50W	201	9	3	42	0.1	4	--
508S 2S 0+75W	201	13	5	90	0.1	4	--
508S 2S 1+00W	201	9	4	50	0.1	4	--
508S 2S 1+25W	201	12	5	118	0.1	5	--
508S 2S 1+50W	201	11	3	140	0.1	5	--
508S 2S 1+75W	201	11	5	135	0.1	5	--
508S 2S 2+00W	201	12	5	115	0.1	5	--
508S 2S 2+25W	201	15	5	136	0.1	7	--
508S 2S 2+50W	201	11	3	100	0.1	7	--
508S 2S 2+75W	201	11	5	85	0.1	6	--

Certified by *Hart Kichler*





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604)984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
MINERALS STAFF
#901 - 355 BARRARD ST.
VANCOUVER, B.C.
V6C 2G8

CERT. # : A8113391-001-A
INVOICE # : I8113391
DATE : 29-AUG-81
P.O. # : S6809
M508

CC K.E. NORTHCOE

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	
LO 00+25 E <i>Pythian</i>	201	14	3	7	315	0.1	--
LO 00+50 E	201	29	2	6	92	0.1	--
LO 00+75 E	201	14	1	4	150	0.1	--
LO 01+00 E	201	10	2	8	138	0.1	--
LO 01+25 E	201	15	5	44	350	0.1	--
LO 01+50 E	201	10	2	13	264	0.1	--
LO 01+75 E	201	10	2	5	225	0.2	--
LO 02+00 E	201	29	7	4	280	0.1	--
LO 02+25 E	201	21	6	6	335	0.1	--
LO 02+50 E	201	21	10	7	229	0.3	--
LO 02+75 E	201	18	2	10	182	0.1	--
LO 03+00 E	201	24	5	6	150	0.1	--
LO 03+25 E	201	26	6	6	180	0.1	--
LO 03+50 E	201	13	2	5	95	0.1	--
LO 03+75 E	201	14	1	6	70	0.1	--
LO 04+00 E	201	11	2	8	80	0.1	--
LO 04+25 E	201	20	1	6	55	0.1	--
LO 04+50 E	201	14	2	5	78	0.1	--
LO 04+75 E	201	41	5	9	245	0.6	--
LO 05+00 E	201	47	1	6	150	0.8	--
LO 05+25 E	201	18	1	6	58	0.2	--
LO 05+50 E	201	14	1	7	88	0.2	--
LO 05+75 E	201	14	3	5	158	0.1	--
LO 06+00 E	201	18	8	6	315	0.1	--
LO 06+25 E	201	13	2	2	188	0.1	--
LO 06+50 E	201	11	2	3	115	0.1	--
LO 06+75 E	201	29	7	4	158	0.1	--
LO 07+00 E	201	30	18	5	285	0.1	--
LO 07+25 E	201	34	5	5	382	0.1	--
LO 07+50 E	201	42	7	5	310	0.1	--
LO 07+75 E	201	22	3	4	338	0.4	--
LO 08+00 E	201	26	2	3	125	0.1	--
LO 08+25 E	201	28	5	3	200	0.3	--
LO 08+50 E	201	17	2	2	110	0.1	--
LO 08+75 E	201	17	5	5	210	0.1	--
LO 09+00 E	201	16	3	2	155	0.1	--
LO 09+25 E	201	11	1	6	105	0.1	--
LO 09+50 E	201	10	2	3	104	0.1	--
LO 09+75 E	201	15	1	4	120	0.1	--
LO 10+00 E	201	31	3	6	145	0.1	--

Certified by *Hart Biddle*





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS


CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
 MINERALS STAFF
 #901 - 355 BURRARD ST.
 VANCOUVER, B.C.
 V6C 2G8

CERT. # : A8113391-002-A
 INVOICE # : I8113391
 DATE : 29-AUG-81
 P.O. # : S6809
 M508

CC K.E. NORTHCOLE

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	
LO 00+25 W <i>Pythor</i>	201	28	6	5	830	0.1	--
LO 00+50 W <i>Pythor</i>	201	23	4	6	670	0.1	--
LO 00+75 W	201	19	3	6	380	0.3	--
LO 01+00 W	201	25	2	6	275	0.1	--
LO 01+25 W	201	23	1	5	298	0.8	--
LO 01+50 W	201	24	2	5	168	0.1	--
LO 01+75 W	201	26	1	8	265	0.1	--
LO 02+00 W	201	25	1	5	185	0.1	--
LO 02+25 W	201	16	2	4	210	0.1	--
LO 02+50 W	201	12	2	6	190	0.1	--
LO 02+75 W	201	18	3	7	295	0.2	--
LO 03+00 W	201	18	3	5	410	0.1	--
LO 03+25 W	201	32	2	6	300	0.1	--
LO 03+50 W	201	14	1	2	258	0.1	--
LO 03+75 W	201	24	5	4	395	0.5	--
LO 04+00 W	201	17	2	4	190	0.1	--
LO 04+25 W	201	17	3	4	154	0.1	--
LO 04+50 W	201	22	2	5	210	0.1	--
LO 04+75 W	201	14	1	5	205	0.1	--
LO 05+00 W	201	16	1	2	138	0.1	--
LO 05+25 W	201	13	1	6	100	0.1	--
LO 05+50 W	201	13	1	4	194	0.1	--
LO 05+75 W	201	15	1	5	120	0.1	--
LO 06+00 W	201	15	1	5	105	0.1	--
LO 06+25 W	201	13	1	5	120	0.1	--
LO 06+50 W	201	19	1	3	100	0.6	--
LO 06+75 W	201	19	1	4	100	0.2	--
LO 07+00 W	201	17	1	2	120	0.2	--
LO 07+25 W	201	13	1	5	105	0.1	--
LO 07+50 W	201	12	1	3	135	0.1	--
LO 07+75 W	201	14	1	5	172	0.2	--
LO 08+00 W	201	13	1	4	141	0.2	--
LO 08+25 W	201	13	1	4	110	0.1	--
LO 08+50 W	201	23	1	5	155	0.1	--
LO 08+75 W	201	14	1	3	145	0.2	--
LO 09+00 W	201	13	1	4	130	0.1	--
LO 09+25 W	201	14	1	3	68	0.1	--
LO 09+50 W	201	13	1	4	113	0.1	--
LO 09+75 W	201	15	1	4	85	0.1	--
LO 10+00 W	201	11	1	4	72	0.1	--



Certified by *Hart Biddle*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
 MINERALS STAFF
 #901 - 355 BURRARD ST.
 VANCOUVER, B.C.
 V6C 2G8

CERT. # : A8113391-003-A
 INVOICE # : 18113391
 DATE : 29-AUG-81
 P.O. # : S6809
 M508

CC K.E. NORTHCOTE

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	
L0 10+25 W <i>Atkan</i>	201	33	2	5	215	0.6	--
L0 10+50 W <i>Atkan</i>	201	12	1	2	125	0.2	--
L2S 05+00 W	201	14	1	4	82	0.1	--
L2S 05+25 W	201	16	1	6	60	0.2	--
L2S 05+50 W	201	11	1	4	81	0.1	--
L2S 05+75 W	201	13	1	7	90	0.1	--
L2S 06+00 W	201	17	1	4	80	0.3	--
L2S 06+25 W	201	19	3	6	102	0.4	--
L2S 06+50 W	201	12	1	5	59	0.2	--
L2S 06+75 W	201	11	2	6	65	0.2	--
L2S 07+00 W	201	14	2	6	80	0.1	--
L2S 07+25 W	201	22	1	7	106	0.3	--
L2S 07+50 W	201	21	1	5	158	0.1	--
L2S 07+75 W	201	24	1	2	108	0.1	--
L2S 08+00 W	201	23	1	4	128	0.1	--
L2S 08+25 W	201	14	1	4	128	0.1	--
L2S 08+50 W	201	14	1	4	115	0.7	--
L2S 08+75 W	201	20	1	6	132	0.6	--
L2S 09+00 W	201	17	1	6	163	0.2	--
L2S 09+25 W	201	19	1	2	150	0.3	--
L2S 09+50 W	201	21	1	5	190	0.2	--
L2S 09+75 W	201	18	1	8	130	0.1	--
L2S 10+00 W	201	22	1	5	135	0.2	--
L2S 10+25 W	201	22	1	5	120	0.3	--
L2S 10+50 W	201	28	1	5	205	0.5	--
L2S 00+25 E	201	50	15	19	322	0.2	--
L2S 00+50 E	201	19	1	5	98	0.3	--
L2S 00+75 E	201	18	1	3	90	0.1	--
L2S 01+00 E	201	23	1	5	127	0.1	--
L2S 01+25 E	201	20	1	2	66	0.1	--
L2S 01+50 E	201	23	1	5	88	0.1	--
L2S 01+75 E	201	17	1	2	78	0.1	--
L2S 02+00 E	201	21	1	2	115	0.1	--
L2S 02+25 E	201	47	1	6	90	0.1	--
L2S 02+50 E	201	38	1	4	112	0.1	--
L2S 02+75 E	201	32	1	4	83	0.1	--
L2S 03+00 E	201	16	1	10	102	0.1	--
L2S 03+25 E	201	12	1	3	59	0.1	--
L2S 03+50 E	201	10	1	1	66	0.1	--
L2S 03+75 E	201	17	1	5	120	0.2	--

Hart Biddle

Certified by





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604)984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS


CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
MINERALS STAFF
#901 - 355 BURRARD ST.
VANCOUVER, B.C.
V6C 2G8

CERT. # : A8113391-004-A
INVOICE # : I8113391
DATE : 29-AUG-81
P.O. # : S6809
M508

CC K.E. NORTHCOE

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	
L2S 04+00 E <i>Petto</i>	201	23	1	6	100	0.3	--
L2S 04+25 E	201	66	1	3	125	0.2	--
L2S 04+50 E	201	22	4	2	122	0.4	--
L2S 04+75 E	201	29	2	6	112	0.4	--
L2S 05+00 E	201	38	2	5	140	0.7	--
L2S 05+25 E	201	56	1	6	245	0.6	--
L2S 05+50 E	201	24	2	3	160	0.2	--
L2S 05+75 E	201	20	1	6	100	0.4	--
L2S 06+00 E	201	20	1	2	128	0.1	--
L2S 06+25 E	201	26	1	3	110	0.1	--
L2S 06+50 E	201	24	1	5	265	0.8	--
L2S 06+75 E	201	27	1	2	118	0.3	--
L2S 07+00 E	201	24	3	3	175	0.2	--
L2S 07+25 E	201	37	2	5	398	0.2	--
L2S 07+50 E	201	22	1	2	240	0.1	--
L2S 07+75 E	201	14	1	4	210	0.1	--
L2S 08+00 E	201	29	1	4	153	0.1	--
L2S 08+25 E	201	89	5	2	162	0.1	--
L2S 08+50 E	201	67	6	8	150	0.1	--
L2S 08+75 E	201	35	2	2	142	0.1	--
L2S 09+00 E	201	20	1	4	101	0.1	--
L2S 09+25 E	201	27	1	1	73	0.1	--
L2S 09+50 E	201	24	1	5	160	0.1	--
L2S 09+75 E	201	26	1	8	138	0.1	--
L2S 10+00 E	201	21	1	4	140	0.4	--
L2S 00+25 W	201	17	1	4	185	0.2	--
L2S 00+50 W	201	11	1	5	158	0.1	--
L2S 00+75 W	201	23	1	3	95	0.2	--
L2S 01+00 W	201	16	1	5	200	0.1	--
L2S 01+25 W	201	8	1	4	105	0.1	--
L2S 01+50 W	201	12	1	1	102	0.1	--
L2S 01+75 W	201	12	1	4	105	0.1	--
L2S 02+00 W	201	23	1	3	300	0.1	--
L2S 02+25 W	201	12	1	2	190	0.2	--
L2S 02+50 W	201	15	1	4	285	0.2	--
L2S 02+75 W	201	9	1	2	240	0.1	--
L2S 03+00 W	201	24	1	1	102	0.1	--
L2S 03+25 W	201	13	1	4	135	0.2	--
L2S 03+50 W	201	9	1	4	132	0.1	--
L2S 03+75 W	201	19	1	5	123	0.2	--



Certified by *Hart Biddle*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
 MINERALS STAFF
 #901 - 355 BURRARD ST.
 VANCOUVER, B.C.
 V6C 2G8

CERT. # : A8113391-005-A
 INVOICE # : I8113391
 DATE : 29-AUG-81
 P.O. # : S6809
 M508

CC K.E. NORTHCOTE

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	
L2S 04+00 W <i>Peth</i>	201	23	1	3	262	0.4	--
L2S 04+25 W	201	15	5	4	198	0.1	--
L2S 04+50 W	201	22	1	3	230	0.3	--
L2S 04+75 W	201	34	1	2	104	0.2	--
L1S 00+25 E	201	27	5	7	800	0.5	--
L1S 00+50 E	201	29	10	6	720	0.3	--
L1S 00+75 E	201	16	3	5	306	0.1	--
L1S 01+00 E	201	21	5	6	260	0.3	--
L1S 01+25 E	201	57	17	7	326	0.1	--
L1S 01+50 E	201	26	4	2	134	0.1	--
L1S 01+75 E	201	23	8	6	222	0.3	--
L1S 02+00 E	201	14	1	4	77	0.1	--
L1S 02+25 E	201	28	2	4	184	0.1	--
L1S 02+50 E	201	19	3	6	104	0.1	--
L1S 02+75 E	201	19	2	9	202	0.1	--
L1S 03+00 E	201	17	2	6	151	0.1	--
L1S 03+25 E	201	9	1	1	60	0.1	--
L1S 03+50 E	201	43	1	2	72	0.8	--
L1S 03+75 E	201	37	2	5	128	0.1	--
L1S 04+00 E	201	24	1	5	140	0.1	--
L1S 04+25 E	201	19	1	2	90	0.1	--
L1S 04+50 E	201	12	1	3	64	0.1	--
L1S 04+75 E	201	11	1	2	76	0.1	--
L1S 05+00 E	201	10	1	2	66	0.1	--
L1S 05+25 E	201	25	1	5	175	0.1	--
L1S 05+50 E	201	74	28	7	330	0.1	--
L1S 05+75 E	201	48	13	6	280	0.2	--
L1S 06+00 E	201	27	9	7	275	0.2	--
L1S 06+25 E	201	20	2	3	132	0.4	--
L1S 06+50 E	201	29	1	6	350	0.2	--
L1S 06+75 E	201	35	1	4	213	0.3	--
L1S 07+00 E	201	27	1	4	214	0.2	--
L1S 07+25 E	201	35	1	5	265	0.3	--
L1S 07+50 E	201	67	23	9	312	0.1	--
L1S 07+75 E	201	27	2	3	223	0.4	--
L1S 08+00 E	201	55	13	5	335	0.2	--
L1S 08+25 E	201	13	3	10	128	0.1	--
L1S 08+50 E	201	22	1	1	315	0.1	--
L1S 08+75 E	201	27	1	6	130	0.1	--
L1S 09+00 E	201	16	1	5	90	0.1	--

Certified by *Hart Biddle*





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS


TO : CHEVRON STANDARD LIMITED
 MINERALS STAFF
 #901 - 355 BURNARD ST.
 VANCOUVER, B.C.
 V6C 2G8

CERT. # : A8113391-006-A
 INVOICE # : I8113391
 DATE : 29-AUG-81
 P.O. # : S6809
 M508

CC K.E. NORTHCOTE

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	
L1S 09+25 E <i>Pjcto</i>	201	28	1	5	116	0.1	--
L1S 09+50 E	201	42	1	6	140	0.1	--
L1S 09+75 E	201	35	2	8	120	0.1	--
L1S 10+00 E	201	18	1	6	103	0.1	--
L1S 00+25 W	201	77	16	16	470	0.8	--
L1S 00+50 W	201	26	8	7	470	0.1	--
L1S 00+75 W	201	30	10	6	495	0.2	--
L1S 01+00 W	201	52	23	11	750	0.5	--
L1S 01+25 W	201	16	6	10	600	0.3	--
L1S 01+50 W	201	19	5	7	545	0.6	--
L1S 01+75 W	201	15	2	5	142	0.1	--
L1S 02+00 W	201	38	5	8	360	0.8	--
L1S 02+25 W	201	24	1	10	280	0.6	--
L1S 02+50 W	201	24	1	6	265	0.5	--
L1S 02+75 W	201	25	1	7	250	0.5	--
L1S 03+00 W	201	33	1	9	220	0.8	--
L1S 03+25 W	201	11	1	7	176	0.4	--
L1S 03+50 W	201	28	1	11	280	0.3	--
L1S 03+75 W	201	37	1	6	165	0.2	--
L1S 04+00 W	201	19	1	8	395	0.7	--
L1S 04+25 W	201	15	1	8	174	0.2	--
L1S 04+50 W	201	11	1	8	138	0.1	--
L1S 04+75 W	201	25	1	7	196	0.2	--
L1S 05+00 W	201	19	1	10	400	0.3	--
L1S 05+25 W	201	16	1	6	86	0.1	--
L1S 05+50 W	201	10	1	6	128	0.1	--
L1S 05+75 W	201	23	1	7	214	0.1	--
L1S 06+00 W	201	11	1	5	148	0.1	--
L1S 06+25 W	201	16	1	5	98	0.2	--
L1S 06+50 W	201	15	1	7	80	0.1	--
L1S 06+75 W	201	16	1	4	88	0.5	--
L1S 07+00 W	201	11	1	6	120	0.5	--
L1S 07+25 W	201	11	1	5	107	0.3	--
L1S 07+50 W	201	15	1	7	95	0.1	--
L1S 07+75 W	201	17	1	4	140	0.3	--
L1S 08+00 W	201	22	1	5	125	0.1	--
L1S 08+25 W	201	25	1	5	185	0.2	--
L1S 08+50 W	201	20	1	6	170	0.4	--
L1S 08+75 W	201	15	1	5	168	0.4	--
L1S 09+00 W	201	24	1	7	135	0.5	--

Certified by *Hart Biddle*





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604)984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
MINERALS STAFF
#901 - 355 BARRARD ST.
VANCOUVER, B.C.
V6C 2G8

CERT. # : A8113391-007-A
INVOICE # : I8113391
DATE : 29-AUG-81
P.O. # : S6809
M508

CC K.E. NORTHCOTE

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	
L1S 09+25 W <i>Path</i>	201	43	1	5	153	0.4	--
L1S 10+00 W	201	19	1	8	95	0.6	--
PLIN 00+25 W	201	17	1	6	115	0.8	--
PLIN 00+50 W	201	15	1	6	78	0.2	--
PLIN 00+75 W	201	23	1	6	156	0.5	--
PLIN 01+00 W	201	14	1	6	205	0.3	--
PLIN 01+25 W	201	27	1	5	255	0.2	--
PLIN 01+50 W	201	23	1	6	300	0.4	--



Certified by *Hart Bielle*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
 MINERALS STAFF
 #901 - 355 BURRARD ST.
 VANCOUVER, B.C.
 V6C 2G8

CERT. # : A8113392-001-A
 INVOICE # : I8113392
 DATE : 30-AUG-81
 P.O. # : 56809
 M508

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	
<i>PL 1 N 1+75 W</i>	201	16	1	9	180	0.2	--
PL 1 N 2+00 W	201	27	1	5	278	0.3	--
PL 1 N 2+25 W	201	26	1	6	213	0.4	--
PL 1 N 2+50 W	201	22	1	10	400	0.1	--
PL 1 N 2+75 W	201	16	1	8	250	0.2	--
PL 1 N 3+00 W	201	16	1	6	185	0.1	--
PL 1 N 3+25 W	201	14	1	6	168	0.2	--
PL 1 N 3+50 W	201	10	1	10	120	0.1	--
PL 1 N 3+75 W	201	22	1	6	103	0.1	--
PL 1 N 4+00 W	201	15	1	5	134	0.1	--
PL 1 N 4+25 W	201	13	1	5	112	0.1	--
PL 1 N 4+50 W	201	19	1	5	100	0.2	--
PL 1 N 4+75 W	201	11	1	6	88	0.1	--
PL 1 N 5+00 W	201	11	1	7	73	0.1	--
PL 1 N 5+25 W	201	11	1	5	88	0.1	--
PL 1 N 5+50 W	201	27	1	14	260	0.2	--
PL 1 N 5+75 W	201	20	1	10	110	0.1	--
PL 1 N 6+00 W	201	17	1	7	106	0.1	--
PL 1 N 6+25 W	201	18	1	5	160	0.1	--
PL 1 N 6+50 W	201	13	1	7	100	0.1	--
PL 1 N 6+75 W	201	14	1	3	73	0.1	--
PL 1 N 7+00 W	203	16	1	7	66	2.7	--
PL 1 N 7+25 W	201	15	1	5	80	0.2	--
PL 1 N 7+50 W	201	20	1	2	90	0.1	--
PL 1 N 7+75 W	201	11	1	6	65	0.1	--
PL 1 N 8+00 W	201	14	1	6	70	0.1	--
PL 1 N 8+25 W	201	15	1	6	82	0.1	--
PL 1 N 8+50 W	201	19	1	6	90	0.3	--
PL 1 N 8+75 W	201	13	1	5	83	0.1	--
PL 1 N 9+00 W	201	24	1	6	145	0.1	--
PL 1 N 9+25 W	201	26	1	8	112	0.7	--
PL 1 N 9+50 W	201	18	1	8	86	0.1	--
PL 1 N 9+75 W	201	19	1	25	86	0.1	--
PL 1 N 10+00 W	201	23	1	6	85	0.1	--
PL 1 N 10+25 W	201	19	1	6	93	0.1	--
PL 1 N 10+50 W	201	18	1	8	96	0.1	--
<i>NAUT A-14-S</i>	201	17	--	5	56	0.1	--
NAUT A-16-S	201	22	--	8	62	0.1	--
NAUT A-18-S	201	14	--	8	164	0.1	--
NAUT A-20-S	201	18	--	8	220	0.1	--

Certified by *Hart Biddle*





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604)984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
MINERALS STAFF
#901 - 355 BURRARD ST.
VANCOUVER, B.C.
V6C 2G8

CERT. # : A8113392-002-A
INVOICE # : I8113392
DATE : 30-AUG-81
P.O. # : 56809
M508

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	
NAUT A-22-S	201	14	--	9	300	0.1	--
NAUT A-24-S	201	19	--	5	133	0.1	--
NAUT A-26-S	201	12	--	4	195	0.1	--
NAUT A-28-S	201	14	--	5	120	0.1	--
NAUT A-32-S	201	36	--	7	124	0.2	--
NAUT A-34-S	201	40	--	8	148	0.4	--
NAUT A-36-S	201	25	--	12	110	0.2	--
NAUT A-38-S	201	23	--	6	110	0.3	--
M508 A-0 NAUT	201	15	--	6	130	0.1	--
NAUT A-40-S	201	23	--	9	93	0.1	--
NAUT A-02-N	201	11	--	6	210	0.1	--
NAUT A-04-N	201	11	--	8	65	0.1	--
NAUT A-06-N	201	22	--	6	102	0.2	--
NAUT A-08-N	201	12	--	6	108	0.1	--
NAUT A-10-N	201	17	--	10	110	0.1	--
NAUT A-12-N	201	38	--	7	81	0.6	--
NAUT A-02-S	201	6	--	6	50	0.1	--
NAUT A-04-S	201	23	--	6	88	0.1	--
NAUT A-06-S	201	27	--	7	76	0.1	--
NAUT A-08-S	201	21	--	5	88	0.1	--
NAUT A-10-S	201	13	--	9	96	0.1	--
NAUT A-12-S	201	15	--	3	78	0.1	--
NAUT B-01-N	201	20	--	4	102	0.2	--
NAUT B-03-N	201	18	--	6	140	0.4	--
NAUT B-05-N	201	15	--	5	145	0.3	--
NAUT B-07-N	201	21	--	8	108	0.1	--
NAUT B-09-N	201	15	--	6	82	0.3	--
NAUT B-11-N	201	13	--	5	170	0.2	--
NAUT B-01-S	201	22	--	6	105	0.2	--
NAUT B-03-S	201	10	--	6	100	0.4	--
NAUT B-05-S	201	22	--	7	100	0.2	--
NAUT B-07-S	201	13	--	8	140	0.1	--
NAUT B-09-S	201	21	--	6	200	0.1	--
NAUT B-11-S	201	20	--	8	128	0.1	--
NAUT B-13-S	201	22	--	5	82	0.4	--
NAUT B-15-S	201	14	--	12	75	0.2	--
NAUT B-17-S	201	22	--	8	74	0.1	--
NAUT B-19-S	201	26	--	2	130	0.3	--
NAUT B-21-S	201	14	--	4	255	0.5	--
NAUT B-23-S	201	17	--	4	120	0.1	--



MEMBER
CANADIAN TESTING
ASSOCIATION

Certified by *Hart Bickle*



CHEMEX LABS LTD.

212 BROOKSBANK AVE
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
 MINERALS STAFF
 #901 - 355 BURRARD ST.
 VANCOUVER, B.C.
 V6C 2G8

CERT. # : A8113392-003-A
 INVOICE # : I8113392
 DATE : 30-AUG-81
 P.O. # : 56809
 M508

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	
NAUT 8-25-S	201	27	--	6	190	0.4	--
NAUT 8-27-S	201	19	--	2	135	0.2	--
NAUT 8-29-S	201	21	--	5	85	0.5	--
NAUT 8-31-S	201	13	--	4	86	0.2	--
NAUT 8-33-S	201	17	--	5	90	0.1	--
NAUT 8-35-S	201	22	--	5	112	0.3	--
NAUT 8-37-S	201	14	--	2	75	0.3	--
NAUT 8-39-S	201	15	--	2	155	0.3	--
<i>Washed</i> 100E 0+25 N	201	21	--	4	138	0.1	--
100E 0+75 N	201	20	--	5	85	0.3	--
100E 1+25 N	201	16	--	2	92	0.2	--
100E 1+75 N	201	25	--	6	78	0.3	--
100E 0+25 S	201	39	--	3	65	0.8	--
100E 0+75 S	201	14	--	8	50	0.2	--
100E 1+25 S	201	13	--	4	78	0.1	--
100E 1+75 S	201	16	--	3	73	0.2	--
100E 2+25 S	201	15	--	4	71	0.3	--
100E 2+75S	201	14	--	2	68	0.2	--
100E 3+25 S	201	15	--	3	68	0.1	--
LO 0+25 N	201	14	--	3	80	0.5	--
LO 0+75 N	201	16	--	3	88	0.1	--
LO 1+25 N	201	16	--	4	95	0.4	--
LO 1+75 N	201	10	--	6	48	0.3	--
LO 2+25 N	201	12	--	4	150	0.2	--
LO 2+75 N	201	16	--	9	240	0.5	--
LO 0+25 S	201	30	--	6	130	0.1	--
LO 0+75 S	201	24	--	5	105	0.3	--
LO 1+25 S	201	18	--	2	46	0.1	--
LO 1+75 S	201	15	--	5	58	0.1	--
LO 2+25 S	201	25	--	2	95	0.1	--
LO 2+75 S	201	7	--	1	15	0.1	--
LO 3+25 S	201	35	--	4	90	0.1	--
LO 3+75 S	201	15	--	5	84	0.1	--
LO 4+25 S	201	11	--	3	130	0.1	--
LO 4+75 S	201	10	--	3	145	0.1	--
LO 5+25 S	201	13	--	5	112	0.1	--
LO+50W 0+50S	201	16	--	3	72	0.1	--
LO+50W 1+00S	201	23	--	3	98	0.2	--
LO+50W 1+50S	201	20	--	7	75	0.5	--
LO+50W 2+00S	201	79	--	5	120	0.6	--

Certified by *Hart Biddle*





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
 MINERALS STAFF
 #901 - 355 BURRARD ST.
 VANCOUVER, B.C.
 V6C 2G8

CERT. # : A8113392-004-A
 INVOICE # : I8113392
 DATE : 30-AUG-81
 P.O. # : 56809
 M508

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	
<i>Ward</i> L0+50W 2+50S	201	15	--	5	65	0.1	--
L0+50W 3+00S	201	17	--	1	73	0.2	--
L0+50W 3+50S	201	9	--	1	22	0.1	--
L0+50W 0+50N	201	18	--	6	66	0.1	--
L0+50W 1+00N	201	13	--	7	80	0.2	--
L0+50W 1+50N	201	9	--	5	82	0.3	--
L0+50W 2+00N	201	6	--	5	82	0.1	--
L0+50W 2+50N	201	7	--	8	75	0.1	--
L0+50W 3+00N	201	3	--	9	116	0.3	--
L1 W 0+25 S	201	8	--	6	92	0.1	--
L1 W 0+75 S	201	25	--	8	360	0.1	--
L1 W 1+25 S	201	29	--	6	125	0.4	--
L1 W 1+75 S	201	25	--	5	115	0.1	--
L1 W 2+25 S	201	34	--	3	56	0.4	--
L1 W 2+75 S	201	14	--	4	82	0.3	--
L1 W 3+25 S	201	12	--	1	12	0.4	--
L1 W 0+25 N	201	14	--	10	43	0.1	--
L1 W 0+75 N	201	9	--	7	95	0.1	--
L1 W 1+25 N	201	9	--	10	85	0.2	--
L1 W 1+75 N	201	8	--	7	105	0.3	--
L1 W 2+25 N	201	9	--	6	66	0.1	--
L1 W 2+75 N	201	8	--	5	102	0.1	--
200E 0+50 N	201	13	--	6	52	0.1	--
200E 1+00 N	201	14	--	6	64	0.1	--
200E 1+50 N	201	14	--	6	100	0.1	--
200E 2+00 N	201	12	--	3	77	0.1	--
200E 2+50 N	201	6	--	2	2	0.1	--
200E 0+50 S	201	8	--	4	73	0.1	--
200E 1+00 S	201	9	--	5	48	0.1	--
200E 1+50 S	201	13	--	4	92	0.1	--
200E 2+00 S	201	9	--	3	86	0.1	--
200E 2+50 S	201	13	--	3	118	0.1	--
200E 3+00 S	201	24	--	7	120	0.1	--
200E 3+50 S	201	13	--	5	85	0.1	--
50E 0+50 S	201	14	--	5	88	0.1	--
50E 1+00 S	201	37	--	6	73	0.1	--
503 1+50 S	201	9	--	5	48	0.1	--
50E 2+00 S	201	16	--	6	58	0.1	--
50E 2+50 S	201	15	--	4	66	0.2	--
50E 3+00 S	201	11	--	5	130	0.3	--



MEMBER
 CANADIAN TESTING
 ASSOCIATION

Certified by *John Riddle*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
 MINERALS STAFF
 #901 - 355 BURRARD ST.
 VANCOUVER, B.C.
 V6C 2G8

CERT. # : A8113392-005-A
 INVOICE # : I8113392
 DATE : 30-AUG-81
 P.O. # : 56809
 M508

	Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	
<i>Vessel</i>	50E 3+50 S	201	27	--	8	175	0.2	--
	50E 0+50 N	201	11	--	5	60	0.1	--
	50E 1+00 N	201	8	--	3	55	0.1	--
	50E 1+50 N	201	12	--	7	113	0.1	--
	50E 2+00 N	201	12	--	7	72	0.1	--
	50E 2+50 N	201	10	--	10	103	0.1	--
	50E 3+00 N	201	8	--	7	195	0.1	--
	BL 0+00 W	201	8	--	4	76	0.1	--
	BL 0+50 W	201	18	--	9	260	0.6	--
	BL 1+00 W	201	17	--	9	90	0.2	--
	BL 0+50 E	201	15	--	8	78	0.2	--
	BL 1+00 E	201	12	--	5	74	0.3	--
	BL 1+50 E	201	18	--	6	64	0.1	--
	BL 2+00 E	201	18	--	6	56	0.1	--
<i>508G</i>	508G BL 0+00	201	16	--	4	49	0.1	--
<i>508G</i>	508G BL 0+25E	201	9	--	5	80	0.1	--
	508G BL 0+50E	201	7	--	5	56	0.1	--
	508G BL 0+75E	201	9	--	5	65	0.1	--
	508G BL 1+00E	201	9	--	5	62	0.1	--
	508G BL 1+25E	201	12	--	1	62	0.1	--
	508G BL 1+50E	201	11	--	5	95	0.1	--
	508G BL 1+75E	201	9	--	4	64	0.1	--
	508G BL 2+00E	201	13	--	6	60	0.1	--
	508G BL 0+25W	201	15	--	8	58	0.1	--
	508G BL 0+50W	201	14	--	8	60	0.1	--
	508G BL 0+75W	201	14	--	6	90	0.1	--
	508G BL 1+00W	201	11	--	4	50	0.1	--
	508G BL 1+25W	201	10	--	4	55	0.1	--
	508G BL 1+50W	201	12	--	6	64	0.1	--
	508G BL 1+75W	201	36	--	3	78	0.1	--
	508G BL 2+00W	201	20	--	5	85	0.1	--
	508G BL 2+25W	201	76	--	15	174	0.1	--
	508G BL 2+50W	201	14	--	16	140	0.1	--
	508G BL 2+75W	201	13	--	55	154	0.1	--
	508G BL 3+00W	201	15	--	23	98	0.1	--
	508G 1W 0+25N	201	12	--	3	63	0.1	--
	508G 1W 0+50N	201	15	--	4	85	0.1	--
	508G 1W 0+75N	201	14	--	4	50	0.1	--
	508G 1W 1+00N	201	14	--	5	45	0.1	--
	508G 1W 1+25N	201	41	--	2	16	0.1	--

Certified by *Hart Bickle*





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
 MINERALS STAFF
 #901 - 355 BURREARD ST.
 VANCOUVER, B.C.
 V6C 2G8

CERT. # : A8115375-001-A
 INVOICE # : I8115375
 DATE : 01-DEC-81
 P.O. # : NONE
 M508 GYPSY CLAIM

CC:K.E. NORTHCOTE & ASSOC. LTD. "D" SIGNIFIES DUPL. SMPL.

Sample description	Prep code	Cu ppm	Po ppm	Zn ppm	Ag ppm		
G BL-0 3+25W	201	15	6	102	0.1	--	--
G BL-0 3+50W	201	18	5	75	0.2	--	--
G BL-0 3+75W	201	9	5	58	0.1	--	--
G BL-0 4+00W	201	12	9	76	0.3	--	--
G 3+50W 0+25S	201	10	5	63	0.1	--	--
G 3+50W 0+50S	201	9	98	380	0.5	--	--
G 3+50W 0+75S	201	12	13	172	0.3	--	--
G 3+50W 1+00S	201	15	12	126	0.1	--	--
G 3+50W 1+25S	201	12	4	105	0.1	--	--
G 3+50W 1+50S	201	16	5	47	0.2	--	--
G 3+50W 0+25N	201	14	5	50	0.1	--	--
G 3+50W 0+50N	201	13	3	55	0.1	--	--
G 3+50W 0+75N	201	12	6	35	0.2	--	--
G 3+50W 1+00N	201	7	4	47	0.1	--	--
G 4+00W 0+25S	201	12	4	55	0.1	--	--
G 4+00W 0+50S	201	9	3	96	0.2	--	--
G 4+00W 0+75S	201	8	29	220	0.3	--	--
G 4+00W 1+00S	201	12	11	98	0.1	--	--
G 4+00W 1+25S	201	10	4	95	0.1	--	--
G 4+00W 1+25S"D"	201	48	2	20	0.3	--	--
G 4+00W 1+50S	201	15	3	52	0.1	--	--
G 4+00W 0+25N	201	11	5	80	0.2	--	--
G 4+00W 0+50N	201	13	6	61	0.1	--	--
G 4+00W 0+75N	201	10	6	32	0.1	--	--
G 4+00W 1+00N	201	18	5	64	0.1	--	--



MEMBER
 CANADIAN TESTING
 ASSOCIATION

Certified by *[Signature]*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604)984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
MINERALS STAFF
#901 - 355 BURRARD ST.
VANCOUVER, B.C.
V6C 2G8

CERT. # : A8115375-001-A
INVOICE # : 18115375
DATE : 01-DEC-81
P.O. # : NONE
M508 GYPSY CLAIM


CC:K.E. NORTHCOTE & ASSOC. LTD. "D" SIGNIFIES DUPL. SMPL.

Sample description	Prep code	Cu ppm	Pb ppm	Zn ppm	Ag ppm		
G BL-0 3+25W	201	15	6	102	0.1	--	--
G BL-0 3+50W	201	18	5	75	0.2	--	--
G BL-0 3+75W	201	9	5	58	0.1	--	--
G BL-0 4+00W	201	12	9	76	0.3	--	--
G 3+50W 0+25S	201	10	5	63	0.1	--	--
G 3+50W 0+50S	201	9	98	380	0.5	--	--
G 3+50W 0+75S	201	12	13	172	0.3	--	--
G 3+50W 1+00S	201	15	12	126	0.1	--	--
G 3+50W 1+25S	201	12	4	105	0.1	--	--
G 3+50W 1+50S	201	16	5	47	0.2	--	--
G 3+50W 0+25N	201	14	5	50	0.1	--	--
G 3+50W 0+50N	201	13	3	55	0.1	--	--
G 3+50W 0+75N	201	12	6	85	0.2	--	--
G 3+50W 1+00N	201	7	4	47	0.1	--	--
G 4+00W 0+25S	201	12	4	55	0.1	--	--
G 4+00W 0+50S	201	9	3	95	0.2	--	--
G 4+00W 0+75S	201	8	29	220	0.3	--	--
G 4+00W 1+00S	201	12	11	98	0.1	--	--
G 4+00W 1+25S	201	10	4	95	0.1	--	--
G 4+00W 1+25S "D"	201	48	2	20	0.3	--	--
G 4+00W 1+50S	201	15	3	52	0.1	--	--
G 4+00W 0+25N	201	11	5	80	0.2	--	--
G 4+00W 0+50N	201	13	6	61	0.1	--	--
G 4+00W 0+75N	201	10	6	82	0.1	--	--
G 4+00W 1+00N	201	18	5	64	0.1	--	--



MEMBER
CANADIAN TESTING
ASSOCIATION

Certified by *[Signature]*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
 MINERALS STAFF
 #901 - 355 BURRARD ST.
 VANCOUVER, B.C.
 V6C 2G8

CERT. # : A8113392-006-A
 INVOICE # : I8113392
 DATE : 30-AUG-81
 P.O. # : 56809
 M508

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	
508G 1W 1+50N	201	85	--	2	10	0.1	--
508G 1W 1+75N	201	68	--	5	30	0.1	--
508G 1W 2+00N	201	20	--	10	112	0.1	--
508G 1W 2+25N	201	7	--	12	85	0.1	--
508G 1W 2+50N	201	32	--	7	105	0.9	--
508G 1W 2+75N	201	10	--	12	80	0.1	--
508G 1E 0+25S	201	12	--	3	57	0.1	--
508G 1E 0+50S	201	12	--	5	65	0.1	--
508G 1E 0+75S	201	11	--	3	50	0.1	--
508G 1E 1+00S	201	11	--	5	65	0.1	--
508G 1E 1+25S	201	14	--	5	50	0.1	--
508G 1E 1+50S	201	10	--	3	48	0.1	--
508G 1E 1+75S	201	10	--	4	50	0.1	--
508G 1E 2+00S	201	14	--	3	52	0.2	--
508G 1E 2+25S	201	29	--	3	92	0.1	--
508G 1E 2+50S	201	17	--	4	85	0.1	--
508G 1E 2+75S	201	16	--	5	90	0.1	--
508G 1E 3+00S	201	14	--	6	123	0.1	--
508G 2W 0+25S	201	70	--	8	130	0.1	--
508G 2W 0+50S	201	14	--	2	52	0.1	--
508G 2W 0+75S	201	13	--	2	58	0.1	--
508G 2W 1+00S	201	14	--	5	108	0.1	--
508G 2W 1+25S	201	13	--	6	95	0.1	--
508G 2W 1+50S	201	107	--	1	16	0.1	--
508G 2W 1+75S	201	14	--	5	75	0.1	--
508G 2W 2+00S	201	9	--	4	47	0.1	--
508G 2W 2+25S	201	10	--	6	70	0.1	--
508G 2W 2+50S	201	10	--	4	70	0.1	--
508G 2W 2+75S	201	14	--	5	85	0.1	--
508G 2W 3+00S	201	8	--	6	70	0.1	--
508G 2W 3+25S	203	18	--	8	29	0.1	--
508G 2W 7+00S	201	8	--	3	9	0.1	--
508G 2W 7+25S	201	8	--	6	75	0.1	--
508G 2W 7+50S	201	14	--	5	65	0.1	--
508G 2W 7+75S	201	17	--	5	56	0.1	--
508G 2W 8+00S	201	23	--	2	40	0.1	--
508G 1W 0+25S	201	14	--	3	83	0.1	--
508G 1W 0+50S	201	10	--	5	60	0.1	--
508G 1W 0+75S	201	11	--	6	51	0.1	--
508G 1W 1+00S	201	12	--	3	52	0.1	--

Certified by *Hart Biddle*





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604)984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
MINERALS STAFF
#901 - 355 BURRARD ST.
VANCOUVER, B.C.
V6C 2G8

CERT. # : A8113393-001-A
INVOICE # : I8113393
DATE : 29-AUG-81
P.O. # : 56808
M508

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	
508G 1W 1+25S	201	15	--	5	45	0.1	--
508G 1W 1+50S	201	15	--	4	49	0.1	--
508G 1W 1+75S	201	11	--	4	43	0.3	--
508G 1W 2+00S	201	13	--	6	43	0.1	--
508G 1W 2+25S	201	13	--	4	50	0.1	--
508G 1W 2+75S	201	30	--	1	55	0.1	--
508G 1W 3+25S	201	10	--	1	28	0.1	--
508G 1W 3+75S	201	13	--	2	23	0.1	--
508G 1W 6+75S	201	10	--	2	20	0.1	--
508G 1W 7+00S	201	16	--	5	51	0.3	--
508G 1W 7+25S	201	16	--	7	55	0.1	--
508G 1W 7+50S	201	17	--	4	68	0.1	--
508G 1W 7+75S	201	23	--	5	48	0.1	--
508G 1W 8+00S	201	22	--	4	46	0.1	--
508G 2W 0+25N	201	20	--	9	62	0.1	--
508G 2W 0+50N	201	6	--	15	90	0.6	--
508G 2W 0+75N	201	42	--	3	24	0.2	--
508G 2W 1+00N	201	34	--	15	70	0.1	--
508G 2W 1+25N	201	32	--	19	81	0.8	--
508G 2W 1+50N	201	18	--	2	8	0.3	--
508G 2W 1+75N	201	6	--	1	25	0.1	--
508G 2W 2+25N	201	13	--	14	84	0.1	--
508G 2W 2+50N	201	12	--	14	73	0.3	--
508G 2W 2+75N	201	7	--	12	100	0.2	--
508G 2W 3+00N	201	8	--	8	110	0.1	--
508G 2E 0+25S	201	30	--	5	70	0.1	--
508G 2E 0+50S	201	22	--	6	58	0.1	--
508G 2E 0+75S	201	30	--	6	68	0.2	--
508G 2E 1+00S	201	22	--	7	46	0.1	--
508G 2E 1+25S	201	36	--	2	85	0.1	--
508G 2E 1+50S	201	15	--	1	70	0.1	--
508G 2E 1+75S	201	12	--	2	70	0.1	--
508G 2E 2+00S	201	14	--	5	52	0.2	--
508G 2E 2+25S	201	14	--	3	50	0.1	--
508G 2E 2+50S	201	15	--	3	60	0.1	--
508G 2E 2+75S	201	15	--	2	46	0.1	--
508G 2E 3+00S	201	13	--	5	52	0.2	--
508G 2E 0+25N	201	8	--	5	90	0.1	--
508G 2E 0+50N	201	12	--	7	72	0.1	--
508G 2E 0+75N	201	15	--	5	56	0.1	--



MEMBER
CANADIAN TESTING
ASSOCIATION

Certified by *Hart Biddle*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604)984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
MINERALS STAFF
#901 - 355 BURRARD ST.
VANCOUVER, B.C.
V6C 2G8

CERT. # : A8113393-002-A
INVOICE # : I8113393
DATE : 29-AUG-81
P.O. # : 56808
M508

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	
508G 2E 1+00N	201	13	--	3	66	0.1	--
508G 2E 1+25N	201	14	--	4	55	0.1	--
508G 2E 2+00N	201	25	--	10	240	0.1	--
508G 2E 2+25N	201	7	--	22	155	0.1	--
508G 2E 2+50N	201	6	--	12	130	0.1	--
508G 2E 2+75N	201	8	--	18	65	0.1	--
508G 2E 3+00M	201	7	--	10	80	0.1	--
508G 3W 0+25S	201	8	--	18	114	0.1	--
508G 3W 0+50S	201	7	<i>1000</i>	400	1300	1.0	-- +
508G 3W 0+75S	201	13	--	44	315	0.8	--
508G 3W 1+00S	201	19	--	31	168	0.1	--
508G 3W 1+25S	201	65	--	55	80	0.1	--
508G 3W 1+50S	201	135	--	57	68	0.1	--
508G 3W 1+75S	201	100	--	5	16	0.2	--
508G 3W 2+00S	201	28	--	2	39	0.1	--
508G 3W 2+25S	201	12	--	3	33	0.1	--
508G 3W 2+50S	201	12	--	4	86	0.1	--
508G 3W 2+75S	201	8	--	2	82	0.1	--
508G 3W 3+00S	201	9	--	3	88	0.1	--
508G 3W 3+25S	201	12	--	2	53	0.1	--
508G 3W 3+50S	201	6	--	4	86	0.1	--
508G 3W 3+75S	201	14	--	4	69	0.1	--
508G 3W 4+00S	201	11	--	3	75	0.1	--
508G 3W 4+25S	201	12	--	3	62	0.1	--
508G 3W 4+50S	201	11	--	4	50	0.1	--
508G 3W 4+75S	201	12	--	5	49	0.1	--
508G 3W 7+50S	201	20	--	1	58	0.1	--
508G 3W 7+75S	201	12	--	4	63	0.1	--
508G 3W 8+00S	201	23	--	5	53	0.1	--
508G 3W 0+25N	201	12	--	15	99	0.1	--
508G 3W 0+50N	201	12	--	6	74	0.1	--
508G 3W 0+75N	201	11	--	5	73	0.1	--
508G 3W 1+00N	201	9	--	5	90	0.1	--
508G 3W 1+25N	201	12	--	5	50	0.1	--
508G 3W 1+50N	201	10	--	8	80	0.1	--
508G 3W 1+75N	201	8	--	1	5	0.1	--
508G 3W 2+00N	201	14	--	1	6	0.1	--
508G 3W 2+25N	201	16	--	1	33	0.1	--
508G 3W 2+50N	201	15	--	15	68	0.1	--
508G 3W 2+75N	201	10	--	5	86	0.4	--



MEMBER
CANADIAN TESTING
ASSOCIATION

Certified by *Hart Biddle*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
 MINERALS STAFF
 #901 - 355 BARRARD ST.
 VANCOUVER, B.C.
 V6C 2G8

CERT. # : A8113393-003-A
 INVOICE # : I8113393
 DATE : 29-AUG-81
 P.O. # : 56808
 M508

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	
<i>Upper</i> 508G 3W 3+00N	201	18	--	17	116	0.1	--
508G 2E 1+50N	201	10	--	2	143	0.1	--
508G 2E 1+75N	201	75	--	6	42	0.3	--
PYTHON 01	201	74	2	32	268	0.1	--
PYTHON 02	201	34	1	5	200	0.1	--
<i>Overturn</i> PYTHON 03	201	51	1	5	179	0.1	--
PYTHON 04	201	31	1	6	154	0.1	--
<i>1/2</i> PYTHON 05	201	61	1	16	106	0.1	--
PYTHON 06	201	36	1	7	138	0.1	--
PYTHON 07	201	23	1	6	185	0.1	--
PYTHON 08	201	15	1	3	128	0.1	--
PYTHON 09	201	39	1	5	135	0.1	--
PYTHON 10	201	13	1	5	110	0.1	--
PYTHON 11	201	19	1	7	135	0.1	--
PYTHON 12	201	28	1	5	143	0.1	--
<i>Python</i> PL 0+00S	201	34	11	4	750	0.1	--
PBL 0+25S	201	28	5	6	320	0.1	--
PBL 0+50S	201	25	2	13	140	0.1	--
PBL 0+75S	201	17	1	20	232	0.1	--
PBL 1+00S	201	25	7	4	260	0.4	--
PBL 1+25S	201	9	3	4	85	0.1	--
PBL 1+50S	201	15	2	3	88	0.1	--
PBL 1+75S	201	20	4	3	138	0.1	--
PBL 2+00S	201	10	6	5	168	0.1	--
PBL 0+25N	201	29	10	6	850	0.1	--
PBL 0+50N	201	60	13	10	1150	0.8	--
PBL 0+75N	201	25	4	4	355	0.6	--
PBL 1+00N	201	24	3	6	251	0.4	--
PL 1N 0+25E	201	12	2	4	168	0.2	--
PL 1N 0+50E	201	25	6	7	380	0.1	--
PL 1N 0+75E	201	24	5	4	425	0.4	--
PL 1N 1+00E	201	21	4	4	356	0.4	--
PL 1N 1+25E	201	23	7	8	800	0.3	--
PL 1N 1+50E	201	23	7	5	525	0.2	--
PL 1N 1+75E	201	20	3	8	300	0.2	--
PL 1N 2+00E	201	24	4	4	205	0.1	--
PL 1N 2+25E	201	17	2	2	210	0.1	--
PL 1N 2+50E	201	14	2	2	150	0.1	--
PL 1N 2+75E	201	13	1	5	185	0.1	--
PL 1N 3+00E	201	14	2	3	135	0.1	--

Certified by *Hart Biddle*





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
 MINERALS STAFF
 #901 - 355 BURRARD ST.
 VANCOUVER, B.C.
 V6C 2G8

CERT. # : A8113393-004-A
 INVOICE # : I8113393
 DATE : 29-AUG-81
 P.O. # : 56808
 M508

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	
PL 1N 3+25E	203	9	29	1	14	0.1	--
PL 1N 3+50E	201	13	5	7	174	0.1	--
PL 1N 3+75E	201	2	2	4	134	0.1	--
PL 1N 4+00E	201	27	4	5	283	0.1	--
PL 1N 4+25E	201	48	8	2	156	0.1	--
PL 1N 4+50E	201	21	5	4	215	0.1	--
PL 1N 4+75E	201	18	6	5	245	0.1	--
PL 1N 5+00E	201	24	4	5	245	0.1	--
PL 1N 5+25E	201	13	1	6	165	0.1	--
PL 1N 5+50E	201	19	1	5	230	0.1	--
PL 1N 5+75E	201	11	1	6	115	0.1	--
PL 1N 6+00E	201	15	5	3	170	0.1	--
PL 1N 6+25E	201	14	1	4	150	0.1	--
PL 1N 6+75E	201	10	1	5	140	0.1	--
PL 1N 7+00E	201	13	4	2	154	0.1	--
PL 1N 7+25E	201	15	5	10	122	0.1	--
PL 1N 7+50E	201	17	2	6	124	0.1	--
PL 1N 7+75E	201	14	4	6	96	0.1	--
PL 1N 8+00E	201	23	5	4	130	0.1	--
PL 1N 8+25E	201	17	5	5	132	0.1	--
PL 1N 8+50E	201	11	3	6	170	0.1	--
PL 1N 8+75E	201	16	1	4	158	0.1	--
PL 1N 9+00E	201	12	1	6	182	0.2	--
PL 1N 9+25E	201	15	5	6	155	0.5	--
PL 1N 9+50E	201	17	4	5	130	0.2	--
PL 1N 9+75E	201	26	5	4	176	0.1	--
PL 1N 10+00E	201	17	2	4	150	0.1	--
<i>copy</i> 508G 0+14E 0+25S	201	14	--	3	49	0.1	--
508G 0+14E 0+50S	201	15	--	4	55	0.1	--
508G 0+14E 0+75S	201	14	--	4	56	0.1	--
508G 0+14E 1+00S	201	14	--	4	46	0.1	--
508G 0+14E 1+25S	201	11	--	7	63	0.1	--
508G 0+14E 1+50S	201	14	--	4	40	0.1	--
508G 0+14E 1+75S	201	12	--	2	46	0.1	--
508G 0+14E 2+00S	201	12	--	1	45	0.1	--
508G 0+14E 2+25S	201	11	--	4	57	0.1	--
508G 0+14E 2+50S	201	14	--	2	43	0.1	--
508G 0+14E 2+75S	201	14	--	5	53	0.1	--
508G 0+14E 3+00S	201	20	--	3	53	0.1	--
508G 0+14E 3+25S	201	36	--	4	64	0.1	--



MEMBER
 CANADIAN TESTING
 ASSOCIATION

Certified by *Hart Biddle*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
 MINERALS STAFF
 #901 - 355 BURRARD ST.
 VANCOUVER, B.C.
 V6C 2G8

CERT. # : A8113393-005-A
 INVOICE # : I8113393
 DATE : 29-AUG-81
 P.O. # : 56808
 M508

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	
508G 0+14E 3+50S	201	26	--	1	18	0.1	--
508G 0+14E 4+00S	201	15	--	1	8	0.1	--
508G 0+14E 4+50S	201	16	--	1	8	0.1	--
508G 0+14E 5+00S	201	23	--	1	11	0.1	--
508G 0+14E 6+50S	201	17	--	1	12	0.1	--
508G 0+14E 6+75S	201	22	--	5	72	0.1	--
508G 0+14E 7+00S	201	21	--	2	84	0.1	--
508G 0+14E 7+25S	201	19	--	4	54	0.1	--
508G 0+14E 7+50S	201	19	--	6	80	0.1	--
508G 0+14E 7+75S	201	16	--	5	66	0.1	--
508G 0+14E 8+00S	201	20	--	5	63	0.1	--
508G 0+14E 0+25N	201	11	--	2	52	0.1	--
508G 0+14E 0+50N	201	45	--	3	70	0.1	--
508G 0+14E 0+75N	201	14	--	3	42	0.1	--
508G 0+14E 1+00N	201	15	--	1	50	0.1	--
508G 0+14E 1+25N	201	13	--	2	56	0.1	--
508G 0+14E 1+50N	201	32	--	6	51	0.1	--
508G 0+14E 1+75N	203	31	--	1	12	0.1	--
508G 0+14E 2+00N	201	8	--	9	140	0.1	--
508G 0+14E 2+25N	201	75	--	5	125	0.1	--
508G 0+14E 2+50N	201	70	--	7	116	0.1	--
508G 0+14E 2+75N	201	30	--	9	82	0.1	--
508G 0+14E 3+00N	201	12	--	7	118	0.1	--
508G 0+14E 3+25N	201	11	--	8	55	0.1	--
508G 0+14E 3+50N	201	7	--	9	72	0.1	--
508G 0+14E 3+75N	201	8	--	6	58	0.1	--
508G 0+14E 4+00N	201	7	--	7	60	0.1	--
508G 0+14E 4+25N	201	12	--	12	44	0.1	--
508G 0+14E 4+50N	201	7	--	8	75	0.1	--
508G 0+14E 4+75N	201	7	--	8	66	0.1	--
508G 0+14E 5+00N	201	9	--	9	65	0.1	--
508G 1E 0+25N	201	10	--	6	78	0.1	--
508G 1E 0+50N	201	14	--	5	72	0.1	--
508G 1E 0+75N	201	11	--	2	57	0.1	--
508G 1E 1+00N	201	12	--	1	70	0.1	--
508G 1E 1+25N	201	10	--	2	76	0.1	--
508G 1E 1+50N	201	14	--	1	62	0.1	--
508G 1E 1+75N	201	7	--	28	200	0.1	--
508G 1E 2+00N	201	9	--	12	104	0.1	--
508G 1E 2+25N	201	20	--	32	500	0.1	--

Certified by *Hart Biddle*





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604)984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TC : CHEVRON STANDARD LIMITED
MINERALS STAFF
#901 - 355 BURRARD ST.
VANCOUVER, B.C.
V6C 2G8

CERT. # : A8114987-CC1-A
INVOICE # : I8114987
DATE : 09-NOV-81
P.C. # : 56809
M-508 81-PYTHON-1

CC: K.E. NORTHCOTE & ASSOC.

Sample description	Prep code	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Au FA+AA ppb	
81PY-1-58-60	205	49	23	165	0.1	DELAYED	--
81PY-1-66-68	205	52	2	75	0.1	DELAYED	--
81PY-1-84-86	205	40	10	155	0.1	DELAYED	--
81PY-1-97-99	205	28	5	115	0.1	DELAYED	--
81PY-1-115-117	205	45	10	310	0.1	DELAYED	--
81PY-1-138-140	205	64	6	175	0.1	DELAYED	--
81PY-1-163-165	205	40	15	91	0.1	DELAYED	--
81PY-1-172-174	205	57	7	440	0.1	DELAYED	--
81PY-1-200-202	205	43	8	320	0.1	DELAYED	--
81PY-1-222-224	205	59	5	440	0.1	DELAYED	--
81PY-1-250-252	205	51	8	363	1.1	DELAYED	--
81PY-1-275-277	205	43	10	275	0.1	DELAYED	--
81PY-1-300-302	205	26	5	92	0.1	DELAYED	--
81PY-1-320-322	205	51	10	100	0.1	DELAYED	--
81PY-1-343-345	205	47	6	215	0.1	DELAYED	--
81PY-1-356-358	205	63	7	230	0.1	DELAYED	--
81PY-1-385-387	205	50	5	125	0.1	DELAYED	--
81PY-1-422-424	205	42	8	205	0.1	DELAYED	--



MEMBER
CANADIAN TESTING
ASSOCIATION

Certified by *Hart Bickler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TC : CHEVRON STANDARD LIMITED
 MINERALS STAFF
 #901 - 355 BURREARD ST.
 VANCOUVER, B.C.
 -V6C 2G8

CERT. # : A8114987-C01-A
 INVOICE # : I8114987
 DATE : 09-NOV-81
 P.C. # : 56809
 M-508 81-PYTHON-1

CC: K.E. NORTHCOTE & ASSCO.

Sample description	Prep code	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Au FA+AA ppb	
81PY-1-58-60	205	49	23	165	0.1	DELAYED	--
81PY-1-66-68	205	52	2	75	0.1	DELAYED	--
81PY-1-84-86	205	40	10	155	0.1	DELAYED	--
81PY-1-97-99	205	28	5	115	0.1	DELAYED	--
81PY-1-115-117	205	45	10	310	0.1	DELAYED	--
81PY-1-138-140	205	64	6	175	0.1	DELAYED	--
81PY-1-163-165	205	40	15	91	0.1	DELAYED	--
81PY-1-172-174	205	57	7	440	0.1	DELAYED	--
81PY-1-200-202	205	43	8	320	0.1	DELAYED	--
81PY-1-222-224	205	59	5	440	0.1	DELAYED	--
81PY-1-250-252	205	51	8	363	1.1	DELAYED	--
81PY-1-275-277	205	43	10	275	0.1	DELAYED	--
81PY-1-300-302	205	26	5	92	0.1	DELAYED	--
81PY-1-320-322	205	51	10	100	0.1	DELAYED	--
81PY-1-343-345	205	47	6	215	0.1	DELAYED	--
81PY-1-356-358	205	63	7	230	0.1	DELAYED	--
81PY-1-385-387	205	50	5	125	0.1	DELAYED	--
81PY-1-422-424	205	42	8	205	0.1	DELAYED	--



MEMBER
 CANADIAN TESTING
 ASSOCIATION

Certified by



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604)984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TC : CHEVRON STANDARD LIMITED
MINERALS STAFF
#901 - 355 BURRARD ST.
VANCOUVER, B.C.
V6C 2G8

CERT. # : A8114987-001-A
INVOICE # : I8114987
DATE : 18-NCV-81
P.C. # : 56809
M-508 81-PYTHON-1

CC: K.E. NORTHCOTE & ASSOC.

Sample description	Prep code	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Au FA+AA ppb	
81PY-1-58-60	205	49	23	165	0.1	15	--
81PY-1-66-68	205	52	2	75	0.1	5	--
81PY-1-84-86	205	40	10	155	0.1	15	--
81PY-1-97-99	205	28	5	115	0.1	10	--
81PY-1-115-117	205	45	10	310	0.1	15	--
81PY-1-138-140	205	64	6	175	0.1	10	--
81PY-1-163-165	205	40	15	91	0.1	10	--
81PY-1-172-174	205	57	7	440	0.1	10	--
81PY-1-200-202	205	43	8	320	0.1	15	--
81PY-1-222-224	205	59	5	440	0.1	10	--
81PY-1-250-252	205	51	8	363	1.1	10	--
81PY-1-275-277	205	43	10	275	0.1	10	--
81PY-1-300-302	205	26	5	92	0.1	15	--
81PY-1-320-322	205	51	10	100	0.1	5	--
81PY-1-343-345	205	47	6	215	0.1	15	--
81PY-1-356-358	205	63	7	230	0.1	10	--
81PY-1-385-387	205	50	5	125	0.1	20	--
81PY-1-422-424	205	42	8	205	0.1	15	--

Certified by *Hart Bichler*





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604)984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
MINERALS STAFF
#901 - 355 BARRARD ST.
VANCOUVER, B.C.
.V6C 2G8

CERT. # : A8114987-001-A
INVOICE # : I8114987
DATE : 18-NCV-81
P.C. # : 56809
M-508 81-PYTHON-1

CC: K.E. NORTHCOTE & ASSOC.

Sample description	Prep code	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Au FA+AA ppb	
81PY-1-58-60	205	49	23	165	0.1	15	--
81PY-1-66-68	205	52	2	75	0.1	5	--
81PY-1-84-86	205	40	10	155	0.1	15	--
81PY-1-97-99	205	28	5	115	0.1	10	--
81PY-1-115-117	205	45	10	310	0.1	15	--
81PY-1-138-140	205	64	6	175	0.1	10	--
81PY-1-163-165	205	40	15	91	0.1	10	--
81PY-1-172-174	205	57	7	440	0.1	10	--
81PY-1-200-202	205	43	8	320	0.1	15	--
81PY-1-222-224	205	59	5	440	0.1	10	--
81PY-1-250-252	205	51	8	363	1.1	10	--
81PY-1-275-277	205	43	10	275	0.1	10	--
81PY-1-300-302	205	26	5	92	0.1	15	--
81PY-1-320-322	205	51	10	100	0.1	5	--
81PY-1-343-345	205	47	6	215	0.1	15	--
81PY-1-356-358	205	63	7	230	0.1	10	--
81PY-1-385-387	205	50	5	125	0.1	20	--
81PY-1-422-424	205	42	8	205	0.1	15	--

Certified by *Hart Bichler*

