



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.  
MINERALS STAFF  
1900 - 1055 W. HASTINGS ST.  
VANCOUVER, B.C.  
V6E 2E9

840451

LA

Page No. : 1  
Tot. Pages: 1  
Date : 31-JUL-87  
Invoice # : I-8718997  
P.O. # : NONE

Project : M584-WATSON  
Comments: ATTN: L. A. DICK

## CERTIFICATE OF ANALYSIS A8718997

SAMPLE DESCRIPTION	PREP CODE	Au FA oz/T									
62042	214 --	0.374									
62118	214 --	5.472									
62133	214 --	1.072									

*B. Swartz*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.  
MINERALS STAFF  
1900 - 1055 W. HASTINGS ST.  
VANCOUVER, B.C.  
V6E 2E9

Project: M584-WATSON  
Comments: ATTN: L.A. DICK

Page No. : 1-A  
Tot. Pages: 3  
Date : 27-JUL-87  
Invoice #: I-8717965  
P.O. #: 36915

## CERTIFICATE OF ANALYSIS A8717965

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
62001	205 238	40	0.45	< 0.2	335	90	< 0.5	< 2	0.49	< 0.5	8	90	76	2.92	< 10	1	0.06	< 10	0.12	823
62002	205 238	45	0.44	< 0.2	525	90	< 0.5	< 2	0.20	< 0.5	9	36	13	2.66	< 10	< 1	0.21	< 10	0.04	860
62003	205 238	30	0.53	< 0.2	400	60	0.5	< 2	0.13	< 0.5	11	42	23	3.04	< 10	2	0.24	10	0.04	678
62004	205 238	2000	0.53	0.4	3130	80	0.5	2	0.18	< 0.5	23	44	115	4.91	< 10	8	0.30	10	0.04	806
62005	205 238	500	0.64	< 0.2	1310	90	0.5	< 2	0.15	< 0.5	19	56	72	4.48	< 10	5	0.22	10	0.04	1045
62006	205 238	690	0.71	0.4	770	60	0.5	< 2	0.11	0.5	28	83	133	5.98	< 10	7	0.21	10	0.05	690
62007	205 238	250	0.65	< 0.2	375	100	< 0.5	< 2	0.15	< 0.5	16	67	53	3.79	< 10	< 1	0.17	< 10	0.05	1180
62008	205 238	565	0.52	0.2	1740	60	< 0.5	< 2	0.14	< 0.5	17	53	44	4.04	< 10	10	0.18	< 10	0.04	600
62009	205 238	690	0.68	< 0.2	370	50	0.5	< 2	0.19	< 0.5	14	67	27	3.26	< 10	2	0.15	10	0.04	828
62010	205 238	35	0.82	0.2	235	40	0.5	< 2	0.65	< 0.5	14	72	31	3.88	< 10	< 1	0.18	10	0.05	740
62011	205 238	220	0.81	< 0.2	255	30	< 0.5	< 2	0.86	2.0	14	57	47	2.93	< 10	2	0.22	10	0.05	777
62012	205 238	65	0.83	< 0.2	260	50	0.5	< 2	0.22	< 0.5	12	55	30	3.09	< 10	2	0.17	10	0.04	572
62013	205 238	50	0.83	< 0.2	275	40	< 0.5	< 2	0.19	< 0.5	12	67	20	2.89	< 10	< 1	0.14	10	0.03	461
62014	205 238	225	0.68	45.2	1555	90	0.5	< 2	0.18	15.0	15	67	36	3.38	< 10	4	0.18	10	0.04	820
62015	205 238	1050	0.63	0.4	6340	50	0.5	< 2	0.22	< 0.5	12	45	41	4.13	< 10	2	0.24	10	0.04	488
62016	205 238	290	0.57	0.2	1555	50	< 0.5	< 2	0.27	4.5	15	62	37	4.13	< 10	1	0.22	10	0.04	1020
62017	205 238	65	0.62	0.2	565	50	0.5	< 2	0.67	< 0.5	15	67	35	4.22	< 10	< 1	0.19	10	0.06	1030
62018	205 238	120	0.71	0.2	300	40	0.5	< 2	0.78	< 0.5	20	67	59	4.96	10	1	0.20	10	0.15	1025
62019	205 238	155	0.73	0.2	195	40	0.5	< 2	0.53	< 0.5	18	62	55	4.53	< 10	< 1	0.18	10	0.06	975
62020	205 238	75	0.65	0.2	415	50	< 0.5	< 2	0.59	< 0.5	20	57	61	4.90	< 10	2	0.18	10	0.06	1010
62021	205 238	65	0.63	0.2	485	110	0.5	< 2	0.21	< 0.5	23	53	81	5.00	< 10	< 1	0.20	10	0.05	1235
62022	205 238	120	0.57	0.2	545	80	0.5	< 2	0.44	< 0.5	23	56	67	4.81	< 10	< 1	0.21	10	0.05	1075
62023	205 238	20	0.76	0.2	220	70	0.5	< 2	0.73	< 0.5	19	61	46	4.46	10	2	0.21	10	0.05	1005
62024	205 238	55	0.63	0.2	235	80	0.5	< 2	0.69	< 0.5	17	55	35	4.28	10	2	0.21	10	0.05	1105
62025	205 238	85	0.60	0.2	360	90	0.5	< 2	0.26	< 0.5	18	52	60	4.01	< 10	< 1	0.24	10	0.04	966
62026	205 238	55	0.68	0.2	505	110	0.5	< 2	0.20	< 0.5	22	53	65	4.41	< 10	1	0.20	10	0.04	1110
62027	205 238	60	0.75	0.4	950	80	< 0.5	< 2	0.62	< 0.5	28	50	84	5.76	10	1	0.28	10	0.08	1285
62028	205 238	200	0.42	1.6	7040	50	< 0.5	< 2	0.28	< 0.5	4	114	20	2.12	< 10	5	0.23	< 10	0.02	125
62029	205 238	70	0.75	0.4	2750	410	< 0.5	< 2	0.09	< 0.5	28	49	176	8.89	< 10	16	0.07	10	0.04	3090
62030	205 238	170	0.72	0.2	950	120	0.5	< 2	0.51	< 0.5	28	67	372	6.89	10	1	0.09	20	0.12	1770
62031	205 238	100	0.65	0.2	650	220	< 0.5	< 2	0.13	< 0.5	22	52	200	5.59	< 10	1	0.12	10	0.04	1390
62032	205 238	1050	0.60	0.2	3350	70	0.5	< 2	0.25	< 0.5	32	36	270	7.04	10	2	0.26	10	0.06	1080
62033	205 238	210	0.53	0.4	6270	80	< 0.5	< 2	0.42	< 0.5	14	57	63	3.83	< 10	6	0.26	10	0.07	622
62034	205 238	290	0.50	0.4	>10000	110	< 0.5	< 2	0.48	< 0.5	24	20	112	6.71	< 10	4	0.28	10	0.06	362
62035	205 238	190	0.66	0.2	2550	190	0.5	< 2	0.27	< 0.5	33	44	156	6.58	< 10	< 1	0.20	20	0.07	1315
62036	205 238	35	0.59	0.4	2100	30	< 0.5	< 2	2.32	< 0.5	13	61	38	8.85	20	46	0.14	< 10	0.86	1035
62037	205 238	20	0.54	0.2	2940	20	< 0.5	< 2	0.08	< 0.5	6	44	20	10.50	< 10	45	0.07	< 10	0.04	291
62038	205 238	155	0.82	0.4	1315	240	< 0.5	< 2	0.13	< 0.5	28	48	225	8.92	< 10	16	0.09	10	0.06	1570
62039	205 238	70	1.42	0.4	1700	80	< 0.5	< 2	0.34	< 0.5	12	46	175	4.30	10	< 1	0.34	10	0.30	373
62040	205 238	20	0.76	0.4	515	160	< 0.5	< 2	0.07	< 0.5	18	44	181	5.58	< 10	5	0.08	10	0.04	1510

CERTIFICATION :

# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.  
MINERALS STAFF  
1900 - 1055 W. HASTINGS ST.  
VANCOUVER, B.C.  
V6E 2E9

Project: M584-WATSON

Comments: ATTN: L.A. DICK

Page No. : 1-B  
Tot. Pages: 3  
Date : 27-JUL-87  
Invoice #: I-8717965  
P.O. #: 36915

## CERTIFICATE OF ANALYSIS A8717965

SAMPLE DESCRIPTION	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Se	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
62001	205	238	< 1	< 0.01	37	310	28	20	< 10	27	< 0.01	< 10	< 10	44	< 5	61
62002	205	238	< 1	< 0.01	34	450	10	20	< 10	49	< 0.01	< 10	< 10	28	< 5	73
62003	205	238	< 1	< 0.01	39	510	2	25	< 10	28	< 0.01	< 10	< 10	37	< 5	66
62004	205	238	7	< 0.01	37	370	14	70	< 10	43	< 0.01	10	< 10	31	< 5	48
62005	205	238	1	< 0.01	40	450	8	30	< 10	39	< 0.01	< 10	< 10	51	< 5	67
62006	205	238	5	< 0.01	33	450	4	35	< 10	30	< 0.01	10	< 10	73	< 5	77
62007	205	238	1	< 0.01	27	510	< 2	20	< 10	32	< 0.01	< 10	< 10	58	< 5	68
62008	205	238	12	< 0.01	26	440	6	40	< 10	24	< 0.01	< 10	< 10	40	< 5	66
62009	205	238	< 1	< 0.01	26	630	< 2	15	< 10	36	< 0.01	< 10	< 10	55	< 5	73
62010	205	238	< 1	< 0.01	26	710	6	5	< 10	25	< 0.01	< 10	< 10	81	< 5	74
62011	205	238	< 1	< 0.01	36	550	< 2	10	< 10	53	< 0.01	< 10	< 10	53	< 5	426
62012	205	238	< 1	< 0.01	38	680	12	5	< 10	20	< 0.01	< 10	< 10	54	< 5	148
62013	205	238	< 1	< 0.01	36	650	2	5	< 10	47	< 0.01	< 10	< 10	53	< 5	84
62014	205	238	< 1	< 0.01	41	580	2	15	< 10	37	< 0.01	< 10	< 10	55	< 5	110
62015	205	238	< 1	< 0.01	24	330	4	50	< 10	42	< 0.01	< 10	< 10	36	< 5	111
62016	205	238	< 1	< 0.01	27	540	12	50	< 10	32	< 0.01	< 10	< 10	48	< 5	149
62017	205	238	< 1	< 0.01	33	650	2	10	< 10	25	< 0.01	< 10	< 10	67	< 5	86
62018	205	238	< 1	< 0.01	29	710	4	10	< 10	22	< 0.01	< 10	< 10	73	< 5	70
62019	205	238	< 1	< 0.01	29	720	< 2	5	< 10	13	< 0.01	< 10	< 10	72	< 5	75
62020	205	238	< 1	< 0.01	30	740	< 2	10	< 10	15	< 0.01	< 10	< 10	68	< 5	82
62021	205	238	< 1	< 0.01	31	690	2	15	10	16	< 0.01	< 10	< 10	66	< 5	122
62022	205	238	< 1	< 0.01	43	730	4	15	10	15	< 0.01	< 10	< 10	62	< 5	99
62023	205	238	< 1	< 0.01	43	750	< 2	5	10	14	< 0.01	< 10	< 10	62	< 5	74
62024	205	238	< 1	< 0.01	45	770	6	10	10	16	< 0.01	< 10	< 10	56	< 5	75
62025	205	238	< 1	< 0.01	39	690	< 2	10	< 10	13	< 0.01	< 10	< 10	49	< 5	62
62026	205	238	< 1	< 0.01	42	680	< 2	20	< 10	17	< 0.01	10	< 10	57	< 5	81
62027	205	238	< 1	< 0.01	39	770	4	15	10	15	< 0.01	< 10	< 10	45	< 5	80
62028	205	238	< 1	< 0.01	15	360	134	3660	< 10	35	< 0.01	< 10	< 10	9	< 5	58
62029	205	238	4	< 0.01	23	650	12	75	10	37	< 0.01	30	< 10	57	< 5	42
62030	205	238	< 1	< 0.01	14	550	12	20	10	28	< 0.01	10	< 10	35	< 5	32
62031	205	238	2	< 0.01	51	700	14	15	10	24	< 0.01	10	< 10	74	< 5	47
62032	205	238	3	< 0.01	55	870	2	95	< 10	31	< 0.01	10	< 10	53	< 5	56
62033	205	238	< 1	< 0.01	18	390	16	195	< 10	90	< 0.01	< 10	< 10	16	< 5	68
62034	205	238	< 1	< 0.01	33	390	6	165	10	60	< 0.01	< 10	< 10	18	< 5	53
62035	205	238	< 1	< 0.01	57	770	10	75	< 10	23	< 0.01	10	< 10	81	< 5	94
62036	205	238	< 1	< 0.01	30	290	16	85	10	228	< 0.01	< 10	< 10	64	< 5	38
62037	205	238	1	< 0.01	22	250	12	120	10	40	< 0.01	< 10	< 10	34	< 5	121
62038	205	238	1	< 0.01	10	1040	< 2	70	10	38	< 0.01	10	< 10	50	< 5	38
62039	205	238	< 1	< 0.01	7	720	6	40	< 10	13	< 0.01	< 10	< 10	47	< 5	29
62040	205	238	< 1	< 0.01	11	690	2	25	10	18	< 0.01	< 10	< 10	44	< 5	26

CERTIFICATION :

*BCJ*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.  
MINERALS STAFF  
1900 - 1055 W. HASTINGS ST.  
VANCOUVER, B.C.  
V6E 2E9

Project: M584-WATSON  
Comments: ATTN: L.A. DICK

Page No. : 2-A  
Tot. Pages: 3  
Date : 27-JUL-87  
Invoice #: I-8717965  
P.O. #: 36915

## CERTIFICATE OF ANALYSIS A8717965

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
62041	205 238	1660	1.31	1.4	1400	110	< 0.5	< 2	0.09	3.5	38	67	853	8.31	10	1	0.29	10	0.04	1575
62042	205 238	>10000	0.64	5.4	>10000	180	< 0.5	4	0.73	8.0	32	12	859	14.65	10	< 1	0.14	10	0.06	556
62043	205 238	175	0.18	1.6	7100	40	< 0.5	< 2	0.55	< 0.5	2	104	53	1.46	< 10	111	0.08	< 10	0.01	158
62044	205 238	100	0.47	0.2	3020	80	< 0.5	< 2	0.24	< 0.5	7	22	95	2.84	< 10	2	0.19	10	0.02	244
62045	205 238	9250	0.51	0.8	>10000	160	< 0.5	8	2.39	1.0	10	16	36	8.98	20	31	0.12	10	0.03	173
62046	205 238	380	1.13	0.2	2700	140	< 0.5	< 2	0.25	< 0.5	26	80	178	10.50	10	6	0.33	10	0.09	4020
62047	205 238	535	1.81	0.2	150	80	< 0.5	< 2	0.24	< 0.5	13	72	230	4.72	10	1	0.12	10	0.37	792
62048	205 238	370	0.92	0.2	170	110	< 0.5	< 2	0.11	< 0.5	3	54	176	5.87	< 10	< 1	0.22	10	0.07	216
62049	205 238	520	1.94	0.2	560	350	< 0.5	< 2	0.06	0.5	114	92	704	11.00	10	3	0.10	10	0.08	4780
62050	205 238	870	0.49	0.2	8010	250	< 0.5	< 2	0.34	< 0.5	17	81	289	3.49	< 10	1	0.22	10	0.03	535
62101	205 238	35	1.57	0.2	630	800	< 0.5	< 2	4.41	< 0.5	18	59	56	3.51	20	< 1	0.23	< 10	0.31	785
62102	205 238	5	1.14	0.2	945	490	< 0.5	< 2	4.27	< 0.5	15	47	38	3.71	20	< 1	0.40	< 10	0.37	510
62105	205 238	165	2.60	0.2	1125	130	< 0.5	< 2	1.90	< 0.5	18	62	26	3.81	10	< 1	0.75	10	0.88	500
62106	205 238	300	2.97	0.2	250	80	< 0.5	< 2	1.81	< 0.5	26	83	54	4.40	10	< 1	0.40	10	1.62	461
62107	205 238	290	2.93	0.2	355	50	< 0.5	< 2	0.82	< 0.5	23	76	98	5.02	< 10	< 1	0.33	10	1.78	471
62108	205 238	510	3.18	0.2	495	80	< 0.5	< 2	1.22	< 0.5	29	73	116	4.79	10	< 1	0.34	10	1.81	465
62112	205 238	215	2.18	0.2	55	90	< 0.5	< 2	0.47	< 0.5	18	45	15	4.05	10	< 1	0.36	10	0.18	538
62113	205 238	10	0.63	0.2	30	70	< 0.5	< 2	3.27	< 0.5	10	69	49	3.01	10	< 1	0.16	< 10	0.12	749
62114	205 238	5	1.89	0.2	10	70	< 0.5	< 2	3.52	< 0.5	9	46	25	3.15	20	< 1	0.21	< 10	0.27	692
62117	205 238	840	1.76	0.2	420	50	< 0.5	< 2	12.05	0.5	14	46	11	2.98	50	< 1	0.18	< 10	0.89	1065
62118	205 238	>10000	0.90	8.0	2980	120	< 0.5	208	0.30	< 0.5	85	57	605	>15.00	10	< 1	0.37	10	0.33	180
62120	205 238	1020	1.75	1.2	5490	1870	0.5	< 2	0.36	< 0.5	13	188	90	6.93	10	< 1	0.45	10	0.23	2200
62121	205 238	1670	1.66	0.2	8870	1860	0.5	2	3.19	< 0.5	63	73	887	12.25	20	2	0.48	< 10	0.31	833
62122	205 238	675	2.65	0.2	1365	260	< 0.5	< 2	0.60	< 0.5	47	70	1005	10.80	10	< 1	0.82	20	1.21	225
62123	205 238	1100	1.97	0.2	870	110	< 0.5	< 2	0.24	< 0.5	26	105	305	4.94	< 10	< 1	0.65	< 10	0.46	150
62124	205 238	175	2.71	0.2	480	60	< 0.5	< 2	1.15	< 0.5	50	85	310	6.95	10	< 1	0.26	10	1.93	850
62125	205 238	50	4.51	0.2	715	170	< 0.5	< 2	0.58	0.5	38	304	400	5.61	10	< 1	1.11	10	1.42	281
62126	205 238	605	2.33	0.6	295	70	< 0.5	16	0.27	< 0.5	41	51	446	7.79	10	< 1	0.47	10	0.82	191
62127	205 238	1200	2.41	0.6	160	120	< 0.5	< 2	0.51	0.5	26	80	413	6.43	10	< 1	0.48	10	1.01	160
62128	205 238	9300	3.30	0.2	710	140	< 0.5	< 2	1.06	< 0.5	19	80	279	5.14	< 10	< 1	0.60	10	0.97	240
62129	205 238	90	3.35	0.2	335	160	< 0.5	< 2	0.89	< 0.5	27	82	250	6.10	10	< 1	0.55	10	1.58	416
62130	205 238	250	2.90	0.2	90	70	< 0.5	< 2	1.61	0.5	39	75	628	8.62	20	< 1	0.20	10	1.61	423
62131	205 238	30	0.99	0.2	1510	480	< 0.5	< 2	9.67	< 0.5	16	52	37	4.33	30	< 1	0.31	< 10	0.17	785
62132	205 238	70	2.55	0.2	900	100	< 0.5	< 2	3.06	< 0.5	40	92	760	8.34	20	< 1	0.16	10	1.89	562
62133	205 238	>10000	1.92	17.6	2780	100	< 0.5	290	0.28	< 0.5	173	256	5850	10.00	10	2	0.60	30	0.64	592
62134	205 238	35	0.79	0.2	255	40	< 0.5	6	3.93	< 0.5	17	124	47	4.16	20	2	< 0.01	< 10	1.07	1045
62151	205 238	40	0.71	0.2	90	180	< 0.5	< 2	0.09	< 0.5	11	161	57	3.81	< 10	29	0.06	< 10	0.03	884
62152	205 238	< 5	0.38	0.2	30	130	< 0.5	< 2	0.11	< 0.5	11	66	23	2.01	< 10	60	0.08	< 10	0.03	633
62153	205 238	< 5	1.40	0.2	< 5	80	< 0.5	< 2	0.23	< 0.5	11	173	33	2.61	< 10	45	0.12	10	0.07	489
62154	205 238	5	1.32	0.2	30	110	< 0.5	< 2	0.11	< 0.5	13	170	30	2.58	< 10	36	0.08	10	0.03	588

CERTIFICATION :



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.

MINERALS STAFF

1900 - 1055 W. HASTINGS ST.

VANCOUVER, B.C.

V6E 2E9

Project: M584-WATSON

Comments: ATTN: L. A. DICK

Page No. :2-B

Tot. Pages:3

Date :27-JUL-87

Invoice #:I-8717965

P.O. #:36915

## CERTIFICATE OF ANALYSIS A8717965

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
62041	205 238	< 1	< 0.01	10	1560	238	40	10	42	< 0.01	10	< 10	48	< 5	894
62042	205 238	< 1	0.01	< 1	430	636	20	20	121	< 0.01	< 10	< 10	25	< 5	672
62043	205 238	< 1	< 0.01	6	180	180	>10000	10	67	< 0.01	< 10	< 10	2	< 5	73
62044	205 238	< 1	< 0.01	6	550	12	610	< 10	28	< 0.01	< 10	< 10	9	< 5	92
62045	205 238	< 1	0.01	< 1	330	12	195	30	399	< 0.01	< 10	< 10	5	< 5	57
62046	205 238	< 1	0.01	15	420	12	250	20	44	< 0.01	10	< 10	50	< 5	194
62047	205 238	< 1	0.05	7	740	< 2	10	10	35	< 0.01	< 10	< 10	61	< 5	38
62048	205 238	< 1	0.01	2	590	4	30	< 10	21	< 0.01	< 10	< 10	45	< 5	16
62049	205 238	< 1	< 0.01	23	1210	2	20	20	29	< 0.01	20	< 10	60	< 5	36
62050	205 238	< 1	< 0.01	5	640	14	115	10	30	< 0.01	< 10	< 10	13	< 5	23
62101	205 238	< 1	0.02	23	790	< 2	30	< 10	67	< 0.01	< 10	< 10	59	< 5	42
62102	205 238	< 1	0.01	32	680	4	55	< 10	51	< 0.01	< 10	< 10	48	< 5	26
62105	205 238	< 1	0.03	34	630	14	165	< 10	32	0.01	< 10	< 10	84	< 5	49
62106	205 238	1	0.11	36	940	8	30	10	51	0.06	< 10	< 10	110	< 5	47
62107	205 238	< 1	0.07	37	1000	< 2	30	10	30	0.20	< 10	< 10	110	< 5	44
62108	205 238	< 1	0.15	36	850	2	30	< 10	58	0.18	< 10	< 10	108	< 5	41
62112	205 238	< 1	0.02	28	880	< 2	< 5	10	14	0.01	< 10	< 10	86	< 5	50
62113	205 238	< 1	< 0.01	6	700	< 2	< 5	< 10	41	< 0.01	< 10	< 10	44	< 5	27
62114	205 238	< 1	0.01	5	700	4	5	< 10	73	< 0.01	< 10	< 10	52	< 5	25
62117	205 238	< 1	0.03	25	440	2	25	10	746	0.01	10	< 10	58	< 5	20
62118	205 238	12	0.04	149	370	10	300	20	59	0.02	10	< 10	61	< 5	17
62120	205 238	< 1	0.01	14	630	< 2	35	10	37	< 0.01	10	< 10	27	< 5	54
62121	205 238	< 1	0.02	65	2240	12	175	10	143	< 0.01	10	< 10	47	< 5	29
62122	205 238	7	0.07	53	480	< 2	5	< 10	53	0.11	20	< 10	119	< 5	31
62123	205 238	< 1	0.06	16	260	24	225	< 10	33	< 0.01	< 10	< 10	26	< 5	42
62124	205 238	< 1	0.05	56	970	< 2	85	< 10	39	0.09	< 10	< 10	99	< 5	32
62125	205 238	1	0.34	43	460	< 2	10	10	75	0.05	< 10	< 10	78	< 5	26
62126	205 238	< 1	0.06	28	440	4	< 5	< 10	51	0.01	< 10	< 10	53	< 5	22
62127	205 238	< 1	0.13	25	800	14	< 5	10	64	0.05	< 10	< 10	89	< 5	21
62128	205 238	< 1	0.28	36	650	8	65	10	104	0.19	< 10	< 10	95	< 5	30
62129	205 238	< 1	0.17	41	680	12	30	10	82	0.09	< 10	< 10	93	< 5	40
62130	205 238	1	0.13	60	5910	< 2	5	20	74	0.05	< 10	< 10	112	< 5	27
62131	205 238	< 1	0.01	54	430	< 2	35	10	63	< 0.01	< 10	< 10	30	< 5	15
62132	205 238	5	0.03	89	>10000	4	85	20	62	0.04	10	< 10	80	< 5	26
62133	205 238	3	0.03	196	< 10	16	235	20	20	0.02	20	< 10	74	< 5	100
62134	205 238	< 1	0.01	31	340	< 2	15	10	156	0.01	< 10	< 10	65	< 5	95
62151	205 238	16	< 0.01	22	400	4	20	10	23	< 0.01	< 10	< 10	48	< 5	33
62152	205 238	6	< 0.01	21	420	< 2	5	< 10	21	< 0.01	< 10	< 10	50	< 5	11
62153	205 238	6	0.01	22	570	< 2	5	< 10	11	< 0.01	< 10	< 10	64	< 5	24
62154	205 238	8	< 0.01	22	400	2	15	< 10	24	< 0.01	< 10	< 10	61	< 5	14

CERTIFICATION :



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.  
MINERALS STAFF  
1900 - 1055 W. HASTINGS ST.  
VANCOUVER, B.C.  
V6E 2E9

Project: M584-WATSON  
Comments: ATTN: L.A. DICK

Page No.: 3-A  
Tot. Pages: 3  
Date: 27-JUL-87  
Invoice #: I-8717965  
P.O. #: 36915

## CERTIFICATE OF ANALYSIS A8717965

SAMPLE DESCRIPTION	PREP CODE		Au ppb	Al	Ag	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn
			FA+AA	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%
62155	205	238	< 5	0.38	< 0.2	15	50	< 0.5	< 2	0.15	< 0.5	9	97	77	1.90	< 10	435	0.06	< 10	0.02	336
62156	205	238	< 5	0.85	< 0.2	25	70	< 0.5	< 2	0.12	< 0.5	12	89	26	2.14	< 10	217	0.07	< 10	0.02	479

CERTIFICATION : 



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221


To: CHEVRON CANADA RESOURCES LTD.  
MINERALS STAFF  
1900 - 1055 W. HASTINGS ST.  
VANCOUVER, B.C.  
V6E 2E9

Project: M584-WATSON  
Comments: ATTN: L.A. DICK

Page No. : 3-B  
Tot. Pages: 3  
Date : 27-JUL-87  
Invoice #: I-8717965  
P.O. #: 36915

## CERTIFICATE OF ANALYSIS A8717965

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
62155	205 238	4 < 0.01		17	450	< 2	5	< 10	10 < 0.01	< 10	< 10		52	< 5	8
62156	205 238	7 < 0.01		21	410	4	5	< 10	34 < 0.01	< 10	< 10		59	< 5	11

CERTIFICATION : 



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.  
MINERALS STAFF  
1900 - 1055 W. HASTINGS ST.  
VANCOUVER, B.C.  
V6E 2E9

Project: 584 WATSON  
Comments:

Page No. : 1-A  
Tot. Pages: 3  
Date : 5-AUG-87  
Invoice #: I-8718439  
P.O. # : NONE

LAD

## CERTIFICATE OF ANALYSIS A8718439

SAMPLE DESCRIPTION	PREP CODE		Au ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
			FA+AA																		
62051	205	238	55	2.79	0.2	95	310	< 0.5	< ?	2.08	< 0.5	27	63	98	4.23	10	< 1	1.00	10	1.44	366
62052	205	238	45	1.44	0.2	995	150	< 0.5	< 2	2.26	< 0.5	15	44	40	3.45	10	< 1	0.46	< 10	0.53	481
62053	205	238	110	1.47	0.2	2390	130	< 0.5	< 2	2.75	< 0.5	17	29	64	4.05	10	< 1	0.68	< 10	0.15	484
62056	205	238	3500	3.08	0.2	560	120	< 0.5	< 2	0.99	< 0.5	24	64	154	4.38	10	1	0.51	10	1.39	365
62057	205	238	210	1.53	0.2	250	410	< 0.5	< 2	4.69	< 0.5	16	38	62	3.45	10	< 1	0.43	< 10	0.20	397
62058	205	238	45	3.85	0.2	30	250	< 0.5	< 2	0.75	< 0.5	24	88	54	4.12	10	2	1.39	10	2.09	268
62059	205	238	15	2.59	0.2	390	460	< 0.5	< 2	2.38	< 0.5	19	66	75	3.85	10	< 1	0.84	< 10	1.08	520
62060	205	238	35	2.15	0.2	2150	240	0.5	< 2	1.14	< 0.5	18	38	69	2.94	10	< 1	0.53	10	0.38	289
62061	205	238	25	2.76	0.2	435	280	< 0.5	< 2	0.51	< 0.5	23	59	48	3.55	< 10	1	1.12	10	0.97	366
62062	205	238	925	2.65	0.6	725	170	0.5	< 2	0.49	< 0.5	40	61	99	4.04	< 10	1	0.82	10	0.86	328
62063	205	238	95	2.24	0.8	2310	350	< 0.5	< 2	0.41	< 0.5	20	55	48	3.97	< 10	< 1	0.77	10	1.00	325
62064	205	238	45	2.89	0.2	85	180	< 0.5	< 2	0.82	< 0.5	19	75	32	3.56	10	< 1	0.54	10	1.79	339
62065	205	238	10	2.82	0.2	170	170	< 0.5	< 2	0.67	< 0.5	19	87	36	3.73	10	1	0.50	10	1.80	341
62066	205	238	< 5	0.41	0.2	110	80	< 0.5	< 2	0.08	< 0.5	8	141	17	13.75	< 10	16	0.04	10	0.11	616
62067	205	238	50	3.42	0.2	335	190	< 0.5	< 2	0.70	< 0.5	21	79	51	4.42	10	1	0.81	10	1.67	409
62068	205	238	1350	3.06	0.4	245	210	< 0.5	< 2	0.49	< 0.5	29	94	343	4.69	10	1	0.85	10	1.76	399
62069	205	238	20	3.48	0.2	150	210	< 0.5	< 2	1.11	< 0.5	24	110	81	4.50	10	2	0.75	10	1.83	402
62070	205	238	85	3.22	0.2	65	190	< 0.5	< 2	0.86	< 0.5	24	100	18	4.09	10	1	0.64	10	1.86	398
62071	205	238	220	2.70	0.2	275	70	< 0.5	< 2	0.48	< 0.5	38	77	271	5.09	10	1	0.46	10	1.38	387
62072	205	238	50	1.46	0.2	400	220	< 0.5	< 2	2.56	< 0.5	19	27	114	4.33	10	< 1	0.41	< 10	0.41	386
62073	205	238	125	2.46	0.2	650	110	0.5	< 2	0.68	< 0.5	24	73	89	4.06	< 10	< 1	0.58	10	0.49	476
62074	205	238	75	1.04	0.2	2180	100	< 0.5	< 2	3.57	< 0.5	14	51	57	3.97	10	< 1	0.27	< 10	0.12	735
62075	205	238	155	1.82	0.2	1535	90	0.5	< 2	1.47	< 0.5	20	53	44	3.92	10	1	0.46	10	0.22	528
62076	205	238	300	0.87	0.2	5490	170	0.5	< 2	0.59	< 0.5	10	43	21	3.45	< 10	1	0.41	10	0.07	508
62077	205	238	85	1.30	0.2	1165	100	0.5	< 2	1.65	< 0.5	11	51	44	3.24	10	2	0.49	10	0.24	614
62078	205	238	65	0.55	0.6	7330	60	< 0.5	< 2	0.46	< 0.5	16	39	35	3.48	< 10	< 1	0.33	10	0.05	628
62079	205	238	6250	0.59	0.4	>10000	50	< 0.5	< 2	1.41	96.5	26	74	10	11.40	10	< 1	0.32	10	0.05	885
62080	205	238	65	0.70	0.4	2300	30	< 0.5	< 2	0.07	< 0.5	14	72	98	7.27	< 10	10	0.12	< 10	0.05	728
62081	205	238	175	0.97	1.2	1005	60	< 0.5	< 2	0.06	0.5	17	70	40	4.38	< 10	3	0.31	< 10	0.04	340
62082	205	238	< 5	0.46	0.4	395	30	< 0.5	< 2	0.05	< 0.5	10	43	16	4.09	< 10	2	0.18	< 10	0.02	165
62083	205	238	60	1.41	0.2	585	60	< 0.5	< 2	0.12	< 0.5	8	84	46	3.27	< 10	2	0.38	< 10	0.05	350
62084	205	238	545	0.35	1.0	1540	720	< 0.5	< 2	2.11	< 0.5	5	79	38	2.21	10	< 1	0.13	< 10	0.18	1450
62085	205	238	55	3.59	0.2	60	110	< 0.5	< 2	1.41	< 0.5	23	95	154	5.07	10	< 1	0.34	10	1.71	615
62086	205	238	< 5	1.71	0.2	15	110	0.5	< 2	0.87	< 0.5	14	53	21	3.23	10	< 1	0.07	10	0.74	681
62087	205	238	< 5	1.60	0.2	25	190	< 0.5	< 2	4.17	< 0.5	5	84	5	1.48	10	< 1	0.40	< 10	0.13	707
62088	205	238	270	0.59	0.2	205	160	< 0.5	< 2	2.62	< 0.5	7	36	47	2.40	10	< 1	0.23	< 10	0.08	1005
62089	205	238	40	1.80	0.2	375	140	< 0.5	< 2	0.09	0.5	23	150	31	4.54	< 10	< 1	0.03	< 10	0.03	1675
62090	205	238	255	0.35	0.2	2140	140	< 0.5	< 2	1.42	< 0.5	11	48	52	6.73	< 10	13	0.10	< 10	0.06	1160
62091	205	238	45	0.95	0.4	960	50	< 0.5	< 2	0.08	< 0.5	15	70	82	4.57	< 10	2	0.21	< 10	0.03	827
62092	205	238	< 5	0.28	0.2	835	70	< 0.5	< 2	0.54	< 0.5	7	63	40	2.10	< 10	< 1	0.17	10	0.04	1025

CERTIFICATION

*aug*





# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.  
MINERALS STAFF  
1900 - 1055 W. HASTINGS ST.  
VANCOUVER, B.C.  
V6E 2E9

Project: 584 WATSON  
Comments:

Page No. : 1-B  
Tot. Pages: 3  
Date : 5-AUG-87  
Invoice #: I-8718439  
P.O. #: NONE

## CERTIFICATE OF ANALYSIS A8718439

SAMPLE DESCRIPTION	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Se	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
62051	205	238	< 1	0.10	40	2400	< 2	10	< 10	57	0.09	< 10	< 10	97	10	15
62052	205	238	< 1	0.02	45	630	< 2	50	< 10	32	< 0.01	< 10	< 10	47	10	27
62053	205	238	< 1	0.01	38	970	2	105	< 10	24	< 0.01	< 10	< 10	34	15	44
62056	205	238	< 1	0.17	39	1170	6	85	< 10	62	0.13	< 10	< 10	82	10	34
62057	205	238	< 1	0.01	33	610	2	20	< 10	54	< 0.01	< 10	< 10	47	10	24
62058	205	238	< 1	0.18	43	620	2	< 5	< 10	73	0.16	< 10	< 10	138	10	18
62059	205	238	< 1	0.06	41	780	< 2	5	< 10	60	0.04	< 10	< 10	77	5	17
62060	205	238	< 1	0.01	34	670	< 2	25	< 10	25	< 0.01	< 10	< 10	54	5	23
62061	205	238	< 1	0.11	45	660	< 2	15	< 10	43	0.05	< 10	< 10	95	10	17
62062	205	238	< 1	0.05	57	670	< 2	20	< 10	28	0.03	< 10	< 10	78	5	24
62063	205	238	< 1	0.02	41	520	20	2460	< 10	26	0.04	< 10	< 10	75	5	46
62064	205	238	< 1	0.17	35	640	2	15	< 10	62	0.19	< 10	< 10	120	10	26
62065	205	238	< 1	0.13	35	910	< 2	20	< 10	49	0.10	< 10	< 10	112	10	21
62066	205	238	65	0.01	6	260	< 2	25	< 10	13	< 0.01	< 10	< 10	99	25	77
62067	205	238	< 1	0.12	40	930	< 2	25	< 10	47	0.04	< 10	< 10	109	5	30
62068	205	238	< 1	0.10	48	930	< 2	20	< 10	36	0.08	< 10	< 10	127	10	37
62069	205	238	< 1	0.29	49	1400	4	5	< 10	97	0.13	< 10	< 10	135	10	21
62070	205	238	< 1	0.21	44	920	6	< 5	< 10	77	0.15	< 10	< 10	137	5	25
62071	205	238	< 1	0.06	65	910	< 2	35	< 10	32	0.02	< 10	< 10	122	10	31
62072	205	238	< 1	0.04	16	930	< 2	20	< 10	48	< 0.01	< 10	< 10	59	10	22
62073	205	238	< 1	0.02	72	630	< 2	20	< 10	16	< 0.01	< 10	< 10	74	10	33
62074	205	238	< 1	< 0.01	26	610	2	35	< 10	27	< 0.01	< 10	< 10	39	10	30
62075	205	238	< 1	0.01	40	1310	< 2	30	< 10	32	< 0.01	< 10	< 10	70	10	49
62076	205	238	< 1	0.01	23	1690	8	85	< 10	39	< 0.01	< 10	< 10	25	5	97
62077	205	238	< 1	0.01	31	940	4	25	< 10	48	< 0.01	< 10	< 10	42	5	75
62078	205	238	< 1	< 0.01	66	840	6	490	< 10	39	< 0.01	< 10	< 10	16	5	73
62079	205	238	< 1	0.01	2	440	4	45	< 10	231	< 0.01	< 10	< 10	25	25	3420
62080	205	238	< 1	< 0.01	46	630	4	55	< 10	53	< 0.01	< 10	< 10	73	10	370
62081	205	238	< 1	0.01	45	600	28	20	< 10	34	< 0.01	< 10	< 10	54	10	373
62082	205	238	< 1	< 0.01	31	570	24	10	< 10	55	< 0.01	10	< 10	52	10	74
62083	205	238	< 1	< 0.01	52	560	22	10	< 10	57	< 0.01	< 10	< 10	64	5	126
62084	205	238	< 1	< 0.01	4	250	16	20	< 10	145	< 0.01	< 10	< 10	9	5	45
62085	205	238	< 1	0.32	42	820	< 2	< 5	< 10	151	0.19	< 10	< 10	131	15	25
62086	205	238	< 1	0.02	21	500	8	< 5	< 10	45	< 0.01	< 10	< 10	67	5	59
62087	205	238	< 1	0.02	6	350	< 2	< 5	< 10	131	< 0.01	< 10	< 10	13	< 5	38
62088	205	238	< 1	0.01	2	620	26	10	< 10	64	< 0.01	< 10	< 10	14	5	87
62089	205	238	< 1	< 0.01	42	500	30	20	< 10	103	< 0.01	10	< 10	87	5	162
62090	205	238	59	< 0.01	15	310	20	130	< 10	88	< 0.01	< 10	< 10	55	15	254
62091	205	238	23	< 0.01	20	380	12	60	< 10	41	< 0.01	< 10	< 10	66	5	165
62092	205	238	< 1	< 0.01	7	450	< 2	20	< 10	15	< 0.01	10	< 10	10		49

CERTIFICATION:



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.  
MINERALS STAFF  
1900 - 1055 W. HASTINGS ST.  
VANCOUVER, B.C.  
V6E 2E9


Project: 584 WATSON  
Comments:

Page No.: 2-A  
Tot. Pages: 3  
Date: 5-AUG-87  
Invoice #: I-8718439  
P.O. #: NONE

## CERTIFICATE OF ANALYSIS A8718439

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
62093	205 238	< 5	1.72	0.2	155	90	1.0	< 2	0.13	0.5	27	138	21	7.24	< 10	2	0.20	10	0.08	1430
62094	205 238	< 5	0.49	0.2	355	20	0.5	< 2	1.77	< 0.5	22	86	67	5.22	< 10	3	0.09	< 10	0.41	1310
62095	205 238	< 5	0.83	0.2	175	80	0.5	< 2	0.09	0.5	11	57	12	3.77	< 10	< 1	0.27	10	0.05	593
62096	205 238	< 5	1.18	0.2	55	250	0.5	< 2	0.82	< 0.5	11	44	14	2.51	< 10	< 1	0.33	10	0.11	1445
62097	205 238	< 5	1.30	0.2	2800	70	1.0	< 2	0.12	< 0.5	13	107	20	8.34	< 10	25	0.10	< 10	0.05	582
62098	205 238	20	0.88	0.4	135	150	0.5	< 2	0.48	0.5	9	45	21	2.90	< 10	< 1	0.20	10	0.05	958
62099	205 238	20	1.09	0.2	260	150	0.5	< 2	0.41	1.0	15	57	24	3.50	< 10	< 1	0.31	10	0.06	2000
62100	205 238	< 5	0.89	0.2	280	180	< 0.5	< 2	1.76	< 0.5	8	43	28	2.40	< 10	< 1	0.31	10	0.05	1870
62138	205 238	480	2.93	0.2	505	140	0.5	2	1.96	< 0.5	28	55	261	6.22	< 10	< 1	0.41	< 10	1.48	416
62157	205 238	< 5	1.29	0.2	95	70	0.5	< 2	0.14	< 0.5	20	84	11	5.94	< 10	1	0.16	10	0.05	1180
62158	205 238	5	0.97	0.2	235	210	0.5	< 2	0.11	0.5	11	38	165	2.80	< 10	1	0.25	10	0.03	1085
62159	205 238	50	0.76	0.2	410	50	0.5	< 2	0.12	< 0.5	20	60	29	4.74	< 10	6	0.25	< 10	0.04	735
62160	205 238	370	0.79	0.2	2250	50	0.5	< 2	0.08	< 0.5	14	85	26	6.90	< 10	22	0.16	< 10	0.05	511
62161	205 238	< 5	0.96	0.2	380	50	0.5	< 2	0.05	< 0.5	16	94	14	4.56	< 10	1	0.07	< 10	0.04	1055
62162	205 238	< 5	0.77	0.2	165	110	0.5	< 2	0.21	< 0.5	9	32	15	2.49	< 10	< 1	0.25	10	0.04	1455
62163	205 238	< 5	0.81	0.2	140	80	0.5	< 2	4.02	< 0.5	8	34	12	2.44	< 10	< 1	0.24	< 10	0.06	1465
62164	205 238	40	1.26	0.2	65	180	0.5	< 2	0.40	< 0.5	16	68	58	4.09	< 10	1	0.15	10	0.13	1220
62165	205 238	10	0.92	0.2	105	110	0.5	< 2	1.33	< 0.5	11	78	17	3.05	< 10	< 1	0.25	10	0.04	1025
62166	205 238	100	1.08	0.2	130	80	0.5	< 2	0.18	< 0.5	22	85	32	5.32	< 10	1	0.22	10	0.06	1035
62167	205 238	30	0.86	0.2	590	60	0.5	< 2	0.07	< 0.5	18	96	28	4.52	< 10	2	0.08	< 10	0.04	1330
62168	205 238	20	0.95	0.2	325	60	0.5	< 2	0.15	0.5	21	121	26	4.74	< 10	2	0.10	< 10	0.04	1355
62169	205 238	5	1.07	0.2	95	210	0.5	< 2	0.09	7.0	7	48	18	2.97	< 10	< 1	0.20	10	0.03	941
62170	205 238	50	1.12	0.4	40	210	0.5	< 2	0.37	8.5	8	51	44	2.81	< 10	< 1	0.33	10	0.02	885
62171	205 238	65	0.77	0.2	25	90	0.5	< 2	6.38	< 0.5	5	31	100	2.64	< 10	< 1	0.18	< 10	0.18	702
62172	205 238	< 5	1.19	0.2	45	80	< 0.5	< 2	0.19	< 0.5	10	78	11	1.91	< 10	27	0.11	10	0.03	364
62173	205 238	< 5	1.25	0.2	10	70	0.5	< 2	0.26	< 0.5	9	132	11	2.65	< 10	46	0.11	10	0.09	382
62174	205 238	< 5	1.37	0.2	10	80	< 0.5	< 2	0.17	< 0.5	9	85	14	2.40	< 10	53	0.11	10	0.05	396
62175	205 238	< 5	1.25	0.2	5	80	0.5	< 2	0.16	< 0.5	8	98	23	2.39	< 10	103	0.11	< 10	0.05	410
62176	205 238	100	1.27	0.2	525	110	1.0	< 2	0.14	< 0.5	22	70	132	5.39	< 10	2	0.25	10	0.06	410
62177	205 238	20	1.06	0.2	225	50	0.5	< 2	0.18	< 0.5	21	63	14	5.40	< 10	5	0.21	< 10	0.04	938
62178	205 238	120	1.22	0.2	2290	70	1.0	< 2	0.10	< 0.5	30	53	64	10.80	< 10	14	0.20	< 10	0.07	1445
62179	205 238	5	1.08	0.2	180	90	0.5	< 2	0.14	< 0.5	25	77	14	5.92	< 10	1	0.10	10	0.06	2060
62180	205 238	15	1.67	0.2	110	130	1.5	< 2	0.96	0.5	27	91	20	4.76	< 10	1	0.11	10	0.08	1710
62181	205 238	35	1.27	0.2	150	80	1.0	2	0.23	2.5	27	97	35	5.15	< 10	< 1	0.13	10	0.07	1245
62182	205 238	10	1.41	0.2	120	60	1.0	< 2	0.08	< 0.5	17	97	70	4.72	< 10	< 1	0.03	< 10	0.04	884
62183	205 238	5	0.96	0.2	95	50	1.0	< 2	0.35	< 0.5	13	57	29	2.93	< 10	< 1	0.03	< 10	0.04	589
62184	205 238	< 5	0.77	0.2	35	60	0.5	2	1.61	< 0.5	8	76	13	1.88	< 10	1	0.04	< 10	0.36	572
62185	205 238	500	1.49	0.2	115	100	1.0	< 2	0.26	< 0.5	12	38	77	2.81	< 10	< 1	0.12	10	0.14	449
62186	205 238	5	1.73	0.2	65	90	1.0	2	1.82	< 0.5	27	108	19	4.85	< 10	< 1	0.04	10	0.43	1075
62187	205 238	10	0.74	0.2	< 5	40	0.5	< 2	12.55	0.5	14	36	10	4.05	< 10	< 1	0.01	< 10	6.55	1185

CERTIFICATION



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

112 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.  
MINERALS STAFF  
1900 - 1055 W. HASTINGS ST.  
VANCOUVER, B.C.  
V6E 2E9

Project: 584 WATSON  
Comments:

Page No. : 2-B  
Tot. Pages: 3  
Date : 5-AUG-87  
Invoice #: I-8718439  
P.O. # : NONE

## CERTIFICATE OF ANALYSIS A8718439

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
62093	205 238	< 1	< 0.01	31	700	2	5	< 10	42	< 0.01	< 10	< 10	93	10	119
62094	205 238	< 1	< 0.01	44	570	8	5	< 10	48	< 0.01	< 10	< 10	59	10	105
62095	205 238	< 1	0.02	13	500	90	5	< 10	26	< 0.01	< 10	< 10	35	5	266
62096	205 238	< 1	0.02	6	740	6	20	< 10	26	< 0.01	< 10	< 10	37	< 5	66
62097	205 238	< 1	< 0.01	23	290	8	175	< 10	49	< 0.01	< 10	< 10	68	15	90
62098	205 238	< 1	0.01	6	480	34	< 5	< 10	28	< 0.01	< 10	< 10	40	5	218
62099	205 238	< 1	0.01	26	830	180	10	< 10	35	< 0.01	< 10	< 10	43	5	437
62100	205 238	< 1	0.01	2	540	18	5	< 10	23	< 0.01	< 10	< 10	17	5	200
62138	205 238	< 1	0.12	55	5080	< 2	90	< 10	52	0.11	< 10	< 10	89	10	26
62157	205 238	< 1	< 0.01	22	480	2	< 5	< 10	164	< 0.01	< 10	< 10	86	5	99
62158	205 238	< 1	0.01	8	460	8	15	< 10	14	< 0.01	< 10	< 10	35	5	228
62159	205 238	< 1	0.01	17	550	< 2	10	< 10	34	< 0.01	< 10	< 10	56	5	134
62160	205 238	< 1	< 0.01	31	240	74	100	< 10	35	< 0.01	< 10	< 10	49	10	196
62161	205 238	< 1	< 0.01	35	360	4	15	< 10	67	< 0.01	< 10	< 10	67	5	94
62162	205 238	< 1	< 0.01	5	540	4	5	< 10	17	< 0.01	< 10	< 10	26	5	108
62163	205 238	< 1	0.01	1	450	10	5	< 10	21	< 0.01	< 10	< 10	24	5	96
62164	205 238	< 1	0.01	29	830	16	< 5	< 10	18	< 0.01	< 10	< 10	64	5	115
62165	205 238	< 1	0.01	16	770	< 2	5	< 10	20	< 0.01	< 10	< 10	43	5	113
62166	205 238	14	0.01	23	730	4	5	< 10	46	< 0.01	< 10	< 10	66	10	103
62167	205 238	< 1	< 0.01	29	420	4	135	< 10	22	< 0.01	< 10	< 10	68	5	205
62168	205 238	< 1	< 0.01	28	590	18	10	< 10	18	< 0.01	< 10	< 10	79	10	238
62169	205 238	< 1	0.03	4	530	12	5	< 10	226	< 0.01	< 10	< 10	33	5	2090
62170	205 238	< 1	0.02	4	620	28	5	< 10	17	< 0.01	< 10	< 10	33	5	2010
62171	205 238	< 1	0.01	< 1	610	< 2	< 5	< 10	68	< 0.01	< 10	< 10	51	10	62
62172	205 238	2	0.01	16	580	< 2	< 5	< 10	12	< 0.01	< 10	< 10	55	5	16
62173	205 238	< 1	0.03	17	600	< 2	< 5	< 10	17	< 0.01	< 10	< 10	80	< 5	19
62174	205 238	3	0.01	14	590	< 2	< 5	< 10	17	< 0.01	< 10	< 10	84	5	16
62175	205 238	2	0.01	14	500	< 2	< 5	< 10	21	< 0.01	< 10	< 10	71	< 5	15
62176	205 238	< 1	< 0.01	36	720	24	5	< 10	15	< 0.01	< 10	< 10	83	5	246
62177	205 238	< 1	0.01	18	680	6	10	< 10	21	< 0.01	< 10	< 10	67	10	78
62178	205 238	177	< 0.01	22	480	4	75	< 10	33	< 0.01	< 10	< 10	70	15	420
62179	205 238	< 1	< 0.01	40	780	4	15	< 10	16	< 0.01	< 10	< 10	80	10	150
62180	205 238	< 1	< 0.01	65	530	50	10	10	46	< 0.01	< 10	< 10	75	< 5	237
62181	205 238	3	< 0.01	47	580	8	5	< 10	54	< 0.01	< 10	< 10	89	< 5	391
62182	205 238	< 1	< 0.01	25	530	10	< 5	< 10	39	< 0.01	< 10	< 10	105	< 5	65
62183	205 238	< 1	< 0.01	34	430	6	5	< 10	125	< 0.01	< 10	< 10	63	< 5	49
62184	205 238	< 1	0.01	20	410	< 2	5	< 10	499	< 0.01	< 10	< 10	37	< 5	33
62185	205 238	< 1	0.07	10	560	10	< 5	< 10	39	< 0.01	< 10	< 10	47	< 5	34
62186	205 238	< 1	0.02	44	630	< 2	5	< 10	82	< 0.01	< 10	< 10	91	< 5	86
62187	205 238	< 1	0.01	25	160	14	5	< 10	668	< 0.01	< 10	< 10	43	5	76

CERTIFICATION:



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
 212 BROOKSBANK AVE., NORTH VANCOUVER,  
 BRITISH COLUMBIA, CANADA V7J-2C1  
 PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.  
 MINERALS STAFF  
 1900 - 1055 W. HASTINGS ST.  
 VANCOUVER, B.C.  
 V6E 2E9  
 Project: 584 WATSON  
 Comments:

Page No. : 3-A  
 Tot. Pages: 3  
 Date : 5-AUG-87  
 Invoice #: I-8718439  
 P.O. #: NONE

## CERTIFICATE OF ANALYSIS A8718439

SAMPLE DESCRIPTION	PREP CODE		Au ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
			FA+AA																		
62188	205	238	< 5	1.95	0.2	215	80	1.0	< 2	0.25	< 0.5	23	104	35	4.57	< 10	< 1	0.35	10	0.10	1105
62189	205	238	< 5	1.18	0.2	200	90	1.0	< 2	0.14	< 0.5	20	71	12	4.58	< 10	3	0.11	< 10	0.05	969
62190	205	238	10	1.19	0.2	125	60	1.0	< 2	0.61	< 0.5	23	84	16	4.39	< 10	< 1	0.24	10	0.07	1005
62191	205	238	15	1.24	0.2	305	100	0.5	< 2	0.11	< 0.5	27	83	9	5.12	< 10	< 1	0.16	10	0.06	1475
62192	205	238	< 5	1.56	0.2	650	140	1.0	< 2	0.11	< 0.5	27	82	4	5.40	< 10	5	0.06	< 10	0.05	1600
62193	205	238	< 5	1.50	0.2	195	60	0.5	< 2	1.07	< 0.5	23	76	4	4.47	< 10	< 1	0.06	10	0.07	988
62194	205	238	< 5	1.17	0.2	160	40	0.5	< 2	0.13	< 0.5	16	42	186	3.35	< 10	< 1	0.08	10	0.03	346
62195	205	238	50	1.35	0.2	585	30	0.5	< 2	0.14	< 0.5	19	52	203	4.00	< 10	5	0.13	10	0.04	142
62196	205	238	125	1.69	0.2	445	110	0.5	< 2	0.10	< 0.5	28	74	216	4.97	< 10	6	0.39	10	0.06	321
62197	205	238	40	1.65	0.2	385	60	0.5	< 2	0.08	< 0.5	17	56	168	4.35	< 10	< 1	0.35	< 10	0.05	196

*B. Caughlin*  
 ANALYST



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.  
MINERALS STAFF  
1900 - 1055 W. HASTINGS ST.  
VANCOUVER, B.C.  
V6E 2E9

Project: 584 WATSON  
Comments:

Page No. : 3-B  
Tot. Pages: 3  
Date : 5-AUG-87  
Invoice #: I-8718439  
P.O. #: NONE

## CERTIFICATE OF ANALYSIS A8718439

SAMPLE DESCRIPTION	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Se	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
62188	205	238	< 1	< 0.01	36	630	8	540	10	18	< 0.01	< 10	< 10	83	< 5	83
62189	205	238	< 1	< 0.01	37	770	14	10	< 10	16	< 0.01	< 10	< 10	86	< 5	98
62190	205	238	< 1	< 0.01	38	750	6	25	40	13	< 0.01	< 10	< 10	81	< 5	87
62191	205	238	< 1	< 0.01	42	690	< 2	10	< 10	24	< 0.01	< 10	< 10	93	< 5	100
62192	205	238	< 1	< 0.01	46	620	2	25	10	25	< 0.01	< 10	< 10	94	< 5	116
62193	205	238	< 1	< 0.01	38	670	< 2	10	10	22	< 0.01	< 10	< 10	86	< 5	97
62194	205	238	< 1	< 0.01	22	640	2	5	< 10	10	< 0.01	< 10	< 10	60	< 5	34
62195	205	238	< 1	< 0.01	14	700	18	5	< 10	12	< 0.01	< 10	< 10	62	< 5	32
62196	205	238	2	0.01	55	590	12	5	< 10	53	< 0.01	< 10	< 10	80	< 5	33
62197	205	238	< 1	< 0.01	42	530	8	5	< 10	71	< 0.01	< 10	< 10	79	< 5	38

CERTIFICATION:



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.  
MINERALS STAFF  
1900 - 1055 W. HASTINGS ST.  
VANCOUVER, B.C.  
V6E 2E9

Project: M584-WATSON  
Comments: ATTN: L.A. DICK

Page No. : 1-A  
Tot. Pages: 1  
Date : 23-JUL-87  
Invoice #: I-8717964  
P.O. #: 36915

## CERTIFICATE OF ANALYSIS A8717964

SAMPLE DESCRIPTION	PREP CODE		Au	Al	Ag	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn
			g/tonne	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%
62054	207	238	0.27	1.49	0.2	7490	2970	< 0.5	< 2	1.79	< 0.5	16	20	20	3.35	< 10	< 1	0.47	10	0.27	421
62055	207	238	0.27	2.59	0.2	1530	170	< 0.5	2	1.22	< 0.5	28	74	28	3.73	< 10	< 1	0.86	10	0.90	452
62103	207	238	0.14	1.17	0.4	6650	70	0.5	< 2	1.81	< 0.5	14	21	37	3.06	10	< 1	0.43	10	0.15	336
62104	207	238	0.69	1.61	0.8	7200	100	0.5	< 2	0.47	< 0.5	12	20	47	3.33	< 10	< 1	0.76	10	0.16	253
62109	207	238	0.21	1.72	0.8	7620	90	0.5	< 2	0.54	< 0.5	16	21	48	3.67	< 10	< 1	0.83	10	0.16	358
62110	207	238	0.14	1.54	0.2	850	140	0.5	< 2	1.51	< 0.5	17	34	37	3.63	10	< 1	0.74	20	0.37	492
62111	207	238	0.62	1.53	0.2	3410	240	0.5	< 2	1.38	< 0.5	11	13	48	3.23	10	< 1	0.73	10	0.13	476
62115	207	238	0.07	1.69	0.2	8790	160	0.5	< 2	0.57	< 0.5	14	19	59	3.69	10	< 1	0.68	20	0.13	643
62116	207	238	0.07	1.75	0.6	>10000	130	0.5	< 2	0.69	< 0.5	12	13	46	3.64	10	< 1	0.67	10	0.15	431
62119	207	238	0.14	1.41	5.6	7240	490	0.5	< 2	0.59	< 0.5	12	28	47	4.28	< 10	2	0.42	< 10	0.12	206

ALL ASSAY DETERMINATIONS ARE PERFORMED OR SUPERVISED BY B.C. CERTIFIED ASSAYERS

CERTIFICATION :

*BCG*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.  
MINERALS STAFF  
1900 - 1055 W. HASTINGS ST.  
VANCOUVER, B.C.  
V6E 2E9

Project: M584-WATSON  
Comments: ATTN: L.A. DICK

Page No. : 1-B  
Tot. Pages: 1  
Date : 23-JUL-87  
Invoice #: I-8717964  
P.O. #: 36915

## CERTIFICATE OF ANALYSIS A8717964

SAMPLE DESCRIPTION	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Se	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
62054	207	238	< 1	0.01	35	510	< 2	605	10	79	< 0.01	< 10	< 10	36	< 5	53
62055	207	238	< 1	0.01	74	630	< 2	90	< 10	22	0.02	< 10	< 10	77	< 5	52
62103	207	238	< 1	< 0.01	45	510	14	340	< 10	47	< 0.01	< 10	< 10	31	< 5	50
62104	207	238	< 1	< 0.01	31	390	26	2430	< 10	24	< 0.01	< 10	< 10	33	< 5	63
62109	207	238	< 1	0.01	33	510	18	2260	10	29	< 0.01	< 10	< 10	35	< 5	61
62110	207	238	< 1	0.01	37	610	< 2	115	< 10	16	0.01	< 10	< 10	45	< 5	50
62111	207	238	< 1	0.01	29	640	< 2	100	< 10	22	< 0.01	< 10	< 10	28	< 5	41
62115	207	238	< 1	0.01	30	560	12	685	10	58	< 0.01	10	< 10	36	< 5	47
62116	207	238	< 1	0.01	20	460	< 2	1155	10	120	< 0.01	< 10	< 10	28	< 5	72
62119	207	238	< 1	0.01	36	260	176	>10000	10	58	< 0.01	< 10	< 10	23	< 5	97

ALL ASSAY DETERMINATIONS ARE PERFORMED OR SUPERVISED BY B.C. CERTIFIED ASSAYERS

CERTIFICATION :

Places Trench EAST

62041

42

43

44

45

46

62188

89

90

91

92

93

62157

58

59

62176, 177

178

179

180

181

62186

62160

62161