



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project: M584 - WATSON
Comments: ATTN: S. McALLISTER

PROJECT
Page No. : 1
Tot. Pages: 1
Date : 09-NOV-88
Invoice #: I-8826914
P.O. #: NONE

840484

CERTIFICATE OF ANALYSIS A8826914

SAMPLE DESCRIPTION	PREP CODE	Au tot g/tonne	Au - g/tonne	Au + mg	Wt. + grams	Wt. - grams					
248161 RESPLIT 88-5	207 --	14.99	13.92	0.440	4.20	352					

ALL ASSAY DETERMINATIONS ARE PERFORMED OR SUPERVISED BY B.C. CERTIFIED ASSAYERS

CERTIFICATION :

W. Bentzen



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9
Project: M584
Comments: CC: S. MCALLISTER

Page No. : 1
Tot. Pages: 1
Date : 3-NOV-88
Invoice #: I-8826702
P.O. #: 36935

CERTIFICATE OF ANALYSIS A8826702

SAMPLE DESCRIPTION	PREP CODE		Au FA g/tonne									
248161 88-5	214	--	18.00 ✓									

R. J. Swales



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project: M584

Comments: S. MCALLISTER

Page No.: 1-A
Tot. Pages: 3
Date: 2-NOV-88
Invoice #: I-8826313
P.O. #: 36931

CERTIFICATE OF ANALYSIS A8826313

SAMPLE DESCRIPTION	PREP CODE		Au ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
			FA+AA																		
248173	205	238	70	1.50	< 0.2	30	170	< 0.5	< 2	2.59	< 0.5	18	128	70	3.32	< 10	< 1	0.08	10	1.48	567
248174	205	238	15	2.35	< 0.2	< 5	680	< 0.5	< 2	3.34	< 0.5	17	97	70	3.41	< 10	< 1	0.07	< 10	1.47	635
248175	205	238	40	1.44	< 0.2	10	150	< 0.5	< 2	3.13	< 0.5	19	120	54	3.22	< 10	< 1	0.05	< 10	1.70	673
248176	205	238	30	1.36	< 0.2	5	20	< 0.5	< 2	5.17	< 0.5	15	102	49	3.16	< 10	< 1	0.06	< 10	1.67	817
248177	205	238	10	1.34	< 0.2	10	40	< 0.5	< 2	1.73	< 0.5	14	121	34	2.67	< 10	< 1	0.05	10	1.34	484
248178	205	238	5	1.62	< 0.2	25	160	< 0.5	< 2	2.28	< 0.5	15	112	31	2.73	< 10	< 1	0.08	10	1.35	548
248179	205	238	80	1.37	< 0.2	35	200	< 0.5	< 2	4.92	< 0.5	18	92	40	2.84	< 10	< 1	0.08	< 10	1.20	813
248180	205	238	30	1.59	< 0.2	35	1000	< 0.5	< 2	5.55	< 0.5	16	93	42	3.30	< 10	< 1	0.08	< 10	1.50	911
248181	205	238	310	1.62	< 0.2	220	140	0.5	< 2	4.88	< 0.5	17	94	44	3.90	< 10	< 1	0.10	< 10	1.91	867
248182	205	238	425	1.33	< 0.2	350	300	< 0.5	< 2	5.46	< 0.5	17	60	46	3.48	< 10	< 1	0.10	< 10	1.26	785
248183	205	238	10	1.54	< 0.2	< 5	420	0.5	< 2	3.94	< 0.5	15	77	33	3.56	< 10	< 1	0.04	< 10	1.81	708
248184	205	238	45	1.56	< 0.2	10	250	0.5	< 2	4.55	< 0.5	20	85	63	3.64	< 10	< 1	0.07	< 10	1.60	806
248185	205	238	395	1.23	< 0.2	15	50	0.5	< 2	4.48	< 0.5	16	61	82	3.59	< 10	< 1	0.15	< 10	1.29	663
248186	205	238	45	0.89	< 0.2	20	50	0.5	< 2	4.02	< 0.5	15	42	106	3.21	< 10	2	0.12	< 10	1.05	574
248187	205	238	40	0.83	0.2	10	120	1.0	< 2	2.78	< 0.5	14	55	183	3.71	< 10	< 1	0.25	10	1.24	384
248188	205	238	85	1.07	0.2	25	40	1.0	< 2	2.13	< 0.5	20	46	176	4.18	< 10	< 1	0.07	10	1.26	466
248189	205	238	40	0.96	< 0.2	90	20	0.5	< 2	3.00	< 0.5	17	36	121	3.34	< 10	< 1	0.08	< 10	1.17	421
248190	205	238	60	1.12	< 0.2	155	20	0.5	< 2	2.31	< 0.5	16	68	104	3.44	< 10	< 1	0.04	10	0.76	530
248191	205	238	10	1.10	< 0.2	80	40	0.5	< 2	2.37	< 0.5	14	49	125	3.07	< 10	2	0.13	10	0.82	370
248192	205	238	15	0.98	< 0.2	250	40	0.5	< 2	3.79	< 0.5	9	41	62	2.74	< 10	2	0.10	< 10	1.40	487
248193	205	238	45	1.09	< 0.2	55	90	0.5	< 2	2.47	< 0.5	9	47	52	2.65	< 10	< 1	0.19	10	1.06	378
248194	205	238	100	0.84	< 0.2	370	70	1.0	< 2	2.51	< 0.5	9	31	92	2.75	< 10	< 1	0.17	10	1.00	323
248195	205	238	55	0.45	< 0.2	80	40	0.5	< 2	1.48	< 0.5	9	16	125	3.21	< 10	< 1	0.11	10	0.61	250
248196	205	238	45	0.66	< 0.2	80	70	0.5	< 2	2.47	< 0.5	9	31	150	3.24	< 10	1	0.16	10	1.04	292
248197	205	238	45	0.74	< 0.2	100	80	0.5	< 2	2.51	< 0.5	9	42	136	3.35	< 10	< 1	0.18	10	1.09	321
248198	205	238	110	0.75	0.2	395	40	0.5	< 2	1.49	< 0.5	14	19	152	3.44	< 10	1	0.15	10	0.72	246
248199	205	238	45	0.76	0.2	965	310	0.5	< 2	2.32	< 0.5	17	39	134	4.31	< 10	3	0.11	< 10	1.03	347
248200	205	238	120	0.66	0.4	1250	40	0.5	< 2	2.22	< 0.5	17	33	158	3.84	< 10	< 1	0.16	10	1.05	303
248201	205	238	85	0.87	0.2	720	20	0.5	< 2	1.78	< 0.5	17	44	66	3.71	< 10	1	0.15	10	0.79	367
248202	205	238	365	1.05	0.2	710	10	1.0	< 2	1.12	< 0.5	20	42	126	4.61	< 10	1	0.15	10	0.54	396
248203	205	238	275	0.90	0.2	455	20	0.5	< 2	1.83	< 0.5	16	43	101	3.96	< 10	< 1	0.11	10	0.81	438
248204	205	238	215	1.13	0.2	225	20	1.0	< 2	2.40	< 0.5	19	76	65	3.89	< 10	< 1	0.07	< 10	1.26	535
248205	205	238	40	1.45	< 0.2	260	20	0.5	< 2	3.31	< 0.5	18	79	59	4.03	< 10	< 1	0.08	< 10	1.73	581
248206	205	238	15	0.78	0.2	4520	80	0.5	< 2	1.88	< 0.5	13	38	124	3.15	< 10	< 1	0.33	10	0.77	321
248207	205	238	50	0.41	0.2	3020	50	0.5	< 2	2.37	< 0.5	13	14	151	3.54	< 10	< 1	0.18	10	0.88	392
248208	205	238	1150	0.51	0.2	175	60	0.5	< 2	2.09	< 0.5	13	25	124	2.58	< 10	2	0.19	10	0.76	310
248209	205	238	10	0.61	< 0.2	335	70	1.0	< 2	3.23	< 0.5	15	19	140	3.48	< 10	2	0.27	< 10	1.21	442
248210	205	238	75	0.41	0.4	6450	40	0.5	< 2	2.17	< 0.5	15	20	107	2.99	< 10	< 1	0.24	10	0.79	408
248211	205	238	1100	0.81	3.2	3500	40	1.5	< 2	1.74	8.0	31	35	596	5.79	< 10	6	0.35	10	0.58	283
248212	205	238	130	0.51	< 0.2	155	10	0.5	< 2	1.60	< 0.5	14	100	21	2.59	< 10	< 1	0.05	< 10	0.82	432

CERTIFICATION :

B. Coughlin



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project: M584

Comments: CC: S. MCALLISTER

Page No. : 1-B
Tot. Pages: 3
Date : 2-NOV-88
Invoice #: I-8826313
P.O. #: 36931

CERTIFICATE OF ANALYSIS A8826313

SAMPLE DESCRIPTION	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
248173	205	238	< 1	0.09	23	700	< 2	< 5	7	270	0.07	< 10	< 10	83	< 5	40
248174	205	238	< 1	0.05	26	690	< 2	< 5	8	504	< 0.01	< 10	< 10	84	< 5	51
248175	205	238	< 1	0.05	24	710	< 2	< 5	8	302	< 0.01	< 10	< 10	86	< 5	48
248176	205	238	< 1	0.04	17	680	< 2	< 5	8	242	< 0.01	< 10	< 10	78	< 5	46
248177	205	238	< 1	0.07	23	740	< 2	< 5	6	96	0.14	< 10	< 10	84	< 5	40
248178	205	238	< 1	0.07	32	710	< 2	< 5	8	177	0.07	< 10	< 10	88	< 5	48
248179	205	238	< 1	0.04	28	700	< 2	< 5	8	206	< 0.01	< 10	< 10	78	< 5	45
248180	205	238	< 1	0.03	24	670	< 2	5	8	197	< 0.01	< 10	< 10	81	< 5	47
248181	205	238	< 1	0.03	23	630	< 2	5	8	186	< 0.01	< 10	< 10	77	< 5	45
248182	205	238	< 1	0.02	25	660	< 2	5	7	238	< 0.01	< 10	< 10	63	< 5	48
248183	205	238	< 1	0.05	24	700	< 2	< 5	8	478	< 0.01	< 10	< 10	70	< 5	49
248184	205	238	< 1	0.04	25	730	< 2	< 5	10	372	< 0.01	< 10	< 10	90	< 5	53
248185	205	238	< 1	0.03	22	720	< 2	5	7	140	< 0.01	< 10	< 10	70	< 5	44
248186	205	238	< 1	0.04	9	730	< 2	< 5	6	132	< 0.01	< 10	< 10	60	< 5	37
248187	205	238	< 1	0.04	7	690	< 2	< 5	6	137	< 0.01	< 10	< 10	56	< 5	38
248188	205	238	< 1	0.02	9	790	< 2	< 5	6	133	< 0.01	< 10	< 10	67	< 5	42
248189	205	238	< 1	< 0.01	7	630	< 2	5	6	109	< 0.01	< 10	< 10	52	< 5	34
248190	205	238	< 1	< 0.01	15	800	2	10	9	94	< 0.01	< 10	< 10	74	< 5	43
248191	205	238	< 1	< 0.01	5	680	< 2	5	5	85	< 0.01	< 10	< 10	49	< 5	27
248192	205	238	< 1	0.01	5	550	< 2	5	5	169	< 0.01	< 10	< 10	47	< 5	25
248193	205	238	< 1	0.01	1	650	< 2	5	5	98	< 0.01	< 10	< 10	46	< 5	26
248194	205	238	< 1	0.01	4	590	< 2	5	4	120	< 0.01	< 10	< 10	42	< 5	26
248195	205	238	< 1	< 0.01	3	680	< 2	5	4	59	< 0.01	< 10	< 10	43	< 5	26
248196	205	238	< 1	0.01	1	600	2	10	4	112	< 0.01	< 10	< 10	41	< 5	28
248197	205	238	< 1	0.01	3	590	< 2	15	4	125	< 0.01	< 10	< 10	42	< 5	28
248198	205	238	< 1	0.01	5	560	< 2	35	4	85	< 0.01	< 10	< 10	43	< 5	29
248199	205	238	< 1	0.01	25	510	< 2	45	7	117	< 0.01	< 10	< 10	62	< 5	38
248200	205	238	< 1	0.01	18	560	8	50	5	100	< 0.01	< 10	< 10	48	< 5	50
248201	205	238	< 1	< 0.01	51	650	< 2	20	8	69	< 0.01	< 10	< 10	71	< 5	55
248202	205	238	< 1	< 0.01	43	660	< 2	25	9	59	< 0.01	< 10	< 10	79	< 5	53
248203	205	238	< 1	< 0.01	41	500	< 2	15	9	97	< 0.01	< 10	< 10	70	< 5	41
248204	205	238	< 1	0.01	60	560	< 2	10	10	110	< 0.01	< 10	< 10	76	< 5	42
248205	205	238	< 1	0.01	56	550	< 2	20	10	182	< 0.01	< 10	< 10	83	< 5	45
248206	205	238	< 1	0.01	5	570	< 2	130	4	67	< 0.01	< 10	< 10	24	< 5	35
248207	205	238	< 1	< 0.01	6	650	4	80	4	82	< 0.01	< 10	< 10	21	< 5	37
248208	205	238	< 1	0.01	6	650	4	25	3	62	< 0.01	< 10	< 10	32	< 5	28
248209	205	238	< 1	0.01	6	640	< 2	25	4	87	< 0.01	< 10	< 10	28	< 5	28
248210	205	238	< 1	< 0.01	19	510	8	100	3	71	< 0.01	< 10	< 10	16	< 5	133
248211	205	238	< 1	< 0.01	57	2340	1000	85	4	70	< 0.01	< 10	< 10	27	< 5	1730
248212	205	238	< 1	< 0.01	29	320	2	5	7	70	< 0.01	< 10	< 10	46	< 5	36

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project: M584

Comments: CC: S. MCALLISTER

Page No. : 2-A
Tot. Pages: 3
Date : 2-NOV-88
Invoice # : I-8826313
P.O. # : 36931

CERTIFICATE OF ANALYSIS A8826313

SAMPLE DESCRIPTION	PREP CODE		Au ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
			FA-AA																		
248213	205	238	70	0.57	< 0.2	115	20	0.5	< 2	2.55	< 0.5	16	85	6	3.72	< 10	< 1	0.08	< 10	1.31	709
248214	205	238	20	0.96	< 0.2	125	20	0.5	< 2	2.78	< 0.5	17	95	13	3.84	< 10	< 1	0.10	< 10	1.35	786
248215	205	238	45	1.18	< 0.2	225	20	0.5	< 2	2.61	< 0.5	18	85	31	4.23	< 10	3	0.11	< 10	1.28	800
248216	205	238	70	1.08	< 0.2	405	10	0.5	< 2	2.05	< 0.5	19	73	93	4.48	< 10	1	0.06	< 10	1.03	676
248217	205	238	65	1.26	< 0.2	295	30	0.5	< 2	3.43	< 0.5	14	61	57	3.98	< 10	1	0.13	< 10	1.65	733
248218	205	238	80	1.17	< 0.2	435	30	0.5	< 2	2.74	< 0.5	12	47	56	3.29	< 10	4	0.13	< 10	1.22	576
248219	205	238	345	1.26	< 0.2	470	20	0.5	< 2	1.34	< 0.5	25	58	173	5.37	< 10	4	0.07	< 10	0.77	667
248220	205	238	280	0.95	< 0.2	90	30	0.5	< 2	4.60	< 0.5	19	146	23	4.56	< 10	1	0.07	< 10	2.43	1090
248221	205	238	40	1.03	< 0.2	455	20	0.5	< 2	1.98	< 0.5	24	48	170	5.80	< 10	4	0.06	< 10	1.14	842
248222	205	238	30	0.94	< 0.2	195	20	0.5	< 2	2.24	< 0.5	19	43	81	4.50	< 10	< 1	0.05	< 10	1.35	840
248223	205	238	20	0.54	< 0.2	255	20	0.5	< 2	1.98	< 0.5	20	64	82	4.48	< 10	< 1	0.03	< 10	1.09	758
248224	205	238	35	0.97	< 0.2	230	20	0.5	< 2	2.36	< 0.5	20	70	89	4.66	< 10	2	0.03	< 10	1.38	890
248225	205	238	50	0.86	< 0.2	440	20	0.5	< 2	2.42	< 0.5	19	70	129	4.74	< 10	5	0.03	< 10	1.26	779
248226	205	238	25	1.09	0.4	400	10	0.5	< 2	1.66	< 0.5	20	59	122	4.51	< 10	5	0.05	< 10	0.89	660
248227	205	238	40	0.95	0.2	275	30	0.5	< 2	2.40	< 0.5	15	70	102	3.59	< 10	6	0.09	< 10	1.16	577
248228	205	238	70	0.64	0.2	365	30	0.5	< 2	2.45	< 0.5	14	71	118	3.36	< 10	3	0.13	< 10	1.07	542
248229	205	238	135	1.36	0.4	920	40	0.5	< 2	0.36	< 0.5	12	17	123	3.29	< 10	9	0.13	< 10	0.21	298
248230	205	238	30	1.12	0.2	400	30	0.5	< 2	1.95	0.5	12	26	143	3.86	< 10	5	0.10	< 10	0.88	560
248231	205	238	350	1.05	0.6	650	30	0.5	< 2	1.95	< 0.5	13	31	199	3.57	< 10	1	0.14	< 10	0.98	461
248232	205	238	15	1.07	0.2	120	30	0.5	< 2	3.32	< 0.5	15	25	167	3.89	< 10	1	0.09	< 10	1.60	572
248233	205	238	15	0.79	< 0.2	140	40	0.5	< 2	4.56	< 0.5	17	109	< 1	3.97	< 10	< 1	0.05	< 10	2.29	850
248234	205	238	< 5	0.72	< 0.2	95	20	0.5	< 2	3.21	< 0.5	20	110	< 1	4.25	< 10	1	0.05	< 10	1.81	936
248235	205	238	20	0.70	< 0.2	275	20	0.5	< 2	3.18	< 0.5	21	89	14	3.76	< 10	< 1	0.11	< 10	1.58	877
248236	205	238	695	0.76	< 0.2	2020	20	0.5	< 2	2.67	< 0.5	31	60	85	3.72	< 10	1	0.16	< 10	1.37	627
248237	205	238	30	0.69	< 0.2	320	20	0.5	< 2	2.70	< 0.5	20	86	6	4.49	< 10	< 1	0.16	< 10	1.65	905
248238	205	238	110	0.79	< 0.2	250	30	0.5	< 2	4.39	9.0	17	107	35	4.09	< 10	< 1	0.09	< 10	2.23	911
248239	205	238	1700	0.64	0.2	190	20	0.5	< 2	2.72	6.5	29	96	77	5.00	< 10	< 1	0.09	< 10	1.69	879
248240	205	238	15	0.59	< 0.2	100	10	0.5	< 2	1.87	< 0.5	25	91	40	4.02	< 10	< 1	0.08	< 10	1.24	696
248241	205	238	30	0.69	< 0.2	135	20	0.5	< 2	2.85	< 0.5	18	82	31	3.59	< 10	< 1	0.08	< 10	1.48	680
248242	205	238	50	0.68	< 0.2	805	10	0.5	< 2	1.51	< 0.5	21	82	61	3.84	< 10	2	0.13	< 10	0.83	736
248243	205	238	300	0.71	< 0.2	1345	10	0.5	< 2	2.60	< 0.5	17	99	21	3.95	< 10	< 1	0.07	< 10	1.27	886
248244	205	238	160	0.57	< 0.2	1685	50	0.5	< 2	3.16	< 0.5	12	61	102	5.00	< 10	< 1	0.25	< 10	2.04	1165
248245	205	238	845	0.61	0.3	4020	30	0.5	< 2	2.52	6.5	17	68	238	5.16	< 10	1	0.23	< 10	1.32	950
248246	205	238	120	0.63	< 0.2	645	20	0.5	< 2	3.17	0.5	16	99	129	4.62	< 10	2	0.18	< 10	1.32	1020
248247	205	238	640	0.81	< 0.2	165	20	0.5	< 2	2.28	< 0.5	37	123	123	6.00	< 10	< 1	0.07	< 10	1.46	1125
248248	205	238	70	0.81	< 0.2	270	30	0.5	< 2	3.92	< 0.5	20	156	25	4.86	< 10	< 1	0.05	< 10	2.23	1170
248249	205	238	70	0.83	< 0.2	70	40	0.5	< 2	4.50	< 0.5	15	140	6	4.55	< 10	< 1	0.07	< 10	2.77	1155
248250	205	238	35	0.76	< 0.2	80	30	0.5	< 2	4.72	< 0.5	15	138	11	4.33	< 10	< 1	0.05	< 10	2.65	1020
248251	205	238	130	0.77	< 0.2	220	40	0.5	< 2	5.13	< 0.5	22	132	81	5.56	< 10	< 1	0.07	< 10	2.56	1035
248252	205	238	50	0.75	< 0.2	95	30	0.5	< 2	4.61	< 0.5	20	130	25	4.27	< 10	< 1	0.07	< 10	2.47	911

CERTIFICATION :

B. Campbell



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project: M584
Comments: CC: S. MCALLISTER

Page No. : 2-B
Tot. Pages: 3
Date : 2-NOV-88
Invoice #: I-8826313
P.O. #: 36931

CERTIFICATE OF ANALYSIS A8826313

SAMPLE DESCRIPTION	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
248213	205	238	< 1	0.01	28	430	< 2	5	11	113	< 0.01	< 10	< 10	68	< 5	49
248214	205	238	< 1	0.01	26	510	2	5	13	125	< 0.01	< 10	< 10	75	< 5	51
248215	205	238	< 1	0.01	37	540	2	15	14	108	< 0.01	< 10	< 10	78	< 5	56
248216	205	238	1	< 0.01	36	490	< 2	30	13	81	< 0.01	< 10	< 10	70	< 5	59
248217	205	238	< 1	0.01	20	490	6	20	11	135	< 0.01	< 10	< 10	65	< 5	47
248218	205	238	< 1	0.01	12	460	2	25	7	116	< 0.01	< 10	< 10	55	< 5	36
248219	205	238	1	< 0.01	26	620	8	40	13	58	< 0.01	< 10	< 10	79	< 5	88
248220	205	238	< 1	0.01	23	530	< 2	5	16	232	< 0.01	< 10	< 10	92	< 5	92
248221	205	238	1	< 0.01	24	650	6	30	15	84	< 0.01	< 10	< 10	85	< 5	85
248222	205	238	2	< 0.01	18	640	< 2	15	14	99	< 0.01	< 10	< 10	78	< 5	76
248223	205	238	4	< 0.01	14	530	2	15	13	73	< 0.01	< 10	< 10	71	< 5	66
248224	205	238	1	0.01	14	560	< 2	15	14	87	< 0.01	< 10	< 10	79	< 5	69
248225	205	238	1	< 0.01	16	500	6	30	13	92	< 0.01	< 10	< 10	73	< 5	71
248226	205	238	< 1	< 0.01	14	550	< 2	25	13	64	< 0.01	< 10	< 10	72	< 5	78
248227	205	238	1	0.01	9	400	< 2	25	9	98	< 0.01	< 10	< 10	52	< 5	52
248228	205	238	1	0.01	10	350	< 2	25	8	117	< 0.01	< 10	< 10	42	< 5	59
248229	205	238	< 1	0.01	5	540	< 2	35	5	253	< 0.01	< 10	< 10	40	< 5	62
248230	205	238	1	0.01	8	740	< 2	15	7	84	< 0.01	< 10	< 10	60	< 5	121
248231	205	238	< 1	< 0.01	7	730	< 2	5	6	83	< 0.01	< 10	< 10	54	< 5	85
248232	205	238	< 1	0.01	4	690	< 2	5	6	176	< 0.01	< 10	< 10	58	< 5	80
248233	205	238	< 1	0.01	32	450	< 2	10	15	210	< 0.01	< 10	< 10	79	< 5	67
248234	205	238	< 1	0.01	46	500	< 2	5	16	134	< 0.01	< 10	< 10	79	< 5	90
248235	205	238	< 1	0.01	43	570	< 2	5	12	101	< 0.01	< 10	< 10	63	< 5	85
248236	205	238	2	< 0.01	38	530	< 2	25	9	95	< 0.01	< 10	< 10	48	< 5	73
248237	205	238	< 1	0.01	38	530	< 2	10	12	136	< 0.01	< 10	< 10	72	< 5	102
248238	205	238	< 1	0.01	36	540	< 2	10	13	264	< 0.01	< 10	< 10	79	< 5	1155
248239	205	238	< 1	0.01	47	570	< 2	15	13	166	< 0.01	< 10	< 10	77	< 5	588
248240	205	238	< 1	< 0.01	48	590	< 2	10	12	64	< 0.01	< 10	< 10	66	< 5	99
248241	205	238	< 1	< 0.01	38	570	< 2	5	12	83	< 0.01	< 10	< 10	60	< 5	86
248242	205	238	< 1	< 0.01	47	560	< 2	15	12	51	< 0.01	< 10	< 10	56	< 5	139
248243	205	238	< 1	< 0.01	47	520	< 2	5	12	78	< 0.01	< 10	< 10	64	< 5	129
248244	205	238	< 1	< 0.01	48	520	< 2	30	11	106	< 0.01	< 10	< 10	33	< 5	274
248245	205	238	6	< 0.01	53	530	< 2	60	11	83	< 0.01	< 10	< 10	41	< 5	1290
248246	205	238	4	< 0.01	33	800	< 2	15	14	95	< 0.01	< 10	< 10	56	< 5	218
248247	205	238	< 1	0.01	26	650	< 2	10	14	94	< 0.01	< 10	< 10	77	< 5	117
248248	205	238	< 1	0.01	34	650	< 2	5	17	168	< 0.01	< 10	< 10	93	< 5	105
248249	205	238	< 1	0.01	18	570	< 2	5	15	194	< 0.01	< 10	< 10	90	< 5	98
248250	205	238	< 1	0.01	20	520	< 2	5	14	198	< 0.01	< 10	< 10	89	< 5	92
248251	205	238	< 1	0.01	26	450	< 2	15	14	276	< 0.01	< 10	< 10	85	< 5	95
248252	205	238	< 1	0.01	19	520	< 2	5	14	205	< 0.01	< 10	< 10	82	< 5	88

CERTIFICATION :

B. Coughlin



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project: M584

Comments: CC: S. MCALLISTER

Page No.: 3-A
Tot. Pages: 3
Date: 2-NOV-88
Invoice #: I-8826313
P.O. #: 36931

CERTIFICATE OF ANALYSIS A8826313

SAMPLE DESCRIPTION	PREP CODE		Au ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	
			FA+AA	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	
248253	205	238	10	0.75	< 0.2	70	30	0.5	< 2	3.77	< 0.5	19	128	20	4.56	< 10	< 1	0.05	< 10	2.23	1060	
88 6																						

CERTIFICATION :

B. Coughlin



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-1C1

PHONE (604) 984-0221

To : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project : M584

Comments: CC: S. MCALLISTER

Page No. : 3-B
Tot. Pages: 3
Date : 2-NOV-88
Invoice # : I-8826313
P.O. # : 36931

CERTIFICATE OF ANALYSIS A8826313

SAMPLE DESCRIPTION	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
248253	205	238	< 1	0.01	21	550	< 2	5	15	170	< 0.01	< 10	< 10	90	< 5	94
886																

CERTIFICATION :

B. Carlini



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
 MINERALS STAFF
 1900 - 1055 W. HASTINGS ST.
 VANCOUVER, B.C.
 V6E 2E9

Project: M 584
 Comments: SC: S. MCALLISTER

Page No. : 1-A
 Tot. Pages: 1
 Date : 1-NOV-88
 Invoice #: I-8826068
 P.O. #: 36935

CERTIFICATE OF ANALYSIS A8826068

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
248159 248160 248161 248162 248163 <i>88-5</i>	205 238	300	2.49	< 0.2	265	20	< 0.5	< 2	1.97	< 0.5	37	74	459	8.84	20	< 1	0.13	10	2.54	666
	205 238	500	0.87	< 0.2	100	30	< 0.5	4	1.42	< 0.5	24	38	134	6.31	10	< 1	0.09	10	1.22	596
	205 238	>10000	0.83	1.2	500	30	< 0.5	40	1.21	< 0.5	86	36	699	9.41	10	< 1	0.17	20	0.91	333
	205 238	180	0.84	< 0.2	95	40	< 0.5	< 2	2.44	< 0.5	26	43	196	6.21	10	< 1	0.14	10	1.71	512
205 238	100	1.25	< 0.2	20	40	< 0.5	2	2.00	< 0.5	18	43	131	6.60	10	< 1	0.08	10	2.00	517	
248164 248165 248166 248167 248168 <i>88-6</i>	205 238	< 5	0.94	< 0.2	260	10	< 0.5	< 2	0.17	< 0.5	9	55	260	7.67	< 10	1	0.07	10	0.05	176
	205 238	15	4.88	< 0.2	30	210	< 0.5	2	2.10	< 0.5	17	67	60	4.19	10	< 1	0.47	10	2.18	367
	205 238	< 5	1.85	< 0.2	205	250	< 0.5	2	2.81	< 0.5	18	35	40	3.67	10	< 1	0.55	< 10	1.40	327
	205 238	10	2.15	< 0.2	200	110	< 0.5	< 2	2.85	< 0.5	16	38	37	3.32	< 10	1	0.52	< 10	1.31	265
	205 238	45	2.69	< 0.2	35	110	< 0.5	< 2	2.75	< 0.5	21	51	70	3.97	10	< 1	0.59	< 10	1.40	386
248169 248170 248171 248172	205 238	75	1.41	< 0.2	7600	60	< 0.5	2	3.50	< 0.5	17	29	32	2.52	< 10	1	0.42	< 10	0.32	369
	205 238	30	3.38	< 0.2	385	120	< 0.5	4	2.65	< 0.5	24	66	154	4.74	10	< 1	0.49	< 10	1.99	581
	205 238	10	1.74	< 0.2	35	110	< 0.5	2	2.09	< 0.5	16	86	81	3.30	10	2	0.06	< 10	1.89	456
	205 238	< 5	3.92	< 0.2	50	240	< 0.5	6	1.32	< 0.5	16	92	16	4.08	10	< 1	0.93	10	2.28	377

CERTIFICATION : B. Coughlin



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project: M 584

Comments: CC: S. MCALLISTER

Page No. : 1-B
Tot. Pages: 1
Date : 1-NOV-88
Invoice #: I-8826068
P.O. #: 36935

CERTIFICATE OF ANALYSIS A8826068

SAMPLE DESCRIPTION	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
248159	205	238	< 1	0.02	25	750	< 2	< 5	15	86	< 0.01	< 10	< 10	95	< 5	62
248160	205	238	< 1	< 0.01	17	820	< 2	< 5	15	94	< 0.01	< 10	< 10	84	< 5	60
248161	205	238	< 1	< 0.01	35	740	< 2	10	12	76	< 0.01	< 10	< 10	66	690	52
248162	205	238	< 1	0.01	18	780	4	< 5	15	182	< 0.01	< 10	< 10	83	10	58
248163	205	238	< 1	0.01	16	740	< 2	< 5	12	177	< 0.01	< 10	< 10	84	< 5	58
248164	205	238	< 1	< 0.01	27	710	< 2	5	21	31	< 0.01	< 10	< 10	99	< 5	72
248165	205	238	< 1	0.08	32	710	< 2	< 5	14	130	0.16	< 10	< 10	123	< 5	31
248166	205	238	< 1	0.03	32	670	< 2	5	11	114	0.03	< 10	< 10	63	< 5	21
248167	205	238	< 1	0.05	34	1050	< 2	5	10	102	0.02	< 10	< 10	68	< 5	25
248168	205	238	24	0.09	36	650	< 2	5	10	87	0.03	< 10	< 10	80	< 5	48
248169	205	238	< 1	0.01	34	600	< 2	105	6	68	< 0.01	< 10	< 10	29	< 5	47
248170	205	238	< 1	0.19	49	1920	< 2	20	12	89	0.09	< 10	< 10	106	< 5	42
248171	205	238	< 1	0.06	24	760	< 2	< 5	8	176	0.12	< 10	< 10	96	< 5	41
248172	205	238	< 1	0.25	33	730	< 2	5	13	120	0.10	< 10	< 10	123	5	37

CERTIFICATION :

B. Coughlin



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 BROOKSBANK AVE. NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
 MINERALS STAFF
 1900 - 1055 W. HASTINGS ST.
 VANCOUVER, B.C.
 V6E 2E9

Project: M584
 Comments: SANDY MCALLISTER

Page No. : 1-A
 Tot. Pages: 1
 Date : 26-OCT-88
 Invoice #: I-8825917
 P.O. #: 36929

CERTIFICATE OF ANALYSIS A8825917

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
248125	205 238	< 5	0.94	< 0.2	5060	40	< 0.5	< 2	2.70	< 0.5	20	48	160	4.91	10	4	0.18	10	0.12	725
248126	205 238	15	0.89	< 0.2	2200	140	< 0.5	4	2.31	< 0.5	14	36	176	4.95	10	1	0.25	10	0.53	563
248127	205 238	< 5	0.97	< 0.2	1460	20	< 0.5	< 2	0.71	< 0.5	20	66	180	5.76	< 10	5	0.15	20	0.07	430
248128	205 238	45	0.80	< 0.2	4060	30	< 0.5	2	1.35	< 0.5	12	38	106	3.97	< 10	2	0.23	20	0.43	476
248129	205 238	55	0.89	< 0.2	3870	30	< 0.5	< 2	0.67	< 0.5	21	34	279	6.88	< 10	4	0.28	20	0.09	564
248130	205 238	< 5	0.91	< 0.2	925	20	< 0.5	2	0.68	< 0.5	28	57	419	7.74	< 10	1	0.19	10	0.39	595
248131	205 238	20	0.98	0.2	210	50	< 0.5	14	0.91	< 0.5	51	65	889	10.10	10	5	0.32	20	0.53	446
248132	205 238	15	0.94	0.4	605	50	< 0.5	< 2	0.24	< 0.5	35	58	705	8.78	< 10	< 1	0.26	10	0.08	281
248133	205 238	185	0.83	< 0.2	1295	60	< 0.5	< 2	0.67	< 0.5	18	9	281	4.66	< 10	1	0.22	10	0.30	251
248134	205 238	100	0.95	< 0.2	255	70	< 0.5	2	2.38	< 0.5	32	45	460	6.73	10	2	0.26	10	1.16	436
248135	205 238	10	0.60	< 0.2	105	40	< 0.5	8	2.59	< 0.5	22	51	329	5.97	10	3	0.19	10	1.46	633
248136	205 238	100	0.81	< 0.2	855	30	< 0.5	6	2.06	< 0.5	18	67	123	5.30	10	5	0.12	10	0.89	801
248137	205 238	< 5	0.62	< 0.2	95	210	< 0.5	4	4.08	< 0.5	18	47	47	4.54	10	2	0.08	< 10	2.22	954
248138	205 238	< 5	1.11	< 0.2	85	130	< 0.5	2	5.74	< 0.5	20	71	34	4.12	10	< 1	0.08	< 10	2.67	878
248139	205 238	< 5	0.73	< 0.2	115	30	< 0.5	10	3.51	< 0.5	19	49	62	4.55	10	1	0.08	< 10	1.66	847
248140	205 238	< 5	2.19	< 0.2	190	40	< 0.5	< 2	3.24	< 0.5	18	75	128	5.31	20	1	0.14	10	2.72	744
248141	205 238	15	1.17	< 0.2	55	30	< 0.5	2	1.85	< 0.5	22	56	206	5.51	10	< 1	0.12	20	1.50	480
248142	205 238	< 5	1.08	< 0.2	205	40	< 0.5	2	2.06	< 0.5	11	32	189	3.60	10	1	0.20	20	0.78	299
248143	205 238	25	0.67	< 0.2	215	340	< 0.5	4	2.49	< 0.5	11	28	181	3.75	10	3	0.26	10	0.89	319
248144	205 238	15	0.90	< 0.2	290	90	< 0.5	4	3.01	< 0.5	16	50	219	3.89	10	5	0.33	10	0.92	353
248145	205 238	< 5	1.07	< 0.2	195	30	< 0.5	10	2.84	< 0.5	17	62	99	5.27	10	4	0.09	10	1.43	627
248146	205 238	< 5	0.85	< 0.2	75	30	< 0.5	< 2	5.22	< 0.5	15	61	28	4.43	10	1	0.06	< 10	2.75	778
248147	205 238	115	1.31	< 0.2	100	30	< 0.5	< 2	3.21	< 0.5	20	68	16	5.22	10	1	0.11	10	1.95	897
248148	205 238	15	1.06	< 0.2	235	40	< 0.5	< 2	3.14	< 0.5	19	73	44	5.18	10	1	0.20	10	0.59	744
248149	205 238	330	1.01	< 0.2	2450	30	< 0.5	6	2.65	< 0.5	27	67	50	5.52	10	< 1	0.09	10	1.11	755
248150	205 238	1550	1.00	< 0.2	5390	30	< 0.5	< 2	3.16	< 0.5	43	60	55	5.64	10	2	0.08	10	1.74	721
248151	205 238	700	1.30	< 0.2	2110	40	< 0.5	4	3.22	< 0.5	24	64	137	6.02	10	< 1	0.14	10	1.60	768
248152	205 238	150	0.79	< 0.2	145	40	< 0.5	4	4.70	< 0.5	16	75	21	4.72	10	1	0.06	< 10	2.40	856
248153	205 238	< 5	1.07	< 0.2	110	30	< 0.5	< 2	3.20	< 0.5	17	59	15	4.75	10	< 1	0.08	10	1.76	782
248154	205 238	15	0.95	< 0.2	170	40	< 0.5	< 2	4.21	< 0.5	17	62	8	4.47	10	< 1	0.08	< 10	2.44	757
248155	205 238	310	1.04	< 0.2	85	30	< 0.5	4	3.39	< 0.5	693	61	51	4.60	10	< 1	0.08	< 10	1.81	760
248156	205 238	15	1.00	< 0.2	75	40	< 0.5	< 2	4.10	< 0.5	21	62	1	4.62	10	< 1	0.04	< 10	2.21	841
248157	205 238	150	1.10	< 0.2	65	30	< 0.5	< 2	3.88	< 0.5	26	64	26	5.33	10	< 1	0.04	< 10	2.01	1045
248158	205 238	< 5	1.35	< 0.2	40	30	< 0.5	2	2.49	< 0.5	19	46	22	4.75	10	< 1	0.10	10	1.61	699

88-5

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project : M584

Comments: CC: SANDY MCALLISTER

Page No. : 1-B
Tot. Pages: 1
Date : 26-OCT-88
Invoice # : I-8825917
P.O. # : 36929

CERTIFICATE OF ANALYSIS A8825917

SAMPLE DESCRIPTION	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
248125	205	238	< 1	< 0.01	17	660	< 2	205	11	36	< 0.01	10	< 10	69	10	82
248126	205	238	< 1	0.01	17	680	< 2	145	11	51	< 0.01	< 10	< 10	56	< 5	106
248127	205	238	< 1	< 0.01	40	800	< 2	65	15	18	< 0.01	< 10	< 10	85	< 5	98
248128	205	238	< 1	0.01	20	710	< 2	75	12	47	< 0.01	< 10	< 10	51	< 5	72
248129	205	238	< 1	0.01	40	720	< 2	135	14	26	< 0.01	< 10	< 10	38	< 5	98
248130	205	238	< 1	0.01	30	730	< 2	35	16	44	< 0.01	< 10	< 10	83	5	100
248131	205	238	48	< 0.01	38	580	< 2	10	15	53	< 0.01	10	< 10	86	10	71
248132	205	238	6	< 0.01	27	600	< 2	20	13	41	< 0.01	10	< 10	75	5	61
248133	205	238	< 1	< 0.01	3	580	2	5	4	27	< 0.01	10	< 10	43	< 5	39
248134	205	238	< 1	0.01	21	500	< 2	15	9	112	< 0.01	10	< 10	61	10	57
248135	205	238	< 1	0.01	30	660	8	5	14	110	< 0.01	< 10	< 10	74	10	67
248136	205	238	< 1	0.01	35	680	2	25	17	104	< 0.01	< 10	< 10	87	10	74
248137	205	238	< 1	0.02	34	660	< 2	5	16	227	< 0.01	< 10	< 10	72	5	69
248138	205	238	< 1	0.03	42	590	< 2	5	14	368	< 0.01	< 10	< 10	76	5	58
248139	205	238	< 1	0.02	42	690	< 2	5	15	231	< 0.01	10	< 10	73	10	60
248140	205	238	< 1	0.03	34	670	2	5	17	195	< 0.01	< 10	< 10	96	5	63
248141	205	238	< 1	0.03	34	660	4	5	15	142	< 0.01	< 10	< 10	75	< 5	60
248142	205	238	< 1	0.01	8	660	< 2	< 5	5	99	< 0.01	< 10	< 10	46	< 5	28
248143	205	238	< 1	0.01	11	660	18	15	4	127	< 0.01	< 10	< 10	38	5	29
248144	205	238	< 1	0.01	10	580	8	10	4	122	< 0.01	< 10	< 10	37	5	28
248145	205	238	< 1	0.01	38	680	4	5	16	107	< 0.01	< 10	< 10	86	< 5	64
248146	205	238	< 1	0.01	30	410	4	5	15	269	< 0.01	< 10	< 10	71	5	50
248147	205	238	< 1	0.02	58	650	< 2	5	16	193	< 0.01	< 10	< 10	79	5	76
248148	205	238	< 1	0.01	46	620	< 2	10	15	80	< 0.01	< 10	< 10	78	< 5	61
248149	205	238	< 1	0.01	45	680	6	5	17	122	< 0.01	< 10	< 10	84	5	71
248150	205	238	< 1	0.01	42	660	< 2	5	15	163	< 0.01	< 10	< 10	78	10	65
248151	205	238	< 1	0.02	51	670	2	5	15	192	< 0.01	< 10	< 10	79	< 5	61
248152	205	238	< 1	0.01	38	480	2	< 5	16	225	< 0.01	< 10	< 10	78	5	61
248153	205	238	< 1	0.01	30	640	< 2	< 5	17	153	< 0.01	10	< 10	80	10	63
248154	205	238	< 1	0.01	27	560	< 2	5	15	232	< 0.01	10	10	75	5	57
248155	205	238	< 1	0.01	29	600	12	< 5	17	152	< 0.01	10	10	78	5	65
248156	205	238	< 1	0.01	25	610	< 2	< 5	17	202	< 0.01	10	< 10	82	10	67
248157	205	238	< 1	0.01	27	690	< 2	< 5	19	206	< 0.01	10	< 10	88	10	69
248158	205	238	< 1	0.02	22	650	< 2	< 5	15	162	< 0.01	< 10	< 10	75	< 5	64

58-5

CERTIFICATION :

B. Coughlin



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

to CHEVRON CANADA RESOURCES LTD
 MINERALS STAFF
 1900 - 1055 W. HASTINGS ST.
 VANCOUVER, B.C.
 V6E 2E9

Project : M 584
 Comments : CC/SANDY McALLISTER

Page No : 1-A
 Tot. Pages: 1
 Date : 21-OCT-88
 Invoice # : I-8825548
 P.O. # : 36928

CERTIFICATE OF ANALYSIS A8825548

SAMPLE DESCRIPTION	PREP CODE		Au ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
			FA+AA																		
248101	212	238	< 5	1.99	< 0.4	170	80	0.5	< 2	0.26	< 0.5	18	12	28	2.65	10	< 1	0.04	10	0.03	640
248102	212	238	< 5	0.81	< 0.2	10	50	< 0.5	< 2	4.78	< 0.5	9	4	30	3.01	< 10	< 1	0.04	< 10	0.33	685
248103	212	238	< 5	0.81	< 0.2	10	40	< 0.5	< 2	3.32	< 0.5	9	9	36	2.77	< 10	< 1	0.06	10	0.71	560
248104	212	238	< 5	1.19	< 0.2	20	60	< 0.5	< 2	3.21	< 0.5	10	6	41	3.08	< 10	1	0.09	10	0.84	627
248105	212	238	3320	1.81	1.4	4560	90	< 0.5	8	1.72	< 0.5	26	12	244	5.63	10	1	0.19	10	0.48	467
248106	212	238	45	1.82	0.2	55	50	< 0.5	< 2	2.16	< 0.5	14	14	72	3.78	10	1	0.07	10	0.96	597
248107	212	238	2200	2.51	2.8	5770	130	< 0.5	10	0.99	< 0.5	21	10	214	5.87	20	< 1	0.25	10	0.69	716
248108	212	238	55	2.01	0.2	115	60	< 0.5	6	1.77	< 0.5	13	13	65	3.59	10	< 1	0.09	10	1.00	614
248109	212	238	185	1.01	0.2	885	90	< 0.5	< 2	1.49	< 0.5	15	5	246	4.47	10	< 1	0.25	10	0.18	288
248110	212	238	10	2.04	1.0	225	70	< 0.5	< 2	0.34	< 0.5	26	57	252	5.33	10	< 1	0.12	10	0.07	716
248111	212	238	10	1.69	0.2	135	50	1.0	68	0.26	< 0.5	28	24	237	4.47	< 10	2	0.17	10	0.04	496
248112	212	238	15	0.90	< 0.2	445	30	1.0	< 2	0.22	< 0.5	17	39	172	4.77	< 10	5	0.09	< 10	0.04	364
248113	212	238	155	2.20	< 0.2	650	60	1.0	2	1.65	< 0.5	31	68	203	5.67	< 10	< 1	0.10	< 10	1.39	858
248114	212	238	5	1.13	< 0.2	75	40	1.5	< 2	0.30	< 0.5	22	9	251	3.93	< 10	< 1	0.13	10	0.23	287
248115	212	238	< 5	1.33	0.4	225	70	0.5	2	0.45	< 0.5	30	24	268	4.87	< 10	1	0.17	10	0.35	693
248116	212	238	< 5	1.48	< 0.2	230	20	1.0	2	0.28	< 0.5	26	57	329	7.60	< 10	3	0.24	10	0.06	392
248117	212	238	< 5	1.53	< 0.2	235	60	2.0	2	2.09	< 0.5	25	76	192	7.91	< 10	1	0.08	< 10	0.30	1480
248118	212	238	< 5	1.26	< 0.2	1425	110	0.5	4	0.34	< 0.5	33	90	197	7.61	< 10	5	0.08	10	0.07	1900
248119	212	238	< 5	1.42	< 0.2	895	70	1.0	4	0.21	< 0.5	20	60	289	7.40	< 10	1	0.25	10	0.07	664
248120	212	238	130	1.13	< 0.2	1355	90	1.0	6	0.23	< 0.5	24	3	299	3.85	< 10	2	0.29	10	0.05	522
248121	212	238	35	1.88	0.2	320	70	1.0	< 2	0.24	< 0.5	15	6	225	3.12	< 10	2	0.51	10	0.09	319
248122	212	238	25	1.59	< 0.2	2400	80	< 0.5	< 2	2.09	< 0.5	20	58	226	5.87	< 10	1	0.40	< 10	0.59	990
248123	212	238	5	1.62	0.2	835	40	< 0.5	< 2	2.45	< 0.5	32	48	370	6.08	< 10	1	0.44	< 10	0.82	592
248124	212	238	40	0.76	1.6	>10000	40	< 0.5	< 2	2.17	< 0.5	15	16	140	4.44	< 10	2	0.36	< 10	0.57	608

88-5

CERTIFICATION : B. Coughlin



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE. NORTH VANCOUVER.
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project : M 584

Comments: CC: SANDY McALLISTER

Page No. : 1-B
Tot. Pages: 1
Date : 21-OCT-88
Invoice # : I-8825548
P.O. # : 36928

CERTIFICATE OF ANALYSIS A8825548

SAMPLE DESCRIPTION	PREP CODE		Mb	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
248101	212	238	< 1	0.01	6	890	< 2	5	7	9	< 0.01	< 10	< 10	71	< 5	36
248102	212	238	< 1	0.02	5	770	< 2	< 5	7	64	< 0.01	< 10	< 10	59	< 5	38
248103	212	238	< 1	0.04	5	750	< 2	< 5	7	125	< 0.01	< 10	< 10	59	< 5	31
248104	212	238	< 1	0.05	6	780	< 2	< 5	7	165	< 0.01	< 10	< 10	63	< 5	34
248105	212	238	< 1	0.05	7	790	46	10	7	70	< 0.01	< 10	< 10	66	< 5	80
248106	212	238	< 1	0.08	5	830	2	< 5	8	60	< 0.01	< 10	< 10	84	< 5	72
248107	212	238	< 1	0.03	5	810	456	5	6	49	< 0.01	< 10	< 10	69	< 5	305
248108	212	238	< 1	0.08	5	790	4	< 5	7	48	< 0.01	< 10	< 10	80	< 5	43
248109	212	238	< 1	0.02	4	890	2	20	4	19	< 0.01	< 10	< 10	43	< 5	46
248110	212	238	1	< 0.01	79	1010	4	10	13	14	< 0.01	< 10	< 10	96	< 5	75
248111	212	238	< 1	< 0.01	24	890	< 2	5	11	12	< 0.01	< 10	< 10	65	< 5	48
248112	212	238	1	< 0.01	45	770	2	20	12	18	< 0.01	< 10	< 10	62	< 5	68
248113	212	238	< 1	0.05	34	870	< 2	< 5	20	50	< 0.01	10	< 10	102	10	88
248114	212	238	< 1	0.01	13	780	< 2	5	6	14	< 0.01	< 10	< 10	53	< 5	43
248115	212	238	< 1	0.02	15	790	< 2	5	8	21	< 0.01	< 10	< 10	61	< 5	51
248116	212	238	< 1	< 0.01	43	950	6	15	19	14	< 0.01	< 10	< 10	94	< 5	94
248117	212	238	< 1	< 0.01	48	900	< 2	15	21	45	< 0.01	< 10	< 10	103	10	98
248118	212	238	< 1	< 0.01	72	1120	4	40	22	24	< 0.01	10	< 10	105	< 5	122
248119	212	238	< 1	0.01	38	780	< 2	20	17	26	< 0.01	< 10	< 10	87	5	86
248120	212	238	< 1	< 0.01	8	630	< 2	25	5	21	< 0.01	< 10	< 10	48	5	43
248121	212	238	< 1	0.01	5	670	8	10	4	21	< 0.01	< 10	< 10	35	< 5	29
248122	212	238	< 1	0.01	25	730	2	85	15	49	< 0.01	< 10	< 10	74	< 5	176
248123	212	238	< 1	0.01	38	820	< 2	70	15	66	< 0.01	< 10	< 10	61	< 5	75
248124	212	238	< 1	< 0.01	26	550	12	680	8	99	< 0.01	< 10	< 10	17	< 5	57

88-5

CERTIFICATION : B. Coughlin



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9
Project: M584
Comments: S. MCALLISTER

Page No.: 1-A
Tot. Pages: 1
Date: 25-SEP-88
Invoice #: I-8823673
P.O. #: NONE

RUSH ROCKS.

CERTIFICATE OF ANALYSIS A8823673

SAMPLE DESCRIPTION	PREP CODE		Au ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
			RUSH																		
248071H	256	238	190	0.96	0.2	760	40	< 0.5	< 2	0.37	< 0.5	10	18	173	4.61	< 10	1	0.08	10	0.25	311
248072H	256	238	15	0.52	0.4	300	70	< 0.5	< 2	0.23	< 0.5	20	25	313	4.42	< 10	2	0.20	10	0.04	230
248073H	256	238	10	1.62	0.2	140	50	< 0.5	< 2	3.35	< 0.5	20	63	116	4.12	< 10	1	0.29	10	1.21	531
248074H	256	238	25	0.89	0.2	1765	50	0.5	< 2	3.74	< 0.5	23	39	125	5.24	< 10	< 1	0.24	10	0.71	996
248075H	256	238	55	1.70	0.2	1230	40	< 0.5	< 2	5.40	< 0.5	25	50	37	4.75	< 10	< 1	0.25	10	1.42	974
248076H	256	238	40	0.98	0.2	2060	70	< 0.5	< 2	6.43	< 0.5	22	61	49	4.68	< 10	< 1	0.20	< 10	1.83	1100
248077H	256	238	80	1.45	0.2	465	50	0.5	< 2	5.17	< 0.5	26	75	68	4.73	< 10	1	0.14	10	2.18	1090
248078H	256	238	20	0.97	0.2	565	40	0.5	< 2	2.08	< 0.5	20	26	165	4.37	< 10	1	0.14	20	0.69	428
248079H	256	238	145	1.64	0.2	40	40	0.5	< 2	2.00	< 0.5	13	27	130	4.26	< 10	< 1	0.12	10	1.17	376
248080H	256	238	35	1.44	0.2	65	100	< 0.5	< 2	2.50	< 0.5	14	45	125	3.76	10	< 1	0.14	20	1.04	350
<i>desampling 1987 drill holes.</i>																					

CERTIFICATION : *B. Coughlin*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
 MINERALS STAFF
 1900 - 1055 W. HASTINGS ST.
 VANCOUVER, B.C.
 V6E 2E9

Project: M584
 Comments: CC: S. MCALLISTER

Page No.: 1-B
 Tot. Pages: 1
 Date: 25-SEP-88
 Invoice #: I-8823673
 P.O. #: NONE

CERTIFICATE OF ANALYSIS A8823673

SAMPLE DESCRIPTION	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
248071H	256	238	1	0.03	5	740	< 2	10	7	49	< 0.01	< 10	< 10	60	< 5	36
248072H	256	238	4	0.01	12	1010	8	10	5	28	< 0.01	< 10	< 10	45	< 5	41
248073H	256	238	< 1	0.01	60	840	< 2	5	13	148	< 0.01	< 10	< 10	77	5	49
248074H	256	238	3	0.01	42	880	4	105	16	81	< 0.01	< 10	< 10	58	< 5	81
248075H	256	238	< 1	0.01	35	950	4	20	17	158	< 0.01	10	< 10	86	5	105
248076H	256	238	< 1	0.02	40	770	< 2	35	16	312	< 0.01	10	< 10	78	10	72
248077H	256	238	< 1	0.02	55	850	< 2	5	19	275	< 0.01	< 10	< 10	88	< 5	74
248078H	256	238	< 1	0.04	11	890	8	10	7	115	< 0.01	< 10	< 10	54	< 5	28
248079H	256	238	1	0.09	10	880	2	5	5	98	< 0.01	< 10	< 10	62	< 5	28
248080H	256	238	< 1	0.06	7	760	8	< 5	4	78	< 0.01	< 10	< 10	52	< 5	23

CERTIFICATION :

B. Coughlin



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
 MINERALS STAFF
 1900 - 1055 W. HASTINGS ST.
 VANCOUVER, B.C.
 V6E 2E9

Page No. : 1-A
 Tot. Pages: 1
 Date : 1-AUG-88
 Invoice # : I-8819587
 P.O. # : 36937

Project : M54
 Comments : S. MACALLISTER CC: T. E. LISLE

ROCKS

CERTIFICATE OF ANALYSIS A8819587

SAMPLE DESCRIPTION	PREP CODE		Au ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
			FA+AA	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm
248008	212	238	100	0.27	0.2	1255	30	< 0.5	< 2	0.17	< 0.5	6	41	112	2.74	< 10	2	0.12	< 10	0.03	497
248009	212	238	10	0.87	< 0.2	600	80	< 0.5	< 2	0.19	< 0.5	10	40	47	2.83	< 10	1	0.03	< 10	0.03	502
248010	212	238	< 5	0.72	0.2	425	50	< 0.5	< 2	0.09	< 0.5	11	30	46	2.44	< 10	3	0.03	< 10	0.01	189
248011	212	238	150	1.04	< 0.2	485	60	< 0.5	< 2	0.18	< 0.5	17	61	93	4.64	< 10	< 1	0.05	10	0.02	882
248012	212	238	< 5	0.09	< 0.2	5	20	< 0.5	< 2	>15.00	< 0.5	2	6	10	0.16	< 10	< 1	< 0.01	< 10	0.61	48
248013	212	238	5	0.26	< 0.2	1355	70	< 0.5	< 2	7.62	0.5	9	18	12	2.81	< 10	1	0.12	< 10	0.94	623
248014	212	238	250	1.62	< 0.2	1065	30	< 0.5	< 2	4.52	< 0.5	56	34	299	6.95	< 10	12	0.13	< 10	1.45	944
248015	212	238	10	0.40	0.2	4500	40	< 0.5	< 2	0.53	1.5	3	15	34	1.73	< 10	105	0.13	10	0.08	261
248016	212	238	100	0.23	0.4	2830	820	< 0.5	< 2	0.36	0.5	3	17	18	1.84	< 10	18	0.13	10	0.01	404
248017	212	238	< 5	0.15	< 0.2	1855	190	< 0.5	< 2	0.45	0.5	1	30	32	1.29	< 10	38	0.03	< 10	0.01	194
248018	212	238	5	0.49	< 0.2	5360	110	< 0.5	< 2	0.36	2.0	6	19	18	1.69	< 10	84	0.07	< 10	0.02	259
248019	212	238	365	0.49	< 0.2	7510	760	< 0.5	< 2	0.29	3.0	9	33	42	3.23	< 10	173	0.03	< 10	0.02	289
248020	212	238	5	0.31	< 0.2	4000	150	< 0.5	2	0.41	1.0	2	17	11	1.40	< 10	78	0.11	< 10	0.02	217

CERTIFICATION :

BCJ



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project: M584

Comments: CC: S. MACALLISTER CC: T. E. LISLE

Page No. : 1-B
Tot. Pages: 1
Date : 1-AUG-88
Invoice #: I-8819587
P.O. #: 36937

CERTIFICATE OF ANALYSIS A8819587

SAMPLE DESCRIPTION	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
248008	212	238	1	< 0.01	23	210	34	3100	3	26	< 0.01	< 10	< 10	22	< 5	42
248009	212	238	< 1	< 0.01	54	430	6	95	7	39	< 0.01	< 10	< 10	50	< 5	44
248010	212	238	1	< 0.01	38	460	< 2	40	6	40	< 0.01	< 10	< 10	42	< 5	50
248011	212	238	< 1	< 0.01	62	870	8	50	11	15	< 0.01	< 10	< 10	65	< 5	80
248012	212	238	< 1	0.01	6	200	6	10	1	512	< 0.01	< 10	< 10	2	< 5	14
248013	212	238	< 1	< 0.01	14	400	38	>10000	7	130	< 0.01	< 10	< 10	14	< 5	33
248014	212	238	< 1	0.02	31	600	12	270	12	106	< 0.01	< 10	< 10	78	10	53
248015	212	238	< 1	< 0.01	5	390	18	9400	3	19	< 0.01	< 10	< 10	14	< 5	42
248016	212	238	< 1	0.01	10	150	22	6750	1	55	< 0.01	< 10	< 10	5	< 5	66
248017	212	238	< 1	< 0.01	16	50	134	>10000	1	77	< 0.01	< 10	< 10	3	< 5	42
248018	212	238	< 1	< 0.01	18	350	44	>10000	1	52	< 0.01	< 10	< 10	13	< 5	368
248019	212	238	< 1	< 0.01	30	200	22	>10000	3	53	< 0.01	< 10	< 10	15	< 5	91
248020	212	238	1	< 0.01	11	130	68	>10000	< 1	47	< 0.01	< 10	< 10	5	< 5	335

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
 MINERALS STAFF
 1900 - 1055 W. HASTINGS ST.
 VANCOUVER, B.C.
 V6E 2E9

Project: M564
 Comments: CC: S. McALLISTER

Page No. : 1-A
 Tot. Pages: 1
 Date : 20-SEP-88
 Invoice #: I-8823244
 P.O. #: 36927

ROCKS - RUSH.

CERTIFICATE OF ANALYSIS A8823244

SAMPLE DESCRIPTION	PREP CODE		Au ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
			RUSH	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm
248051	256	238	< 5	3.35	< 0.2	10	130	< 0.5	2	0.68	< 0.5	15	59	54	3.83	10	< 1	0.72	10	1.90	218
248052	256	238	50	3.23	< 0.2	60	120	< 0.5	< 2	1.35	< 0.5	15	44	24	3.59	10	< 1	0.68	10	1.75	266
248053	256	238	205	2.61	< 0.2	25	50	< 0.5	4	0.63	< 0.5	27	41	146	4.12	10	< 1	0.16	10	1.33	355
248054	256	238	65	3.16	0.2	70	70	< 0.5	< 2	0.60	< 0.5	43	65	199	4.17	10	< 1	0.25	10	1.57	378
248055	256	238	790	2.03	0.2	2250	300	< 0.5	2	0.41	< 0.5	32	17	80	5.13	< 10	< 1	0.37	10	0.38	873
248056	256	238	100	0.52	4.2	>10000	120	< 0.5	2	0.31	< 0.5	17	30	25	5.33	< 10	< 1	0.18	20	0.16	237
248057	256	238	35	1.35	0.2	500	80	< 0.5	< 2	0.30	< 0.5	30	16	126	5.26	< 10	< 1	0.30	10	0.25	535
248058	256	238	20	2.27	0.4	1305	90	< 0.5	< 2	0.39	< 0.5	16	14	74	3.61	< 10	< 1	0.48	10	0.33	441
248059	256	238	55	1.28	0.4	600	120	< 0.5	2	0.06	2.5	15	8	66	3.54	< 10	1	0.30	10	0.03	1135
248060	256	238	< 5	1.16	0.4	120	190	< 0.5	6	2.35	0.5	17	10	86	4.18	10	< 1	0.37	< 10	0.08	754
248061	256	238	65	0.85	0.4	3900	120	< 0.5	2	0.33	< 0.5	10	7	35	2.51	< 10	1	0.35	10	0.03	467
248062	256	238	< 5	0.94	0.6	185	120	< 0.5	6	0.28	2.5	10	5	11	2.44	< 10	< 1	0.32	10	0.04	540
248063	256	238	20	3.40	0.4	170	100	< 0.5	6	0.70	< 0.5	31	261	20	4.22	10	< 1	0.11	10	1.96	552
248064	256	238	5	2.43	0.2	100	30	< 0.5	4	0.52	< 0.5	17	94	4	3.87	10	< 1	0.05	10	0.78	641
248065	256	238	10	1.25	< 0.2	70	40	< 0.5	4	3.32	< 0.5	17	65	78	5.91	10	< 1	0.07	< 10	0.82	1175
248066	256	238	< 5	2.22	< 0.2	15	120	< 0.5	2	0.79	< 0.5	23	75	145	3.70	10	1	0.30	10	0.78	734
248067	256	238	< 5	2.27	0.2	15	120	< 0.5	2	0.69	< 0.5	16	73	126	3.72	10	< 1	0.36	10	0.85	782
248068	256	238	< 5	2.03	0.2	25	140	< 0.5	4	0.64	< 0.5	16	57	387	2.58	< 10	< 1	0.26	10	0.77	723
248069	256	238	< 5	2.57	0.4	15	100	< 0.5	< 2	0.36	< 0.5	16	42	29	3.04	< 10	11	0.19	10	0.50	419
248070	256	238	< 5	1.04	< 0.2	< 5	50	< 0.5	2	0.44	< 0.5	13	46	24	2.51	< 10	< 1	0.12	10	0.95	180

Phase been changed

*TR 4/5 → 1
 TR 3 → 2
 TR 6 → 3
 TR 1 → 4*

CERTIFICATION : B. Campbell



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project: M584

Comments: CC: S. McALLISTER

Page No. : 1-B
Tot. Pages: 1
Date : 20-SEP-88
Invoice #: I-8823244
P.O. #: 36927

CERTIFICATE OF ANALYSIS A8823244

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
248051	256 238	1	0.16	40	730	< 2	< 5	11	50	0.08	< 10	< 10	109	< 5	26
248052	256 238	< 1	0.08	28	730	< 2	< 5	11	35	0.08	< 10	< 10	102	< 5	26
248053	256 238	1	0.16	20	740	8	< 5	6	59	0.01	< 10	< 10	84	< 5	31
248054	256 238	1	0.18	49	630	8	< 5	10	73	0.06	< 10	< 10	105	< 5	39
248055	256 238	1	0.01	54	1000	10	35	10	32	< 0.01	< 10	< 10	36	< 5	51
248056	256 238	1	0.01	54	310	112	>10000	5	74	< 0.01	< 10	< 10	20	< 5	63
248057	256 238	< 1	0.01	30	1050	6	160	11	21	< 0.01	< 10	< 10	53	< 5	51
248058	256 238	< 1	0.02	22	920	< 2	50	10	31	< 0.01	< 10	< 10	48	< 5	36
248059	256 238	< 1	0.01	8	410	22	35	3	49	< 0.01	< 10	< 10	28	< 5	546
248060	256 238	< 1	0.01	15	780	12	15	4	16	< 0.01	< 10	< 10	30	< 5	125
248061	256 238	1	0.01	8	560	14	220	2	19	< 0.01	< 10	< 10	11	< 5	441
248062	256 238	< 1	0.02	5	570	12	25	2	10	< 0.01	< 10	< 10	19	< 5	787
248063	256 238	< 1	0.04	203	1120	< 2	< 5	11	79	0.03	< 10	< 10	91	< 5	57
248064	256 238	1	0.03	73	500	4	5	12	35	< 0.01	< 10	< 10	75	< 5	39
248065	256 238	< 1	0.02	70	470	6	5	11	57	< 0.01	< 10	< 10	49	< 5	35
248066	256 238	7	0.03	28	590	< 2	5	16	34	0.04	< 10	< 10	109	< 5	39
248067	256 238	3	0.03	25	660	4	< 5	13	32	0.04	< 10	< 10	110	< 5	43
248068	256 238	3	0.03	27	600	4	5	10	36	0.03	< 10	< 10	69	< 5	34
248069	256 238	1	0.05	21	700	6	5	10	40	0.04	< 10	< 10	103	< 5	25
248070	256 238	< 1	0.05	17	670	< 2	5	5	29	0.11	< 10	< 10	92	< 5	19

CERTIFICATION :

B. Coughlin



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project: M 584

Comments: ATTN: S. McALLISTER CC: T. E. LISLE

Page No. : 1-A
Tot. Pages: 1
Date : 19-AUG-88
Invoice #: I-8820749
P.O. #: 36925

ROCKS

CERTIFICATE OF ANALYSIS A8820749

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
248021	212 238	70	1.05	0.2	1875	40	< 0.5	< 2	0.08	< 0.5	4	44	74	13.65	< 10	29	0.10	< 10	0.04	128
248022	212 238	30	3.27	0.2	185	40	< 0.5	< 2	0.10	< 0.5	27	139	165	7.32	< 10	< 1	0.10	10	0.05	500
248023	212 238	10	0.75	0.2	8960	210	< 0.5	< 2	11.30	< 0.5	4	21	7	5.21	< 10	60	0.04	< 10	3.85	1405
248024	212 238	< 5	0.72	0.2	>10000	100	< 0.5	< 2	0.85	< 0.5	10	39	19	2.17	< 10	57	0.03	< 10	0.33	331
248025	212 238	10	0.75	0.2	3950	50	< 0.5	< 2	5.38	< 0.5	3	9	40	4.30	< 10	10	0.10	< 10	0.56	996
248026	212 238	35	2.36	0.2	45	100	< 0.5	< 2	0.50	< 0.5	13	40	464	4.04	< 10	< 1	0.51	10	0.59	390
248027	212 238	650	2.09	0.2	10	90	< 0.5	< 2	1.31	< 0.5	14	32	990	4.51	< 10	< 1	0.27	10	0.27	751
248028	212 238	95	2.90	0.2	< 5	150	< 0.5	< 2	0.64	< 0.5	15	73	413	4.00	< 10	< 1	0.38	10	0.67	500
248029	212 238	70	3.02	0.2	10	190	< 0.5	< 2	0.84	< 0.5	18	101	397	4.98	< 10	< 1	0.57	10	1.04	795
248030	212 238	35	1.39	0.2	15	70	< 0.5	2	0.59	< 0.5	17	58	1125	3.62	< 10	< 1	0.13	10	0.79	473
248031	212 238	10	0.83	0.2	145	50	< 0.5	< 2	10.30	< 0.5	15	89	39	4.89	< 10	< 1	0.04	< 10	0.57	1220
248032	212 238	6550	0.48	0.4	170	80	< 0.5	< 2	>15.00	< 0.5	38	20	< 1	6.96	< 10	< 1	0.04	< 10	2.76	2570
248033	212 238	300	0.58	2.2	2480	40	< 0.5	< 2	2.23	< 0.5	9	32	31	3.36	< 10	4	0.23	10	0.12	738
248034	212 238	55	0.54	0.8	7770	150	< 0.5	< 2	0.40	< 0.5	6	14	41	2.96	< 10	1	0.27	10	0.04	307
248035	212 238	15	2.40	0.2	1680	40	< 0.5	< 2	0.16	< 0.5	8	30	24	4.95	< 10	7	0.10	< 10	0.04	784
248036	212 238	30	0.70	0.6	4050	100	< 0.5	< 2	1.33	< 0.5	5	13	13	3.13	< 10	61	0.26	10	0.05	751
248037	212 238	< 5	0.71	0.2	4680	40	< 0.5	< 2	6.86	< 0.5	8	26	14	3.51	< 10	27	0.04	< 10	1.47	1045
248038	212 238	< 5	1.51	0.2	145	110	< 0.5	< 2	0.26	< 0.5	11	35	28	2.77	< 10	1	0.14	< 10	0.10	438
248039	212 238	30	1.62	0.2	10	100	< 0.5	< 2	0.72	< 0.5	12	57	530	3.14	< 10	< 1	0.20	10	0.99	324
248040	212 238	90	1.93	0.6	10	100	< 0.5	2	0.62	< 0.5	17	70	618	3.52	< 10	< 1	0.17	10	0.71	547
248041	212 238	10	1.44	0.2	40	50	0.5	< 2	3.93	< 0.5	7	13	39	2.97	< 10	1	0.07	< 10	0.38	906
248042	212 238	10	3.61	0.2	20	320	1.0	< 2	0.76	< 0.5	10	42	14	3.47	< 10	< 1	1.25	20	2.26	251
248043	212 238	45	2.14	0.2	115	60	1.0	< 2	0.41	< 0.5	14	52	36	3.86	< 10	< 1	0.10	10	0.08	642
248044	212 238	140	3.16	0.2	75	30	1.0	< 2	0.18	< 0.5	13	39	8	2.92	< 10	< 1	0.05	< 10	0.04	374
248045 - Dam	212 238	5	0.62	0.2	< 5	150	0.5	< 2	0.38	< 0.5	19	22	48	2.97	< 10	1	0.04	10	0.12	595
248046	212 238	5	0.96	0.2	10	140	1.0	< 2	2.18	< 0.5	10	32	28	2.80	< 10	< 1	0.06	10	0.10	451
248047	212 238	< 5	0.69	0.2	45	930	1.5	< 2	3.39	< 0.5	11	31	6	3.41	< 10	1	0.07	< 10	0.19	517
248048 = o/c	212 238	10	0.65	0.2	25	200	1.5	< 2	7.13	< 0.5	10	34	72	3.88	< 10	1	0.05	< 10	2.11	764

CERTIFICATION :

B. Coughlin



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project: M 584

Comments: ATTN: S. McALLISTER CC: T. E. LISLE

Page No. : 1-B
Tot. Pages: 1
Date : 19-AUG-88
Invoice #: I-8820749
P.O. #: 36925

CERTIFICATE OF ANALYSIS A8820749

SAMPLE DESCRIPTION	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
248021	212	238	2	< 0.01	26	770	34	50	8	86	< 0.01	10	< 10	58	< 5	164
248022	212	238	2	0.01	148	490	< 2	< 5	14	25	< 0.01	< 10	< 10	79	< 5	64
248023	212	238	2	0.01	8	130	8	165	9	230	< 0.01	< 10	< 10	37	< 5	77
248024	212	238	< 1	< 0.01	56	140	14	>10000	4	104	< 0.01	< 10	< 10	37	< 5	147
248025	212	238	< 1	0.01	4	300	2	205	7	33	< 0.01	< 10	< 10	18	< 5	44
248026	212	238	3	0.03	42	840	< 2	10	12	21	0.03	< 10	< 10	65	< 5	36
248027	212	238	7	0.01	25	770	< 2	5	12	27	< 0.01	< 10	< 10	63	< 5	41
248028	212	238	13	0.01	22	690	< 2	< 5	20	34	0.01	< 10	< 10	87	< 5	35
248029	212	238	12	0.07	25	760	< 2	5	28	55	0.06	< 10	< 10	121	< 5	41
248030	212	238	4	0.05	27	940	< 2	5	9	30	0.04	< 10	< 10	77	< 5	47
248031	212	238	< 1	0.01	71	470	2	15	12	89	< 0.01	< 10	< 10	61	< 5	62
248032	212	238	1	0.01	49	140	< 2	10	7	292	< 0.01	< 10	< 10	34	< 5	54
248033	212	238	< 1	0.01	20	720	88	>10000	4	28	< 0.01	10	< 10	23	< 5	301
248034	212	238	1	< 0.01	9	400	24	2640	3	36	< 0.01	< 10	< 10	12	< 5	82
248035	212	238	2	< 0.01	38	390	4	130	9	58	< 0.01	< 10	< 10	60	< 5	51
248036	212	238	< 1	< 0.01	10	350	16	2200	3	45	< 0.01	< 10	< 10	19	< 5	75
248037	212	238	< 1	0.01	27	280	4	1225	6	191	< 0.01	< 10	< 10	30	< 5	73
248038	212	238	1	< 0.01	37	490	6	30	6	38	< 0.01	< 10	< 10	42	< 5	58
248039	212	238	1	0.10	20	870	< 2	5	7	40	0.09	< 10	< 10	79	< 5	40
248040	212	238	2	0.04	28	940	2	5	12	37	0.03	< 10	< 10	112	< 5	45
248041	212	238	2	0.08	10	540	< 2	5	6	66	0.01	< 10	< 10	54	< 5	30
248042	212	238	1	0.14	32	620	< 2	5	12	58	0.20	< 10	< 10	56	< 5	17
248043	212	238	2	0.01	53	630	2	5	14	22	< 0.01	< 10	< 10	80	< 5	58
248044	212	238	3	< 0.01	35	700	< 2	< 5	14	27	< 0.01	< 10	< 10	85	< 5	39
248045	212	238	2	0.02	22	670	2	< 5	8	56	< 0.01	< 10	< 10	41	< 5	20
248046	212	238	1	0.01	22	580	< 2	< 5	8	26	< 0.01	< 10	< 10	75	< 5	24
248047	212	238	3	0.03	17	680	< 2	< 5	8	50	< 0.01	< 10	< 10	81	< 5	27
248048	212	238	5	0.01	22	350	< 2	5	9	164	< 0.01	< 10	< 10	56	< 5	37

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-1C1

PHONE (604) 984-0221

ROCKS.

To: CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project: M584

Comments: CC: S. McALLISTER

Page No. : 1-A
Tot. Pages: 1
Date : 25-JUL-88
Invoice #: I-8819179
P.O. #: 36923

CERTIFICATE OF ANALYSIS A8819179

SAMPLE DESCRIPTION	PREP CODE		Au ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
			FA+AA	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm
248001 H	212	238	200	0.17	2.4	340	20	< 0.5	4	0.12	< 0.5	< 1	22	77	1.56	< 10	< 1	0.03	< 10	0.08	131
248002 H	212	238	10	0.41	< 0.2	1725	4160	< 0.5	< 2	0.95	< 0.5	< 1	18	35	1.86	< 10	15	0.08	10	0.04	329
248003 H	212	238	25	0.29	< 0.2	2280	650	0.5	< 2	1.80	< 0.5	< 1	25	37	2.31	< 10	7	0.10	20	0.04	497
248004 H	212	238	5	0.99	0.2	90	150	0.5	< 2	0.54	< 0.5	< 1	29	523	2.12	< 10	< 1	0.09	10	0.54	190
248005 H	212	238	10	2.03	< 0.2	75	140	0.5	< 2	0.92	< 0.5	12	33	51	3.67	10	< 1	0.19	10	1.24	710
248006 H	212	238	140	1.83	< 0.2	280	80	0.5	6	0.14	< 0.5	< 1	40	85	4.44	< 10	4	0.38	10	0.82	304
248007 H	212	238	< 5	0.89	< 0.2	15	250	0.5	< 2	2.18	< 0.5	< 1	12	11	1.98	< 10	< 1	0.28	30	0.28	906

Grant + Gold claims

CERTIFICATION



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project: M584

Comments: CC: S. McALLISTER

Page No. : 1-B
Tot. Pages: 1
Date : 25-JUL-88
Invoice #: I-8819179
P.O. #: 36923

CERTIFICATE OF ANALYSIS A8819179

SAMPLE DESCRIPTION	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
248001 H	212	238	15	< 0.01	11	70	62	< 5	< 1	8	0.01	< 10	< 10	12	130	63
248002 H	212	238	1	< 0.01	10	320	6	2960	2	81	< 0.01	< 10	< 10	14	< 5	19
248003 H	212	238	< 1	< 0.01	10	240	52	>10000	2	58	< 0.01	< 10	< 10	13	< 5	71
248004 H	212	238	10	0.07	10	810	22	205	2	35	0.13	< 10	< 10	54	< 5	26
248005 H	212	238	< 1	0.09	10	850	10	40	6	48	0.14	< 10	< 10	87	< 5	42
248006 H	212	238	2	0.04	5	620	2	20	9	46	0.01	< 10	< 10	78	< 5	28
248007 H	212	238	< 1	0.04	8	700	12	20	2	50	< 0.01	< 10	< 10	14	< 5	66

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 284-0221

To: CHEVRON CANADA RESOURCES LTD.
 MINERALS STAFF
 1900 - 1055 W. HASTINGS ST.
 VANCOUVER, B.C.
 V6E 2E9

Project: M584
 Comments: ATTN: S. McALLISTER, CC: T. LISLE

SGM
 Page No.: 1-A
 Tot. Pages: 2
 Date: 13-AUG-88
 Invoice #: I-8820321
 P.O. #: NONE

SOL-5

CERTIFICATE OF ANALYSIS A8820321

SAMPLE DESCRIPTION	PREP CODE		Au ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
			F+AA	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm
ER 10820N 733OE	201	238	40	1.75	< 0.2	155	110	< 0.5	< 2	0.25	0.5	10	43	52	2.91	< 10	< 1	0.06	10	0.76	261
ER 10820N 738OE	201	238	5	2.25	< 0.2	85	150	< 0.5	< 2	0.30	0.5	15	47	36	2.90	< 10	< 1	0.10	10	0.60	568
ER 10870N 733OE	201	238	5	1.50	< 0.2	100	110	< 0.5	< 2	0.24	< 0.5	8	30	34	2.42	< 10	< 1	0.11	10	0.56	204
ER 10870N 738OE	201	238	5	2.02	< 0.2	120	130	< 0.5	< 2	0.31	< 0.5	12	44	37	2.95	< 10	< 1	0.10	10	0.65	240
ER 10870N 743OE	201	238	30	2.17	< 0.2	505	140	< 0.5	< 2	0.81	0.5	11	82	92	3.44	10	< 1	0.19	20	1.10	420
ER 10870N 748OE	201	238	25	2.17	< 0.2	25	140	< 0.5	< 2	0.30	< 0.5	13	48	18	2.75	< 10	< 1	0.09	10	0.56	333
ER 10870N 753OE	201	238	< 5	1.52	< 0.2	75	90	< 0.5	< 2	0.31	0.5	11	35	23	2.50	< 10	< 1	0.10	10	0.42	316
ER 10870N 758OE	201	238	< 5	1.86	< 0.2	60	130	< 0.5	< 2	0.27	< 0.5	13	43	22	2.73	< 10	< 1	0.09	10	0.54	276
ER 10870N 763OE	201	238	5	1.91	< 0.2	60	110	< 0.5	< 2	0.27	< 0.5	9	44	18	2.68	< 10	< 1	0.09	10	0.65	246
ER 10870N 768OE	201	238	< 5	1.96	< 0.2	30	120	< 0.5	< 2	0.27	< 0.5	9	39	18	2.32	< 10	< 1	0.08	10	0.56	195
ER 10870N 773OE	201	238	5	2.35	< 0.2	15	160	< 0.5	< 2	0.38	< 0.5	11	48	14	2.43	< 10	2	0.13	10	0.67	281
ER 10970N 773OE	201	238	< 5	2.79	< 0.2	40	200	< 0.5	< 2	0.34	< 0.5	14	49	18	2.98	< 10	< 1	0.10	10	0.64	263
ER 10970N 778OE	201	238	120	2.04	< 0.2	35	150	< 0.5	< 2	0.31	< 0.5	12	48	18	2.85	< 10	< 1	0.13	10	0.61	350
ER 10970N 783OE	201	238	< 5	1.05	< 0.2	30	80	< 0.5	< 2	0.18	< 0.5	6	24	8	1.99	< 10	1	0.05	< 10	0.28	191
ER 10970N 788OE	201	238	10	1.69	< 0.2	20	120	< 0.5	< 2	0.24	< 0.5	9	38	13	2.44	< 10	< 1	0.06	10	0.44	331
ER 10970N 793OE	201	238	< 5	0.91	< 0.2	5	90	< 0.5	< 2	0.16	< 0.5	4	34	8	1.81	< 10	< 1	0.05	< 10	0.32	217
ER 10970N 798OE	201	238	< 5	2.30	< 0.2	75	190	< 0.5	< 2	0.41	< 0.5	13	53	24	3.20	< 10	< 1	0.12	10	0.87	450
ER 10970N 803OE	201	238	< 5	1.72	< 0.2	< 5	160	< 0.5	< 2	0.30	< 0.5	8	39	13	2.53	< 10	< 1	0.07	10	0.62	386
ER 11070N 768OE	201	238	< 5	2.11	< 0.2	10	200	< 0.5	< 2	0.41	< 0.5	10	60	26	2.49	< 10	< 1	0.16	10	0.85	551
ER 11070N 773OE	201	238	< 5	2.34	< 0.2	145	360	< 0.5	< 2	0.55	0.5	14	60	25	3.03	< 10	< 1	0.20	10	0.81	1225
ER 11070N 778OE	201	238	< 5	2.21	< 0.2	710	440	0.5	< 2	0.58	2.0	15	35	51	3.87	10	1	0.29	20	0.60	1420
ER 11070N 783OE	201	238	320	2.04	< 0.2	125	170	0.5	< 2	0.36	0.5	8	46	29	3.15	< 10	< 1	0.11	10	0.80	362
ER 11070N 788OE	201	238	< 5	1.98	< 0.2	10	190	< 0.5	< 2	0.37	< 0.5	7	41	13	2.51	< 10	1	0.11	10	0.69	571
ER 11070N 793OE	201	238	< 5	2.32	< 0.2	30	260	< 0.5	< 2	0.48	< 0.5	10	47	19	2.94	< 10	< 1	0.11	10	0.89	950
ER 11070N 798OE	201	238	100	1.90	< 0.2	45	190	< 0.5	< 2	0.36	< 0.5	9	44	22	2.85	< 10	1	0.10	10	0.67	491
ER 11070N 808OE	201	238	< 5	2.17	< 0.2	5	210	< 0.5	< 2	0.40	< 0.5	8	46	17	2.77	< 10	< 1	0.10	10	0.86	540
ER 11070N 813OE	201	238	< 5	1.78	< 0.2	< 5	200	< 0.5	< 2	0.39	< 0.5	8	36	14	2.37	< 10	< 1	0.12	10	0.62	550
ER 11120N 8005E	201	238	35	2.34	< 0.2	20	120	< 0.5	< 2	0.31	< 0.5	10	49	19	2.75	< 10	< 1	0.06	10	0.87	517
ER 11120N 8030E	201	238	10	2.27	< 0.2	< 5	170	< 0.5	< 2	0.40	< 0.5	10	42	15	2.60	< 10	2	0.09	10	0.84	545
ER 11120N 8055E	201	238	40	2.58	< 0.2	< 5	160	< 0.5	< 2	0.64	< 0.5	10	47	22	2.95	< 10	< 1	0.10	10	1.14	680
ER 11120N 8105E	201	238	280	2.25	< 0.2	< 5	140	< 0.5	< 2	0.33	< 0.5	10	41	16	2.64	< 10	< 1	0.10	10	0.64	562
ER 11170N 733OE	201	238	140	2.37	< 0.2	80	150	< 0.5	< 2	0.27	0.5	12	42	101	2.88	< 10	< 1	0.12	10	0.70	188
ER 11170N 738OE	201	238	< 5	2.23	< 0.2	30	140	< 0.5	< 2	0.30	< 0.5	11	44	56	2.60	< 10	< 1	0.13	10	0.68	226
ER 11170N 743OE	201	238	5	2.65	< 0.2	140	220	< 0.5	< 2	0.32	0.5	14	63	250	2.99	< 10	1	0.27	10	1.04	316
ER 11170N 748OE	201	238	10	2.25	0.2	120	120	< 0.5	4	0.35	0.5	16	52	174	3.54	< 10	2	0.17	10	0.87	278
ER 11170N 753OE	201	238	< 5	2.07	0.2	140	200	< 0.5	< 2	0.27	0.5	12	34	120	2.94	< 10	1	0.12	10	0.51	186
ER 11170N 758OE	201	238	30	1.82	< 0.2	95	130	< 0.5	6	0.24	< 0.5	9	35	93	2.73	< 10	< 1	0.09	10	0.56	378
ER 11170N 763OE	201	238	30	2.51	< 0.2	20	140	< 0.5	4	0.37	< 0.5	11	61	49	2.46	< 10	< 1	0.13	10	0.87	421
ER 11170N 768OE	201	238	15	2.48	< 0.2	30	130	< 0.5	2	0.40	< 0.5	11	70	23	2.44	< 10	< 1	0.18	10	0.97	305
ER 11170N 773OE	201	238	< 5	2.33	< 0.2	45	180	< 0.5	< 2	0.37	< 0.5	9	57	16	2.84	< 10	< 1	0.13	10	0.85	592



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project: M584

Comments: ATTN: S MCALLISTER, CC: T LISLE

Page No.: 1-B
Tot. Pages: 2
Date: 13-AUG-88
Invoice #: I-8820321
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8820321

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
HR 10820N 7330E	201 238	2	0.01	41	320	8	< 5	4	26	0.11	< 10	< 10	62	5	69
HR 10820N 7380E	201 238	2	0.02	44	1010	4	< 5	4	35	0.13	< 10	< 10	58	5	155
HR 10870N 7330E	201 238	2	0.02	28	400	8	< 5	3	28	0.12	< 10	< 10	58	5	64
HR 10870N 7380E	201 238	4	0.01	35	220	2	< 5	4	42	0.15	< 10	< 10	69	5	78
HR 10870N 7430E	201 238	3	0.03	47	470	10	5	9	85	0.14	< 10	< 10	72	5	63
HR 10870N 7480E	201 238	3	0.02	40	780	10	< 5	3	29	0.14	< 10	< 10	61	5	112
HR 10870N 7530E	201 238	2	0.02	28	430	4	< 5	2	26	0.11	< 10	< 10	57	5	94
HR 10870N 7580E	201 238	3	0.02	36	430	12	< 5	3	28	0.13	< 10	< 10	60	< 5	99
HR 10870N 7630E	201 238	1	0.01	40	330	12	10	4	26	0.13	< 10	< 10	61	5	112
HR 10870N 7680E	201 238	1	0.02	38	560	6	< 5	3	27	0.14	< 10	< 10	52	5	85
HR 10870N 7730E	201 238	2	0.02	57	360	4	< 5	4	34	0.15	< 10	< 10	54	10	102
HR 10970N 7730E	201 238	1	0.02	51	900	6	< 5	4	30	0.14	< 10	< 10	61	5	95
HR 10970N 7780E	201 238	1	0.01	41	1050	2	< 5	4	26	0.13	< 10	< 10	57	5	85
HR 10970N 7830E	201 238	< 1	0.02	18	520	8	< 5	2	18	0.11	< 10	< 10	53	5	44
HR 10970N 7880E	201 238	< 1	0.02	38	940	8	< 5	3	22	0.11	< 10	< 10	52	5	85
HR 10970N 7930E	201 238	< 1	0.02	21	700	6	< 5	2	13	0.10	< 10	< 10	46	5	52
HR 10970N 7980E	201 238	1	0.01	45	390	8	< 5	5	36	0.09	< 10	< 10	68	10	73
HR 10970N 8030E	201 238	1	0.02	35	350	< 2	< 5	3	27	0.13	< 10	< 10	55	5	59
HR 11070N 7680E	201 238	1	0.02	53	520	8	< 5	4	43	0.17	< 10	< 10	53	5	47
HR 11070N 7730E	201 238	1	0.02	71	820	4	30	6	51	0.14	< 10	< 10	61	5	63
HR 11070N 7780E	201 238	1	0.01	38	700	8	145	8	47	0.07	< 10	< 10	63	< 5	62
HR 11070N 7830E	201 238	1	0.01	34	290	6	30	6	32	0.11	< 10	< 10	64	< 5	63
HR 11070N 7880E	201 238	< 1	0.02	36	360	4	< 5	4	29	0.13	< 10	< 10	55	< 5	92
HR 11070N 7930E	201 238	2	0.01	42	400	10	< 5	5	42	0.14	< 10	< 10	61	< 5	108
HR 11070N 7980E	201 238	2	0.01	38	250	18	5	5	30	0.10	< 10	< 10	58	< 5	73
HR 11070N 8080E	201 238	1	0.02	41	440	14	< 5	5	38	0.17	< 10	< 10	55	< 5	110
HR 11070N 8130E	201 238	1	0.01	30	400	16	< 5	4	36	0.13	< 10	< 10	47	< 5	75
HR 11120N 8005E	201 238	1	0.01	42	330	< 2	< 5	5	25	0.12	< 10	< 10	56	< 5	84
HR 11120N 8030E	201 238	1	0.02	44	410	14	< 5	5	34	0.17	< 10	< 10	54	< 5	99
HR 11120N 8055E	201 238	1	0.01	43	770	6	< 5	5	46	0.19	< 10	< 10	57	< 5	122
HR 11120N 8105E	201 238	1	0.01	43	820	64	< 5	4	25	0.12	< 10	< 10	50	< 5	247
HR 11170N 7330E	201 238	4	0.02	36	340	< 2	< 5	4	40	0.18	< 10	< 10	70	< 5	55
HR 11170N 7380E	201 238	2	0.02	43	640	6	< 5	4	34	0.18	< 10	< 10	61	< 5	68
HR 11170N 7430E	201 238	4	0.02	52	330	2	< 5	6	38	0.21	< 10	< 10	69	< 5	67
HR 11170N 7480E	201 238	5	0.02	38	350	10	5	5	72	0.18	< 10	< 10	73	< 5	55
HR 11170N 7530E	201 238	2	0.03	31	430	10	< 5	3	32	0.11	< 10	< 10	50	< 5	76
HR 11170N 7580E	201 238	3	0.02	29	400	< 2	5	2	30	0.13	< 10	< 10	59	< 5	45
HR 11170N 7630E	201 238	1	0.02	52	390	6	< 5	4	38	0.17	< 10	< 10	53	< 5	42
HR 11170N 7680E	201 238	1	0.02	53	400	< 2	< 5	5	39	0.19	< 10	< 10	56	< 5	38
HR 11170N 7730E	201 238	1	0.01	50	600	2	10	5	39	0.13	< 10	< 10	56	< 5	55

CERTIFICATION



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
 MINERALS STAFF
 1900 - 1055 W. HASTINGS ST.
 VANCOUVER, B.C.
 V6E 2E9

Project: M584
 Comments: ATTN: S MCALLISTER, CC: T. LITTLE

Page No.: 2-A
 Tot. Pages: 2
 Date: 13-AUG-88
 Invoice #: I-8820321
 P.O. #: NONE

CERTIFICATE OF ANALYSIS A8820321

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
ER 1117ON 778OE	201 238	30	1.99	< 0.2	180	200	0.5	< 2	0.37	< 0.5	9	48	16	3.29	10	< 1	0.16	10	0.76	649
ER 1117ON 783OE	201 238	30	2.25	< 0.2	80	340	0.5	< 2	0.44	< 0.5	11	41	11	3.04	10	1	0.13	10	0.72	855
ER 1117ON 788OE	201 238	10	2.16	< 0.2	10	180	< 0.5	2	0.40	< 0.5	8	39	6	2.73	10	< 1	0.12	10	0.85	551
ER 1117ON 793OE	201 238	15	1.93	< 0.2	15	70	< 0.5	< 2	0.33	< 0.5	7	36	9	2.60	< 10	< 1	0.10	10	0.78	371
ER 1117ON 798OE	201 238	10	2.21	< 0.2	10	220	0.5	< 2	0.46	< 0.5	8	39	8	2.92	10	< 1	0.10	10	0.88	790
ER 1117ON 803OE	201 238	20	1.78	< 0.2	20	40	< 0.5	< 2	0.37	< 0.5	6	36	11	2.83	10	< 1	0.08	10	0.77	322
ER 1117ON 808OE	201 238	< 5	2.30	< 0.2	15	160	0.5	< 2	0.52	< 0.5	10	39	13	3.29	10	< 1	0.11	20	1.01	719
ER 1117ON 813OE	201 238	10	2.47	< 0.2	< 5	250	0.5	< 2	0.47	< 0.5	10	40	13	3.19	10	< 1	0.14	10	1.12	915

CERTIFICATION: *[Signature]*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE. NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project: M584

Comments: ATTN: S MCALLISTER, CC: T. IISLF

Page No. : 2-B
Tot. Pages: 2
Date : 13-AUG-88
Invoice #: I-8820321
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8820321

SAMPLE DESCRIPTION	PREP CODE	Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
HR 1117QN 7780E	201 238	1	0.01	37	390	6	70	5	35	0.11	< 10	< 10	70	< 5	59
HR 1117QN 7830E	201 238	2	0.01	44	740	16	25	4	40	0.10	< 10	< 10	63	< 5	78
HR 1117QN 7880E	201 238	2	0.01	39	460	6	5	4	33	0.11	< 10	< 10	58	< 5	74
HR 1117QN 7930E	201 238	2	0.01	33	290	10	5	4	30	0.12	< 10	< 10	58	< 5	57
HR 1117QN 7980E	201 238	1	0.01	40	410	6	< 5	4	36	0.14	< 10	< 10	60	< 5	94
HR 1117QN 8030E	201 238	2	0.01	26	240	12	10	5	33	0.15	< 10	< 10	62	< 5	41
HR 1117QN 8080E	201 238	2	0.01	40	520	12	< 5	6	44	0.17	< 10	< 10	65	< 5	70
HR 1117QN 8130E	201 238	1	0.01	39	620	8	< 5	4	49	0.15	< 10	< 10	60	< 5	73

CERTIFICATION: *[Signature]*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project: M58A

Comments: S. MacALLISTER CC: T.E. LISLE

Page No. : 1-A
Tot. Pages: 1
Date : 6-AUG-88
Invoice #: I-8819585
P.O. #: 36937

CERTIFICATE OF ANALYSIS A8819585

Solids

SAMPLE DESCRIPTION	PREP CODE		Au ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
			FA+AA	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm
SS-1	201	238	< 5	1.00	0.2	90	80	0.5	4	1.16	< 0.5	17	40	32	3.92	10	< 1	0.08	20	0.67	810

CERTIFICATION : B. Coughlin



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project: M584

Comments: CC: S. MacALLISTER CC: T.E. LISLE

Page No. : 1-B
Tot. Pages: 1
Date : 6-AUG-88
Invoice #: I-8819585
P.O. #: 36937

CERTIFICATE OF ANALYSIS A8819585

SAMPLE DESCRIPTION	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
SS-1	201	238	1	0.01	46	880	10	10	9	65	0.04	< 10	< 10	69	20	79

CERTIFICATION

B. Coughlin



Chemex Labs Ltd.

Analytical Chemists

Geochemists

Registered Assayers

212 Brooksbank Ave.
North Vancouver, B.C.
Canada V7J 2T1

Phone: (604) 984-0221
Telex: 043-52597

July 26, 1988

Chevron Canada Resources Ltd.
Minerals Staff
1900-1055 W. Hastings Street
Vancouver, B.C.
V6E 2E9

Dear T.E. Lisle

Re: Duplicate Analyses

We have run your samples in duplicate which show the following:

Certificate No.	Sample Description	Au	Original Analysis	Subsequent Analysis
A8819098-4	11120N 8030N		500 ppb	220 ppb

We hope this additional information will be helpful to you.

Sincerely yours,

Thanh Vinh

TV/lr



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

Soils

To: CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project: M584

Comments: S. McALLISTER, T. E. LISLE

Page No. : 1-A
Tot. Pages: 3
Date : 29-AUG-88
Invoice #: I-8821454
P.O. #: 36926

CERTIFICATE OF ANALYSIS A8821454

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
BR 10270N 7430E	201 238	< 5	2.41	0.4	60	130	< 0.5	< 2	0.27	< 0.5	11	43	15	3.01	< 10	< 1	0.07	10	0.58	254
BR 10270N 7480E	201 238	20	1.94	0.2	105	110	< 0.5	< 2	0.32	< 0.5	8	42	25	3.24	< 10	< 1	0.05	10	0.65	241
BR 10270N 7530E	201 238	30	1.38	0.4	180	100	< 0.5	< 2	0.22	< 0.5	8	28	24	2.80	< 10	3	0.06	10	0.51	237
BR 10270N 7580E	201 238	10	1.86	0.2	145	160	< 0.5	< 2	0.24	< 0.5	10	36	17	3.07	< 10	< 1	0.06	10	0.60	333
BR 10270N 8080E	201 238	135	1.24	0.2	30	130	0.5	< 2	0.29	< 0.5	8	29	11	2.08	< 10	2	0.05	10	0.44	396
BR 10320N 7330E	201 238	10	2.11	0.2	70	130	1.0	< 2	0.33	< 0.5	13	48	24	3.08	< 10	< 1	0.11	10	0.78	360
BR 10320N 7380E	201 238	< 5	1.85	0.4	90	120	1.0	2	0.35	< 0.5	11	31	21	2.32	< 10	2	0.10	10	0.44	764
BR 10370N 7330E	201 238	10	1.88	0.4	75	110	1.0	< 2	0.37	< 0.5	11	43	19	2.98	< 10	< 1	0.10	20	0.63	319
BR 10370N 7380E	201 238	500	1.95	0.4	200	150	1.0	< 2	0.29	< 0.5	10	43	24	3.28	< 10	< 1	0.15	10	0.64	341
BR 10370N 7430E	201 238	10	1.94	0.2	25	120	0.5	< 2	0.34	< 0.5	11	44	16	2.63	< 10	< 1	0.07	10	0.57	304
BR 10370N 7480E	201 238	70	1.86	0.2	15	100	0.5	< 2	0.29	< 0.5	10	41	16	2.46	< 10	< 1	0.08	10	0.59	254
BR 10370N 7530E	201 238	5	2.41	0.2	45	120	0.5	< 2	0.30	< 0.5	12	46	16	2.62	< 10	< 1	0.08	10	0.66	288
BR 10370N 7580E	201 238	< 5	2.21	0.2	50	140	1.0	< 2	0.26	< 0.5	12	43	15	2.35	< 10	1	0.08	10	0.57	324
BR 10370N 8080E	201 238	10	1.02	0.2	35	140	0.5	< 2	0.19	< 0.5	7	28	16	2.13	< 10	1	0.04	10	0.38	382
BR 10420N 7330E	201 238	10	2.07	0.2	45	160	< 0.5	< 2	0.26	< 0.5	5	43	21	2.97	< 10	< 1	0.13	10	0.64	361
BR 10420N 7380E	201 238	25	2.33	0.2	95	300	< 0.5	< 2	0.29	0.5	9	47	37	3.17	< 10	3	0.13	10	0.70	402
BR 10470N 7330E	201 238	20	1.74	0.2	240	130	< 0.5	< 2	0.29	0.5	7	44	36	3.23	< 10	< 1	0.09	10	0.62	312
BR 10470N 7380E	201 238	35	2.70	0.4	360	320	< 0.5	2	0.31	0.5	13	51	42	3.78	< 10	< 1	0.17	20	0.54	602
BR 10470N 7380E	201 238	15	1.89	0.2	230	160	< 0.5	< 2	0.27	0.5	11	52	32	3.34	< 10	< 1	0.07	10	0.72	412
BR 10470N 7430E	201 238	20	1.63	0.4	205	200	< 0.5	< 2	0.27	0.5	11	55	43	3.67	< 10	< 1	0.11	10	0.58	380
BR 10470N 7480E	201 238	5	2.07	0.4	15	120	< 0.5	< 2	0.21	< 0.5	10	30	13	2.22	< 10	< 1	0.07	10	0.41	318
BR 10470N 7530E	201 238	20	2.45	0.4	190	80	< 0.5	2	0.21	< 0.5	11	46	121	3.01	< 10	< 1	0.10	10	0.96	220
BR 10470N 7580E	201 238	25	2.61	0.2	170	120	0.5	< 2	0.35	< 0.5	16	64	60	3.40	10	1	0.15	10	1.04	284
BR 10470N 7630E	201 238	20	2.32	0.4	160	130	0.5	6	0.51	< 0.5	18	57	52	3.83	20	< 1	0.14	10	0.88	356
BR 10470N 7680E	201 238	15	2.11	0.4	130	130	0.5	8	0.42	1.0	13	48	26	2.96	20	1	0.10	10	0.68	273
BR 10470N 7730E	201 238	30	1.85	0.6	250	120	0.5	4	0.34	< 0.5	12	42	35	3.45	20	< 1	0.09	10	0.68	299
BR 10520N 7330E	201 238	5	2.12	0.2	110	180	1.0	< 2	0.39	< 0.5	13	42	23	2.96	20	< 1	0.13	10	0.57	653
BR 10520N 7380E	201 238	< 5	1.35	0.2	90	130	0.5	2	0.24	< 0.5	13	27	13	2.38	20	< 1	0.06	10	0.39	252
BR 10570N 7330E	201 238	35	1.78	0.4	95	120	0.5	2	0.33	< 0.5	12	35	33	3.10	20	1	0.11	10	0.65	250
BR 10570N 7380E	201 238	80	2.82	0.2	125	250	1.0	6	0.44	0.5	21	42	67	3.90	30	< 1	0.15	10	0.84	702
BR 10570N 7430E	201 238	170	1.87	0.2	185	110	1.0	4	0.46	0.5	17	46	63	3.81	30	< 1	0.14	10	0.84	322
BR 10570N 7480E	201 238	15	1.95	0.4	100	120	0.5	8	0.42	0.5	20	37	51	3.29	30	< 1	0.12	10	0.63	277
BR 10570N 7530E	201 238	5	3.08	0.2	175	190	< 0.5	2	0.39	< 0.5	14	51	72	4.71	< 10	< 1	0.23	10	0.87	615
BR 10570N 7580E	201 238	20	2.41	0.4	185	130	< 0.5	< 2	0.31	< 0.5	14	50	55	3.95	< 10	< 1	0.20	10	0.85	353
BR 10570N 7630E	201 238	290	2.62	0.4	180	150	< 0.5	< 2	0.30	< 0.5	9	61	51	3.63	< 10	< 1	0.18	10	0.90	433
BR 10570N 7680E	201 238	170	2.18	0.2	155	180	< 0.5	< 2	0.27	< 0.5	11	45	18	2.94	< 10	1	0.12	10	0.66	632
BR 10570N 7730E	201 238	30	2.28	0.2	115	150	< 0.5	2	0.33	< 0.5	10	53	24	3.15	< 10	< 1	0.08	10	0.70	294
BR 10570N 7780E	201 238	115	1.80	0.4	150	210	< 0.5	2	0.26	< 0.5	7	43	24	3.13	< 10	< 1	0.07	10	0.54	332
BR 10570N 7830E	201 238	< 5	2.44	0.2	75	200	< 0.5	< 2	0.31	< 0.5	11	55	25	3.05	< 10	< 1	0.09	10	0.70	621
BR 10570N 7880E	201 238	< 5	2.29	0.2	45	150	< 0.5	2	0.29	< 0.5	10	54	17	3.10	< 10	< 1	0.07	10	0.67	268

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project: M584

Comments: CC: S. McALLISTER, T.E. LISLE

Page No. : 1-B
Tot. Pages: 3
Date : 29-AUG-88
Invoice #: I-8821454
P.O. #: 36926

CERTIFICATE OF ANALYSIS A8821454

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
ER 1027QN 743OE	201 238	< 1	0.02	41	1040	6	< 5	4	21	0.13	< 10	< 10	59	< 5	128
ER 1027QN 748OE	201 238	< 1	0.01	34	450	4	5	5	34	0.16	< 10	< 10	66	< 5	93
ER 1027QN 753OE	201 238	< 1	0.01	26	480	< 2	10	3	20	0.07	< 10	< 10	50	< 5	107
ER 1027QN 758OE	201 238	< 1	0.01	36	330	< 2	5	4	22	0.09	< 10	< 10	56	< 5	143
ER 1027QN 808OE	201 238	< 1	0.01	24	330	14	< 5	2	26	0.07	< 10	< 10	43	10	79
ER 1032QN 733OE	201 238	< 1	0.02	42	480	12	5	5	40	0.16	< 10	< 10	73	10	99
ER 1032QN 738OE	201 238	< 1	0.03	36	700	4	< 5	3	35	0.12	< 10	< 10	56	10	93
ER 1037QN 733OE	201 238	< 1	0.02	33	470	2	5	5	39	0.17	< 10	< 10	73	5	84
ER 1037QN 738OE	201 238	< 1	0.02	35	180	< 2	10	5	33	0.12	< 10	< 10	75	10	100
ER 1037QN 743OE	201 238	< 1	0.02	36	570	10	< 5	4	42	0.17	< 10	< 10	65	5	84
ER 1037QN 748OE	201 238	< 1	0.02	36	710	12	5	4	34	0.15	< 10	< 10	63	10	85
ER 1037QN 753OE	201 238	< 1	0.02	48	810	< 2	< 5	4	33	0.14	< 10	< 10	60	10	125
ER 1037QN 758OE	201 238	< 1	0.02	55	1080	4	< 5	3	27	0.12	< 10	< 10	51	10	160
ER 1037QN 808OE	201 238	< 1	0.01	27	220	6	5	2	25	0.06	< 10	< 10	40	5	73
ER 1042QN 733OE	201 238	1	0.01	33	680	14	< 5	4	25	0.11	< 10	< 10	50	< 5	153
ER 1042QN 738OE	201 238	1	0.01	45	580	12	5	5	28	0.11	< 10	< 10	50	< 5	276
ER 1047QN 733OE	201 238	< 1	0.01	35	310	4	10	4	35	0.13	< 10	< 10	62	< 5	85
ER 1047QN 738OE	201 238	1	0.02	67	870	12	20	6	35	0.05	< 10	< 10	58	< 5	162
ER 1047QN 738OE	201 238	2	0.02	51	450	12	10	4	29	0.09	< 10	< 10	61	< 5	101
ER 1047QN 743OE	201 238	1	0.01	70	450	14	15	7	28	0.04	< 10	< 10	55	< 5	113
ER 1047QN 748OE	201 238	1	0.02	34	2270	16	< 5	3	20	0.11	< 10	< 10	40	< 5	220
ER 1047QN 753OE	201 238	3	0.02	41	590	16	10	4	28	0.13	< 10	< 10	61	5	72
ER 1047QN 738OE	201 238	3	0.01	58	660	14	< 5	6	30	0.17	< 10	< 10	75	5	86
ER 1047QN 763OE	201 238	2	0.01	47	820	18	5	7	50	0.22	< 10	< 10	88	10	86
ER 1047QN 768OE	201 238	4	0.01	54	720	26	10	5	28	0.14	< 10	< 10	61	< 5	147
ER 1047QN 773OE	201 238	3	0.01	39	550	22	30	5	29	0.13	< 10	< 10	69	< 5	143
ER 1052QN 733OE	201 238	4	0.01	51	1580	22	5	5	24	0.12	< 10	< 10	57	< 5	143
ER 1052QN 738OE	201 238	< 1	0.01	39	1020	10	< 5	4	17	0.08	< 10	< 10	52	< 5	70
ER 1057QN 733OE	201 238	2	0.01	34	610	16	< 5	4	31	0.15	< 10	< 10	62	< 5	79
ER 1057QN 738OE	201 238	4	0.01	64	1730	10	< 5	7	31	0.14	< 10	< 10	64	< 5	266
ER 1057QN 743OE	201 238	5	0.01	45	490	14	5	7	39	0.16	< 10	< 10	76	< 5	101
ER 1057QN 748OE	201 238	4	0.01	37	640	12	< 5	5	37	0.16	< 10	< 10	66	< 5	86
ER 1057QN 753OE	201 238	3	0.02	46	820	2	< 5	8	44	0.14	< 10	< 10	83	< 5	120
ER 1057QN 758OE	201 238	2	0.02	46	610	6	< 5	6	31	0.17	< 10	< 10	81	< 5	101
ER 1057QN 763OE	201 238	3	0.02	60	480	8	5	7	35	0.17	< 10	< 10	74	< 5	100
ER 1057QN 768OE	201 238	< 1	0.02	47	430	8	5	4	30	0.14	< 10	< 10	64	< 5	151
ER 1057QN 773OE	201 238	1	0.02	45	600	20	10	5	37	0.16	< 10	< 10	65	< 5	197
ER 1057QN 778OE	201 238	1	0.01	35	330	24	20	4	28	0.10	< 10	< 10	60	< 5	165
ER 1057QN 783OE	201 238	1	0.02	55	1110	8	5	5	25	0.12	< 10	< 10	61	< 5	170
ER 1057QN 788OE	201 238	1	0.02	59	790	12	< 5	4	25	0.17	< 10	< 10	68	< 5	107

CERTIFICATION :

B. Campbell



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project: M584

Comments: CC: S. McALLISTER, T.E. LISLE

Page No. : 2-A
Tot. Pages: 3
Date : 29-AUG-88
Invoice #: I-8821454
P.O. #: 36926

CERTIFICATE OF ANALYSIS A8821454

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
BR 10570N 7930E	201 238	< 5	2.64	0.4	40	150	< 0.5	2	0.27	< 0.5	15	57	21	3.28	< 10	1	0.07	10	0.71	537
BR 10570N 7980E	201 238	< 5	1.77	0.4	15	90	< 0.5	< 2	0.19	< 0.5	11	36	8	2.33	< 10	< 1	0.06	10	0.38	317
BR 10620N 7330E	201 238	< 5	2.59	0.4	150	140	< 0.5	2	0.36	< 0.5	15	51	60	3.50	< 10	1	0.17	10	0.86	328
BR 10620N 7380E	201 238	15	2.48	0.2	135	160	0.5	< 2	0.34	< 0.5	11	43	47	3.06	< 10	< 1	0.16	10	0.69	398
BR 10670N 7330E	201 238	210	2.25	0.2	80	170	< 0.5	< 2	0.37	< 0.5	10	45	40	3.06	< 10	< 1	0.18	10	0.71	344
BR 10670N 7380E	201 238	300	2.52	0.4	165	160	< 0.5	< 2	0.29	< 0.5	15	45	72	3.62	< 10	< 1	0.25	10	0.83	286
BR 10670N 7430E	201 238	80	2.46	0.6	110	190	< 0.5	< 2	0.44	< 0.5	16	46	98	3.60	< 10	< 1	0.22	10	0.76	587
BR 10670N 7480E	201 238	65	2.60	0.4	115	220	0.5	2	0.34	0.5	16	49	70	3.56	< 10	< 1	0.14	10	0.72	1135
BR 10670N 7530E	201 238	< 5	2.66	0.4	155	180	0.5	< 2	0.45	< 0.5	16	56	59	4.08	< 10	< 1	0.30	10	0.78	620
BR 10670N 7580E	201 238	20	3.14	0.6	130	210	0.5	2	0.54	< 0.5	22	61	64	4.06	< 10	< 1	0.17	10	0.76	1100
BR 10670N 7630E	201 238	< 5	3.87	0.6	560	170	< 0.5	2	0.30	< 0.5	21	64	129	4.84	< 10	< 1	0.10	10	1.08	410
BR 10670N 7680E	201 238	< 5	3.00	0.6	100	150	< 0.5	< 2	0.26	< 0.5	20	54	31	3.53	< 10	< 1	0.10	10	0.59	696
BR 10670N 7730E	201 238	35	3.25	0.4	285	130	< 0.5	< 2	0.26	< 0.5	18	87	31	3.83	< 10	< 1	0.11	10	1.11	369
BR 10670N 7780E	201 238	< 5	3.20	0.4	185	140	< 0.5	< 2	0.34	< 0.5	17	70	23	3.97	< 10	< 1	0.10	10	0.84	308
BR 10670N 7830E	201 238	< 5	2.63	0.4	710	150	0.5	< 2	0.19	< 0.5	11	47	31	3.76	< 10	< 1	0.06	10	0.49	290
BR 10670N 7880E	201 238	< 5	2.55	0.6	110	150	< 0.5	< 2	0.25	< 0.5	11	49	17	3.37	< 10	< 1	0.08	10	0.56	288
BR 10670N 7930E	201 238	< 5	2.03	0.2	50	140	< 0.5	< 2	0.24	< 0.5	10	38	15	3.13	< 10	< 1	0.07	10	0.69	281
BR 10670N 7980E	201 238	< 5	1.64	0.2	50	160	< 0.5	< 2	0.29	< 0.5	8	32	8	2.69	< 10	< 1	0.08	10	0.56	459
BR 10720N 7330E	201 238	< 5	2.76	0.4	100	210	< 0.5	< 2	0.32	< 0.5	17	47	43	3.11	< 10	< 1	0.13	10	0.71	403
BR 10720N 7380E	201 238	45	2.58	0.4	136	160	0.5	< 2	0.38	< 0.5	14	51	67	3.67	< 10	< 1	0.15	10	0.82	696
BR 10770N 7330E	201 238	< 5	2.24	0.4	160	160	< 0.5	< 2	0.31	< 0.5	10	54	35	3.59	< 10	< 1	0.13	10	0.84	252
BR 10770N 7480E	201 238	< 5	2.28	0.4	155	120	< 0.5	2	0.39	< 0.5	15	49	63	3.83	< 10	< 1	0.17	10	0.88	370
BR 10770N 7430E	201 238	410	2.21	0.4	135	160	< 0.5	< 2	0.35	< 0.5	16	42	68	3.49	< 10	2	0.20	10	0.70	542
BR 10770N 7480E	201 238	< 5	1.60	0.2	80	100	< 0.5	< 2	0.18	< 0.5	9	31	30	2.53	< 10	2	0.08	< 10	0.44	304
BR 10770N 7530E	201 238	20	2.95	0.4	115	150	< 0.5	< 2	0.29	< 0.5	15	52	63	3.45	< 10	< 1	0.09	10	0.69	322
BR 10770N 7580E	201 238	10	2.76	0.6	110	120	0.5	< 2	0.37	< 0.5	15	61	49	4.21	< 10	< 1	0.11	10	0.87	358
BR 10770N 7630E	201 238	< 5	3.06	0.4	125	130	< 0.5	2	0.33	< 0.5	18	65	42	4.35	< 10	< 1	0.10	10	0.90	325
BR 10770N 7680E	201 238	15	2.55	0.6	176	100	< 0.5	< 2	0.26	< 0.5	9	49	56	3.85	< 10	< 1	0.09	10	0.84	519
BR 10770N 7730E	201 238	5	2.67	0.2	40	150	< 0.5	< 2	0.35	< 0.5	15	60	24	3.45	< 10	< 1	0.11	10	0.84	288
BR 10770N 7780E	201 238	< 5	2.27	0.4	55	160	< 0.5	< 2	0.39	< 0.5	10	57	19	3.16	< 10	1	0.15	10	0.81	448
BR 10770N 7830E	201 238	< 5	2.12	0.4	55	150	< 0.5	< 2	0.48	< 0.5	12	67	26	3.66	< 10	< 1	0.15	10	0.81	305
BR 10920N 7330E	201 238	10	2.02	0.6	165	100	< 0.5	< 2	0.47	< 0.5	9	52	61	3.44	< 10	< 1	0.31	10	0.87	257
BR 10920N 7380E	201 238	< 5	2.15	0.4	55	140	< 0.5	< 2	0.38	< 0.5	11	49	24	2.93	< 10	1	0.14	10	0.72	273
BR 10970N 7330E	201 238	110	1.72	0.2	65	240	< 0.5	< 2	0.31	< 0.5	9	40	97	3.64	< 10	< 1	0.21	10	0.73	326
BR 10970N 7380E	201 238	510	2.64	0.6	50	250	< 0.5	< 2	0.44	0.5	14	65	381	5.01	< 10	< 1	0.72	10	1.23	456
BR 10970N 7430E	201 238	100	2.11	0.8	990	220	0.5	< 2	0.43	< 0.5	16	42	662	4.80	< 10	1	0.39	10	0.99	420
BR 10970N 7480E	201 238	15	2.35	0.4	145	180	< 0.5	< 2	0.36	< 0.5	8	73	132	3.73	< 10	< 1	0.32	10	1.03	267
BR 10970N 7530E	201 238	35	2.20	0.4	125	150	< 0.5	< 2	0.39	< 0.5	8	69	63	3.90	< 10	< 1	0.14	10	0.89	287
BR 10970N 7580E	201 238	15	2.03	0.2	70	190	< 0.5	< 2	0.27	< 0.5	9	46	38	2.88	< 10	2	0.11	10	0.60	210
BR 10970N 7630E	201 238	35	2.32	0.4	185	190	< 0.5	< 2	0.27	< 0.5	11	54	59	3.49	< 10	1	0.13	10	0.69	246

CERTIFICATION :

B. Coughlin



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project: M584

Comments: CC: S. McALLISTER, T.E. LISLE

Page No. : 2-B
Tot. Pages: 3
Date : 29-AUG-88
Invoice #: I-8821454
P.O. #: 36926

CERTIFICATE OF ANALYSIS A8821454

SAMPLE DESCRIPTION	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
BR 10570N 7930E	201	238	1	0.02	61	790	2	5	5	26	0.15	< 10	< 10	72	< 5	115
BR 10570N 7980E	201	238	< 1	0.02	30	1120	8	< 5	3	18	0.13	< 10	< 10	55	< 5	119
BR 10620N 7330E	201	238	3	0.02	43	490	4	5	6	51	0.20	< 10	< 10	81	< 5	96
BR 10620N 7380E	201	238	2	0.02	49	1240	16	5	5	38	0.14	< 10	< 10	62	< 5	135
BR 10670N 7330E	201	238	2	0.02	37	410	2	< 5	5	48	0.18	< 10	< 10	73	< 5	76
BR 10670N 7380E	201	238	4	0.02	42	480	14	< 5	5	51	0.17	< 10	< 10	78	< 5	99
BR 10670N 7430E	201	238	3	0.02	42	450	4	< 5	6	91	0.16	< 10	< 10	74	< 5	107
BR 10670N 7480E	201	238	3	0.02	52	580	12	< 5	5	57	0.18	< 10	< 10	81	< 5	134
BR 10670N 7530E	201	238	5	0.02	55	280	10	< 5	6	46	0.20	< 10	< 10	89	< 5	103
BR 10670N 7580E	201	238	4	0.02	63	370	4	< 5	7	66	0.19	< 10	< 10	81	< 5	171
BR 10670N 7630E	201	238	6	0.02	63	640	16	< 5	8	36	0.19	< 10	< 10	102	< 5	158
BR 10670N 7680E	201	238	1	0.02	59	1150	16	< 5	5	25	0.16	< 10	< 10	73	< 5	128
BR 10670N 7730E	201	238	< 1	0.02	83	1310	22	< 5	7	22	0.17	< 10	< 10	85	< 5	204
BR 10670N 7780E	201	238	< 1	0.02	76	640	2	< 5	5	33	0.16	< 10	< 10	90	< 5	104
BR 10670N 7830E	201	238	2	0.02	46	750	24	35	5	23	0.08	< 10	< 10	70	< 5	156
BR 10670N 7880E	201	238	1	0.02	43	1320	22	< 5	4	23	0.13	< 10	< 10	71	< 5	319
BR 10670N 7930E	201	238	1	0.02	40	950	12	5	3	20	0.09	< 10	< 10	57	< 5	132
BR 10670N 7980E	201	238	< 1	0.02	27	220	12	5	3	21	0.08	< 10	< 10	57	< 5	63
BR 10720N 7330E	201	238	4	0.02	51	580	4	< 5	5	39	0.17	< 10	< 10	66	< 5	132
BR 10720N 7380E	201	238	2	0.02	46	420	4	< 5	6	49	0.18	< 10	< 10	80	< 5	130
BR 10770N 7330E	201	238	2	0.01	47	250	2	5	5	42	0.15	< 10	< 10	82	< 5	82
BR 10770N 7380E	201	238	1	0.02	42	380	4	< 5	5	67	0.19	< 10	< 10	88	< 5	85
BR 10770N 7430E	201	238	2	0.02	42	370	4	< 5	5	70	0.14	< 10	< 10	71	< 5	120
BR 10770N 7480E	201	238	< 1	0.01	33	400	6	< 5	2	24	0.12	< 10	< 10	60	< 5	69
BR 10770N 7530E	201	238	< 1	0.01	66	1030	4	< 5	5	29	0.13	< 10	< 10	71	< 5	131
BR 10770N 7580E	201	238	1	0.02	47	550	< 2	< 5	6	48	0.19	< 10	< 10	92	< 5	105
BR 10770N 7630E	201	238	< 1	0.02	60	330	6	< 5	6	45	0.19	< 10	< 10	100	< 5	140
BR 10770N 7680E	201	238	1	0.02	43	860	6	5	6	28	0.14	< 10	< 10	86	< 5	116
BR 10770N 7730E	201	238	1	0.02	58	680	10	5	5	37	0.18	< 10	< 10	73	< 5	171
BR 10770N 7780E	201	238	< 1	0.02	48	340	10	5	6	35	0.18	< 10	< 10	73	< 5	104
BR 10770N 7830E	201	238	1	0.02	47	250	8	< 5	6	51	0.23	< 10	< 10	84	< 5	83
BR 10920N 7330E	201	238	2	0.02	39	380	2	5	6	51	0.18	< 10	< 10	76	< 5	73
BR 10920N 7380E	201	238	2	0.02	44	520	4	5	4	35	0.14	< 10	< 10	60	< 5	111
BR 10970N 7330E	201	238	2	0.02	27	510	2	< 5	5	37	0.18	< 10	< 10	82	< 5	69
BR 10970N 7380E	201	238	7	0.02	44	520	4	5	9	47	0.33	< 10	< 10	121	< 5	89
BR 10970N 7430E	201	238	14	0.01	28	460	8	85	10	49	0.18	< 10	< 10	97	< 5	77
BR 10970N 7480E	201	238	1	0.02	54	500	< 2	5	6	56	0.22	< 10	< 10	80	< 5	106
BR 10970N 7530E	201	238	1	0.02	51	460	< 2	10	7	59	0.20	< 10	< 10	84	< 5	86
BR 10970N 7580E	201	238	1	0.01	44	750	4	< 5	4	32	0.12	< 10	< 10	54	< 5	92
BR 10970N 7630E	201	238	< 1	0.01	52	700	6	20	5	32	0.13	< 10	< 10	64	< 5	122

CERTIFICATION

B. Campbell



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project: M584

Comments: CC: S. McALLISTER, T.E. LISLE

Page No.: 3-A
Tot. Pages: 3
Date: 29-AUG-88
Invoice #: I-8821454
P.O. #: 36926

CERTIFICATE OF ANALYSIS A8821454

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
BR 10970N 7680E	201 238	5	2.24	0.4	85	160	< 0.5	< 2	0.32	< 0.5	11	49	26	3.25	< 10	< 1	0.11	10	0.70	279
BR 11020N 7330E	201 238	20	2.17	0.4	15	320	< 0.5	2	0.42	< 0.5	10	49	49	3.67	< 10	< 1	0.29	10	0.75	560
BR 11020N 7380E	201 238	5	2.77	0.4	35	180	< 0.5	< 2	0.41	< 0.5	18	59	234	4.34	< 10	1	0.42	10	1.07	311
BR 11120N 7330E	201 238	< 5	2.31	0.6	75	220	< 0.5	< 2	0.30	< 0.5	11	47	51	3.14	< 10	< 1	0.12	10	0.61	331
BR 11120N 7380E	201 238	< 5	2.95	0.4	45	220	< 0.5	< 2	0.37	< 0.5	18	57	56	3.75	< 10	< 1	0.18	10	0.87	321
BR 11220N 7330E	201 238	< 5	2.93	0.4	240	210	< 0.5	< 2	0.41	< 0.5	14	55	192	4.27	< 10	< 1	0.14	10	1.01	292
BR 11220N 7380E	201 238	80	2.41	0.4	780	220	< 0.5	< 2	0.34	< 0.5	17	58	594	4.39	< 10	< 1	0.25	10	1.10	238
BR 11270N 7330E	201 238	< 5	2.28	0.8	105	190	< 0.5	< 2	0.42	< 0.5	11	42	62	2.88	< 10	< 1	0.12	10	0.51	173
BR 11270N 7380E	201 238	< 5	2.76	0.6	375	380	< 0.5	< 2	0.51	< 0.5	18	46	282	4.02	< 10	< 1	0.21	10	0.72	536
BR 11270N 7430E	201 238	20	2.95	0.4	190	230	< 0.5	< 2	0.40	< 0.5	15	48	242	4.01	< 10	< 1	0.15	10	0.72	348
BR 11270N 7480E	201 238	< 5	3.31	0.2	45	140	< 0.5	< 2	0.33	< 0.5	17	71	106	3.83	< 10	3	0.12	10	0.86	279
BR 11270N 7530E	201 238	< 5	3.30	0.2	< 5	210	< 0.5	< 2	0.30	0.5	16	83	48	3.00	< 10	< 1	0.13	10	1.12	359
WG BL 3+00NW	201 238	100	2.61	0.4	110	90	0.5	< 2	0.33	< 0.5	22	130	47	5.33	< 10	2	0.04	20	1.33	746
WG BL 3+25NW	201 238	40	1.76	0.2	160	60	< 0.5	< 2	0.15	< 0.5	20	96	57	5.17	< 10	< 1	0.04	10	0.72	759
WG BL 3+50NW	201 238	130	0.42	0.8	1445	70	< 0.5	< 2	0.03	1.5	20	9	273	4.05	< 10	3	0.11	10	0.06	1205
WG BL 3+75NW	201 238	60	1.37	0.2	90	60	< 0.5	< 2	0.14	< 0.5	9	58	44	3.65	< 10	< 1	0.02	10	0.47	257
WG BL 4+00NW	201 238	< 5	2.39	0.4	35	90	< 0.5	< 2	0.19	< 0.5	11	61	26	3.83	< 10	5	0.06	10	0.47	686

CERTIFICATION

B. Coughlin



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
 MINERALS STAFF
 1900 - 1055 W. HASTINGS ST.
 VANCOUVER, B.C.
 V6E 2E9

Project: M584
 Comments: CC: S. McALLISTER, T.E. LISLE

Page No.: 3-B
 Tot. Pages: 3
 Date: 29-AUG-88
 Invoice #: I-8821454
 P.O. #: 36926

CERTIFICATE OF ANALYSIS A8821454

SAMPLE DESCRIPTION	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
BR 1097ON 768OE	201	238	1	0.02	44	980	8	15	4	34	0.15	< 10	< 10	64	< 5	113
BR 1102ON 733OE	201	238	< 1	0.02	34	840	2	< 5	5	37	0.18	< 10	< 10	73	< 5	84
BR 1102ON 738OE	201	238	3	0.02	45	270	< 2	< 5	7	44	0.35	< 10	< 10	103	< 5	93
BR 1112ON 733OE	201	238	1	0.02	42	2030	< 2	5	4	30	0.14	< 10	< 10	60	< 5	122
BR 1112ON 738OE	201	238	1	0.02	60	1590	4	< 5	5	39	0.23	< 10	< 10	77	< 5	103
BR 1122ON 733OE	201	238	5	0.02	44	360	4	5	7	57	0.22	< 10	< 10	97	< 5	72
BR 1122ON 738OE	201	238	16	0.02	44	500	24	35	7	74	0.18	< 10	< 10	92	< 5	79
BR 1127ON 733OE	201	238	2	0.03	35	470	14	5	3	46	0.17	< 10	< 10	64	< 5	50
BR 1127ON 738OE	201	238	4	0.02	43	490	10	15	5	77	0.16	< 10	< 10	72	< 5	135
BR 1127ON 743OE	201	238	4	0.02	43	530	6	5	5	75	0.14	< 10	< 10	65	< 5	140
BR 1127ON 748OE	201	238	2	0.02	62	630	8	5	4	49	0.20	< 10	< 10	81	< 5	96
BR 1127ON 753OE	201	238	1	0.03	90	1110	6	5	4	34	0.19	< 10	< 10	61	< 5	80
WG EL 3+00NV	201	238	< 1	0.01	113	860	4	< 5	9	34	0.03	< 10	< 10	91	< 5	67
WG EL 3+25NV	201	238	1	0.01	109	850	4	< 5	13	21	0.04	< 10	< 10	92	< 5	70
WG EL 3+50NV	201	238	2	< 0.01	9	440	14	25	4	28	< 0.01	< 10	< 10	17	< 5	461
WG EL 3+75NV	201	238	< 1	0.01	40	300	8	5	6	27	0.10	< 10	< 10	72	< 5	74
WG EL 4+00NV	201	238	< 1	0.01	39	1230	14	< 5	5	24	0.11	< 10	< 10	76	< 5	126

CERTIFICATION :

B. Coughlin