

Figure 2. SKETCH SHOWING APPROXIMATE LOCATIONS
OF DECEMBER 1983 DRILL HOLES,
WAYSIDE PROPERTY, GOLD BRIDGE, B. C.

EAO

1:1250

840531




Figure 3

CARPENTER LAKE RESOURCES LTD.
COMMODORE VEIN
DIAMOND DRILL HOLE SECTION
November 1984

TABLE 1. ASSAYS

SAMPLE NO.	FROM	TO (metres)	WIDTH	GOLD (oz. per ton)	SILVER	REC. %
Drill Hole 83-B-1						
45279	9.14	10.50	1.36	.005	.01	33
45280	10.50	11.28	0.78	<.003	.01	80
45281	27.73	28.95	1.22	.003	.04	100
Drill Hole 83-B-2						
45282	29.72	30.48	0.76	.014	.12	66
45283	30.48	31.39	0.91	.010	.13	66
Sludge Samples						
Drill Hole 83-B-2						
1	29.56	30.78	1.22	.064	.18	
2	30.78	32.31	1.52	.014	.12	
3	32.31	33.83	1.52	.012	.05	
4	33.83	35.35	1.52	.003	.01	
Drill Hole 83-B-3						
45284	37.49	38.40	0.91	<.003	.01	90
45285	38.40	38.71	0.31	<.003	.02	60
45286	38.71	39.01	0.31	<.003	.01	80
45287	39.01	39.32	0.31	.018	.01	100
45288	39.32	40.54	1.22	<.003	.01	95
Sludge Samples						
Drill Hole 83-B-3						
1	32.31	33.83	1.52	<.003	.02	
2	33.83	34.44	0.61	<.003	.01	
3	34.44	34.75	0.31	<.003	.02	
4	34.75	35.35	0.60	<.003	.01	
5	35.35	36.88	1.53	<.003	.01	
6	36.88	38.40	1.52	<.003	.02	
7	38.40	38.71	0.31	.016	.06	
8	38.71	39.01	0.30	.016	.06	
9	39.01	39.32	0.31	.022	.04	
10	39.32	40.54	1.22	<.003	.04	
11	40.54	42.06	1.52	<.003	.02	
12	42.06	42.97	0.91	<.003	.01	

N.13 - Poor recoveries.

- trace amounts Au in recovered core correlate with >5x Au values in sludge. values are relatively meaningless except that Au is lost in ground up core. Sludge value simply indicates the presence of Au in host core but is not reliable for grade. - WRH '87