



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON CANADA RESOURCES

BOX 167
ATLIN, B.C.
VOW 1A0

ROCKS

CERT. # : A8314720-001-A
INVOICE # : 18314720
DATE : 29-SEP-83
P.O. # : NONE
M-504

ATTN: K. SHANNON

Sample description	Prep code	Ag ppm	AS ppm	Sb ppm	Au ppb FA+AA		
DB3T1-212	205	0.1	11	1.2	<5	--	--
DB3T1-213	205	0.1	12	0.8	<5	--	--
DB3T1-214	205	1.4	5	1.2	5	--	--
DB3T1-215	205	0.1	16	0.8	<5	--	--
DB3T1-216	205	0.1	7	3.0	<5	--	--
DB3T1-217	205	0.1	3	3.6	<5	--	--
DB3T1-218	205	0.1	6	0.8	10	--	--
DH3T1-1145	205	0.1	9	0.4	5	--	--
DH3T1-1155	205	0.1	3	0.8	10	--	--
DH3T1-1193	205	0.1	2	0.4	10	--	--
DH3T1-1195	205	0.2	7	4.6	5	--	--
DH3T1-1196	205	0.1	10	1.6	<5	--	--
DH3T1-1197	205	0.1	4	0.6	<5	--	--
DH3T1-1199	205	0.1	24	59.0	<5	--	--
DH3T1-1200	205	0.1	10	1.2	<5	--	--
DH3T1-1202	205	0.1	9	1.6	<5	--	--
DH3T1-1205	205	0.1	3	1.1	<5	--	--
DH3T1-1206	205	0.1	7	0.7	<5	--	--
EW3T1-110	205	0.1	2	0.2	<5	--	--
EW3T1-113	205	0.1	22	0.9	<5	--	--
FW3T1-570	205	0.1	10	1.4	<5	--	--
FW3T1-572	205	0.1	9	0.2	5	--	--
JA3T1-187	205	0.1	3	0.6	<5	--	--
JA3T1-188	205	39.0	>10000	>1000.0	<5	--	--
JA3T1-289	205	1.1	80	9.0	5	--	--
JA3T1-290	205	18.5	22	2.0	125	--	--
JA3T1-291	205	0.9	190	260.0	20	--	--
JA3T1-292	205	8.8	7	3.2	30	--	--
JA3T1-293	205	0.2	16	3.4	<5	--	--
JA3T1-294	205	2.4	20	3.6	10	--	--
JA3T1-296	205	0.2	6	1.0	5	--	--
JA3T1-297	205	3.0	7	1.4	30	--	--
JA3T1-298	205	19.3	27	1.2	165	--	--
JA3T1-299	205	0.3	43	6.8	<5	--	--
MG3T1-386	205	2.8	3	0.1	55	--	--
MG3T1-387	205	0.1	10000	40.0	<5	--	--
MG3T1-393	205	0.1	90	1.4	<5	--	--
MG3T1-394	205	0.1	145	0.7	5	--	--
MG3T1-396	205	0.1	175	4.0	30	--	--
MT3T1-222	205	0.1	20	0.2	5	--	--



MEMBER
CANADIAN TESTING
ASSOCIATION

Certified by *Hart Buchler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CHEVRON CANADA RESOURCES

BOX 167
ATLIN, B.C.
V0W 1A0

CERT. # : A8314722-001-A
INVOICE # : I8314722
DATE : 29-SEP-83
P.O. # : NGNE
M-504

ATTN: K. SHANNON

Sample description	Prep code	Ag ppm	AS ppm	Sb ppm	Au ppb FA+AA		
DH3T2-1147	201	0.1	15	2.4	140	--	--
DH3T2-1148	201	0.1	12	1.6	30	--	--
DH3T2-1149	201	0.1	12	1.4	10	--	--
DH3T2-1150	201	0.1	10	1.6	20	--	--
DH3T2-1151	201	0.1	14	1.2	10	--	--
DH3T2-1152	201	0.1	17	1.6	10	--	--
DH3T2-1153	201	0.1	12	1.8	20	--	--
DH3T2-1154	201	0.1	7	1.0	10	--	--
DH3T2-1156	201	0.1	10	1.2	15	--	--
DH3T2-1157	201	0.1	10	1.6	10	--	--
DH3T2-1158	201	0.1	9	1.4	20	--	--
DH3T2-1159	201	0.1	10	1.0	5	--	--
DH3T2-1160	201	0.1	11	1.2	10	--	--
DH3T2-1161	201	0.1	14	1.2	10	--	--
DH3T2-1162	201	0.1	7	0.8	5	--	--
DH3T2-1163	201	0.1	11	1.2	20	--	--
DH3T2-1164	201	0.1	14	1.4	10	--	--
DH3T2-1165	201	0.1	11	0.8	5	--	--
DH3T2-1166	201	0.1	16	1.4	10	--	--
DH3T2-1167	203	0.1	10	1.4	5	--	--
DH3T2-1168	201	0.1	12	1.6	15	--	--
DH3T2-1169	201	0.1	6	1.0	<5	--	--
DH3T2-1170	201	0.1	9	1.4	5	--	--
DH3T2-1171	201	0.1	12	1.0	10	--	--
DH3T2-1172	201	0.1	11	1.4	5	--	--
DH3T2-1173	201	0.1	11	1.4	5	--	--
DH3T2-1174	201	0.1	7	1.6	5	--	--
DH3T2-1175	201	0.1	6	0.6	5	--	--
DH3T2-1176	201	0.1	11	1.4	<5	--	--
DH3T2-1177	201	0.2	29	1.6	<5	--	--
DH3T2-1178	201	0.1	6	1.0	5	--	--
DH3T2-1179	201	0.3	9	1.0	5	--	--
DH3T2-1180	201	0.1	14	1.4	10	--	--
DH3T2-1181	201	0.1	15	2.2	5	--	--
DH3T2-1182	201	0.1	10	1.4	10	--	--
DH3T2-1183	203	0.2	6	1.2	<5	--	--
DH3T2-1184	201	0.1	12	1.8	5	--	--
DH3T2-1185	201	0.2	23	3.2	15	--	--
DH3T2-1186	201	0.1	9	2.6	5	--	--
DH3T3-1187	201	0.1	16	2.0	5	--	--



MEMBER
CANADIAN TESTING
ASSOCIATION

Certified by *Haut Richler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221

TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CHEVRON CANADA RESOURCES

BOX 167
ATLIN, B.C.
VOW 1A0

CERT. # : A8314724-006-A

INVOICE # : 218314724

DATE : 26-SEP-83

P.C. # : NONE

M-504

ATTN: K. SHANNON

Sample description	Prep code	Ag ppm	AS ppm	Sb ppm	Au ppb FA+AA		
WH3T2-391	201	0.1	9	1.2	20	--	--
WH3T2-392	201	0.2	10	1.0	10	--	--
WH3T2-393	201	0.1	9	1.1	5	--	--
WH3T2-394	201	0.3	10	1.4	5	--	--
WH3T2-395	201	0.1	7	0.2	<5	--	--
WH3T2-396	201	0.2	4	0.1	<5	--	--
WH3T2-397	201	0.1	9	1.4	<5	--	--
WH3T2-398	201	0.1	27	0.4	<5	--	--
WH3T2-399	201	0.1	10	0.1	<5	--	--
WH3T2-400	201	0.1	11	1.0	10	--	--
WH3T2-401	201	0.1	19	1.8	5	--	--
WH3T3-402	201	0.1	17	2.6	5	--	--
WH3T2-403	201	0.1	19	2.4	<5	--	--
WH3T2-404	201	0.3	7	0.2	5	--	--
WH3T2-405	201	0.1	12	1.2	<5	--	--
WH3T2-406	201	0.1	7	0.8	<5	--	--
WH3T2-407	201	0.1	23	0.3	<5	--	--
WH3T2-408	201	0.3	9	1.2	35	--	--
WH3T4-408	201	0.2	11	2.2	<5	--	--
WH3T2-409	201	0.1	9	0.6	<5	--	--
WH3T2-410	201	0.2	25	2.6	20	--	--
WH3T2-411	201	0.1	19	1.2	5	--	--
WH3T4-412	201	0.4	36	2.8	5	--	--
WH3T4-413	201	1.0	71	7.0	20	--	--
WH3T4-414	201	0.3	14	1.0	10	--	--
WH3T4-415	201	0.5	36	2.8	15	--	--
WH3T2-417	201	0.4	55	5.0	<5	--	--
WH3T4-418	201	1.7	43	1.0	25	--	--
WH3T2-419	201	0.4	9	0.8	10	--	--
WH3T4-420	201	0.2	32	2.0	20	--	--
WH3T2-421	201	0.2	27	2.8	10	--	--
WH3T2-422	201	1.1	92	7.8	15	--	--
WH3T4-423	201	1.4	120	10.6	15	--	--
WH3T2-424	201	0.2	25	2.6	15	--	--
WH3T2-425	201	0.2	22	2.0	60	--	--
WH3T2-426	201	0.4	41	3.0	15	--	--
WH3T4-428	201	0.2	57	2.4	10	--	--
WH3T4-429	201	0.2	50	2.2	20	--	--
WH3T4-430	201	0.2	10	1.0	25	--	--
WH3T2-431	201	0.2	79	8.2	10	--	--



MEMBER
CANADIAN TESTING
ASSOCIATION

Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221

TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CHEVRON CANADA RESOURCES

BOX 167
ATLIN, B.C.
V0W 1A0

CERT. # : A8314724-005-A
INVOICE # : 18314724
DATE : 26-SEP-83
P.O. # : NONE
M-504

ATTN: K. SHANNON

Sample description	Prep code	Ag ppm	AS ppm	Sb ppm	Au ppb FA+AA		
WH3T4-351	201	0.1	15	1.5	5	--	--
WH3T2-352	201	0.2	20	2.0	5	--	--
WH3T2-353	201	0.2	30	3.2	5	--	--
WH3T2-354	201	0.1	24	4.0	5	--	--
WH3T2-355	201	0.3	33	5.4	10	--	--
WH3T2-356	201	0.2	20	2.2	15	--	--
WH3T4-357	201	0.3	24	2.0	5	--	--
WH3T4-358	201	0.1	12	1.2	<5	--	--
WH3T4-359	201	0.1	11	3.2	5	--	--
WH3T4-360	201	0.3	11	2.2	<5	--	--
WH3T4-361	201	0.3	19	4.2	10	--	--
WH3T4-362	201	0.2	25	2.4	5	--	--
WH3T4-363	201	0.2	12	1.6	10	--	--
WH3T4-364	201	0.3	27	2.6	10	--	--
WH3T4-365	201	0.3	9	2.4	10	--	--
WH3T4-366	201	0.3	15	1.8	5	--	--
WH3T4-367	201	0.3	19	2.0	30	--	--
WH3T4-368	201	0.2	9	1.6	10	--	--
WH3T4-369	201	0.4	20	1.5	10	--	--
WH3T4-370	201	0.2	14	0.8	10	--	--
WH3T4-371	201	0.3	36	2.4	10	--	--
WH3T4-372	201	0.3	16	1.8	5	--	--
WH3T4-373	201	0.2	12	1.2	5	--	--
WH3T4-374	201	0.3	17	2.0	5	--	--
WH3T4-375	201	0.6	15	1.9	5	--	--
WH3T2-376	201	0.2	14	1.8	<5	--	--
WH3T2-377	201	0.3	22	1.8	5	--	--
WH3T2-378	201	0.1	14	1.6	<5	--	--
WH3T2-379	201	0.1	6	1.3	<5	--	--
WH3T2-380	201	0.1	15	1.3	5	--	--
WH3T2-381	201	0.1	16	1.7	5	--	--
WH3T2-382	201	0.2	25	2.1	10	--	--
WH3T2-383	201	0.2	12	1.6	5	--	--
WH3T2-384	201	0.1	6	0.9	<5	--	--
WH3T2-385	201	0.3	11	1.1	5	--	--
WH3T2-386	201	0.2	17	2.1	5	--	--
WH3T2-387	201	0.4	25	6.2	<5	--	--
WH3T2-388	201	0.1	250	0.4	5	--	--
WH3T2-389	201	0.1	22	1.0	5	--	--
WH3T2-390	201	0.1	19	1.2	5	--	--



MEMBER
CANADIAN TESTING
ASSOCIATION

Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK A
NORTH VANCOUVER,
CANADA V7J

TELEPHONE: (604) 984-
TELEX: 043-52

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON CANADA RESOURCES

BOX 167
ATLIN, B.C.
VOW 1A0

CERT. # : A8314724-01

INVOICE # : I8314724

DATE : 26-SEP-83

P.C. # : NONE

FORM-504

ATTN: K. SHANNON

Sample description	PT BE DDDE	Ag ppm	AS ppm	Sb ppm	Au ppb FA+AA		
JA3T2-323	ZIL	0.1	9	1.0	10	--	--
JA3T2-324	ZIL	0.1	12	1.2	5	--	--
JA3T2-325	ZIL	0.1	16	2.2	5	--	--
JA3T3-326	ZIL	0.1	14	2.0	5	--	--
JW3T2-01	ZIL	2.0	160	19.3	775	--	--
JW3T2-02	ZIL	2.4	210	14.8	265	--	--
JW3T2-03	ZIL	2.4	220	27.0	75	--	--
JW3T2-04	ZIL	0.3	57	9.4	130	--	--
JW3T2-05	ZIL	0.1	35	10.6	275	--	--
JW3T2-06	ZIL	0.8	33	16.6	125	--	--
JW3T2-07	ZIL	5.0	260	25.0	2350	--	--
JW3T2-08	ZIL	0.2	12	3.6	295	--	--
JW3T2-09	ZIL	0.2	23	3.6	95	--	--
JW3T2-10	ZIL	0.2	73	8.3	20	--	--
JW3T2-11	ZIL	0.1	24	4.6	10	--	--
JW3T2-12	ZIL	0.1	23	2.1	10	--	--
JW3T2-13	ZIL	0.1	25	1.0	25	--	--
JW3T2-14	ZIL	0.1	10	1.0	5	--	--
JW3T2-15	ZIL	0.3	43	1.2	40	--	--
JW3T2-16	ZIL	0.1	14	2.1	30	--	--
JW3T2-17	ZIL	0.1	15	2.4	20	--	--
JW3T2-18	ZIL	0.1	19	2.8	10	--	--
JW3T2-19	ZIL	0.2	17	4.2	35	--	--
JW3T2-20	ZIL	0.1	20	5.0	25	--	--
JW3T2-21	ZIL	0.1	27	4.2	100	--	--
JW3T2-22	ZIL	0.1	17	6.0	20	--	--
JW3T2-23	ZIL	0.1	22	3.0	15	--	--
JW3T2-24	ZIL	2.6	88	8.6	200	--	--
JW3T2-26	ZIL	0.9	15	1.8	10	--	--
JW3T2-27	ZIL	0.1	12	1.4	10	--	--
JW3T2-28	ZIL	0.1	6	1.3	10	--	--
JW3T2-29	ZIL	0.1	5	0.2	5	--	--
JW3T2-30	ZIL	0.1	9	1.6	10	--	--
JW3T2-31	ZIL	0.1	12	1.4	275	--	--
JW3T2-32	ZIL	0.1	22	1.0	10	--	--
JW3T2-33	ZIL	0.1	9	4.6	5	--	--
JW3T2-34	ZIL	0.1	10	1.3	10	--	--
JW3T2-35	ZIL	0.1	10	1.4	10	--	--
MG3T2-388	ZIL	0.1	10	0.1	10	--	--
MG3T2-389	ZIL	0.1	11	0.4	15	--	--



Certified by Hart Bichler



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON CANADA RESOURCES

BOX 167
ATLIN, B.C.
VOW 1A0

CERT. # : A8314721-006-A
INVOICE # : I8314721
DATE : 26-SEP-83
P.C. # : NCNE
M-504

ATTN: K. SHANNON

Sample description	Prep code	Ag ppm	AS ppm	Sb ppm	Au ppb FA+AA		
DH3T2-1106	201	0.1	3	0.1	<5	--	--
DH3T2-1107	201	0.2	9	0.2	<5	--	--
DH3T2-1108	201	0.1	9	0.1	<5	--	--
DH3T2-1109	201	0.1	6	0.1	<5	--	--
DH3T2-1110	201	0.1	5	0.1	<5	--	--
DH3T2-1111	201	0.2	14	0.2	<5	--	--
DH3T2-1112	201	0.1	10	0.1	<5	--	--
DH3T2-1113	201	0.1	5	0.1	5	--	--
DH3T2-1114	201	0.2	5	0.1	5	--	--
DH3T2-1115	201	0.3	12	0.1	<5	--	--
DH3T2-1116	201	0.3	15	0.5	<5	--	--
DH3T2-1117	201	0.3	17	0.2	<5	--	--
DH3T2-1118	201	0.2	9	0.1	<5	--	--
DH3T2-1119	201	0.1	10	0.4	5	--	--
DH3T2-1120	201	0.1	10	1.0	5	--	--
DH3T2-1121	201	0.1	9	0.2	5	--	--
DH3T2-1122	201	0.4	55	1.2	10	--	--
DH3T2-1123	203	0.1	5	1.6	5	--	--
DH3T2-1124	201	0.2	5	0.4	5	--	--
DH3T2-1125	201	0.2	14	0.4	<5	--	--
DH3T2-1126	201	0.4	29	0.8	5	--	--
DH3T2-1127	203	0.2	32	1.2	40	--	--
DH3T2-1128	201	0.3	12	0.4	<5	--	--
DH3T2-1129	201	0.3	29	1.2	10	--	--
DH3T2-1130	201	0.1	6	0.1	5	--	--
DH3T2-1131	201	0.2	7	0.1	5	--	--
DH3T2-1132	201	0.2	7	0.1	25	--	--
DH3T2-1133	201	0.3	4	0.1	5	--	--
DH3T2-1134	201	0.1	3	0.1	<5	--	--
DH3T2-1135	201	0.1	4	0.1	<5	--	--
DH3T2-1136	201	0.2	6	0.1	5	--	--
DH3T2-1137	201	0.1	5	0.1	10	--	--
DH3T2-1138	201	0.2	4	0.1	<5	--	--
DH3T2-1139	201	0.2	5	0.1	5	--	--
DH3T2-1140	201	0.1	3	0.1	5	--	--
DH3T2-1141	201	0.2	57	7.2	10	--	--
DH3T2-1142	201	0.2	46	4.2	5	--	--
DH3T2-1143	201	0.2	43	7.0	5	--	--
DH3T2-1144	201	0.1	32	5.2	10	--	--
DH3T2-1146	201	0.4	45	9.6	5	--	--



MEMBER
CANADIAN TESTING
ASSOCIATION

Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221

TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CHEVRON CANADA RESOURCES

BOX 167
ATLIN, B.C.
V0W 1A0


CERT. # : A8314722-004-A
INVOICE # : I8314722
DATE : 29-SEP-83
P.O. # : NONE
M-504

ATTN: K. SHANNON

Sample description	Prep code	Ag ppm	AS ppm	Sb ppm	Au ppb FA+AA		
EW3T2-177	201	0.1	14	1.2	5	--	--
EW3T2-178	201	0.1	12	3.2	5	--	--
EW3T2-179	201	0.1	11	1.2	5	--	--
EW3T2-180	201	0.2	6	0.8	10	--	--
EW3T2-181	201	0.1	17	1.4	15	--	--
EW3T2-182	201	0.1	17	1.2	5	--	--
EW3T2-183	201	0.1	7	0.4	<5	--	--
EW3T2-184	201	0.1	16	3.0	5	--	--
EW3T2-185	201	0.1	6	0.4	5	--	--
EW3T4-186	201	0.6	46	3.6	10	--	--
EW3T2-187	201	2.6	41	10.6	20	--	--
EW3T4-188	201	0.3	16	1.8	5	--	--
EW3T4-189	201	1.1	20	2.8	<5	--	--
EW3T4-190	201	0.2	14	1.2	5	--	--
EW3T4-191	201	0.2	15	1.2	5	--	--
EW3T4-192	201	0.1	27	1.4	15	--	--
EW3T2-193	201	0.2	19	1.0	25	--	--
EW3T2-194	201	0.6	22	2.2	5	--	--
EW3T2-195	201	0.2	19	0.8	5	--	--
EW3T2-196	201	0.2	22	1.4	10	--	--
EW3T2-197	201	0.2	16	1.2	25	--	--
EW3T4-198	201	0.3	17	1.6	250	--	--
EW3T2-199	201	0.2	22	1.4	10	--	--
EW3T4-200	201	0.2	19	1.8	5	--	--
EW3T2-201	201	0.2	15	1.6	10	--	--
EW3T4-202	201	0.2	17	1.6	15	--	--
EW3T2-203	201	0.3	11	0.6	5	--	--
EW3T2-204	201	0.2	20	1.4	5	--	--
EW3T2-205	201	0.2	15	1.2	5	--	--
EW3T2-206	201	0.1	19	0.8	35	--	--
EW3T2-207	201	0.1	24	1.2	10	--	--
EW3T4-208	201	0.2	22	1.0	15	--	--
EW3T2-209	201	0.2	24	1.4	<5	--	--
EW3T3-210	201	0.2	120	2.2	20	--	--
EW3T2-211	201	0.8	45	1.8	40	--	--
EW3T2-212	201	0.3	23	2.2	<5	--	--
EW3T2-213	201	0.1	270	34.0	135	--	--
EW3T2-214	201	3.6	27	2.0	5	--	--
EW3T2-215	201	0.2	43	1.2	5	--	--
EW3T2-216	201	0.1	41	1.0	5	--	--



Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221

TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CHEVRON CANADA RESOURCES

BOX 167
ATLIN, B.C.
VOW 1A0

CERT. # : A8314722-003-A

INVOICE # : I8314722

DATE : 29-SEP-83

P.O. # : NONE

M-504

ATTN: K. SHANNON

Sample description	Prep code	Ag ppm	AS ppm	Sb ppm	Au ppb FA+AA		
EW3T2-136	201	0.2	9	1.8	5	--	--
EW3T2-137	201	0.2	9	2.0	5	--	--
EW3T2-138	201	0.1	7	1.0	5	--	--
EW3T2-139	201	0.1	7	0.8	10	--	--
EW3T2-140	201	0.1	9	0.6	<5	--	--
EW3T2-141	201	0.1	7	1.0	20	--	--
EW3T2-142	201	0.1	10	0.5	<5	--	--
EW3T2-143	201	0.1	9	2.0	15	--	--
EW3T2-144	201	0.1	10	1.6	<5	--	--
EW3T2-145	201	0.1	5	0.4	5	--	--
EW3T2-146	201	0.1	17	1.4	10	--	--
EW3T2-147	201	0.1	6	0.2	5	--	--
EW3T2-148	201	0.1	25	0.2	10	--	--
EW3T2-149	201	0.1	10	0.8	5	--	--
EW3T2-151	201	0.2	10	1.0	15	--	--
EW3T2-152	201	0.1	17	2.4	10	--	--
EW3T2-153	201	0.1	17	1.8	10	--	--
EW3T2-154	201	0.1	14	0.1	10	--	--
EW3T2-155	201	0.1	4	0.1	10	--	--
EW3T2-156	201	0.3	14	1.2	5	--	--
EW3T2-157	201	0.1	19	1.6	10	--	--
EW3T2-158	201	1.5	25	3.4	10	--	--
EW3T2-159	201	0.2	17	1.4	10	--	--
EW3T2-160	201	0.2	14	1.0	10	--	--
EW3T2-161	201	0.1	11	0.6	10	--	--
EW3T2-162	201	1.7	10	0.6	20	--	--
EW3T2-163	201	0.4	14	2.8	15	--	--
EW3T2-164	201	0.2	19	5.4	5	--	--
EW3T2-165	201	0.3	48	1.4	5	--	--
EW3T2-166	201	0.3	11	0.4	10	--	--
EW3T2-167	201	0.6	11	1.2	5	--	--
EW3T2-168	201	0.2	12	1.6	5	--	--
EW3T2-169	201	0.1	9	1.6	10	--	--
EW3T2-170	201	0.2	4	0.6	15	--	--
EW3T2-171	201	0.3	15	1.8	10	--	--
EW3T2-172	201	0.1	9	1.4	15	--	--
EW3T2-173	201	0.1	14	1.6	25	--	--
EW3T2-174	201	0.1	19	3.0	25	--	--
EW3T2-175	201	0.1	14	0.8	25	--	--
EW3T2-176	201	0.1	11	1.0	10	--	--



MEMBER
CANADIAN TESTING
ASSOCIATION

Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CHEVRON CANADA RESOURCES

BOX 167
ATLIN, B.C.
VOW 1A0

CERT. # : A8314722-C02-A
INVOICE # : I8314722
DATE : 29-SEP-83
P.C. # : NONE
M-504

ATTN: K. SHANNON

Sample description	Prep code	Ag ppm	AS ppm	Sb ppm	Au ppb FA+AA		
DH3T2-1188	201	0.1	14	2.2	15	--	--
DH3T2-1189	201	0.1	11	1.6	20	--	--
DH3T2-1190	201	0.1	6	1.0	10	--	--
DH3T2-1191	201	0.1	11	1.2	10	--	--
DH3T2-1192	201	0.1	10	1.2	10	--	--
DH3T2-1194	201	0.1	9	1.4	15	--	--
DH3T2-1198	201	0.1	15	20.0	25	--	--
DH3T2-1204	201	0.1	22	7.2	5	--	--
DH3T2-1207	201	0.1	11	2.4	10	--	--
EW3T2-103	201	0.3	17	2.2	60	--	--
EW3T2-104	201	0.4	20	3.8	10	--	--
EW3T2-105	201	0.1	20	1.0	10	--	--
EW3T2-106	201	0.3	24	3.4	5	--	--
EW3T2-107	201	0.5	20	2.6	5	--	--
EW3T2-108	201	0.1	30	3.2	5	--	--
EW3T2-109	201	0.1	30	3.4	5	--	--
EW3T2-111	201	0.1	22	5.8	5	--	--
EW3T2-112	201	0.5	94	16.0	25	--	--
EW3T2-114	201	0.1	30	1.2	150	--	--
EW3T2-115	201	0.3	32	2.8	15	--	--
EW3T2-116	201	0.2	45	1.0	10	--	--
EW3T2-117	201	0.2	41	1.4	20	--	--
EW3T2-118	201	0.2	92	3.0	55	--	--
EW3T2-119	201	0.2	77	4.0	110	--	--
EW3T2-120	201	0.2	19	2.4	15	--	--
EW3T2-121	201	0.2	43	2.4	15	--	--
EW3T2-122	201	0.2	220	8.4	5	--	--
EW3T2-123	201	0.2	475	17.6	5	--	--
EW3T2-124	201	0.2	1000	13.4	5	--	--
EW3T2-125	201	0.2	320	8.2	30	--	--
EW3T2-126	201	0.1	57	4.2	125	--	--
EW3T2-127	201	0.1	99	5.2	115	--	--
EW3T2-128	201	0.2	101	4.8	125	--	--
EW3T3-129	201	0.2	15	2.4	<5	--	--
EW3T3-130	201	0.1	19	2.6	15	--	--
EW3T2-131	201	0.7	7	1.0	10	--	--
EW3T2-132	201	0.2	6	0.6	5	--	--
EW3T2-133	201	0.2	7	0.8	5	--	--
EW3T2-134	201	0.2	12	1.6	25	--	--
EW3T2-135	201	0.2	9	1.0	5	--	--

Hart Buchler

Certified by



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221

TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CHEVRON CANADA RESOURCES

BOX 167
ATLIN, B.C.
VOW 1A0

CERT. # : A8314723-001-A
INVOICE # : 18314723
DATE : 26-SEP-83
P.C. # : NONE
M-504

ATTN: K. SHANNON

Sample description	Prep code	Ag ppm	AS ppm	Sb ppm	Au ppb FA+AA		
FW3T2-502	201	0.1	12	1.6	15	--	--
FW3T2-503	201	0.1	17	1.8	10	--	--
FW3T2-504	201	0.1	15	1.4	20	--	--
FW3T2-505	201	0.1	6	1.6	<5	--	--
FW3T2-506	201	0.1	12	1.8	10	--	--
FW3T2-507	201	0.1	7	1.6	<5	--	--
FW3T2-508	201	0.1	6	0.8	<5	--	--
FW3T2-509	201	0.1	9	1.2	<5	--	--
FW3T3-510	201	0.1	14	2.2	10	--	--
FW3T2-511	201	0.1	9	1.6	<5	--	--
FW3T2-512	201	0.1	14	1.4	5	--	--
FW3T2-513	201	0.1	11	1.6	5	--	--
FW3T2-514	201	0.1	9	1.6	<5	--	--
FW3T2-515	201	0.1	11	1.8	10	--	--
FW3T2-516	201	0.1	11	1.2	<5	--	--
FW3T2-517	201	0.1	12	1.2	<5	--	--
FW3T2-518	201	0.1	12	2.0	5	--	--
FW3T2-519	201	0.1	12	1.6	5	--	--
FW3T2-520	201	0.1	10	1.2	5	--	--
FW3T4-521	201	0.1	14	0.8	5	--	--
FW3T2-522	201	0.1	12	0.6	5	--	--
FW3T2-523	201	0.1	11	0.8	5	--	--
FW3T2-524	201	0.1	19	1.4	10	--	--
FW3T2-525	201	0.1	24	2.2	20	--	--
FW3T4-526	201	0.3	53	1.4	5	--	--
FW3T4-527	201	1.8	33	1.2	10	--	--
FW3T4-528	201	1.3	155	7.4	10	--	--
FW3T2-529	201	0.1	27	3.2	5	--	--
FW3T2-530	201	0.1	22	3.4	15	--	--
FW3T2-531	201	0.1	9	1.2	5	--	--
FW3T2-532	201	0.1	36	3.4	30	--	--
FW3T2-533	201	0.1	24	5.0	15	--	--
FW3T2-534	201	0.1	12	1.0	25	--	--
FW3T2-535	201	0.1	15	1.4	35	--	--
FW3T2-536	201	0.1	15	1.8	15	--	--
FW3T2-537	201	0.1	16	3.6	5	--	--
FW3T3-538	201	0.1	17	1.5	10	--	--
FW3T4-539	201	0.1	16	1.6	10	--	--
FW3T4-540	201	0.1	16	2.4	10	--	--
FW3T4-541	201	0.1	19	3.0	5	--	--



MEMBER
CANADIAN TESTING
ASSOCIATION

Certified by



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON CANADA RESOURCES

BOX 167
ATLIN, B.C.
VOW 1A0

CERT. # : A8314723-006-A
INVOICE # : I8314723
DATE : 26-SEP-83
P.C. # : NONE
M-504


ATTN: K. SHANNON

Sample description	Prep code	Ag ppm	AS ppm	Sb ppm	Au ppb FA+AA		
JA3T2-270	201	0.2	33	2.4	5	--	--
JA3T2-271	201	0.1	46	1.6	5	--	--
JA3T2-272	201	1.1	170	6.4	15	--	--
JA3T2-273	201	1.5	71	4.1	25	--	--
JA3T2-274	201	0.6	63	2.6	20	--	--
JA3T2-275	201	0.1	11	1.0	10	--	--
JA3T2-276	201	0.1	9	0.1	<5	--	--
JA3T2-277	201	0.1	10	0.2	5	--	--
JA3T2-278	201	0.1	9	0.2	10	--	--
JA3T2-279	201	0.2	14	0.2	10	--	--
JA3T2-280	201	0.1	6	0.2	5	--	--
JA3T2-281	201	0.1	4	0.1	<5	--	--
JA3T2-282	201	0.1	6	0.1	<5	--	--
JA3T2-283	201	0.1	6	0.4	<5	--	--
JA3T2-284	201	0.1	5	0.3	<5	--	--
JA3T2-285	201	0.1	4	0.1	5	--	--
JA3T2-286	201	0.1	4	0.1	5	--	--
JA3T2-300	201	0.1	32	3.9	10	--	--
JA3T2-301	201	0.1	15	1.6	5	--	--
JA3T2-302	201	0.1	12	1.9	15	--	--
JA3T2-303	201	0.1	17	2.8	10	--	--
JA3T2-304	201	0.1	22	2.3	10	--	--
JA3T2-305	201	0.1	17	1.8	5	--	--
JA3T2-306	201	0.5	39	1.5	10	--	--
JA3T2-307	201	0.2	41	6.6	40	--	--
JA3T2-308	201	0.1	22	2.4	5	--	--
JA3T2-309	201	0.1	6	0.4	5	--	--
JA3T2-310	201	0.1	11	1.5	10	--	--
JA3T2-311	201	0.1	12	1.1	10	--	--
JA3T2-312	201	0.1	15	2.0	10	--	--
JA3T2-313	201	0.1	15	1.4	25	--	--
JA3T2-314	201	0.1	14	1.3	10	--	--
JA3T2-315	201	0.1	9	0.9	5	--	--
JA3T2-316	201	0.1	16	1.4	15	--	--
JA3T2-317	201	0.1	11	1.3	10	--	--
JA3T2-318	201	0.2	11	1.0	10	--	--
JA3T2-319	201	0.1	12	1.6	15	--	--
JA3T2-320	201	0.1	10	1.8	10	--	--
JA3T2-321	201	0.1	15	1.4	10	--	--
JA3T2-322	201	0.1	17	1.8	10	--	--



MEMBER
CANADIAN TESTING
ASSOCIATION

Certified by



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221

TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CHEVRON CANADA RESOURCES

BOX 167
ATLIN, B.C.
VOW 1A0

CERT. # : A8314722-006-A
INVOICE # : I8314722
DATE : 29-SEP-83
P.O. # : NONE
M-504

ATTN: K. SHANNON

Sample description	Prep code	Ag ppm	AS ppm	Sb ppm	Au ppb FA+AA		
FW3T2-462	201	0.1	7	0.4	20	--	--
FW3T4-463	201	0.1	11	0.4	10	--	--
FW3T4-464	201	0.2	9	0.2	5	--	--
FW3T4-465	201	0.1	30	2.0	5	--	--
FW3T4-466	201	0.2	71	2.4	5	--	--
FW3T4-467	201	0.1	11	0.6	5	--	--
FW3T4-468	201	0.1	10	0.6	10	--	--
FW3T4-469	201	0.1	10	0.4	5	--	--
FW3T4-470	201	0.1	10	0.6	10	--	--
FW3T4-471	201	0.1	7	0.6	5	--	--
FW3T4-472	201	0.1	10	0.6	15	--	--
FW3T4-473	201	0.1	9	0.6	20	--	--
FW3T4-474	201	0.1	10	0.6	5	--	--
FW3T4-475	201	0.1	9	0.6	<5	--	--
FW3T4-476	201	0.1	7	0.6	10	--	--
FW3T4-477	201	0.1	7	0.6	10	--	--
FW3T4-478	201	0.1	11	0.6	10	--	--
FW3T2-479	201	0.1	22	10.8	5	--	--
FW3T2-480	201	0.1	10	3.6	5	--	--
FW3T2-481	201	0.1	17	3.0	10	--	--
FW3T2-482	201	0.5	11	1.6	10	--	--
FW3T2-483	201	0.3	9	0.8	5	--	--
FW3T2-484	201	0.2	11	1.6	5	--	--
FW3T2-485	201	0.2	17	2.4	20	--	--
FW3T2-486	201	0.5	11	1.8	10	--	--
FW3T2-487	201	0.3	30	4.2	10	--	--
FW3T2-488	201	0.2	16	2.0	15	--	--
FW3T2-489	201	0.1	25	2.4	10	--	--
FW3T2-490	201	0.2	23	2.0	10	--	--
FW3T2-491	201	0.5	53	3.2	10	--	--
FW3T2-492	201	0.2	35	4.4	25	--	--
FW3T2-493	201	0.9	22	3.2	15	--	--
FW3T2-494	201	0.1	24	3.2	5	--	--
FW3T2-495	201	0.1	17	3.2	5	--	--
FW3T2-496	201	0.1	29	2.6	30	--	--
FW3T2-497	201	0.1	15	1.8	15	--	--
FW3T2-498	201	0.3	20	2.4	20	--	--
FW3T2-499	201	0.1	5	0.6	20	--	--
FW3T2-500	201	0.1	16	1.6	50	--	--
FW3T2-501	201	0.1	14	1.4	25	--	--



MEMBER
CANADIAN TESTING
ASSOCIATION

Certified by *Hart Bickler*