



BONDAR-CLEGG & COMPANY LTD.

1500 PEMBERTON AVE., NORTH VANCOUVER, B.C. PHONE: 985-0881 TELE: 985-54554

Peckey Pass 840787
RECEIVED
JUL 26 1977
M...
CHEVRON
VAN...

Geochemical Lab Report

Extraction Hot Aqua Regia Report No. 27 - 609 PROJECT: M 429
 Method Atomic Absorption From Chevron Standard Ltd.
 Fraction Used _____ Date July 22, 19 77

SAMPLE NO.	Pb ppm	Zn ppm	Cd ppm		SAMPLE NO.	Pb ppm	Zn ppm	Cd ppm	
05N 00E	12	52	0.2		1N 5+50E	35	240	0.2	
0+50E	13	72	0.2		6+00E	29	136	0.2	
1+00E	12	67	0.2		6+50E	35	168	0.2	
1+50E	15	76	0.2		7+00E	27	188	0.2	
2+00E	30	92	0.2		7+50E	28	106	0.2	
2+50E	25	310	0.2		8+00E	31	84	0.2	
3+00E	19	100	0.2		8+50E	33	164	0.2	
3+50E	28	152	0.2		9+00E	33	104	0.2	
4+00E	30	104	0.2		150N 00E	20	102	0.2	
4+50E	33	112	0.2		0+50E	12	36	0.2	
5+00E	25	252	0.2		1+00E	12	44	0.2	
5+50E	23	80	0.2		1+50E	14	53	0.2	
6+00E	30	74	0.2		2+00E	12	180	0.5	
6+50E	16	46	0.2		2+50E	58	96	0.3	
7+00E	11	28	0.2		3+00E	26	120	0.2	
7+50E	14	94	0.2		3+50E	26	112	0.2	
8+00E	29	152	0.2		4+00E	37	188	0.2	
8+50E	13	133	0.2		4+50E	38	140	0.3	
9+00E	24	85	0.2		5+00E	21	81	0.2	
1N 00E	12	40	0.2		5+50E	25	104	0.2	
0+50E	13	144	0.2		6+00E	22	148	0.2	
1+00E	11	29	0.2		6+50E	16	72	0.2	
1+50E	12	45	0.2		7+00E	22	93	0.2	
2+00E	18	67	0.2		7+50E	32	96	0.3	
2+50E	12	44	0.2		8+00E	34	132	0.2	
3+00E	39	101	0.2		8+50E	29	104	0.2	
3+50E	30	116	0.2		9+00E	31	104	0.2	
4+00E	27	184	0.2		250N 00E	10	63	0.2	
4+50E	20	124	0.2		0+50E	14	52	0.2	
5+00E	37	240	0.2		1+00E	12	40	0.2	

RECEIVED
JUL 26 1977


Geochemical Lab Report

Report No. 27 - 609

Page No. _____

3M
CHEVRON ST
VANCOUVER

SAMPLE NO.	Pb ppm	Zn ppm	Cd ppm		SAMPLE NO.	Pb ppm	Zn ppm	Cd ppm	
450N 8+00E	16	60	0.2		550N 7+00E	21	97	0.2	
8+50E	23	64	0.2		7+50E	24	84	0.2	
9+00E	34	107	0.2		8+00E	19	88	0.2	
5N 00E	16	76	0.2		8+50E	20	88	0.2	
0+50E	13	53	0.2		9+00E	37	185	0.4	
1+00E	19	68	0.2						
1+50E	12	52	0.2						
2+50E A	18	80	0.2						
2+50E B	96	260	0.2						
3+00E	38	148	0.2						
3+50E	79	232	1.0						
4+00E	46	232	0.2						
4+50E	15	48	0.2						
5+00E	10	22	0.2						
5+50E	25	69	0.3						
6+00E	17	66	0.2						
6+50E	14	93	0.2						
7+00E	20	88	0.2						
7+50E	20	96	0.2						
8+00E	19	64	0.2						
8+50E	22	85	0.2						
9+00E	38	186	0.2						
550N 00E	16	53	0.2						
0+50E	12	48	0.2						
1+00E	16	84	0.2						
1+50E	16	56	0.2						
2+00E	17	172	0.2						
3+00E	108	320	0.5						
3+50E	58	172	0.4						
4+00E	24	49	0.2						
4+50E	25	110	0.2						
5+00E	12	48	0.2						
5+50E	11	44	0.2						
6+00E	14	62	0.2						
6+50E	13	62	0.2						



BONDAR-CLEGG & COMPANY LTD.

M429 ROCKY MOUNTAIN REGIONAL

JUL 18 1977

1500 PEMBERTON AVE., NORTH VANCOUVER, B.C. PHONE: 985-0681 TELEX: 04-54554

Geochemical Lab Report

CHEVRON

Extraction Hot Aqua Regia
Method Atomic Absorption
Fraction Used _____

Report No. 27 - 520 PROJECT: M 429
From Chevron Standard Ltd.
Date July 15, 19 77

SAMPLE NO.	Pb ppm	Zn ppm	Cd ppm		SAMPLE NO.	Pb ppm	Zn ppm	Cd ppm	
DP 1	30	75	0.3	←	DP 31	14	36	<0.2	
2	17	66	<0.2		32	10	30	<0.2	✓
3	18	80	0.3	← ✓	33	20	60	<0.2	
4	24	91	0.2		34	10	37	<0.2	
5	5	72	<0.2		35	10	36	<0.2	
6	17	63	<0.2		36	9	32	<0.2	
7	19	66	<0.2		37	7	31	<0.2	
8	16	74	<0.2		38	9	28	<0.2	✗
9	12	98	<0.2		39	18	47	<0.2	✓
10	17	90	<0.2		40	20	72	<0.2	
11	39	100	<0.2		41	11	46	<0.2	
12	37	58	0.6	←	42	14	37	<0.2	
13	50	108	0.4	←	43	9	48	<0.2	
14	35	72	0.2		44	5	31	<0.2	
15	8	18	<0.2		45	2	16	<0.2	
16	34	101	0.2		46	10	32	<0.2	
17	17	68	<0.2		47	5	22	<0.2	
18	28	76	0.5	← ✗	48	2	13	<0.2	
19	16	94	0.6	←	49	11	30	<0.2	✓
20	30	148	0.2		50	11	48	<0.2	
21	20	52	<0.2		51	2	12	<0.2	
22	20	42	<0.2		52	2	12	<0.2	
23	23	76	<0.2	✗	53	3	18	<0.2	
24	7	16	<0.2		54	8	22	<0.2	
25	20	73	<0.2		55	13	50	<0.2	
26	18	50	<0.2		56	17	47	<0.2	
27	8	22	<0.2		57	28	78	<0.2	✓ ✗
28	16	60	<0.2		58	2	16	<0.2	
29	20	64	<0.2		59	16	32	<0.2	
30	19	44	<0.2		60	7	19	<0.2	

JUL 18 1977

Geochemical Lab Report

Report No. 27 - 520

Minerals Staff
CHEVRON STANDARD LIMITED
Page No. VANCOUVER OFFICE

SAMPLE NO.	Pb ppm	Zn ppm	Cd ppm		SAMPLE NO.	Pb ppm	Zn ppm	Cd ppm	
DP 61	22	65	<0.2		DP 96	11	41	<0.2	
62	12	33	<0.2		97	13	49	<0.2	
63	4	14	<0.2		98	18	55	<0.2	
64	20	72	<0.2	✓	99	21	59	<0.2	
65	14	47	<0.2		100	15	48	<0.2	
66	13	40	<0.2		101	11	45	<0.2	
67	9	26	<0.2		102	21	51	<0.2	
68	10	35	<0.2		103	25	58	<0.2	
69	14	33	0.2		104	11	41	<0.2	
70	15	40	<0.2		105	17	47	<0.2	
71	19	60	<0.2		106	10	28	0.2'	
72	X 26	54	<0.2		107	11	34	<0.2	
73	9	36	<0.2		108	14	39	<0.2	
74	15	28	<0.2		109	13	22	<0.2	
75	17	56	<0.2		110	17	48	0.2	
76	7	23	<0.2		111	16	35	0.2	
77	12	51	<0.2		112	14	48	<0.2	
78	15	42	<0.2		113	16	59	<0.2	
79	16	37	<0.2		114	15	60	<0.2	
80	20	68	<0.2		115	12	36	<0.2	
81	11	45	<0.2		116	15	40	<0.2	
82	16	57	<0.2		117	20	42	<0.2	
83	13	38	<0.2		118	21	68	<0.2	
84	10	13	<0.2		119	12	42	<0.2	
85	14	40	<0.2		120	19	30	0.3	←
86	14	43	<0.2		121	12	28	<0.2	
87	10	53	<0.2		122	2	6	<0.2	
88	10	32	<0.2		123	13	14	<0.2	
89	13	36	<0.2		124	2	6	<0.2	
90	13	40	<0.2		125	6	8	<0.2	
91	13	52	<0.2		126	30	50	0.3	←
92	23	66	0.2						
93	11	40	<0.2						
94	13	49	<0.2						
95	16	52	<0.2						



Geochemical Lab Report

Extraction Hot Aqua Regia

Report No. 27 - 520 PROJECT: M 429


Method Atomic Absorption

From Chevron Standard Ltd.

Fraction Used _____

Date July 15, 19 77

SAMPLE NO.	Pb ppm	Zn ppm	Cd ppm		SAMPLE NO.	Pb ppm	Zn ppm	Cd ppm	
DP 1	30	75	0.3		DP 31	14	36	<0.2	
2	17	66	<0.2		32	10	30	<0.2	
3	18	80	0.3		33	20	60	<0.2	
4	24	91	0.2		34	10	37	<0.2	
5	5	72	<0.2		35	10	36	<0.2	
6	17	63	<0.2		36	9	32	<0.2	
7	19	66	<0.2		37	7	31	<0.2	
8	16	74	<0.2		38	9	28	<0.2	
9	12	98	<0.2		39	18	47	<0.2	
10	17	90	<0.2		40	20	72	<0.2	
11	39	100	<0.2		41	11	46	<0.2	
12	37	58	0.6		42	14	37	<0.2	
13	50	108	0.4		43	9	48	<0.2	
14	35	72	0.2		44	5	31	<0.2	
15	8	16	<0.2		45	2	16	<0.2	
16	34	101	0.2		46	10	32	<0.2	
17	17	68	<0.2		47	5	22	<0.2	
18	28	76	0.5		48	2	13	<0.2	
19	16	94	0.6		49	11	30	<0.2	
20	30	148	0.2		50	11	48	<0.2	
21	20	52	<0.2		51	2	12	<0.2	
22	20	42	<0.2		52	2	12	<0.2	
23	23	76	<0.2		53	3	18	<0.2	
24	7	16	<0.2		54	8	22	<0.2	
25	20	73	<0.2		55	13	50	<0.2	
26	18	50	<0.2		56	17	47	<0.2	
27	8	22	<0.2		57	28	78	<0.2	
28	16	60	<0.2		58	2	16	<0.2	
29	20	64	<0.2		59	16	32	<0.2	
30	19	44	<0.2		60	7	19	<0.2	



RECEIVED
JUL 25 1977
Minerals Dept
CHEVRON STANDARD LIMITED
VANCOUVER BRANCH

Geochemical Lab Report

Extraction Pb,Zn,Cd; Hot Aqua Regia

Report No. 27 - 584 PROJECT: M 429


Method Pb,Zn,Cd; Atomic Absorption

From Chevron Standard Ltd.

Fraction Used _____

Date July 22 1977

SAMPLE NO.	Pb ppm	Zn ppm	Cd ppm		SAMPLE NO.	Pb ppm	Zn ppm	Cd ppm	
DP 127	10	19	0.2		DP 157	10	24	0.2	
128	18	28	0.2		158	9	21	0.2	
129	9	44	0.2		159	13	48	0.2	
130	20	17	0.2		160	X 26	73	0.2	
131	17	27	0.2						
132	25	69	0.2						
133	21	47	0.2						
134	20	24	0.2						
135	18	44	0.2						
136	16	22	0.2						
137	13	36	0.2						
138	24	44	0.2						
139	24	77	0.2	X					
140	19	34	0.2						
141	18	33	0.2						
142	6	10	0.2						
143	16	47	0.2						
144	X 27	23	0.2						
145	30	82	0.2						
146	10	18	0.2						
147	16	28	0.2						
148	12	17	0.2						
149	16	73	0.2						
150	13	17	0.2						
151	15	49	0.2						
152	10	41	0.2						
153	18	41	0.2						
154	22	52	0.2						
155	16	55	0.2						
156	16	43	0.2						



BONDAR-CLEGG & COMPANY LTD.

1500 PEMBERTON AVE., NORTH VANCOUVER, B.C. PHONE: 985-0681 TELEX: 04-54554


RECEIVED
JUL 25 1977
Minerals Dept.
CHEVRON STANDARD LIMITED
VANCOUVER BRANCH

Geochemical Lab Report

Extraction Pb,Zn,Cd; Hot Aqua Regia
Method Pb,Zn,Cd; Atomic Absorption
Fraction Used _____

Report No. 27 - 584 PROJECT: M 429
From Chevron Standard Ltd.
Date July 22 1977

SAMPLE NO.	Pb ppm	Zn ppm	Cd ppm		SAMPLE NO.	Pb ppm	Zn ppm	Cd ppm	
DP 127	10	19	0.2		DP 157	10	24	0.2	
128	18	28	0.2		158	9	21	0.2	
129	9	44	0.2		159	13	48	0.2	
130	20	17	0.2		160	26	73	0.2	
131	17	27	0.2						
132	25	69	0.2						
133	21	47	0.2						
134	20	24	0.2						
135	18	44	0.2						
136	16	22	0.2						
137	13	36	0.2						
138	24	44	0.2						
139	24	77	0.2						
140	19	34	0.2						
141	18	33	0.2						
142	6	10	0.2						
143	16	47	0.2						
144	27	23	0.2						
145	30	82	0.2						
146	10	18	0.2						
147	16	28	0.2						
148	12	17	0.2						
149	16	73	0.2						
150	13	17	0.2						
151	15	49	0.2						
152	10	41	0.2						
153	18	41	0.2						
154	22	52	0.2						
155	16	55	0.2						
156	16	43	0.2						



BONDAR-CLEGG & COMPANY LTD.

1500 PEMBERTON AVE., NORTH VANCOUVER, B.C. PHONE: 985-0681 TELEX: 04-54554


RECEIVED
JUL 25 1977
Minerals Staff
CHEVRON STANDARD LIMITED
VANCOUVER OFFICE

Geochemical Lab Report

Extraction Pb,Zn,Cd; Hot Aqua Regia
Method Pb,Zn,Cd; Atomic Absorption
Fraction Used _____

Report No. 27 - 584 PROJECT: M 429
From Chevron Standard Ltd.
Date July 22 1977

SAMPLE NO.	Pb ppm	Zn ppm	Cd ppm		SAMPLE NO.	Pb ppm	Zn ppm	Cd ppm	
DP 127	10	19	0.2		DP 157	10	24	0.2	
128	18	28	0.2		158	9	21	0.2	
129	9	44	0.2		159	13	48	0.2	
130	20	17	0.2		160	26	73	0.2	
131	17	27	0.2						
132	25	69	0.2						
133	21	47	0.2						
134	20	24	0.2						
135	18	44	0.2						
136	16	22	0.2						
137	13	36	0.2						
138	24	44	0.2						
139	24	77	0.2						
140	19	34	0.2						
141	18	33	0.2						
142	6	10	0.2						
143	16	47	0.2						
144	27	23	0.2						
145	30	82	0.2						
146	10	18	0.2						
147	16	28	0.2						
148	12	17	0.2						
149	16	73	0.2						
150	13	17	0.2						
151	15	49	0.2						
152	10	41	0.2						
153	18	41	0.2						
154	22	52	0.2						
155	16	55	0.2						
156	16	43	0.2						



BONDAR-CLEGG & COMPANY LTD.

1500 PEMBERTON AVE., NORTH VANCOUVER, B.C. PHONE: 985-0681 TELE: 04-54554

RECEIVED
AUG 5 - 1977
CHEVRON
M...

Geochemical Lab Report

Extraction Hot Aqua Regia Report No. 27 - 720 PROJECT: M 429
Method Atomic Absorption From Chevron Standard Ltd.
Fraction Used _____ Date August 3, 19 77

SAMPLE NO.	Pb ppm	Zn ppm	Cd ppm				REMARKS
DP 161	6	19	0.3				