



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

840891

Page No. : 1-A
Tot. Pages: 1
Date : 22-JUL-87
Invoice # : I-8717807
P.O. # : 36867

Project : M543
Comments: CC: S. McALLISTER

Big Sheep

CORRECTED COPY

CERTIFICATE OF ANALYSIS A8717807

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
IZTR-420	205 238	10	0.06	0.2	15	10	< 0.5	4	0.13	< 0.5	18	216	12	1.31	< 10	< 1	< 0.01	< 10	2.91	452
SMTR-94	205 238	5	1.36	0.2	25	120	1.0	< 2	0.04	0.5	9	121	38	3.17	< 10	1	0.18	10	0.89	486
SMTR-66	205 238	< 5	2.40	< 0.2	< 5	140	1.5	10	0.21	1.0	18	33	91	5.35	< 10	< 1	0.43	10	0.81	368C
SMTR-67	205 238	175	0.67	18.2	570	140	0.5	22	0.01	1.0	1	53	22	1.96	< 10	2	0.40	< 10	0.05	68
SMTR-68	205 238	115	0.76	5.4	15	210	< 0.5	8	0.01	< 0.5	2	51	15	0.67	< 10	1	0.41	< 10	0.04	74
SMTR-69	205 238	40	1.17	1.4	70	170	1.5	< 2	0.01	< 0.5	2	25	72	4.42	< 10	< 1	0.48	10	0.06	36
SMTR-70	205 238	820	0.66	9.0	95	150	3.5	122	0.01	< 0.5	3	173	152	7.74	< 10	< 1	0.23	10	0.03	55
SMTR-71	205 238	485	1.00	7.2	75	190	1.0	14	< 0.01	< 0.5	2	22	41	2.55	< 10	< 1	0.49	10	0.06	31
SMTR-72	205 238	115	0.86	7.4	20	140	1.0	38	< 0.01	< 0.5	2	47	29	3.24	< 10	< 1	0.43	10	0.04	22
SMTR-73	205 238	170	1.40	0.4	165	140	1.5	2	0.02	< 0.5	2	24	58	3.63	< 10	1	0.39	10	0.16	72
SMTR-74	205 238	4950	0.49	16.6	>10000	60	3.5	12	0.01	1.5	340	9	794	15.00	< 10	< 1	0.22	< 10	0.02	72
SMTR-75	205 238	5080	0.65	17.6	2900	120	1.0	44	0.01	1.0	2	99	87	3.16	< 10	< 1	0.39	< 10	0.03	24
SMTR-76	205 238	45	0.91	0.4	375	150	0.5	< 2	< 0.01	< 0.5	3	58	12	1.73	< 10	< 1	0.58	10	0.05	54
SMTR-77	205 238	130	0.47	7.2	2760	70	< 0.5	20	< 0.01	1.0	< 1	99	37	0.60	< 10	< 1	0.23	< 10	0.01	27
SMTR-78	205 238	25	1.08	< 0.2	60	70	0.5	2	0.18	1.0	5	60	91	0.92	< 10	< 1	0.28	10	0.33	532
SMTR-79	205 238	45	1.58	< 0.2	30	60	0.5	4	0.82	< 0.5	10	97	15	2.08	< 10	< 1	0.20	10	1.07	983
SMTR-80	205 238	5	0.53	0.2	10	60	1.0	< 2	0.01	< 0.5	7	75	207	2.84	< 10	1	0.23	10	0.03	44
SMTR-81	205 238	15	0.65	< 0.2	10	60	< 0.5	< 2	0.07	< 0.5	5	75	220	0.76	< 10	2	0.20	10	0.11	153
SMTR-82	205 238	60	0.69	< 0.2	5	60	0.5	< 2	0.07	< 0.5	4	65	55	1.80	< 10	2	0.23	< 10	0.06	36
SMTR-83	205 238	75	0.63	0.4	10	50	1.0	< 2	0.01	< 0.5	10	66	306	2.70	< 10	< 1	0.16	< 10	0.10	73
SMTR-84	205 238	105	0.60	1.8	20	90	< 0.5	< 2	0.01	< 0.5	1	84	2	0.25	< 10	< 1	0.38	10	0.02	31
SMTR-85	205 238	5	0.76	< 0.2	15	50	1.5	2	0.36	< 0.5	37	195	35	3.79	< 10	1	0.05	< 10	0.33	786
SMTR-86	205 238	30	0.95	1.6	215	80	0.5	2	0.02	3.0	3	40	25	1.56	< 10	1	0.30	10	0.17	68
SMTR-87	205 238	>10000	0.54	27.0	>10000	100	2.0	48	< 0.01	4.5	< 1	32	1845	4.44	< 10	< 1	0.30	< 10	0.02	35
SMTR-88	205 238	70	1.10	1.4	200	100	< 0.5	< 2	< 0.01	< 0.5	< 1	44	16	0.28	< 10	2	0.42	10	0.07	22
SMTR-89	205 238	40	0.69	0.2	860	70	3.0	4	< 0.01	1.0	1	31	48	6.25	< 10	< 1	0.31	< 10	0.03	26
SMTR-90	205 238	45	0.60	1.0	1465	120	< 0.5	< 2	< 0.01	< 0.5	< 1	47	10	0.52	< 10	1	0.39	10	0.04	13
SMTR-91	205 238	< 5	1.63	0.2	25	110	1.0	< 2	< 0.01	0.5	3	86	32	2.48	< 10	< 1	0.31	10	0.81	657
SMTR-92	205 238	50	0.63	2.4	45	110	0.5	46	0.01	< 0.5	2	164	10	1.28	< 10	< 1	0.34	20	0.04	58
SMTR-93	205 238	550	0.99	1.8	670	140	4.0	2	0.01	1.5	1	14	55	8.14	< 10	< 1	0.33	10	0.04	29