

840928

M512

1038/00

Burnaby Island

AND

Slim Inlet

1982



VANGEOCHEM LAB LTD.
 1521 PEMBERTON AVE.,
 NORTH VANCOUVER, B.C.,
 CANADA V7P 2S3

TELEPHONE: 986-5211
 AREA CODE: 604

• Specialising in Trace Elements Analyses •

Certificate of Geochemical Analyses

-IN ACCOUNT WITH-

Chevron Standard Ltd.
 901 - 355 Burrard St.
 Vancouver, B.C. V6C 2G8
 Attention: Mr. Godfrey Walton

Report No: 82-30-002 Page 1 of 3
 Samples Arrived: May 17, 1982
 Report Completed: May 25, 1982
 For Project: M512
 Analyst: E.T. & VGC Staff
 Invoice: 6715 Job # 82-017

BURNABY ISLAND ROCKS

Save Rejects

Sample Marking	As ppm	Sb ppm	Au ppb			
B1 - D2 - 1	2	nd	10			
2	15	nd	nd			
3	2	nd	5			
4	4	nd	10			
5	4	nd	10			
6	2	nd	10			
7	10	nd	nd			
8	15	nd	10			
9	2	nd	5			
10	4	nd	nd			
11	20	nd	10			
12	4	nd	5			
13	2	nd	5			
14	4	nd	nd			
15	2	nd	10			
16	2	nd	nd			
17	4	nd	5			
18	4	nd	10			
19	2	nd	10			
20	4	nd	10			
21	2	nd	nd			
22	2	nd	10			
23	10	nd	nd			
24	2	nd	10			
25	4	nd	nd			
26	4	nd	nd			
27	4	nd	5			
28	2	nd	10			
29	15	nd	nd			
30	4	nd	10			
31	2	nd	10			
32	10	nd	nd			
B1 - D2 - 33	4	nd	5			
B1 - S2 - 1	4	nd	10			
2	10	nd	10			
3	4	nd	10			
4	40	nd	nd			
5	2	nd	nd			
B1 - S2 - 6	4	nd	5			

MASTER PRINTING LTD.

REMARKS: One copy sent to Ms. Sandy McAllister at Sandspit, QCL, B.C.

Signed:

% Mo x 1.6683 = % MoS₂ 1 Troy oz./ton = 34.28 ppm 1 ppm = 0.0001% nd = none detected ppm = parts per million

All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.



VANGEOCHEM LAB LTD.
 1521 PEMBERTON AVE.,
 NORTH VANCOUVER, B.C.,
 CANADA V7P 2S3

TELEPHONE: 986-5211
 AREA CODE: 604

• Specialising in Trace Elements Analyses •

Certificate of Geochemical Analyses

-IN ACCOUNT WITH-

Chevron Standard Ltd.

Report No: 82-30-002 Page 2 of 3
 Samples Arrived:
 Report Completed:
 For Project:
 Analyst:

Attention:

Sample Marking	As ppm	Sb ppm	Au ppb		
B1 - S2 - 7	2	nd	10		
8	4	nd	10		
9	10	nd	nd		
10	25	nd	5		
11	4	nd	nd		
12	4	nd	10		
13	10	nd	nd		
14	2	nd	5		
15	20	nd	5		
16	4	nd	10		
17	4	nd	10		
18	20	nd	nd		
19	4	nd	10		
20	4	nd	10		
21	2	nd	10		
22	35	nd	nd		
23	2	nd	10		
24	10	nd	10		
25	2	nd	nd		
26	10	nd	nd		
27	4	nd	10		
28	4	nd	10		
29	2	nd	10		
30	4	nd	10		
31	2	nd	nd		
32	4	nd	10		
33	4	nd	10		
34	4	nd	nd		
35	15	nd	5		
36	2	nd	10		
37	4	nd	nd		
38	10	nd	10		
39	10	nd	5		
40	4	nd	5		
41	2	nd	10		
42	4	nd	5		
43	10	nd	nd		
44	2	nd	10		
B1 - S2 - 45	2	nd	nd		

MASTER PRINTING LTD.

REMARKS:

Signed:

% Mo x 1.6683 = % MoS₂ 1 Troy oz./ton = 34.28 ppm 1 ppm = 0.0001% nd = none detected ppm = parts per million
 All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.



VANGEOCHEM LAB LTD.
 1521 PEMBERTON AVE.,
 NORTH VANCOUVER, B.C.,
 CANADA V7P 2S3

TELEPHONE: 986-5211
 AREA CODE: 604

• Specialising in Trace Elements Analyses •

Certificate of Geochemical Analyses

-IN ACCOUNT WITH-

Chevron Standard Ltd.
 901 - 355 Burrard St.
 Vancouver, B.C. V6C 2G8

Attention:

Report No: 82-30-003 Page 1 of 2
 Samples Arrived: May 18, 1982
 Report Completed: May 25, 1982
 For Project: M512
 Analyst: E.T. & VGC Staff
 Invoice: 6717 Job # 82-021

BURNABY ISLAND ROCKS

Save Rejects

Sample Marking	As ppm	Sb ppm	Au ppb			
B1 - D2 - 34 ✓	15	nd	690 ✓			
35 ✓	20	nd	5			
36 ✓	4	nd	10			
37 ✓	20	nd	nd			
38 ✓	4	nd	10			
39 ✓	4	nd	nd			
40 ✓	2	nd	nd			
41 ✓	15	nd	nd			
42 ✓	4	nd	30 ✓			
43 ✓	4	nd	nd			
44 ✓	2	nd	nd			
45 ✓	10	nd	nd			
46 ✓	4	nd	nd			
47 ✓	2	nd	nd			
48 ✓	2	nd	10			
49 ✓	2	nd	10			
50 ✓	4	nd	nd			
51 ✓	10	nd	nd			
B1 - D2 - 52 ✓	10	nd	nd			
B1 - M2 - 160 ✓	2	nd	nd			
161 ✓	2	nd	nd			
162 ✓	2	nd	nd			
163 ✓	2	nd	nd			
173 ✓	10	nd	10			
179 ✓	4	nd	nd			
182 ✓	10	nd	10			
184 ✓	2	nd	5			
185 ✓	20	nd	nd			
187 ✓	20	nd	nd			
B1 - M2 - 188 ✓	2	nd	nd			
B1 - S2 - 65 ✓	15	nd	10			
66 ✓	4	nd	nd			
67 ✓	10	nd	5			
68 ✓	20	nd	10			
69 ✓	25	nd	10			
70 ✓	10	nd	nd			
71 ✓	4	nd	10			
72 ✓	2	nd	nd			
B1 - S2 - 73 ✓	2	nd	5			

*Slim
Fuel*

*Slim
Fuel*

MASTER PRINTING LTD.

REMARKS: One copy sent to Ms. Sandy McAllister at Sandspit, B.C.

Signed:

% Mo x 1.6683 = % MoS₂ 1 Troy oz./ton = 34.28 ppm 1 ppm = 0.0001% nd = none detected ppm = parts per million
 All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.



VANGEOCHEM LAB LTD.
1521 PEMBERTON AVE.,
NORTH VANCOUVER, B.C.,
CANADA V7P 2S3

TELEPHONE: 986-5211
AREA CODE: 604

• Specialising in Trace Elements Analyses •

Certificate of Geochemical Analyses

-IN ACCOUNT WITH-

Chevron Standard Ltd.
901 - 355 Burrard St.
Vancouver, B.C. V6C 2G8
Attention:

Report No: 82-30-003 Page 2 of 2
Samples Arrived:
Report Completed:
For Project:
Analyst:

Sample Marking	As ppm	Sb ppm	Au ppb			
B1 - S2 - 74 ✓	4	nd	10			
75 ✓	2	nd	nd			
87 ✓	2	nd	nd			
88 ✓	15	nd	5			
98 ✓	4	nd	nd			
99 ✓	2	nd	10			
100 ✓	10	nd	5			
101 ✓	2	nd	nd			
102 ✓	4	nd	nd			
103 ✓	2	nd	nd			
104 ✓	30	nd	50			
105 ✓	10	nd	nd			
106 ✓	4	nd	nd			
107 ✓	15	nd	10			
108 ✓	2	nd	nd			
109 ✓	2	nd	nd			
110 ✓	4	nd	10			
B1 - S2 - 111 ✓	2	nd	nd			

MASTER PRINTING LTD.

REMARKS:

Signed:

% Mo x 1.6683 = % MoS₂ 1 Troy oz./ton = 34.28 ppm 1 ppm = 0.0001% nd = none detected ppm = parts per million
All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.



VANGEOCHEM LAB LTD.
 1521 PEMBERTON AVE.,
 NORTH VANCOUVER, B.C.,
 CANADA V7P 2S3

TELEPHONE: 986-5211
 AREA CODE: 604

• Specialising in Trace Elements Analyses •

Certificate of Geochemical Analyses

-IN ACCOUNT WITH-

Chevron Standard Ltd.
 901 - 355 Burrard St.
 Vancouver, B.C. V6C 2G8
 Attention: Mr. Godfrey Walton

Report No: 82-30-004 Page 1 of 7
 Samples Arrived: May 17, 1982
 Report Completed: May 28, 1982
 For Project: M512
 Analyst: E.T. & VGC Staff
 Invoice: 6725 Job # 82-017

BURNABY ISLAND SOILS

Sample Marking	As ppm	Sb ppm	Au ppb		
B1 - A2 - 1	10	nd	nd		
2	15	nd	10		
3	10	nd	10		
4	4	nd	nd		
5	2	nd	nd		
6	20	nd	5		
7	2	nd	nd		
8	2	nd	nd		
9	10	nd	10		
10	10	nd	5		
11	4	nd	nd		
12	20	nd	nd		
13	4	nd	nd		
14 PVP	4	nd	nd		
15	4	nd	5		
16	4	nd	10		
17	4	nd	nd		
18	15	nd	nd		
19	10	nd	10		
20	4	nd	10		
21	10	nd	10		
22	2	nd	nd		
23	20	nd	nd		
24	2	nd	nd		
25	15	nd	nd		
26	2	nd	5		
27	4	nd	nd		
28	2	nd	nd		
29	4	nd	nd		
30	20	nd	nd		
31	4	nd	nd		
32	2	nd	5		
33	4	nd	10		
34	2	nd	nd		
35	2	nd	10		
36	2	nd	10		
37	4	nd	nd		
38	4	nd	10		
B1 - A2 - 39	2	nd	10		

MASTER PRINTING LTD.

REMARKS: One copy sent to Ms. Sandy McAllister at Sandspit, B.C.

Signed:

% Mo x 1.6683 = % MoS₂ 1 Troy oz./ton = 34.28 ppm 1 ppm = 0.0001% nd = none detected ppm = parts per million
 All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.



VANGEOCHEM LAB LTD.
 1521 PEMBERTON AVE.,
 NORTH VANCOUVER, B.C.,
 CANADA V7P 2S3

TELEPHONE: 986-5211
 AREA CODE: 604

• Specialising in Trace Elements Analyses •

Certificate of Geochemical Analyses

-IN ACCOUNT WITH-

Chevron Standard Ltd.

Report No: 82-30-004 Page 2 of 7
 Samples Arrived:
 Report Completed:
 For Project:
 Analyst:

Attention:

Sample Marking	As ppm	Sb ppm	Au ppb		
B1 - A2 - 40 ✓	2	nd	nd		
41 ✓	2	nd	nd		
42 ✓	4	nd	10		
43 ✓	4	nd	10		
44 ✓	4	nd	nd		
45 ✓	2	nd	nd		
46 ✓	15	nd	5		
47 ✓	2	nd	10		
48 ✓	2	nd	nd		
49 ✓	15	nd	nd		
50 ✓	2	nd	10		
51 ✓	2	5	nd		
52 ✓	2	10	nd		
53 ✓	4	nd	5		
54 ✓	2	nd	nd		
55 ✓	2	2	nd		
56 ✓	2	nd	nd		
57 ✓	2	nd	nd		
58 ✓	4	nd	nd		
59 ✓	2	5	15		
60 ✓	2	10	nd		
61 ✓	2	nd	nd		Swan Islands
62 ✓	2	nd	10		
63 ✓	2	nd	nd		
64 ✓	2	nd	nd		
65 ✓	4	nd	10		
66 ✓	4	13	nd		
67 ✓	2	nd	5		
68 ✓	2	5	10		
69 ✓	2	nd	10		
70 ✓	2	2	10		
71 ✓	10	nd	nd		
72 ✓	2	nd	5		
73 ✓	20	nd	10		
74 ✓	2	nd	5		
75 ✓	2	5	nd		
76 ✓	2	nd	nd		
77 ✓	10	6	nd		
78 ✓	2	3	nd		
B1 - A2 - 79 ✓	20	9	nd		

MASTER PRINTING LTD.

REMARKS:

Signed:



VANGEOCHEM LAB LTD.
 1521 PEMBERTON AVE.,
 NORTH VANCOUVER, B.C.,
 CANADA V7P 2S3

TELEPHONE: 986-5211
 AREA CODE: 604

• Specialising in Trace Elements Analyses •

Certificate of Geochemical Analyses

-IN ACCOUNT WITH-
 Chevron Standard Ltd.


Report No: 82-30-004 Page 3 of 7
 Samples Arrived:
 Report Completed:
 For Project:
 Analyst:

Attention:

Sample Marking	As ppm	Sb ppm	Au ppb			
B1 - A2 - 80	4	3	nd			
81	10	nd	nd			
82	4	2	nd			
83	4	nd	nd			
84	10	nd	nd			
85	4	nd	nd			
86	2	2	nd			
87	4	nd	nd			
88	20	nd	10			
89	2	3	nd			
90	10	nd	nd			
91	2	10	nd			
92	15	2	nd			
93	2	nd	nd			
94	4	nd	nd			
95	2	2	nd			
96	4	7	nd			
97	2	nd	nd			
98	10	nd	nd			
99	15	nd	nd			
100	15	4	nd			
101	20	nd	nd			
B1 - A2 - 102	10	nd	nd			
B1 - M2 - 1	4	nd	nd			
2	2	2	10			
3	4	2	nd			
4	10	nd	10			
5	2	nd	nd			
6	2	nd	nd			
7	15	7	nd			
8	25	nd	10			
9	2	1	nd			
10	2	nd	nd			
11	2	nd	nd			
12	2	nd	nd			
13	4	nd	nd			
14	4	10	nd			
15	2	nd	nd			
16	4	nd	10			
B1 - M2 - 17	2	4	nd			

MASTER PRINTING LTD.

REMARKS:

Signed: 

% Mo x 1.6683 = % MoS₂ 1 Troy oz./ton = 34.28 ppm 1 ppm = 0.0001% nd = none detected ppm = parts per million

All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.



VANGEOCHEM LAB LTD.
 1521 PEMBERTON AVE.,
 NORTH VANCOUVER, B.C.,
 CANADA V7P 2S3

TELEPHONE: 986-5211
 AREA CODE: 604

• Specialising in Trace Elements Analyses •

Certificate of Geochemical Analyses

-IN ACCOUNT WITH-
 Chevron Standard Ltd.

Report No: 82-30-004 Page 4 of 7
 Samples Arrived:
 Report Completed:
 For Project:
 Analyst:

Attention:

Sample Marking	As ppm	Sb ppm	Au ppb			
B1 - M2 - 18	2	2	nd			
19	4	nd	nd			
20	4	nd	nd			
21	2	1	nd			
22	4	6	nd			
23	2	nd	nd			
24	4	4	20			
25	2	5	nd			
26	2	9	nd			
27	2	12	nd			
28	2	15	nd			
29	2	nd	nd			
30	4	nd	nd			
31	4	nd	nd			
32	4	12	nd			
33	2	nd	nd			
34	2	nd	nd			
35	15	5	10			
36	2	nd	nd			
37	4	15	nd			
38	2	nd	nd			
39	2	5	nd			
40	2	nd	20			
41	4	nd	10			
42	2	2	nd			
43 Dup	2	nd	nd			
44	2	nd	nd			
45	2	5	nd			
46	15	nd	10			
47	4	nd	nd			
48	2	nd	nd			
49	2	9	nd			
50	2	nd	nd			
51	4	nd	nd			
52	2	4	nd			
53	2	nd	nd ^o			
54	2	5	nd			
55 Dup	15	nd	nd			
B1 - M2 - 56	20	nd	nd			

MASTER PRINTING LTD.

REMARKS:

Signed:

% Mo x 1.6683 = % MoS₂ 1 Troy oz./ton = 34.28 ppm 1 ppm = 0.0001% nd = none detected ppm = parts per million
 All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.



VANGEOCHEM LAB LTD.
 1521 PEMBERTON AVE.,
 NORTH VANCOUVER, B.C.,
 CANADA V7P 2S3

TELEPHONE: 986-5211
 AREA CODE: 604

• Specialising in Trace Elements Analyses •

Certificate of Geochemical Analyses

-IN ACCOUNT WITH-

Chevron Standard Ltd.

Attention:

Report No: 82-30-004 Page 5 of 7
 Samples Arrived:
 Report Completed:
 For Project:
 Analyst:

Sample Marking	As ppm	Sb ppm	Au ppb			
B1 - M2 - 57	2	nd	nd			
58	2	nd	10			
59	2	7	nd			
60	2	5	10			
61	2	10	nd			
62	4	nd	nd			
63	2	7	10			
64	2	nd	nd			
65	2	nd	10			
66	15	nd	nd			
67	2	nd	nd			
68	4	nd	nd			
69	4	nd	10			
70	2	nd	nd			
71	2	nd	nd			
72	4	nd	nd			
73	4	nd	nd			
74	2	nd	nd			
75	2	nd	nd			
76	4	nd	nd			
77	4	10	10			
78	2	15	nd			
79	10	nd	nd			
80	20	nd	nd			
81	2	2	nd			
82	25	nd	10			
83	30	nd	nd			
84	10	nd	10			
85	4	15	10			
86	15	nd	nd			
87	20	nd	nd			
88	10	nd	10			
89	10	nd	nd			
90	4	nd	nd			
91	2	nd	nd			
92	2	nd	nd			
93	4	nd	nd			
94	2	5	nd			
B1 - M2 - 95	2	5	nd			

MASTER PRINTING LTD.

REMARKS:

Signed:

% Mo x 1.6683 = % MoS₂ 1 Troy oz./ton = 34.28 ppm 1 ppm = 0.0001% nd = none detected ppm = parts per million
 All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.



VANGEOCHEM LAB LTD.
 1521 PEMBERTON AVE.,
 NORTH VANCOUVER, B.C.,
 CANADA V7P 2S3

TELEPHONE: 986-5211
 AREA CODE: 604

• Specialising in Trace Elements Analyses •

Certificate of Geochemical Analyses

-IN ACCOUNT WITH-

Chevron Standard Ltd.

Report No: 82-30-004 Page 6 of 7
 Samples Arrived:
 Report Completed:
 For Project:
 Analyst:

Attention:

Sample Marking	As ppm	Sb ppm	Au ppb			
B1 - M2 - 96	30	nd	10			
97	2	nd	nd			
98	15	nd	nd			
99	4	nd	nd			
100	4	nd	nd			
101	2	nd	nd			
102	20	nd	nd			
103	45	nd	10			
104	20	nd	nd			
105	10	nd	nd			
106	20	nd	nd			
107	25	nd	nd			
108	10	nd	nd			
109	15	nd	nd			
110	2	nd	nd			
111	2	nd	nd			
112	2	nd	nd			
113	15	nd	10			
114	2	nd	nd			
115	35	nd	nd			
116	15	nd	nd			
117	4	nd	nd			
118	20	nd	nd			
119	2	nd	nd			
120	4	nd	nd			
121	2	nd	nd			
122	2	nd	10			
123	2	nd	10			
124	4	nd	nd			
125	2	nd	nd			
126	4	nd	nd			
127	4	nd	nd			
128	4	nd	20			
129	2	nd	10			
130	2	nd	nd			
131	2	nd	nd			
132	2	nd	nd			
133	2	nd	10			
B1 - M2 - 134	4	nd	10			

MASTER PRINTING LTD.

REMARKS:

Signed:

% Mo x 1.6683 = % MoS₂ 1 Troy oz./ton = 34.28 ppm 1 ppm = 0.0001% nd = none detected ppm = parts per million

All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.



VANGEOCHEM LAB LTD.
 1521 PEMBERTON AVE.,
 NORTH VANCOUVER, B.C.,
 CANADA V7P 2S3

TELEPHONE: 986-5211
 AREA CODE: 604

• Specialising in Trace Elements Analyses •

Certificate of Geochemical Analyses

-IN ACCOUNT WITH-

Chevron Standard Ltd., Mineral Staff
 901 - 355 Burrard St.
 Vancouver, B.C. V6C 2G8

Attention:

BURNABY ISLAND
~~RICHMOND~~ *SOILS*

Report No: 82-30-005 Page 1 of 6
 Samples Arrived: May 18, 1982
 Report Completed: June 1, 1982
 For Project: M512
 Analyst: E.T. & VGC Staff
 Invoice: 6727 Job # 82-021

Sample Marking	As ppm	Sb ppm	Au ppb		
B1 - A2 - 103	2	nd	nd		
104	2	nd	nd		
105	2	nd	nd		
106	4	nd	10		
107	20	nd	nd		
108	2	nd	nd		
109	2	nd	nd		
110	2	nd	nd		
111	2	nd	nd		
112	4	nd	nd		
113	2	nd	nd		
114	2	nd	nd		
115	2	nd	nd		
116	2	nd	10		
117	4	nd	10		
118	2	nd	nd		
119	2	nd	nd		
120	4	nd	nd		
121	2	nd	10		
122	15	nd	10		
123	10	nd	nd		
124	2	nd	nd		
125	2	nd	10		
126	10	nd	nd		
127	2	nd	nd		
128	4	nd	10		
129	10	nd	nd		
130	4	nd	10		
131	2	nd	10		
132	20	nd	nd		
133	2	nd	nd		
134	2	nd	nd		
135	10	nd	nd		
136	20	nd	nd		
137	10	nd	10		
138	10	nd	nd		
139	2	nd	10		
140	2	nd	nd		
B1 - A2 - 141	2	nd	nd		

MASTER PRINTING LTD.

REMARKS: One copy went to S. McAllister at Sandspit, B.C.

Signed:

% Mo x 1.6683 = % MoS₂ 1 Troy oz./ton = 34.28 ppm 1 ppm = 0.0001% nd = none detected ppm = parts per million
 All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.



VANGEOCHEM LAB LTD.
 1521 PEMBERTON AVE.,
 NORTH VANCOUVER, B.C.,
 CANADA V7P 2S3

TELEPHONE: 986-5211
 AREA CODE: 604

• Specialising in Trace Elements Analyses •

Certificate of Geochemical Analyses

-IN ACCOUNT WITH-

Chevron Standard Ltd. , Mineral Staff

Report No: 82-30-005

Page 2 of 6

Samples Arrived:
 Report Completed:
 For Project:
 Analyst:

Attention:

Sample Marking	As ppm	Sb ppm	Au ppb			
B1 - A2 - 142 ✓	2	nd	10			
143 ✓	2	nd	nd			
144 ✓	2	nd	nd			
145 ✓	2	nd	nd			
146 ✓	2	nd	nd			
147 ✓	2	nd	nd			
148 ✓	4	nd	10			
149 ✓	2	nd	nd			
150 ✓	15	nd	nd			
151 ✓	10	nd	nd			
152 ✓	10	nd	10			
153 ✓	15	nd	nd			
154 ✓	2	nd	nd			
155 ✓	2	nd	nd			
156 ✓	2	nd	nd			
157 ✓	4	nd	10			
158 ✓	2	nd	nd			
159 ✓	2	nd	nd			
160 ✓	2	nd	nd			
161 ✓	2	nd	nd			
162 ✓	30	nd	nd			
163 ✓	2	nd	nd			
164 ✓	25	nd	nd			
165 ✓	20	nd	nd			
166 ✓	2	nd	nd			
167 ✓	2	nd	nd			
168 ✓	4	nd	nd			
169 ✓	10	nd	nd			
170 ✓	15	nd	10			
171 ✓	2	nd	10			
172 ✓	4	nd	nd			
173 ✓	10	nd	nd			
174 ✓	2	nd	10			
175 ✓	4	nd	nd			
176 ✓	20	nd	nd			
177 ✓	20	nd	nd			
178 ✓	10	nd	nd			
179 ✓	4	nd	nd			
B1 - A2 - 180 ✓	10	nd	10			

Slum

MASTER PRINTING LTD.

REMARKS:

Signed:

% Mo x 1.6683 = % MoS₂ 1 Troy oz./ton = 34.28 ppm 1 ppm = 0.0001% nd = none detected ppm = parts per million

All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.



VANGEOCHEM LAB LTD.
 1521 PEMBERTON AVE.,
 NORTH VANCOUVER, B.C.,
 CANADA V7P 2S3

TELEPHONE: 986-5211
 AREA CODE: 604

• Specialising in Trace Elements Analyses •

Certificate of Geochemical Analyses

-IN ACCOUNT WITH-

Chevron Standard Ltd., Mineral Staff

Report No: 82-30-005 Page 3 of 6
 Samples Arrived:
 Report Completed:
 For Project:
 Analyst:

Attention:

Sample Marking	As ppm	Sb ppm	Au ppb			
B1 - A2 - 181	2	nd	nd			
182	2	nd	nd			
183	4	nd	nd			
184	10	nd	nd			
B1 - A2 - 185	15	nd	10			
B1 - G2 - 1	20	nd	nd			
2	2	nd	nd			
3	2	nd	nd			
4	2	nd	nd			
5	2	nd	nd			
6	10	nd	10			
7	2	nd	nd			
8	4	nd	10			
9	2	nd	nd			
10	4	nd	nd			
11	2	nd	nd			
12	10	nd	nd			
13	2	nd	nd			
14	4	nd	nd			
15	2	nd	nd			
16	4	nd	10			
17	2	nd	nd			
18	4	nd	nd			
19	4	nd	10			
20	4	nd	nd			
21	4	nd	nd			
22	2	nd	nd			
23	2	nd	nd			
24	2	nd	nd			
25	4	nd	10			
26	15	nd	nd			
27	10	nd	nd			
28	15	nd	nd			
29	2	nd	nd			
30	4	nd	nd			
31	10	nd	nd			
32	10	nd	nd			
33	10	nd	nd			
B1 - G2 - 34	4	nd	nd			

MASTER PRINTING LTD.

REMARKS:

Signed:

% Mo x 1.6683 = % MoS₂ 1 Troy oz./ton = 34.28 ppm 1 ppm = 0.0001% nd = none detected ppm = parts per million
 All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.



VANGEOCHEM LAB LTD.
 1521 PEMBERTON AVE.,
 NORTH VANCOUVER, B.C.,
 CANADA V7P 2S3

TELEPHONE: 986-5211
 AREA CODE: 604

• Specialising in Trace Elements Analyses •

Certificate of Geochemical Analyses

-IN ACCOUNT WITH-

Chevron Standard Ltd., Mineral Staff

Report No: 82-30-005

Page 4 of 6

Samples Arrived:

Report Completed:

For Project:


Analyst:

Attention:

Sample Marking	As ppm	Sb ppm	Au ppb			
B1 - G2 - 35 ✓	10	nd	nd			
36 ✓	15	nd	nd			
37 ✓	20	nd	nd			
38 ✓	2	nd	10			
39 ✓	2	nd	nd			
40 ✓	4	nd	nd			
41 ✓	4	nd	nd			
42 ✓	25	nd	10			
43 ✓	2	nd	nd			
44 ✓	35	nd	nd			
45 ✓	4	nd	nd			
46 ✓	15	nd	nd			
47 ✓	20	nd	nd			
48 ✓	25	nd	nd			
<i>Slim</i> 49 ✓	10	nd	nd			
50 ✓	20	nd	10			
51 ✓	15	nd	10			
53 ✓	2	nd	nd			
54 ✓	15	nd	nd			
55 ✓	2	nd	nd			
56 ✓	2	nd	nd			
57 ✓	2	nd	nd			
58 -	2	nd	10			
59 -	2	nd	nd			
60 -	4	nd	10			
61 -	2	nd	nd			
62 -	2	nd	nd			
63 -	10	nd	nd			
64 -	2	nd	nd			
65 -	2	nd	nd			
66 -	2	nd	nd			
67 -	2	nd	nd			
68 -	2	nd	nd			
69 -	2	nd	nd			
70 -	2	nd	nd			
71 -	2	nd	nd			
72 -	10	nd	nd			
73 -	10	nd	nd			
B1 - G2 - 74 ✓	2	nd	10			

MASTER PRINTING LTD.

REMARKS:

Signed: 

% Mo x 1.6683 = % MoS₂ 1 Troy oz./ton = 34.28 ppm 1 ppm = 0.0001% nd = none detected ppm = parts per million
 All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.



VANGEOCHEM LAB LTD.
 1521 PEMBERTON AVE.,
 NORTH VANCOUVER, B.C.,
 CANADA V7P 2S3

TELEPHONE: 986-5211
 AREA CODE: 604

• Specialising in Trace Elements Analyses •

Certificate of Geochemical Analyses

-IN ACCOUNT WITH-

Chevron Standard Ltd., Mineral Staff

Report No: 82-30-005

Page 5 of 6

Samples Arrived:
 Report Completed:
 For Project:
 Analyst:

Attention:

Sample Marking	As ppm	Sb ppm	Au ppb			
B1 - Gs - 75 ✓	4	nd	nd			
76 ✓	2	nd	10			
77 ✓	4	nd	nd			
78 ✓	15	nd	nd			
79 ✓	10	nd	nd			
80 ✓	15	nd	nd			
81 ✓	15	nd	10			
82 ✓	2	nd	nd			
B1 - G2 - 83 ✓	2	nd	nd			
B1 - M2 - 148 ✓	4	nd	10			
149 ✓	2	nd	nd			
150 ✓	2	nd	nd			
151 ✓	2	nd	nd			
152 ✓	2	nd	nd			
153 ✓	4	nd	nd			
154 ✓	2	nd	nd			
155 ✓	2	nd	10			
156 ✓	4	nd	nd			
157 ✓	2	nd	nd			
158 ✓	2	nd	nd			
159 ✓	10	nd	nd			
164 ✓	4	nd	10			
165 ✓	4	nd	nd			
166 ✓	2	nd	nd			
167 ✓	10	nd	nd			
168 ✓	2	nd	nd			
169 ✓	20	nd	nd			
170 ✓	2	nd	10			
171 ✓	4	nd	nd			
172 ✓	4	nd	nd			
174 ✓	4	nd	nd			
175 ✓	4	nd	nd			
176 ✓	4	nd	nd			
177 ✓	2	nd	10			
178 ✓	2	nd	nd			
180 ✓	10	nd	nd			
181 ✓	2	nd	nd			
183 ✓	2	nd	nd			
B1 - M2 - 186 ✓	4	nd	10			

MASTER PRINTING LTD.

REMARKS:

Signed:

% Mo x 1.6683 = % MoS₂ 1 Troy oz./ton = 34.28 ppm 1 ppm = 0.0001% nd = none detected ppm = parts per million
 All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.

