

840929

M 512

CRESCENT / LOGAN
INLET

1982



VANGEOCHEM LAB LTD.
 1521 PEMBERTON AVE.,
 NORTH VANCOUVER, B.C.,
 CANADA V7P 2S3

TELEPHONE: 986-5211
 AREA CODE: 604

Certificate of Geochemical Analyses

• Specialising in Trace Elements Analyses •

-IN ACCOUNT WITH-

Chevron Standard Ltd.
 #901 - 355 Burrard St.
 Vancouver, B.C. V6C 2G8

Attention:

Report No: 82-30-055 Page 1 of 2
 Samples Arrived: August 27, 1982
 Report Completed: Sept. 16, 1982
 For Project: M512 Job No. 82-188
 Analyst: VGC Staff Invoice No. 6993

Sample Marking	As ppm	Au ppb		
				M512 Crescent Inlet
C - D2 - 1/	2	20		
2/	4	10		
3/	4	nd		
4/	20	10		
5/	2	nd		
6/	25	10		
34/	15	5		
C - D2 - 35/	2	15		
C - M2 - R1/	2	20		
2/	4	20		
3/	2	5		
4/	30	20		
5/	4	10		
6/	4	25		
7/	2	15		
8/	2	nd		
C - M2 - R9/	2	5		
C - S2 - 1/	4	5		
2/	2	10		
3/	30	nd		
4/	4	nd		
5/	2	15		
6/	2	nd		
7/	2	10		
8/	15	10		
9/	15	15		
10/	4	20		
C - S2 - 11/	2	10		
C - T2 - 1/	2	10		
2/	4	nd		
3/	20	nd		
4/	2	nd		
5/	2	15		
6/	10	nd		
7/	20	35		
8/	30	30		
9/	4	10		
10/	2	15		
C - T2 - 11/	2	20		

MASTER PRINTING LTD.

REMARKS: One copy sent to Ms. S. McAllister, Sandspit, B.C.

Signed:

% Mo x 1.6683 = % MoS₂ 1 Troy oz./ton = 34.28 ppm 1 ppm = 0.0001% nd = none detected ppm = parts per million

All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.



VANGEOCHEM LAB LTD.
 1521 PEMBERTON AVE.,
 NORTH VANCOUVER, B.C.,
 CANADA V7P 2S3

TELEPHONE: 986-5211
 AREA CODE: 604

Certificate of Geochemical Analyses

• Specialising in Trace Elements Analyses •

-IN ACCOUNT WITH-
Chevron Standard Ltd.

Report No: **82-30-055** Page **2** of **2**
 Samples Arrived:
 Report Completed:
 For Project:
 Analyst:
 Job No.
 Invoice No.

Attention:

Sample Marking	As ppm	Au ppb			
C - T2 - 12 /	10	30			
13 /	10	nd			
14 /	2	10			
15 /	2	nd			
16 /	2	5			
17 /	4	nd			
18 /	4	10			
19 /	4	nd			
C - T2 - 20 /	4	10			

REMARKS:

Signed:

% Mo x 1.6683 = % MoS₂ 1 Troy oz./ton = 34.28 ppm 1 ppm = 0.0001% nd = none detected ppm = parts per million
 All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.

MASTER PRINTING LTD.



VANGEOCHEM LAB LTD.
 1521 PEMBERTON AVE.,
 NORTH VANCOUVER, B.C.,
 CANADA V7P 2S3

TELEPHONE: 986-5211
 AREA CODE: 604

Certificate of Geochemical Analyses

• Specialising in Trace Elements Analyses •

-IN ACCOUNT WITH-

Chevron Standard Ltd.
 #901 - 355 Burrard St.
 Vancouver, B.C. V6C 2G8
 Attention:

Report No: 82-30-056 Page 1 of 7
 Samples Arrived: August 27, 1982
 Report Completed: Sept. 17, 1982
 For Project: M512 Job No. 82-188
 Analyst: VGC Staff Invoice No. 6995

Sample Marking	As ppm	Au ppb	
C - B2 - 1/	2	30	M512 Crescent Inlet
2/	2	30	
3/	4	30	Fogon Inlet
4/	10	20	
5/	20	25	
6/	2	40	
7/	4	40	
8/	4	40	
9/	2	30	
10	35	25	
11/	2	40	
12/	15	25	
13/	20	40	
14/	20	15	
15/	25	45	
16/	40	nd	
17/	20	55	
18/	4	10	
19/	2	25	
20	2	30	
21/	10	35	
22/	4	30	
23/	4	25	
24/	2	20	
25/	2	30	
26/	10	20	
27/	35	20	
28/	2	40	
29/	4	30	
30/	4	25	
31/	4	50	
32/	4	20	
33/	4	10	
34/	10	35	
35/	10	20	
36/	20	25	
37/	20	20	
38/	10	25	
C - B2 - 39/	4	25	

REMARKS: One copy sent to Ms. S. McAllister, Sandapit, B.C.

Signed:

MASTER PRINTING LTD.



VANGEOCHEM LAB LTD.
 1521 PEMBERTON AVE.,
 NORTH VANCOUVER, B.C.,
 CANADA V7P 2S3

TELEPHONE: 986-5211
 AREA CODE: 604

Certificate of Geochemical Analyses

• Specialising in Trace Elements Analyses •

-IN ACCOUNT WITH-

Chevron Standard Ltd.

Attention:

Report No: **82-30-056**

Page **2** of **7**

Samples Arrived:

Report Completed:

For Project:

Analyst:

Job No.

Invoice No.

Sample Marking	As ppm	Au ppb			
C - B2 - 40/	25	25			
41/	20	45			
42/	4	25			
43/	2	20			
44/	15	20			
45/	10	25			
46/	15	15			
47/	25	15			
48/	4	20			
49/	4	15			
50/	4	25			
51/	10	25			
52/	2	20			
53/	4	20			
54/	10	10			
55/	4	10			
56/	4	5			
57/	4	10			
58/	2	30			
59/	2	10			
60	2	25			
61/	2	35			
62/	4	30			
63/	4	10			
64/	2	55			
65/	2	10			
66/	10	30			
67/	2	40			
68/	4	nd			
69/	20	25			
70/	2	10			
71	2	25			
72/	10	20			
73/	2	30			
74/	10	20			
75/	4	30			
76/	10	20			
77/	4	20			
C - B2 - 78/	4	20			

REMARKS:

Signed:

% Mo x 1.6683 = % MoS₂

1 Troy oz./ton = 34.28 ppm

1 ppm = 0.0001%

nd = none detected

ppm = parts per million

All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.

MASTER PRINTING LTD.



VANGEOCHEM LAB LTD.
 1521 PEMBERTON AVE.,
 NORTH VANCOUVER, B.C.,
 CANADA V7P 2S3

TELEPHONE: 986-5211
 AREA CODE: 604

Certificate of Geochemical Analyses

• Specialising in Trace Elements Analyses •

-IN ACCOUNT WITH-

Chevron Standard Ltd.

Report No: **82-30-056**

Page **3** of **7**

Samples Arrived:

Report Completed:

For Project:

Analyst:

Job No.

Invoice No.

Attention:

Sample Marking	As ppm	Au ppb			
C - B2 - 79/	30	40			
80/	2	15			
81/	4	25			
82/	2	35			
83/	2	10			
84/	2	10			
85/	15	10			
86/	2	20			
C - B2 - 87/	2	25			
C - D2 - 7/	4	40			
8/	20	30			
9/	15	50			
10/	2	20			
11/	4	30			
12/	10	30			
13/	4	35			
14/	4	35			
15/	2	60			
16/	2	10			
17/	2	30			
18/	20	20			
19/	35	15			
20/	60	20			
21/	60	30			
22/	10	40			
23/	4	nd			
24/	2	15			
25/	10	25			
26/	20	40			
27/	10	40			
28/	200	15			
29/	4	30			
30/	4	15			
31/	4	10			
32/	4	10			
33/	4	20			
36/	4	10			
37/	2	30			
C - D2 - 38/	10	20			

MASTER PRINTING LTD.

REMARKS:

Signed:

% Mo x 1.6683 = % MoS₂

1 Troy oz./ton = 34.28 ppm

1 ppm = 0.0001%

nd = none detected

ppm = parts per million

All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.



VANGEOCHEM LAB LTD.
 1521 PEMBERTON AVE.,
 NORTH VANCOUVER, B.C.,
 CANADA V7P 2S3

TELEPHONE: 986-5211
 AREA CODE: 604

Certificate of Geochemical Analyses

• Specialising in Trace Elements Analyses •

-IN ACCOUNT WITH-

Chevron Standard Ltd.

Attention:

Report No: **82-30-056**

Page **4** of **7**

Samples Arrived:

Report Completed:

For Project:

Analyst:

Job No.

Invoice No.

Sample Marking	As ppm	Au ppb			
C - D2 - 39	4	nd			
40	4	nd			
41	4	5			
42	6	nd			
43	4	10			
44	2	20			
45	2	nd			
46	2	nd			
47	2	nd			
48	2	10			
49	3	20			
50	2	30			
51	2	20			
52	3	nd			
53	2	15			
54	2	5			
55	3	30			
56	8	10			
C - D2 - 57	6	15			
C - G2 - 1	8	10			
2	6	nd			
3	4	nd			
4	4	10			
5	6	10			
6	2	10			
7	6	15			
8	10	nd			
9	15	5			
10	10	20			
11	10	20			
12	8	10			
13	2	5			
14	8	15			
15	4	15			
16	8	5			
17	6	5			
18	4	nd			
19	4	nd			
C - G2 - 20	2	5			

MASTER PRINTING LTD.

REMARKS:

Signed:

% Mo x 1.6683 = % MoS₂

1 Troy oz./ton = 34.28 ppm

1 ppm = 0.0001%

nd = none detected

ppm = parts per million

All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.



VANGEOCHEM LAB LTD.
 1521 PEMBERTON AVE.,
 NORTH VANCOUVER, B.C.,
 CANADA V7P 2S3

TELEPHONE: 986-5211
 AREA CODE: 604

Certificate of Geochemical Analyses

• Specialising in Trace Elements Analyses •

-IN ACCOUNT WITH-

Chevron Standard Ltd.

Report No: **82-30-056**

Page **5** of **7**

Samples Arrived:

Report Completed:

For Project:

Analyst:

Job No.


Invoice No.

Attention:

Sample Marking	As ppm	Au ppb			
C - G2 - 21/	2	20			
22/	6	nd			
23/	3	5			
24/	4	nd			
25/	2	10			
26/	15	10			
27/	6	5			
28/	3	10			
29/	6	20			
30/	2	5			
31/	2	10			
32/	4	5			
33/	6	10			
34/	2	nd			
35/	2	20			
36/	2	10			
37/	4	20			
38/	6	5			
39/	3	10			
40/	8	5			
41/	3	nd			
42/	2	15			
43/	4	25			
44/	4	5			
45/	4	15			
46/	2	15			
47/	3	15			
48/	2	15			
49/	3	10			
50/	4	25			
51/	6	25			
52/	2	40			
53/	2	15			
54/	2	15			
55/	4	15			
56/	4	nd			
57/	2	5			
58/	2	10			
C - G2 - 59/	4	15			

MASTER PRINTING LTD.

REMARKS:

Signed: 

% Mo x 1.6683 = % MoS₂ 1 Troy oz./ton = 34.28 ppm 1 ppm = 0.0001% nd = none detected ppm = parts per million

All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.



VANGEOCHEM LAB LTD.
 1521 PEMBERTON AVE.,
 NORTH VANCOUVER, B.C.,
 CANADA V7P 2S3

TELEPHONE: 986-5211
 AREA CODE: 604

Certificate of Geochemical Analyses

• Specialising in Trace Elements Analyses •

-IN ACCOUNT WITH-

Chevron Standard Ltd.

Report No: **82-30-056**

Page **6** of **7**

Samples Arrived:

Report Completed:

For Project:

Analyst:

Job No.

Invoice No.

Attention:

Sample Marking	As ppm	Au ppb			
C - G2 - 60/	2	20			
61	2	10			
62/	3	5			
63/	2	20			
64/	3	20			
65/	4	20			
66/	3	15			
67/	2	25			
68/	3	20			
69/	3	25			
70/	2	20			
71/	4	5			
72/	3	nd			
73/	2	15			
74/	4	20			
75/	2	10			
76/	2	10			
77/	2	25			
78/	6	5			
79/	3	5			
80/	35	10			
81	35	nd			
82/	15	15			
83/	3	20			
84/	4	nd			
85/	4	20			
86/	6	nd			
87/	8	30			
88/	2	20			
89/	4	20			
90/	6	20			
91/	4	10			
C - G2 - 92/	2	15			
C - M2 - 1/	3	10			
2/	2	nd			
3/	3	15			
4/	2	20			
5/	2	20			
C - M2 - 6/	4	20			

MASTER PRINTING LTD.

REMARKS:

Signed:

% Mo x 1.6683 = % MoS₂

1 Troy oz./ton = 34.28 ppm

1 ppm = 0.0001%

nd = none detected

ppm = parts per million

All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.



VANGEOCHEM LAB LTD.
1521 PEMBERTON AVE.,
NORTH VANCOUVER, B.C.,
CANADA V7P 2S3

TELEPHONE: 986-5211
AREA CODE: 604

Certificate of Geochemical Analyses

• Specialising in Trace Elements Analyses •

-IN ACCOUNT WITH-

Chevron Standard Ltd.

Report No: **82-30-056**

Page **7** of **7**

Samples Arrived:

Report Completed:

For Project:

Analyst:

Job No.

Invoice No.

Attention:

Sample Marking	As ppm	Au ppb				
C - M2 - 7	2	nd				
8	4	5				
9	10	10				
10	8	nd				
11	3	nd				
12	2	nd				
13	2	nd				
14	6	nd				
15	40	30				
16	3	15				
17	3	nd				
18	8	20				
19	2	nd				
20	4	5				
21	6	5				
22	10	10				
23	3	nd				
24	8	nd				
25	3	nd				
26	2	15				
27	4	25				
28	30	nd				
29	2	5				
30	2	nd				
31	2	nd				
32	3	15				
33	2	20				
34	3	nd				
35	3	nd				
36	3	5				
C - M2 - 37	2	5				

MASTER PRINTING LTD.

REMARKS:

Signed:

% Mo x 1.6683 = % MoS₂ 1 Troy oz./ton = 34.28 ppm 1 ppm = 0.0001% nd = none detected ppm = parts per million
All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.