

840930

M512

LOUISE ISLAND

1982



VANGEOCHEM LAB LTD.  
 1521 PEMBERTON AVE.,  
 NORTH VANCOUVER, B.C.,  
 CANADA V7P 2S3

TELEPHONE: 986-5211  
 AREA CODE: 604

**Certificate of Geochemical Analyses**

• Specialising in Trace Elements Analyses •

-IN ACCOUNT WITH-

Chevron Standard Ltd.  
 #901 - 355 Burrard St.  
 Van. B. C. V6C 2G8

Attention:

Report No: 82-30-057 Page 1 of 13  
 Samples Arrived: Sept. 10, 1982  
 Report Completed: October 5, 1982  
 For Project: M512 Job No. 82-210  
 Analyst: VGC Staff Invoice No. 7042

*LOUISE ISLAND*

Sample Marking	As ppm	Au ppb			
L-02-1 ✓	2	10			
2 ✓	2	5			
3 ✓	2	25			
4 ✓	2	30			
5 ✓	2	nd			
6 ✓	4	25			
7 ✓	2	25			
8 ✓	2	5			
9 ✓	2	nd			
10 -	4	nd			
11 -	2	5			
12 ✓	10	10			
13 -	2	nd			
14 ✓	4	nd			
15 ✓	10	5			
16 ✓	25	nd			
17 ✓	2	20			
18 ✓	2	5			
19 ✓	2	20			
20 ✓	4	15			
21 ✓	40	40			
22 ✓	15	nd			
23 ✓	25	25			
24 -	2	nd			
25 -	10	30			
L-02-26 ✓	2	20			
L-S2-1 ✓	2	20			
2 ✓	25	20			
3 ✓	2	10			
4 ✓	2	25			
5 ✓	4	15			
6 ✓	2	30			
7 ✓	2	5			
8 ✓	4	nd			
9 ✓	4	20			
10 ✓	4	30			
11 ✓	2	30			
12 ✓	4	nd			
L-S2-13 ✓	4	20			

MASTER PRINTING LTD.

REMARKS: one copy sent to Ms. S. McAllister, Sandspit, B. C.

Signed: *[Signature]*

% Mo x 1.6683 = % MoS<sub>2</sub>      1 Troy oz./ton = 34.28 ppm      1 ppm = 0.0001%      nd = none detected      ppm = parts per million  
 All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.



VANGEOCHEM LAB LTD.  
 1521 PEMBERTON AVE.,  
 NORTH VANCOUVER, B.C.,  
 CANADA V7P 2S3

TELEPHONE: 986-5211  
 AREA CODE: 604

# Certificate of Geochemical Analyses

• Specialising in Trace Elements Analyses •

-IN ACCOUNT WITH-  
**Chevron Standard Ltd.**

Report No: **82-30-057**  
 Samples Arrived:  
 Report Completed:  
 For Project:  
 Analyst:

Page 2 of 13

Job No.  
 Invoice No.

Attention:

Sample Marking	As ppm	Au ppb			
L-S2-14 ✓	4	nd			Rock ↑
15 ✓	4	nd			
16 ✓	2	nd			
17 ✓	10	nd			
18 ✓	4	20			
19 ✓	2	10			
B2-1? L-S2-20 ✓	2	5			
L-B2-2 ✓	20	nd			
3 ✓	2	20			
4 ✓	4	15			
5 ✓	2	nd			
6 ✓	10	nd			
7 ✓	10	10			
8 ✓	2	nd			
8B ?	2	nd			
9 ✓	2	nd			
10 Dup	2	nd			
11 ✓	4	5			
12 ✓	2	nd			
L-B2-13 ✓	4	nd			
L-S2-21 ✓	4	nd			
L-B2-14 ✓	4	10			
15 ✓	4	20			
16 ✓	10	nd			
17 ✓	4	10			
18 ✓	2	15			
19 ✓	2	nd			
20 ✓	4	nd			
21 ✓	4	nd			
22 ✓	2	65			
23 ✓	2	nd			
24 ✓	4	nd			
25 ✓	2	10			
26 ✓	4	10			
27 ✓	4	10			
28 ✓	4	nd			
29 ✓	4	nd			
30 ✓	4	nd			
31 ✓	2	nd			
L-B2-32 ✓	4	10			

MASTER PRINTING LTD.

REMARKS:

Signed:

% Mo x 1.6683 = % MoS<sub>2</sub>      1 Troy oz./ton = 34.28 ppm      1 ppm = 0.0001%      nd = none detected      ppm = parts per million  
 All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.



VANGEOCHEM LAB LTD.  
 1521 PEMBERTON AVE.,  
 NORTH VANCOUVER, B.C.,  
 CANADA V7P 2S3

TELEPHONE: 986-5211  
 AREA CODE: 604

# Certificate of Geochemical Analyses

• Specialising in Trace Elements Analyses •

-IN ACCOUNT WITH-

Chevron Standard Ltd.

Report No: **82-30-057**

Page **3** of **13**

Samples Arrived:

Report Completed:

For Project:

Analyst:

Job No.

Invoice No.

Attention:

Sample Marking	As ppm	Au ppb			
L-B2-33 ✓	4	nd			
34 ✓	4	20			
35 ✓	4	20			
36 ✓	2	nd			
37 ✓	4	nd			
38 ✓	10	5			
39 ✓	2	10			
40 ✓	4	nd			
41 ✓	4	10			
42 ✓	25	nd			
43 ✓	10	nd			
44 ✓	4	nd			
45 ✓	15	nd			
46 ✓	15	nd			
47 ✓	20	10			
48 ✓	4	nd			
49 ✓	20	15			
50 ✓	10	nd			
51 ✓	4	nd			
L-B2-52 ✓	4	nd			
<del>L-B2-53A</del>	4	15			
L-B2-53 ✓	10	10			
54 ✓	10	5			
55 ✓	4	5			
56 ✓	4	nd			
57 ✓	4	nd			
58 ✓	4	nd			
59 ✓	10	nd			
60 ✓	4	nd			
61 ✓	4	nd			
62 ✓	2	10			
63 ✓	4	5			
64 ✓	10	nd			
65 ✓	4	10			
66 ✓	2	nd			
67 ✓	10	nd			
68 ✓	4	nd			
69 ✓	4	nd			
70 ✓	4	nd			
L-B2-71 ✓	2	5			

MASTER PRINTING LTD.

REMARKS:

Signed:

% Mo x 1.6683 = % MoS<sub>2</sub>      1 Troy oz./ton = 34.28 ppm      1 ppm = 0.0001%      nd = none detected      ppm = parts per million  
 All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.



VANGEOCHEM LAB LTD.  
 1521 PEMBERTON AVE.,  
 NORTH VANCOUVER, B.C.,  
 CANADA V7P 2S3

TELEPHONE: 986-5211  
 AREA CODE: 604

# Certificate of Geochemical Analyses

• Specialising in Trace Elements Analyses •

-IN ACCOUNT WITH-  
 Chevron Standard Ltd.

Report No: **82-30-057** Page **4** of **13**  
 Samples Arrived:  
 Report Completed:  
 For Project:  
 Analyst:  
 Job No.  
 Invoice No.

Attention:

Sample Marking	As ppm	Au ppb			
L-B2- 72 ✓	4	5			
73 ✓	2	nd			
74 ✓	2	5			
75 ✓	4	10			
76 ✓	2	nd			
<del>77</del> ✓	4	nd			
78 ✓	10	5			
79 ✓	4	nd			
80 ✓	10	nd			
81 ✓	10	5			
82 ✓	10	nd			
83 ✓	4	5			
84 ✓	4	nd			
85 ✓	4	nd			
86 ✓	4	nd			
87 ✓	20	10			
88 ✓	20	nd			
89 ✓	10	5			
90 ✓	4	nd			
91 ✓	10	20			
92 ✓	10	5			
93 ✓	10	nd			
94 ✓	15	nd			
95 ✓	10	15			
96 ✓	4	nd			
97 ✓	4	nd			
98 ✓	4	nd			
99 ✓	15	nd			
100 ✓	4	nd			
101 ✓	2	10			
102 ✓	10	nd			
103 ✓	10	nd			
104 ✓	10	nd			
105 ✓	10	nd			
106 ✓	4	nd			
107 ✓	4	5			
108 ✓	10	nd			
109 ✓	10	nd			
L-B2-110 ✓	4	5			

MASTER PRINTING LTD.

REMARKS:

Signed:

% Mo x 1.6683 = % MoS<sub>2</sub>      1 Troy oz./ton = 34.28 ppm      1 ppm = 0.0001%      nd = none detected      ppm = parts per million  
 All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.



VANGEOCHEM LAB LTD.  
 1521 PEMBERTON AVE.,  
 NORTH VANCOUVER, B.C.,  
 CANADA V7P 2S3

TELEPHONE: 986-5211  
 AREA CODE: 604

# Certificate of Geochemical Analyses

• Specialising in Trace Elements Analyses •

-IN ACCOUNT WITH-  
 Chevron Standard Ltd.

Report No: **82-30-057** Page 5 of 13  
 Samples Arrived:  
 Report Completed:  
 For Project:  
 Analyst:  
 Job No.  
 Invoice No.

Attention:

Sample Marking	As ppm	Au ppb			
L-B2-111 ✓	10	nd			
112 ✓	10	nd			
113 ✓	4	20			
114 ✓	4	nd			
115 ✓	4	nd			
116 ✓	10	nd			
117 ✓	4	nd			
118 ✓	10	nd			
119 ✓	15	nd			
120 ✓	4	nd			
121 ✓	4	15			
122 ✓	10	nd			
123 ✓	10	nd			
124 ✓	4	nd			
125 ✓	4	nd			
126 ✓	20	nd			
127 ✓	4	5			
128 ✓	2	nd			
129 ✓	15	15			
130 ✓	4	nd			
131 ✓	10	nd			
132 ✓	25	nd			
133 ✓	20	10			
134 ✓	4	5			
135 ✓	30	nd			
136 ✓	2	nd			
137 ✓	15	nd			
138 ✓	10	nd			
139 ✓	2	nd			
140 ✓	15	nd			
141 ✓	10	20			
142 ✓	15	10			
143 ✓	15	nd			
144 ✓	15	nd			
145 ✓	15	nd			
146 ✓	10	nd			
147 ✓	15	70			
148 ✓	10	nd			
148B ✓	4	nd			
L-B2-149 ✓	10	15			

MASTER PRINTING LTD.

REMARKS:

Signed:

% Mo x 1.6683 = % MoS<sub>2</sub>      1 Troy oz./ton = 34.28 ppm      1 ppm = 0.0001%      nd = none detected      ppm = parts per million  
 All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.



VANGEOCHEM LAB LTD.  
 1521 PEMBERTON AVE.,  
 NORTH VANCOUVER, B.C.,  
 CANADA V7P 2S3

TELEPHONE: 986-5211  
 AREA CODE: 604

# Certificate of Geochemical Analyses

• Specialising in Trace Elements Analyses •

-IN ACCOUNT WITH-

Chevron Standard Ltd.

Report No: **82-30-057** Page **6** of **13**

Samples Arrived:  
 Report Completed:  
 For Project:  
 Analyst:

Job No.  
 Invoice No.

Attention:

Sample Marking	As ppm	Au ppb			
L-B2-150 ✓	2	10			
151 ✓	10	15			
152 ✓	10	nd			
153 ✓	2	nd			
154 ✓	4	nd			
155 ✓	4	nd			
156 ✓	10	nd			
157 ✓	2	5			
158 ✓	10	nd			
159 ✓	4	nd			
160 ✓	10	20			
161 ✓	4	nd			
162 ✓	10	nd			
163 ✓	10	nd			
164 ✓	10	nd			
165 ✓	4	30			
166 ✓	4	20			
167 ✓	4	nd			
168 ✓	4	nd			
169 ✓	4	nd			
170 ✓	2	nd			
171 ✓	10	15			
172 ✓	4	nd			
173 ✓	4	nd			
174 ✓	4	10			
L-B2-175 ✓	2	nd			
L-G2- 1 ✓	10	nd			
2 ✓	20	nd			
3 ✓	20	nd			
4 ✓	4	nd			
5 ✓	10	nd			
6 ✓	4	10			
7 ✓	4	5			
8 ✓	4	nd			
9 ✓	4	nd			
10 ✓	15	nd			
11 ✓	4	nd			
12 ✓	2	nd			
L-G2- 13 ✓	10	nd			

MASTER PRINTING LTD.

REMARKS:

Signed:

% Mo x 1.6683 = % MoS<sub>2</sub>      1 Troy oz./ton = 34.28 ppm      1 ppm = 0.0001%      nd = none detected      ppm = parts per million  
 All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.



VANGEOCHEM LAB LTD.  
 1521 PEMBERTON AVE.,  
 NORTH VANCOUVER, B.C.,  
 CANADA V7P 2S3

TELEPHONE: 986-5211  
 AREA CODE: 604

# Certificate of Geochemical Analyses

• Specialising in Trace Elements Analyses •

-IN ACCOUNT WITH-  
 Chevron Standard Ltd.

Report No: **82-30-057** Page **7** of **13**  
 Samples Arrived:  
 Report Completed:  
 For Project:  
 Analyst:  
 Job No.  
 Invoice No.

Attention:

Sample Marking	As ppm	Au ppb			
L-G2-14 ✓	10	nd			
15 ✓	15	nd			
16 ✓	4	nd			
17 ✓	4	nd			
18 ✓	10	nd			
19 ✓	50	90 ✓			
20 ✓	15	nd			
21 ✓	10	20			
22 ✓	10	nd			
23 ✓	20	nd			
24 ✓	10	nd			
25 ✓	20	nd			
26 ✓	4	nd			
27 ✓	10	5			
28 ✓	4	5			
29 ✓	15	nd			
30 ✓	4	nd			
31 ✓	10	nd			
32 ✓	4	nd			
33 ✓	4	nd			
34 ✓	20	nd			
35 ✓	15	nd			
36 ✓	10	nd			
37 ✓	4	nd			
38 ✓	10	nd			
39 ✓	10	nd			
40 ✓	10	5			
41 ✓	10	nd			
42 ✓	4	5			
43 ✓	4	nd			
44 ✓	4	nd			
45 ✓	2	nd			
46 ✓	10	nd			
47 ✓	10	nd			
48 ✓	10	nd			
49 ✓	4	nd			
50 ✓	4	nd			
51 ✓	2	nd			
L-G2-52 ✓	4,	nd,			

MASTER PRINTING LTD.

REMARKS:

Signed:

% Mo x 1.6683 = % MoS<sub>2</sub>      1 Troy oz./ton = 34.28 ppm      1 ppm = 0.0001%      nd = none detected      ppm = parts per million  
 All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.





VANGEOCHEM LAB LTD.  
 1521 PEMBERTON AVE.,  
 NORTH VANCOUVER, B.C.,  
 CANADA V7P 2S3

TELEPHONE: 986-5211  
 AREA CODE: 604

### Certificate of Geochemical Analyses

• Specialising in Trace Elements Analyses •

—IN ACCOUNT WITH—  
 Chevron Standard Ltd.

Report No: 82-30-057 Page 8 of 13  
 Samples Arrived:  
 Report Completed:  
 For Project:  
 Analyst:  
 Job No.  
 Invoice No.

Attention:

Sample Marking	As ppm	Au ppb			
L-G2-53 ✓	20	nd			
54 ✓	10	40			
55 ✓	20	5			
56 ✓	10	nd			
57 ✓	4	15			
58 ✓	10	nd			
59 ✓	10	10			
60 ✓	20	15			
61 ✓	25	5			
62 ✓	10	nd			
63 ✓	10	nd			
64 ✓	20	5			
65 ✓	15	nd			
66 ✓	10	nd			
67 ✓	10	5			
68 ✓	10	nd			
69 ✓	10	nd			
70 ✓	4	nd			
71 ✓	20	nd			
72 ✓	25	20			
73 ✓	35	10			
74 ✓	20	nd			
75 ✓	25	10			
76 ✓	30	nd			
77 ✓	20	nd			
78 ✓	20	nd			
79 ✓	20	nd			
80 ✓	20	nd			
81 ✓	20	nd			
82 ✓	25	nd			
83 ✓	20	30			
84 ✓	20	30			
85 ✓	15	10			
86 ✓	10	20			
87 ✓	20	nd			
88 ✓	15	5			
89 ✓	25	nd			
90 ✓	15	nd			
L-G2-91 ✓	4	nd			

MASTER PRINTING LTD.

REMARKS:

Signed:

% Mo x 1.6683 = % MoS<sub>2</sub>      1 Troy oz./ton = 34.28 ppm      1 ppm = 0.0001%      nd = none detected      ppm = parts per million  
 All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.



VANGEOCHEM LAB LTD.  
 1521 PEMBERTON AVE.,  
 NORTH VANCOUVER, B.C.,  
 CANADA V7P 2S3

TELEPHONE: 986-5211  
 AREA CODE: 604

# Certificate of Geochemical Analyses

• Specialising in Trace Elements Analyses •

-IN ACCOUNT WITH-  
 Chevron Standard Ltd.

Report No: **82-30-057**  
 Samples Arrived:  
 Report Completed:  
 For Project:  
 Analyst:


Page **9** of **13**  
 Job No.  
 Invoice No.

Attention:

Sample Marking	As ppm	Au ppb			
L-G2- 92 ✓	20	20			
93 ✓	15	nd			
94 ✓	10	15			
95 ✓	4	25			
96 ✓	10	nd			
97 ✓	10	5			
98 ✓	10	5			
99 ✓	10	nd			
100 ✓	15	nd			
101 ✓	10	nd			
102 ✓	20	nd			
103 ✓	15	nd			
104 ✓	10	40			
105 ✓	20	25			
106 ✓	20	10			
107 ✓	15	5			
108 ✓	15	10			
109 ✓	30	35			
110 ✓	15	nd			
111 ✓	10	nd			
112 ✓	2	15			
113 ✓	4	25			
114 ✓	20	nd			
115 ✓	4	5			
116 ✓	10	15			
117 ✓	4	10			
118 ✓	4	20			
119 ✓	4	nd			
120 ✓	4	nd			
121 ✓	4	nd			
122 ✓	4	nd			
123 ✓	35	5			
124 ✓	10	40			
125 ✓	4	nd			
126 ✓	2	30			
127 ✓	4	5			
128 ✓	4	nd			
129 ✓	20	15			
L-G2-130 ✓	15	nd			

MASTER PRINTING LTD.

REMARKS:

Signed: 

% Mo x 1.6683 = % MoS<sub>2</sub>      1 Troy oz./ton = 34.28 ppm      1 ppm = 0.0001%      nd = none detected      ppm = parts per million  
 All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.



VANGEOCHEM LAB LTD.  
 1521 PEMBERTON AVE.,  
 NORTH VANCOUVER, B.C.,  
 CANADA V7P 2S3

TELEPHONE: 986-5211  
 AREA CODE: 604

# Certificate of Geochemical Analyses

• Specialising in Trace Elements Analyses •

-IN ACCOUNT WITH-

Chevron Standard Ltd.

Report No: **82-30-057**

Page **10** of **13**

Samples Arrived:

Report Completed:

For Project:

Analyst:

Job No.

Invoice No.

Attention:

Sample Marking	As ppm	Au ppb				
L-G2-131 ✓	4	nd				
132 ✓	2	20				
133 ✓	4	nd				
134 ✓	4	nd				
135 ✓	2	nd				
136 ✓	2	nd				
137 ✓	4	nd				
138 ✓	2	nd				
139 ✓	4	5				
140 ✓	4	nd				
141 ✓	4	nd				
142 ✓	10	20				
143 ✓	4	15				
144 ✓	10	10				
145 ✓	4	nd				
146 ✓	10	20				
147 ✓	15	nd				
148 ✓	25	20				
149 ✓	35	nd				
150 ✓	4	nd				
151 ✓	4	5				
152 ✓	20	nd				
153 ✓	25	nd				
154 ✓	2	5				
155 ✓	4	nd				
156 ✓	4	nd				
157 ✓	4	nd				
158 ✓	4	5				
159 ✓	4	10				
160 ✓	4	15				
161 ✓	10	nd				
162 ✓	4	nd				
163 ✓	4	nd				
164 ✓	10	nd				
165 ✓	10	5				
166 ✓	4	30				
167 ✓	10	10				
168 ✓	2	20				
L-G2-169 ✓	15 ✓	nd ✓				

MASTER PRINTING LTD.

REMARKS:

Signed:

% Mo x 1.6683 = % MoS<sub>2</sub>      1 Troy oz./ton = 34.28 ppm      1 ppm = 0.0001%      nd = none detected      ppm = parts per million  
 All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.



VANGEOCHEM LAB LTD.  
 1521 PEMBERTON AVE.,  
 NORTH VANCOUVER, B.C.,  
 CANADA V7P 2S3

TELEPHONE: 986-5211  
 AREA CODE: 604

# Certificate of Geochemical Analyses

• Specialising in Trace Elements Analyses •

-IN ACCOUNT WITH-

Chevron Standard Ltd.

Attention:

Report No: **82-30-057**

Page **11** of **13**

Samples Arrived:

Report Completed:

For Project:

Analyst:

Job No.

Invoice No.

Sample Marking	As ppm	Au ppb			
L-G2-170 ✓	10	15			
171 ✓	10	nd			
172 ✓	4	10			
173 ✓	10	10			
174 ✓	4	nd			
175 ✓	2	5			
176 ✓	2	nd			
177 ✓	4	nd			
178 ✓	15	nd			
179 ✓	4	nd			
180 ✓	4	10			
181 ✓	10	20			
182 ✓	2	nd			
183 ✓	4	nd			
184 ✓	2	10			
185 ✓	2	5			
186 ✓	4	nd			
187 ✓	10	10			
188 ✓	4	nd			
189 ✓	10	nd			
190 ✓	10	nd			
191 ✓	20	nd			
192 ✓	10	15			
193 ✓	25	nd			
194 ✓	10	nd			
195 ✓	10	nd			
196 ✓	10	15			
197 ✓	30	5			
198 ✓	4	nd			
199 ✓	20	nd			
200 ✓	15	nd			
201 ✓	10	nd			
202 ✓	30	nd			
203 ✓	25	nd			
204 ✓	4	10			
205 ✓	10	15			
206 ✓	20	nd			
207 ✓	15	5			
L-G2-208 ✓	20	nd			

MASTER PRINTING LTD.

REMARKS:

Signed:

% Mo x 1.6683 = % MoS<sub>2</sub>      1 Troy oz./ton = 34.28 ppm      1 ppm = 0.0001%      nd = none detected      ppm = parts per million  
 All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.



VANGEOCHEM LAB LTD.  
 1521 PEMBERTON AVE.,  
 NORTH VANCOUVER, B.C.,  
 CANADA V7P 2S3

TELEPHONE: 986-5211  
 AREA CODE: 604

# Certificate of Geochemical Analyses

• Specialising in Trace Elements Analyses •

-IN ACCOUNT WITH-  
 Chevron Standard Ltd.

Report No: **82-30-057** Page **12** of **13**  
 Samples Arrived:  
 Report Completed:  
 For Project:  
 Analyst:  
 Job No.  
 Invoice No.

Attention:

Sample Marking	As ppm	Au ppb			
L-G2-209	25	nd			
210 ✓	15	5			
211 ✓	15	nd			
212 ✓	10	15			
213 ✓	20	nd			
214 ✓	20	10			
215 ✓	2	nd			
216 ✓	25	5			
217 ✓	2	nd			
218 ✓	15	nd			
219 ✓	15	nd			
220 ✓	20	nd			
221 ✓	10	nd			
222 ✓	30	nd			
223 ✓	30	nd			
224 ✓	10	nd			
225 ✓	4	nd			
226 ✓	4	nd			
227 ✓	10	10			
228 ✓	10	nd			
229 ✓	4	10			
230 ✓	4	nd			
231 ✓	4	5			
232 ✓	15	nd			
233 ✓	4	10			
234 ✓	10	nd			
235 ✓	10	10			
236 ✓	4	10			
237 ✓	4	10			
238 ✓	4	nd			
239 ✓	4	nd			
240 ✓	15	nd			
241 ✓	4	10			
242 ✓	20	10			
243 ✓	4	nd			
244 ✓	4	10			
245 ✓	10	10			
246 ✓	10	10			
L-G2-247 ✓	25	5			

MASTER PRINTING LTD.

REMARKS:

Signed:

% Mo x 1.6683 = % MoS<sub>2</sub>      1 Troy oz./ton = 34.28 ppm      1 ppm = 0.0001%      nd = none detected      ppm = parts per million  
 All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.



VANGEOCHEM LAB LTD.  
 1521 PEMBERTON AVE.,  
 NORTH VANCOUVER, B.C.,  
 CANADA V7P 2S3

TELEPHONE: 986-5211  
 AREA CODE: 604

# Certificate of Geochemical Analyses

• Specialising in Trace Elements Analyses •

-IN ACCOUNT WITH-  
 Chevron Standard Ltd.

Report No: 82-30-057 Page 13 of 13  
 Samples Arrived:  
 Report Completed:  
 For Project:  
 Analyst:  
 Job No.  
 Invoice No.

Attention:

Sample Marking	As ppm	Au ppb			
L-G2-248 /	2	nd			
249 /	2	nd			
250 /	2	10			
251 /	2	nd			
252 /	10	10			
253 /	4	20			
254 /	2	nd			
255 /	2	5			
256 /	2	nd			
257 /	10	10			
258 /	4	10			
259 /	10	15			
260 /	4	10			
261 /	4	nd			
262 /	10	nd			
263 /	10	nd			
264 /	15	20			
265 /	10	5			
266 /	4	nd			
267 /	2	10			
268 /	4	30			
269 /	10	15			
270 /	4	5			
271 /	10	nd			
272 /	2	nd			
273 /	10	5			
274 /	10	nd			
275 /	4	5			
276 /	4	15			
277 /	4	nd			
278 /	4	15			
279 /	4	15			
280 /	4	30			
281 /	4	15			
282 /	2	20			
L-G2-283 /	2	nd			

MASTER PRINTING LTD.

REMARKS:

Signed:

% Mo x 1.6683 = % MoS<sub>2</sub>      1 Troy oz./ton = 34.28 ppm      1 ppm = 0.0001%      nd = none detected      ppm = parts per million  
 All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.