

Sept. 18/81

SM

①

⑤

Richardsonhead

in the wet rain &
cool wind of a
fall day on Pennell
Sound.

KC Regional

KC-SM-3/8 to 3/17

840989
King-Courte

1:2,500

line is ~ 030°



030°

350

v. steep
canyon

300

DF-27 560'

⑤

250

DF-26 460'

200

④

DF-25 310'

150

DF-24 240'

100

A
Di

③

DF-23 160'

SM-318

water fall

50

②

DF-22 50'

DF-21
ocean

①

0'

Sept 8/81

SM

②

Starting 200 m E along
Shoe (308°) from Bc
1st line uphill.

① 0m m-cgr decont, ht, mcl,
1 h ex h shrd, E
abundant A inclusion
- all along shoe then to
ab A dyke (NE is
general trend) -

② 50m Di, ht, hshrd, mcl, wcp

③ 100m SM-318 halt Di,
1 hr, ab slickensides,
subhorizontal near contact
with 6m W A dyke
(150/4).


④ 200m Di, hshrd mcl,
wcp.

⑤ 260 m Di, w subrounded
frag. mafic and (Di) inclusion

1:2500

loading
0.25

high class liquid
65m (really
right)



25 (290) DF-30 • 100

24 (200) DF-31 • 150

23 (80) DF-32 90 • 200

22 (100, 0) DF-33 90 • 250

21 present ↑
 21 sent this am
 50m

(-10) DF-34 • 300

Sept 18/81 SM
 2nd line - 300' far from (3)

(6) SM-319 h alt wet (D.)
 lenticular mgs. hr,
 hshrd,

(7) Di, hemon fracture zone
 m-h gr. mcl. m f,

DF-28 - ~ 50m away
 from B C's line, top
 - down skipping 2' in case
 - wet distal. tissue
 300' blowing.

see also downhill

(8) Di, hshrd, clay alt of folios,
 mt, 1 when, mcl.

(9) Di, m f, wcl, in clay alt,

(10) Di, m-h f, hshrd, mcl.