


HORIZONTAL LOOP EM SURVEY

PROPERTY Chevron M954 Agassiz GRID Pit
 INSTRUMENT Mazc Min MODEL II
 DATE 14/6/81 FREQ; HIGH 3555 LOW _____



NOTE: Plotting point is midway between Rx and Tx

Line No	TX Rx Station	LOW		HIGH		Remarks
		in-ph	out-ph	in-ph	out-ph	
	150w	-10	2	-12	1	47%
		-9.5	1	-10	0	-9 -1
185	200w	0	3	-2	1.5	35%
		-1	0	-1	-0.5	-0.5 -1.5
	250w	-5	3	-7.5	1.5	28%
		-5	.5	-5	-0.5	-4.5 -1.5
	300w	-14	2	-14	1	35%
		-12	0	-11	-0.5	-11 -1.5
	350w	-12.5	1	-12	1	45%
		-10	0	-10	-1	-10 -2
	400w	-11	1.5	-11	1	55%
		-8	0	-8	-1	-7 -1.5
	450w	-10	2	-10	1	60%
		-8	0	-7.5	-0.5	-7 -1.5
	500w	12	3	10	1	40%
		10	.5	9.5	-0.5	10 -1.5
	550w	-2	2.5	-4	1	26%
		-2.5	0	-2	-0.5	-2 -1


Agassiz
841094

HORIZONTAL LOOP EM SURVEY

PROPERTY Agency GRID 205
 INSTRUMENT _____ MODEL _____

DATE 15/6/81 FREQ; HIGH _____ LOW _____

Tx at 50m to W, Rx
 50m upslope to E
 NOTE: Plotting point is midway
 between Rx and TX
 355 444 222
 888




Line No	TX Station	LOW		HIGH		Remarks
		in-ph	out-ph	in-ph	out-ph	
205	250W	-13	+2	-14	+1	+70
		-13	+1	-12	-1	-11 -2
	200W	-18	+2	-19	+1	+58
		-18	0	-17	-1	-16 -2
	150W	-16	+2	-19	0	+52
		-16	0	-18	-1	-16 -2
	100W	-18	+3	-19	+1	+38
		-18	0	-17	-1	-18 -2
	50W	-8	+2	-10	+1	+10
		-9	0	-9	-1	-9 -2
	0'	+2	+3	0	+1	+12
		+1	0	+1	0	+2 -1
	50E	+12	+4	+9	+1	+18
		+10	+1	+10	0	+11 -1
	100E	+5	+4	+2	+2	+26
		+4	+1	+4	0	+5 -1
	150E	-14	+3	-15	2	+36
		-14	0	-14	-1	-14 -2

HORIZONTAL LOOP EM SURVEY

PROPERTY Copsey GRID Pit
 INSTRUMENT Max Min MODEL _____
 DATE 15/6/81 FREQ: HIGH _____ LOW _____

50m cable 3555 1772 slope
 588 444 222




NOTE: Plotting point is midway between Rx and Tx

Road line O Rx at core shack

Line No	Rx Station	LOW		HIGH		Remarks
		in-ph	out-ph	in-ph	out-ph	
<u>Road</u>	<u>at</u>					476
	15	58	60	58	460	58 460
0	15	-13	+4	-15	+2	16
	30	-13	+1	-14	-1	-14 -1
15	30	-16	+4	+23	+2	-25
		-16	+1	-17	0	-15 -2
30		+3	+7	-1	+2	23
		-2	+6	-5	+6	7 +6
45		-13	+4	-15	+2	-18
		-13	+1	-14	0	-13 -1
60		-15	+5	-16	+3	-15 ⁰ / ₄
		+5	+2	-15	-1	-15 -1
75		-13	+5	-14	+2	-14
		-13	+1	-13	0	-13 -1
90		-14	+5	-16	+3	-11
		-14	+2	-14	0	-14 -1
105		-16	+5	-17	+2	-10
		-16	+2	-16	-1	-15 -1

HORIZONTAL LOOP EM SURVEY

PROPERTY Chevron M 454 GRID _____
 INSTRUMENT Mosscom MODEL FD
 DATE 14/6/81 FREQ; HIGH _____ LOW _____



NOTE: Plotting point is midway between Rx and Tx

Line No	Tx Rx Station	LOW		HIGH		Remarks
		in-ph	out-ph	in-ph	out-ph	
195	300E	-5	3.5	-7	1.5	50%
		-6	.5	-5	-1.5	-5 -1.5
	250E	-2.5	4.5	-4	2	35%
		-4	1	-4	-1.5	-3 -1.2
	200E	2	4	0	2	37%
		1	1.5	1.5	-1.5	2 -1.5
	150E	16	4	13	2	5%
		13.5	0	13	0	13 - 2
Rd	100E	-5	2.5	-6	1.5	-5%
		-5	.5	-6	-1.5	-5 -1.5
Pit	50E	2	3	1.5	1.5	-3%
		2.5	0	3	-1	2 -1.5
	0E	-14	2	-16	1	+25%
		-13	0	-12	-1.5	-11 -1
	50W	-11	2	-14	1	38%
		-10	0	-9	-1	-9, 2
	100W	-8	2	-10	1	45%
		-7.5	1	-8	-1	-7, -2