

BARB
CLAIMS

841174

CHEMEX LABS LTD.

212 BROOKSBANK AVE
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604)984-0221
TELEX: 043-52597



• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
MINERALS STAFF
#901 - 355 BURRARD ST.
VANCOUVER, B.C.
VoC 2GB

CERT. # : A8111736-006-A
INVOICE # : I8111736
DATE : 03-JUL-81
P.C. # : NONE
M504

CC: L.A. DICK

Sample description	Prep code	Ag ppm	AS ppm	Sb ppm	AU-FA+AA ppm		
SGTI-100 ✓	201	0.1	14	1.0	15	--	--
SGTI-101 ✓	201	0.2	15	1.8	10	--	--
SGTI-102 ✓	201	0.1	17	1.4	5	--	--
SGTI-103 ✓	201	0.1	12	2.8	15	--	--
SGTI-104	201	0.1	9	1.0	25	--	--
SGTI-105	201	0.1	10	1.0	10	--	--
SGTI-106	201	0.1	10	1.0	10	--	--
SGTI-107	201	0.1	11	0.8	5	--	--
SGTI-108	201	0.1	12	0.8	10	--	--
SGTI-109	201	0.1	14	0.8	5	--	--
SGTI-110	201	0.1	9	0.4	10	--	--
SGTI-111	201	0.1	12	0.6	10	--	--
SGTI-112	201	0.2	5	0.6	5	--	--
SGTI-113	201	0.1	19	N.S.S.	5	--	--
SGTI-114	201	0.1	10	2.5	<5	--	--
SGTI-115	201	0.1	15	0.4	<5	--	--
SGTI-116	201	0.1	14	0.4	5	--	--
SGTI-117	201	0.1	15	0.6	<5	--	--
SGTI-118	201	0.1	16	2.8	15	--	--
SGTI-119	203	0.1	24	8.4	<5	--	--
SGTI-120	201	0.3	190	5.0	15	--	--
SGTI-121	201	0.6	320	25.0	10	--	--
SGTI-122	201	0.1	125	7.2	10	--	--
SGTI-123	201	0.1	95	1.4	80	--	--
SGTI-124	201	0.2	46	4.6	10	--	--
SGTI-125	201	0.1	20	2.4	20	--	--
SGTI-126	201	0.1	29	1.6	10	--	--
SGTI-127	201	0.2	110	1.4	25	--	--
SGTI-128	201	0.1	59	2.0	<10	--	--
SGTI-129	201	0.1	70	2.0	10	--	--
SGTI-130	201	0.3	57	1.8	10	--	--
SGTI-131	201	0.1	80	1.8	10	--	--
DATI-94	201	0.1	29	20.0	5	--	--
DATI-95	201	0.1	22	1.6	5	--	--
DATI-96	203	0.1	12	4.8	25	--	--
DATI-97	201	0.1	17	0.6	10	--	--
DATI-98	201	0.1	17	4.8	15	--	--
DATI-99	201	0.6	27	4.0	15	--	--
DATI-100	201	0.1	17	2.4	30	--	--
DATI-101	201	0.1	12	2.1	5	--	--

SGTI-118 to SGTI-131
Silt
Barb Claims

Hart Bichler

Certified by

CHEMEX LABS LTD.

212 BROOKSBANK AVE
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

O. : CHEVRON STANDARD LIMITED
 MINERALS STAFF
 #901 - 355 BURRARD ST.
 VANCOUVER, B.C.
 V6C 2G8

CERT. # : A8111738-003-A
 INVOICE # : I8111738
 DATE : 07-JUL-81
 P.O. # : NONE
 M504

CC: L.A. DICK

Sample description	Prep code	Ag ppm	AS ppm	AU-FA+AA ppb			
TZTI-51	205	0.1	19	<5	--	--	--
TZTI-52	205	0.1	65	50	--	--	--
TZTI-54	205	0.1	9	5	--	--	--
TZTI-56	205	0.1	11	10	--	--	--
TZTI-57	205	0.1	73	<5	--	--	--
TZTI-58	205	0.1	11	5	--	--	--
TZTI-59	205	0.2	7	55	<i>As vein</i>	--	--
TZTI-60	205	17.5	720	5	<i>Tasmania</i>	--	--
TZTI-61	205	0.5	30	5	--	--	--
TZTI-62	205	0.1	10	<5	--	--	--
TZTI-63	205	0.1	260	<5	--	--	--
TZTI-64	205	0.1	39	5	--	--	--
TZTI-65	205	0.1	6	5	--	--	--
TZTI-66	205	0.1	20	5	--	--	--
TZTI-67	205	0.1	260	<5	--	--	--
TZTI-68	205	0.1	>1000	<5	<i>w/ Tasmania</i>	--	--
TZTI-69	205	0.1	700	<5	--	--	--
TZTI-70	205	0.1	53	5	--	--	--
TZTI-71	205	0.1	310	<5	--	--	--
MTTI-26	205	0.1	240	5	--	--	--
MTTI-27	205	0.1	16	5	--	--	--
MTTI-28	205	1.0	940	5	--	--	--
MTTI-29	205	0.1	145	20	--	--	--
MTTI-30	205	0.2	11	5	--	--	--
MTTI-31	205	0.1	100	<5	--	--	--
MTTI-32	205	1.1	45	20	--	--	--
MTTI-33	205	1.5	9	10	--	--	--
MTTI-34	205	0.1	11	15	--	--	--
MTTI-35	205	0.1	9	<5	--	--	--
MTTI-36	205	0.1	29	20	--	--	--
MTTI-37	205	0.1	230	<5	--	--	--
MTTI-38	205	0.1	45	<5	--	--	--
MTTI-39	205	0.1	9	<5	--	--	--
MTTI-40	205	0.1	35	5	--	--	--
MTTI-41	205	0.1	>1000	10	--	--	--
MTTI-42	205	0.1	250	<5	--	--	--
MTTI-43	205	0.1	16	<5	--	--	--
MTTI-44	205	0.1	9	<5	--	--	--
MTTI-45	205	0.1	6	<5	--	--	--
MTTI-46	205	0.1	5	5	--	--	--

Hart Bickler

Certified by

CHEMEX LABS LTD.

212 BROOKSBANK AVE
NORTH VANCOUVER B.C.
CANADA V7J 2C1

TELEPHONE (604)984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
MINERALS STAFF
#901 - 355 BURRARD ST.
VANCOUVER, B.C.
V6C 2G8

CERT. # : A8111738-004-A
INVOICE # : I8111738
DATE : 07-JUL-81
P.O. # : NONE
M504

CC: L.A. DICK

Sample description	Prep code	Ag ppm	AS ppm	AU-FA+AA ppb			
MTTI-47	205	0.1	4	<5	--	--	--
MTTI-48	205	0.1	3	5	--	--	--
MTTI-49	205	0.1	7	<5	--	--	--
MTTI-50	205	0.1	9	<5	--	--	--
MTTI-51	205	0.1	11	5	--	--	--
MTTI-52	205	0.1	3	<5	--	--	--
MTTI-53	205	0.1	9	5	--	--	--
MTTI-54	205	0.1	2	5	--	--	--
MTTI-55	205	0.1	3	<5	--	--	--
MTTI-56	205	0.1	3	<5	--	--	--
MTTI-57	205	0.1	24	10	--	--	--
MTTI-58	205	0.1	23	<5	--	--	--
MTTI-59	205	0.1	2	<5	--	--	--
MTTI-60	205	0.1	4	<5	--	--	--
MTTI-61	205	0.1	9	<5	--	--	--
MTTI-62	205	0.1	4	<5	--	--	--
MTTI-63	205	0.1	63	5	--	--	--
MTTI-64	205	0.1	12	5	--	--	--
MTTI-65	205	0.1	230	<5	--	--	--
MTTI-66	205	0.1	73	<5	--	--	--
MTTI-67	205	0.1	14	<5	--	--	--
MTTI-68	205	0.1	77	10	--	--	--
MTTI-69	205	0.1	38	<5	--	--	--
MTTI-70	205	0.1	25	5	--	--	--
MTTI-71	205	0.1	46	550	--	--	--
JHTI-120	205	0.1	10	<5	--	--	--
JHTI-121	205	0.1	6	<5	--	--	--
DATI-165	205	0.1	15	<5	--	--	--
DATI-166	205	0.1	4	<5	--	--	--
DMTI-93	205	0.1	120	<5	--	--	--
DMTI-96	205	0.3	19	<5	--	--	--
DMTI-103	205	6.6	16	85	--	--	--
RLTI-46	205	0.3	23	<5	--	--	--
RLTI-47	205	0.1	230	<5	--	--	--
RLTI-51	205	0.2	470	<5	--	--	--
RLTI-154	205	0.1	6	<5	--	--	--
RLTI-155	205	0.1	23	20	--	--	--

*1707B
Clean*

Certified by

Hart Bickler



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604)984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
MINERALS STAFF
#901 - 355 BARRARD ST.
VANCOUVER, B.C.
V6C 2G8


CERT. # : A8111891-001-A
INVOICE # : I8111891
DATE : 12-JUL-81
P.O. # : NONE
M504

CC L-DICK

Sample description	Prep code	Ag ppm	AS ppm	Sb ppm	AU-FA+AA ppb		
SGT1-132	201	0.3	23	0.8	15	--	--
SGT1-133	201	0.1	7	0.4	<5	--	--
SGT1-134	201	0.1	7	0.2	40	--	--
SGT1-135	201	0.1	6	0.6	25	--	--
SGT1-136	201	0.1	20	2.8	20	--	--
SGT1-137	201	0.1	20	2.4	25	--	--
SGT1-138	201	0.6	23	1.8	15	--	--
SGT1-139	201	0.1	29	2.4	5	--	--
SGT1-140	201	0.1	22	2.0	5	--	--
SGT1-141	201	0.1	24	1.4	10	--	--
SGT1-142	201	0.1	7	1.0	10	--	--
SGT1-143	201	0.1	22	0.8	10	--	--
SGT1-144	201	0.1	9	0.6	10	--	--
SGT1-145	201	0.1	9	1.2	10	--	--
SGT1-146	201	0.1	17	1.8	15	--	--
SGT1-147	201	0.1	16	2.4	15	--	--
SGT1-148	201	0.1	15	1.0	15	--	--
SGT1-149	201	0.1	20	1.2	10	--	--
SGT1-150	201	0.1	24	1.2	10	--	--
SGT1-151	201	0.1	12	0.4	5	--	--
SGT1-152	201	0.1	7	0.2	5	--	--
SGT1-153	201	0.1	11	0.2	10	--	--
SGT1-154	201	0.1	20	0.8	5	--	--
SGT1-155	201	0.1	7	1.0	10	--	--
SGT1-156	201	0.1	16	0.8	5	--	--
SGT1-157	201	0.2	9	0.6	15	--	--
SGT1-158	201	0.1	15	1.4	10	--	--
SGT1-159	201	0.2	16	1.4	10	--	--
SGT1-160	201	0.1	12	0.6	15	--	--
SGT1-161	201	0.1	41	1.0	<5	--	--
SGT1-162	201	0.1	125	1.4	5	--	--
SGT1-163	201	0.1	24	0.8	<5	--	--
SGT1-164	201	0.1	17	1.4	<5	--	--
SGT1-165	201	0.1	17	1.0	5	--	--
SGT1-166	201	0.1	25	1.2	5	--	--
SGT1-167	201	0.1	20	1.0	<5	--	--
SGT1-168	201	0.1	25	1.8	5	--	--
SGT1-169	201	0.1	14	1.8	5	--	--
SGT1-170	201	0.2	12	1.2	10	--	--
SGT1-171	201	0.1	12	1.8	5	--	--

Hart Bickler

Certified by





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
 MINERALS STAFF
 #901 - 355 BURRARD ST.
 VANCOUVER, B.C.
 V6C 2G8


CERT. # : A8111891-005-A
 INVOICE # : I8111891
 DATE : 12-JUL-81
 P.O. # : NCNE
 M504

CC L-DICK

Sample description	Prep code	Ag ppm	AS ppm	Sb ppm	AU-FA+AA ppb		
KST1-115	201	0.1	46	3.2	5	--	--
KST1-117	201	0.1	5	0.4	<5	--	--
KST1-118	201	0.3	16	2.4	<5	--	--
KST1-119	201	0.1	11	0.8	<5	--	--
KST1-122	201	0.1	6	0.6	<5	--	--
KST1-123	201	0.1	5	0.2	<5	--	--
KST1-124	201	0.1	6	0.2	<5	--	--
KST1-126	201	0.1	6	0.2	<5	--	--
KST1-129	203	0.1	135	0.8	<5	--	--
KST1-131	201	0.1	9	0.4	5	--	--
KST1-136	201	0.1	15	2.0	10	--	--
KST1-140	201	0.1	7	0.4	5	--	--
KST1-141	201	0.1	14	0.8	5	--	--
KST1-142	201	0.1	6	0.6	5	--	--
KST1-143	203	0.4	7	3.4	<5	--	--
KST1-146	201	0.3	6	0.4	<5	--	--
KST1-147	203	0.2	7	1.8	<5	--	--
KST1-148	201	0.2	27	1.2	<5	--	--
DAT1-167	203	0.4	19	1.0	<5	--	--
DAT1-168	203	0.3	22	1.4	5	--	--
DAT1-169	201	0.5	67	1.0	<5	--	--
DAT1-170	203	0.3	11	0.8	5	--	--
DAT1-171	201	0.1	43	3.0	<5	--	--
DAT1-172	203	0.5	48	1.6	5	--	--
DAT1-173	201	0.2	45	1.0	5	--	--
DAT1-174	203	0.2	38	1.8	<5	--	--
DAT1-175	201	0.1	14	1.2	5	--	--
DAT1-176	201	0.6	29	1.8	<5	--	--
DAT1-177	203	0.2	38	1.8	10	--	--
DAT1-178	201	0.2	35	2.0	5	--	--
DAT1-179	203	0.6	24	2.0	<5	--	--
DAT1-180	203	0.3	45	2.6	5	--	--
DAT1-181	203	0.2	29	1.8	<5	--	--
DAT1-182	201	0.9	>1000	29.0	155	--	LOWER GOSAN
DAT1-183	203	0.1	39	2.0	5	--	BARB
DAT1-184	203	1.0	240	16.4	10	--	--
DAT1-185	201	0.2	160	5.4	5	--	--
DAT1-186	201	0.3	160	3.4	5	--	--
DAT1-187	201	0.1	55	3.6	5	--	--
DAT1-188	203	0.7	125	3.0	5	--	--

Certified by *Hart Bickler*





CHEMEX LABS LTD.

212 BROOKSBANK AVE
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
 MINERALS STAFF
 #901 - 355 BURRARD ST.
 VANCOUVER, B.C.
 V6C 2G8

CERT. # : A8111892-002-A
 INVOICE # : I8111892
 DATE : 13-JUL-81
 P.O. # : NONE
 M504

CC L.DICK

Sample description	Prep code	Ag ppm	AS ppm	AU-FA+AA ppb			
MTT1-096	205	0.5	130	20	--	--	--
MTT1-097	205	0.2	630	125	--	--	--
MTT1-098	205	0.1	14	10	--	--	--
MTT1-099	205	0.1	290	500	--	--	--
MTT1-100	205	0.3	53	25	--	--	--
MTT1-101	205	0.1	130	5	--	--	--
MTT1-102	205	0.2	12	10	--	--	--
MTT1-103	205	0.1	210	<5	--	--	--
MTT1-104	205	0.1	300	<5	--	--	--
MTT1-105	205	0.1	24	10	--	--	--
MTT1-106	205	0.1	17	10	--	--	--
MTT1-107	205	0.1	4	25	--	--	--
MTT1-108	205	0.1	4	5	--	--	--
MTT1-109	205	0.1	3	5	--	--	--
MTT1-110	205	0.1	3	10	--	--	--
MTT1-111	205	0.1	4	<5	--	--	--
MTT1-112	205	0.1	10	10	--	--	--
MTT1-113	205	0.1	250	15	--	--	--
MTT1-114	205	0.1	150	<5	--	--	--
MTT1-115	205	0.1	11	<5	--	--	--
RLT1-178	205	0.1	30	<5	--	--	--
JHT1-1A	205	0.1	22	<5	--	--	--
JHT1-2A	205	0.1	29	<5	--	--	--
JHT1-8	205	0.1	5	5	--	--	--
KST1-127	205	0.1	50	<5	--	--	--
KST1-128	205	0.2	15	5	--	--	--
KST1-130	205	0.1	3	<5	--	--	--
KST1-132	205	0.1	45	10	--	--	--
KST1-133	205	0.3	7	10	--	--	--
KST1-134	205	0.4	120	10	--	--	--
KST1-135	205	0.0	7	25	--	--	--
KST1-137	205	0.6	59	20	--	--	--
KST1-138	205	0.4	6	50	--	--	--
KST1-139	205	3.9	5	40	--	--	--
KST1-144	205	0.1	69	<5	--	--	--
KST1-145	205	0.1	20	<5	--	--	--
KST1-149	205	0.1	120	1125	--	--	--
KST1-150	205	0.2	5	<5	--	--	--
KST1-151	205	0.4	220	<5	--	--	--
KST1-152	205	0.2	12	10	--	--	--

Certified by *Hart Bichler*...



MEMBER
 CANADIAN TESTING
 ASSOCIATION



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604)984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
901 MARINE BLDG., 355 BURRARD ST.
VANCOUVER, B.C.
V6C 2G8


CERT. # : A8111542-001-A
INVOICE # : I8111542
DATE : 25-JUN-81
P.O. # : NONE
M504


ATTN: L.A. DICK

Sample description	Prep code	Ag ppm	AS ppm	Au -(AA) ppb	Hg ppb	Sb ppm	
KSTI-22	205	1.2	36	<10	--	--	--
KSTI-24	205	0.6	14	10	--	--	--
KSTI-25	205	0.2	15	<10	--	--	--
KSTI-26	205	0.1	9	<10	--	--	--
KSTI-28	205	0.1	32	<10	--	--	--
KSTI-29	205	0.1	32	20	--	--	--
KSTI-30	205	0.2	12	10	--	--	--
KSTI-31	205	0.2	9	10	--	--	--
KSTI-33	205	0.1	6	<10	--	--	--
KSTI-34	205	0.1	36	<10	--	--	--
KSTI-38	205	0.1	230	<10	--	--	--
KSTI-39	205	0.1	16	<10	--	--	--
KSTI-40	205	0.2	16	<10	--	--	--
KSTI-41	205	0.1	36	<10	--	--	--
KSTI-42	205	0.1	38	<10	--	--	--
MTT1-1	205	0.1	4	<10	--	--	--
MTT1-2	205	0.1	17	<10	--	--	--
MTT1-3	205	0.1	3	<10	--	--	--
MTT1-4	205	0.1	3	<10	--	--	--
MTT1-5	205	0.1	3	<10	--	--	--
MTT1-6	205	0.1	5	<10	--	--	--
MTTI-14	205	0.1	24	<10	--	--	--
MTTI-15	205	0.1	4	<10	--	--	--
MTTI-16	205	0.1	3	<10	--	--	--
MTTI-17	205	0.1	3	<10	--	--	--
MTTI-18	205	0.1	4	<10	--	--	--
MTTI-19	205	0.1	39	<10	--	--	--
MTTI-20	205	0.1	18	<10	--	--	--
MTTI-21	205	0.1	30	<10	--	--	--
MTTI-22	205	0.1	23	<10	--	--	--
MTTI-23	205	0.1	7	<10	--	--	--
MTTI-24	205	0.1	14	<10	--	--	--
MTTI-25	205	0.1	27	<10	--	--	--
LDT1-1	205	0.1	3	<10	--	--	--
LDT1-2	205	0.1	5	<10	--	--	--
LDT1-3	205	0.1	4	<10	--	--	--
LDT1-5	205	0.1	310	<10	4500	42.0	--
LDT1-6	205	0.1	105	<10	1000	4.4	--
LDT1-7	205	0.1	330	<10	3000	14.2	--
LDT1-8	205	0.1	475	<10	--	--	--

Hart Bichler

Certified by





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604)984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
MINERALS STAFF
#901 - 355 BURRARD ST.
VANCOUVER, B.C.
V6C 2G8

CERT. # : A8112190-002-A
INVOICE # : I8112190
DATE : 30-JUL-81
P.O. # : 56809
M504

CC: L.A. DICK

Sample description	Prep code	Ag ppm	AS ppm	AU-FA+AA ppb			
LDTI 88	205	2.9	210	40	--	--	--
LDTI 89	205	1.4	400	70	--	--	--
LDTI 90	205	0.1	11	<5	--	--	--
LDTI 91	205	0.1	30	<5	--	--	--
LDTI 92	205	0.6	41	5	--	--	--
LDTI 93	205	0.1	36	<5	--	--	--
LDTI 94	205	0.4	35	10	--	--	--
LDTI 95	205	0.1	7	15	--	--	--
LDTI 96	205	0.5	10	<5	--	--	--
LDTI 97	205	0.5	16	<5	--	--	--
LDTI 98	205	0.2	6	<5	--	--	--
LDTI 99	205	0.2	14	<5	--	--	--
LDTI 100	205	0.1	10	<5	--	--	--
MTTI 116	205	0.1	41	15	--	--	--
MTTI 117	205	0.1	23	<5	--	--	--
MTTI 118	205	0.1	14	<5	--	--	--
MTTI 119	205	0.1	12	5	--	--	--
MTTI 120	205	0.1	11	<5	--	--	--
MTTI 121	205	0.1	5	<5	--	--	--
MTTI 122	205	0.1	5	<5	--	--	--
MTTI 123	205	0.1	38	5	--	--	--
MTTI 124	205	0.1	10	10	--	--	--
MTTI 125	205	0.1	20	10	--	--	--
MTTI 126	205	0.1	25	5	--	--	--
MTTI 127	205	0.1	150	10	--	--	--
MTTI 128	205	0.1	9	<5	--	--	--
MTTI 129	205	0.1	95	<5	--	--	--
MTTI 130	205	0.1	43	<5	--	--	--
MTTI 131	205	0.1	310	<5	--	--	--
MTTI 132	205	0.1	15	10	--	--	--
MTTI 133	205	0.1	11	<5	--	--	--
MTTI 134	205	0.4	>1000	<5	--	--	--
RLTI 224	205	0.2	270	20	--	--	--
TZTI 90A	205	0.1	55	5	--	--	--
TZTI 91	205	0.1	12	<5	--	--	--
TZTI 92	205	0.1	10	<5	--	--	--
TZTI 93	205	0.3	17	10	--	--	--
PATI 251	205	0.2	75	220	--	--	--
PATI 257	205	0.2	35	10	--	--	--

Certified by *Hart Bickler*



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

212 BROOKSBANK AVE
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS


TO : CHEVRON STANDARD LIMITED
 MINERALS STAFF
 #901 - 355 BURRARD ST.
 VANCOUVER, B.C.
 V5C 2G8

CERT. # : AS112332-001-A
 INVOICE # : I8112332
 DATE : 05-AUG-81
 P.O. # : 56809
 M504

C.C. L. DICK

Sample description	Prep code	Ag ppm	AS ppm	AU-FA+AA opb			
BARB 0+00 0+00S	201	0.2	90	<5	--	--	--
BARB 0+00 0+50S	201	1.0	50	10	--	--	--
BARB 0+00 1+00S	201	1.0	43	5	--	--	--
BARB 0+00 1+50S	201	2.1	420	50	--	--	--
BARB 0+00 2+00S	201	0.3	200	70	--	--	--
BARB 0+00 2+50S	201	0.2	75	20	--	--	--
BARB 0+00 3+00S	201	0.7	540	15	--	--	--
BARB 0+00 3+50S	201	0.1	41	5	--	--	--
BARB 0+00 4+00S	203	0.1	100	10	--	--	--
BARB 0+00 4+50S	201	0.5	175	5	--	--	--
BARB 0+00 5+00S	203	1.1	990	<5	--	--	--
BARB 0+00 5+50S	201	0.1	46	<5	--	--	--
BARB 0+00 6+00S	203	0.1	180	<5	--	--	--
BARB 0+00 6+50S	201	0.5	>1000	<5	--	--	--
BARB 0+00 7+00S	201	0.1	33	5	--	--	--
BARB 0+50E 0+00S	201	0.1	150	10	--	--	--
BARB 0+50E 0+50S	201	2.4	20	<5	--	--	--
BARB 0+50E 1+00S	201	2.1	14	<5	--	--	--
BARB 0+50E 1+50S	201	0.6	55	<5	--	--	--
BARB 0+50E 2+00S	201	0.2	155	750	--	--	--
BARB 0+50E 2+50S	201	0.1	130	10	--	--	--
BARB 0+50E 3+00S	201	4.5	>1000	5	--	--	--
BARB 0+50E 3+50S	201	0.1	55	10	--	--	--
BARB 0+50E 4+00S	201	0.4	155	<5	--	--	--
BARB 0+50E 4+50S	201	0.1	410	30	--	--	--
BARB 0+50E 5+00S	201	0.1	24	10	--	--	--
BARB 0+50E 5+50S	201	0.1	65	10	--	--	--
BARB 0+50E 6+00S	203	0.1	63	90	--	--	--
BARB 0+50E 6+50S	201	0.1	85	10	--	--	--
BARB 0+50E 7+00S	201	0.7	43	5	--	--	--
BARB 0+50W 0+50S	201	0.5	30	115	--	--	--
BARB 0+50W 1+00S	201	1.7	32	10	--	--	--
BARB 0+50W 1+50S	201	0.1	295	5	--	--	--
BARB 0+50W 2+00S	201	0.1	61	25	--	--	--
BARB 0+50W 2+50S	201	0.6	150	20	--	--	--
BARB 0+50W 3+00S	201	0.7	50	5	--	--	--
BARB 0+50W 3+50S	201	0.2	140	10	--	--	--
BARB 0+50W 4+00S	203	0.1	95	10	--	--	--
BARB 0+50W 4+50S	201	0.1	69	5	--	--	--
BARB 0+50W 5+00S	201	0.1	100	10	--	--	--

Hart Bickler
 Certified by





CHEMEX LABS LTD.

212 BROOKSBANK AVE
 NORTH VANCOUVER, B.C
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS


TO : CHEVRON STANDARD LIMITED
 MINERALS STAFF
 #901 - 355 BURRARD ST.
 VANCOUVER, B.C.
 V6C 2G8

CERT. # : A8112332-002-A
 INVOICE # : I8112332
 DATE : 05-AUG-81
 P.O. # : 56809
 M504

C.C. L. DICK

Sample description	Prep code	Ag ppm	AS ppm	AU-FA+AA ppb			
BARB 0+50W 5+50S 201		0.3	55	<5	--	--	--
BARB 0+50W 6+00S 201		0.1	135	<5	--	--	--
BARB 0+50W 6+50S 201		0.1	39	<5	--	--	--
BARB 0+50W 7+00S 201		0.1	43	<5	--	--	--
BARB 1+00E 0+00S 201		0.1	12	5	--	--	--
BARB 1+00E 0+50S 201		1.6	85	10	--	--	--
BARB 1+00E 1+00S 201		0.5	45	5	--	--	--
BARB 1+00E 1+50S 201		0.2	170	<5	--	--	--
BARB 1+00E 2+00S 201		0.5	130	5	--	--	--
BARB 1+00E 2+50S 201		0.1	120	150	--	--	--
BARB 1+00E 3+00S 201		0.1	220	5	--	--	--
BARB 1+00E 3+50S 201		0.1	32	<5	--	--	--
BARB 1+00E 4+00S 201		0.1	155	<5	--	--	--
BARB 1+00E 4+50S 201		0.2	90	<5	--	--	--
BARB 1+00E 5+00S 201		0.1	43	5	--	--	--
BARB 1+00E 5+50S 201		0.1	45	<5	--	--	--
BARB 1+00E 6+00S 201		0.1	45	5	--	--	--
BARB 1+00E 6+50S 201		0.1	29	5	--	--	--
BARB 1+00E 7+00S 201		0.1	700	5	--	--	--
BARB 1+00W 0+50S 201		0.1	90	10	--	--	--
BARB 1+00W 1+00S 201		0.1	63	15	--	--	--
BARB 1+00W 1+50S 201		0.5	24	<5	--	--	--
BARB 1+00W 2+00S 201		0.3	77	10	--	--	--
BARB 1+00W 2+50S 201		0.1	110	<5	--	--	--
BARB 1+00W 3+00S 201		0.3	470	5	--	--	--
BARB 1+00W 3+50S 201		0.1	95	5	--	--	--
BARB 1+00W 4+00S 201		0.1	470	5	--	--	--
BARB 1+00W 4+50S 201		0.1	77	5	--	--	--
BARB 1+00W 5+00S 201		0.1	55	10	--	--	--
BARB 1+00W 5+50S 201		0.1	100	5	--	--	--
BARB 1+00W 6+00S 201		0.1	30	<5	--	--	--
BARB 1+00W 6+50S 201		0.1	115	<5	--	--	--
BARB 1+00W 7+00S 201		0.1	23	5	--	--	--
BARB 1+50E 0+00S 201		0.1	36	<5	--	--	--
BARB 1+50E 0+50S 203		0.1	12	5	--	--	--
BARB 1+50E 1+00S 201		0.1	230	20	--	--	--
BARB 1+50E 1+50S 201		0.1	95	<5	--	--	--
BARB 1+50E 2+00S 201		1.1	36	5	--	--	--
BARB 1+50E 2+50S 201		12.4	81	30	--	--	--
BARB 1+50E 3+00S 201		0.9	100	10	--	--	--

Certified by *Hart Bickler*





CHEMEX LABS LTD.

212 BROOKSBANK AVE
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
 MINERALS STAFF
 #901 - 355 BURRARD ST.
 VANCOUVER, B.C.
 V6C 2G8


CERT. # : A8112332-003-A
 INVOICE # : I8112332
 DATE : 05-AUG-81
 P.O. # : 56809
 M504

C.C. L. DICK

Sample description	Prep code	Ag ppm	AS ppm	AU-FA+AA ppb			
BARB 1+50E 3+50S	201	0.1	32	5	--	--	--
BARB 1+50E 4+00S	201	0.1	590	<5	--	--	--
BARB 1+50E 4+50S	201	0.1	39	10	--	--	--
BARB 1+50E 5+00S	201	0.3	400	<5	--	--	--
BARB 1+50E 5+50S	201	0.4	320	15	--	--	--
BARB 1+50E 6+00S	201	0.1	130	10	--	--	--
BARB 1+50E 6+50S	201	0.2	230	5	--	--	--
BARB 1+50E 7+00S	201	0.1	65	<5	--	--	--
BARB 1+50W 0+50S	201	0.3	110	5	--	--	--
BARB 1+50W 1+00S	203	2.4	250	235	--	--	--
BARB 1+50W 1+50S	201	0.6	175	15	--	--	--
BARB 1+50W 2+00S	201	0.3	140	40	--	--	--
BARB 1+50W 2+50S	203	1.4	250	15	--	--	--
BARB 1+50W 3+00S	201	0.3	270	5	--	--	--
BARB 1+50W 3+50S	201	0.1	71	5	--	--	--
BARB 1+50W 4+00S	201	0.2	43	10	--	--	--
BARB 1+50W 4+50S	201	0.1	85	10	--	--	--
BARB 1+50W 5+00S	201	0.3	250	<5	--	--	--
BARB 1+50W 5+50S	201	0.1	450	<5	--	--	--
BARB 1+50W 6+00S	203	0.9	635	<5	--	--	--
BARB 1+50W 6+50S	201	0.1	115	15	--	--	--
BARB 1+50W 7+00S	201	0.7	80	<5	--	--	--
BARB 2+00E 0+00S	201	0.5	100	15	--	--	--
BARB 2+00E 0+50S	201	0.8	88	650	--	--	--
BARB 2+00E 1+00S	201	0.8	51	20	--	--	--
BARB 2+00E 1+50S	201	0.2	220	5	--	--	--
BARB 2+00E 2+00S	201	0.1	38	5	--	--	--
BARB 2+00E 2+50S	201	0.2	24	<5	--	--	--
BARB 2+00E 3+00S	201	0.8	85	5	--	--	--
BARB 2+00E 3+50S	201	1.4	200	5	--	--	--
BARB 2+00E 4+00S	201	1.1	610	10	--	--	--
BARB 2+00E 4+50S	201	1.1	300	5	--	--	--
BARB 2+00E 5+00S	201	0.3	61	10	--	--	--
BARB 2+00E 5+50S	201	0.6	63	<5	--	--	--
BARB 2+00E 6+00S	201	0.9	110	10	--	--	--
BARB 2+00E 6+50S	201	0.2	24	5	--	--	--
BARB 2+00E 7+00S	201	0.3	53	5	--	--	--
BARB 2+00W 0+50S	201	0.2	175	10	--	--	--
BARB 2+00W 1+00S	201	1.0	180	20	--	--	--
BARB 2+00W 1+50S	201	0.2	410	35	--	--	--

Hart Bickler

Certified by





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
 MINERALS STAFF
 #901 - 355 BARRARD ST.
 VANCOUVER, B.C.
 V6C 2G8

CERT. # : A8112332-004-A
 INVOICE # : I8112332
 DATE : 05-AUG-81
 P.O. # : 56809
 M504

C.C. L. DICK

Sample description	Prep code	Ag ppm	AS ppm	AU-FA+AA ppb			
BARB 2+00W 2+00S	201	0.3	69	10	--	--	--
BARB 2+00W 2+50S	203	0.5	120	45	--	--	--
BARB 2+00W 3+00S	201	0.2	90	5	--	--	--
BARB 2+00W 3+50S	201	0.1	38	5	--	--	--
BARB 2+00W 4+00S	201	0.1	>1000	30	--	--	--
BARB 2+00W 4+50S	201	0.1	83	10	--	--	--
BARB 2+00W 5+00S	201	0.2	380	<5	--	--	--
BARB 2+00W 5+50S	201	0.3	135	10	--	--	--
BARB 2+00W 6+00S	201	0.3	53	5	--	--	--
BARB 2+00W 6+50S	201	0.1	36	5	--	--	--
BARB 2+50W 0+50S	201	0.1	83	100	--	--	--
BARB 2+50W 1+00S	201	0.4	330	45	--	--	--
BARB 2+50W 1+50S	201	0.8	>1000	10	--	--	--
BARB 2+50W 2+00S	201	0.5	275	25	--	--	--
BARB 2+50W 2+50S	201	3.5	320	20	--	--	--
BARB 2+50W 3+00S	201	0.9	>1000	15	--	--	--
BARB 2+50W 3+50S	201	8.5	>1000	380	--	--	--
BARB 2+50W 4+00S	201	0.2	48	10	--	--	--
BARB 2+50W 4+50S	201	0.5	130	10	--	--	--
BARB 2+50W 5+00S	201	0.7	260	5	--	--	--
BARB 2+50W 5+50S	201	0.2	53	5	--	--	--
BARB 2+50W 6+00S	201	0.1	45	<5	--	--	--
BARB 2+50W 6+50S	201	0.8	220	5	--	--	--
BARB 2+50W 7+00S	201	0.2	41	5	--	--	--
BARB B.L. 2+50E	201	0.2	36	15	--	--	--
BARB B.L. 3+00E	201	1.0	510	<5	--	--	--
BARB B.L. 3+50E	201	0.5	30	20	--	--	--
BARB B.L. 4+00E	203	0.6	57	10	--	--	--
BARB B.L. 4+50E	201	0.4	61	20	--	--	--
BARB B.L. 5+00E	201	0.5	23	5	--	--	--
BARB B.L. 0+50W	201	0.3	19	<5	--	--	--
BARB B.L. 1+00W	201	2.8	63	15	--	--	--
BARB B.L. 1+50W	201	0.6	110	5700 ? wow!	--	--	--
BARB B.L. 2+00W	201	0.7	190	25	--	--	--
BARB B.L. 2+50W	201	0.6	525	20	--	--	--
BARB B.L. 3+00W	201	0.2	90	<5	--	--	--
BARB B.L. 3+50W	201	0.3	53	5	--	--	--
BARB B.L. 4+00W	201	0.2	73	<5	--	--	--
BARB B.L. 4+50W	201	0.1	255	<5	--	--	--
BARB B.L. 5+00W	201	0.8	24	30	--	--	--

Certified by *Hart Bickler*





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
 MINERALS STAFF
 #901 - 355 BURNARD ST.
 VANCOUVER, B.C.
 V6C 2G8

CERT. # : A8112332-005-A
 INVOICE # : I8112332
 DATE : 05-AUG-81
 P.O. # : 56809
 M504

C.C. L. DICK

Sample description	Prep code	Ag ppm	AS ppm	AU-FA+AA ppb			
BARB B.L. 5+50W	201	0.1	24	5	--	--	--
BARB B.L. 6+00W	201	0.1	32	5	--	--	--
BARB B.L. 6+50W	203	0.1	230	5	--	--	--
BARB B.L. 7+00W	201	0.1	165	10	--	--	--
BARB B.L. 7+50W	201	0.1	29	10	--	--	--
BARB B.L. 8+00W	201	0.1	23	5	--	--	--
JHT 1 278	201	0.1	10	5	--	--	--
JHT 1 279	201	0.1	12	5	--	--	--
JHT 1 280	201	0.1	12	5	--	--	--
JHT 1 281	201	0.1	325	25	--	--	--
JHT 1 282	201	0.1	140	25	--	--	--
JHT 1 283	201	0.1	67	5	--	--	--
JHT 1 284	201	0.1	650	15	--	--	--
JHT 1 285	201	0.1	150	10	--	--	--
JHT 1 286	201	0.4	>1000	175	--	RODNEY CREEK	--
JHT 1 287	201	0.6	470	35	--	--	--
JHT 1 288	201	0.1	380	40	--	--	--
JHT 1 289	201	0.1	12	5	--	--	--
JHT 1 290	201	0.1	11	10	--	--	--
JHT 1 291	201	0.1	5	5	--	--	--
JHT 1 292	201	0.1	10	10	--	--	--
JHT 1 293	201	0.1	9	5	--	--	--
JHT 1 294	201	0.1	9	15	--	--	--
JHT 1 295	201	0.1	20	5	--	--	--
JHT 1 296	201	0.1	10	5	--	--	--
JHT 1 297	201	0.1	11	<5	--	--	--
JHT 1 298	201	0.1	29	<5	--	--	--
JHT 1 299	201	0.1	17	10	--	--	--
JHT 1 300	201	0.1	11	5	--	--	--
JHT 1 301	201	0.1	12	5	--	--	--
JHT 1 302	201	0.1	185	10	--	--	--
JHT 1 303	201	0.1	35	15	--	--	--
JHT 1 304	201	0.2	35	5	--	--	--
JHT 1 305	201	0.1	140	5	--	--	--
JHT 1 306	201	0.1	88	5	--	--	--
JHT 1 307	201	0.1	35	10	--	--	--
JHT 1 308	201	0.1	48	10	--	--	--
JHT 1 309	201	0.3	650	140	--	--	--
JHT 1 310	201	0.2	440	130	--	--	--
JHT 1 311	201	0.6	>1000	145	--	--	--

Hart Bickler

Certified by





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604)984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
MINERALS STAFF
#901 - 355 BARRARD ST.
VANCOUVER, B.C.
V6C 2G8

CERT. # : A3112332-006-A
INVOICE # : 13112332
DATE : 05-AUG-81
P.O. # : 56809
M504


C.C. L. DICK

Sample description	Prep code	Ag ppm	AS ppm	AU-FA+AA ppb			
JHT 1 312	201	0.7	1000	5	--	--	--
JHT 1 313	201	0.2	530	5	--	--	--
JHT 1 314	201	1.1	820	<5	--	--	--
JHT 1 315	201	0.4	400	5	--	--	--
JHT 1 316	201	0.2	370	5	--	--	--
JHT 1 317	201	0.1	480	35	--	--	--
TZT 1 117	201	0.1	24	15	--	--	--
TZT 1 118	201	0.1	17	5	--	--	--
TZT 1 119	201	0.1	11	15	--	--	--
TZT 1 120	201	0.1	22	5	--	--	--



MEMBER
CANADIAN TESTING
ASSOCIATION

Certified by *Hart Bickler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
 MINERALS STAFF
 #901 - 355 BARRARD ST.
 VANCOUVER, B.C.
 V6C 2G8

CERT. # : A8112834-002-A
 INVOICE # : 18112834
 DATE : 22-AUG-81
 P.O. # : S6809
 M504

ATTN: L.A. DICK

Sample description	Prep code	Ag ppm	AS ppm	Sb ppm	AU-FA+AA ppb		
JHTI-438	201	1.0	25	1.2	10	--	--
JHTI-439	201	0.1	39	1.4	30	--	--
JHTI-440	201	0.6	>1000	11.8	105	--	--
JHTI-441	201	0.1	580	14.2	25	--	--
JHTI-442	201	0.3	110	3.0	100	--	--
JHTI-443	201	0.2	130	1.6	10	--	--
JHTI-444	201	0.1	36	1.6	10	--	--
JHTI-445	201	2.0	700	4.0	290	--	--
JHTI-446	201	0.2	120	3.0	10	--	--
JHTI-447	203	0.3	51	2.0	20	--	--
JHTI-448	201	0.1	81	1.2	35	--	--
JHTI-449	201	0.7	>1000	14.4	150	--	--
JHTI-450	201	0.1	>1000	84.0	50	--	--
JHTI-451	201	0.3	73	14.8	25	--	--
JHTI-452	201	0.1	290	3.8	15	--	--
JHTI-453	201	0.3	100	3.0	20	--	--
JHTI-454	201	0.3	53	2.4	10	--	--
JHTI-455	201	0.2	17	1.8	5	--	--
JHTI-456	201	0.1	16	1.6	5	--	--
JHTI-457	201	0.1	19	2.2	10	--	--
JHTI-458	201	0.1	17	1.4	10	--	--
JHTI-459	201	0.1	25	1.6	10	--	--
JHTI-460	201	0.1	30	1.8	5	--	--
JHTI-461	201	0.1	29	1.4	5	--	--
JHTI-462	201	0.1	740	11.8	15	--	--
JHTI-463	201	0.1	73	1.4	10	--	--
JHTI-464	201	0.1	500	15.8	<5	--	--
JHTI-465	201	0.1	67	2.6	5	--	--
JHTI-466	201	0.1	41	1.8	10	--	--
JHTI-467	201	0.1	25	1.2	5	--	--
JHTI-468	201	0.1	695	7.2	10	--	--
JHTI-469	201	0.1	140	6.6	55	--	--
JHTI-470	201	0.1	520	7.0	15	--	--
JHTI-471	201	0.1	73	2.8	25	--	--
JHTI-472	201	0.2	29	5.0	5	--	--
JHTI-473	201	0.1	15	2.2	5	--	--
JHTI-474	201	0.1	38	1.6	15	--	--
JHTI-475	201	0.1	27	1.2	5	--	--
JHTI-476	201	0.1	16	0.6	10	--	--
JHTI-477	201	0.1	19	0.6	10	--	--

200RB

OUTLAW

Hart Biddle

Certified by



MEMBER
 CANADIAN TESTING
 ASSOCIATION



CHEMEX LABS LTD.

212 BROOKSBANK AVE
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604)984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS


TO : CHEVRON STANDARD LIMITED
MINERALS STAFF
#901 - 355 BURRARD ST.
VANCOUVER, B.C.
V6C 2G8

CERT. # : A8112834-001-A
INVOICE # : I8112834
DATE : 22-AUG-81
P.O. # : 56809
M504

ATTN: L.A. DICK

Sample description	Prep code	Ag ppm	AS ppm	Sb ppm	AU-FA+AA ppm		
JHTI-398	201	0.1	6	2.0	10	--	--
JHTI-399	201	0.1	6	1.4	5	--	--
JHTI-400	201	0.1	7	1.0	5	--	--
JHTI-401	201	0.1	6	2.0	10	--	--
JHTI-402	201	0.1	10	5.6	65	--	--
JHTI-403	201	0.1	12	5.4	10	--	--
JHTI-404	201	0.1	4	0.6	<5	--	--
JHTI-405	201	0.1	4	0.4	5	--	--
JHTI-406	201	0.1	4	0.4	10	--	--
JHTI-407	201	0.1	4	0.4	5	--	--
JHTI-408	201	0.1	5	0.6	5	--	--
JHTI-409	201	0.1	2	0.4	5	--	--
JHTI-410	201	0.1	6	0.4	<5	--	--
JHTI-411	201	0.1	6	0.6	<5	--	--
JHTI-412	201	0.1	5	0.4	<5	--	--
JHTI-413	201	0.1	5	0.6	<5	--	--
JHTI-414	201	0.1	3	0.6	5	--	--
JHTI-415	201	0.1	4	0.4	5	--	--
JHTI-416	201	0.1	5	0.6	10	--	--
JHTI-417	201	0.1	6	0.6	15	--	--
JHTI-418	201	0.1	3	0.4	5	--	--
JHTI-419	201	0.1	3	0.4	15	--	--
JHTI-420	201	0.1	6	0.6	15	--	--
JHTI-421	201	0.1	5	0.6	5	--	--
JHTI-422	201	0.1	7	0.6	5	--	--
JHTI-423	201	0.1	9	0.4	5	--	--
JHTI-424	201	0.1	6	0.6	5	--	--
JHTI-425	201	0.1	7	0.4	10	--	--
JHTI-426	201	0.1	9	0.4	10	--	--
JHTI-427	201	0.1	7	0.4	5	--	--
JHTI-428	201	0.1	6	0.4	10	--	--
JHTI-429	201	0.1	10	0.6	10	--	--
JHTI-430	201	0.3	220	3.0	50	--	--
JHTI-431	201	0.1	32	1.4	10	--	--
JHTI-432	201	0.1	35	1.2	15	--	--
JHTI-433	201	1.0	>1000	8.2	55	--	--
JHTI-434	201	0.1	36	1.2	5	--	--
JHTI-435	201	0.3	370	2.2	10	--	--
JHTI-436	201	0.2	43	1.6	5	--	--
JHTI-437	201	0.2	35	1.0	20	--	--

Certified by *Hart Biddle*





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
 MINERALS STAFF
 #901 - 355 BURNARD ST.
 VANCOUVER, B.C.
 V6C 2G8

CERT. # : A8112538-001-A
 INVOICE # : I8112538
 DATE : 11-AUG-81
 P.O. # : 56809
 M504

CC: L. DICK

Sample description	Prep code	Ag ppm	AS ppm	Sb ppm	AU-FA+AA ppb		
MTTI 185	205	0.1	4	0.6	15	--	--
MTTI 186	205	0.1	5	6.0	10	--	--
MTTI 187	205	0.1	5	0.6	5	--	--
MTTI 188	205	0.1	4	0.1	5	--	--
MTTI 189	205	0.1	9	1.2	10	--	--
MTTI 190	205	0.1	5	2.8	10	--	--
MTTI 191	205	0.1	7	1.8	10	--	--
MTTI 192	205	0.1	6	0.8	5	--	--
MTTI 193	205	0.1	23	0.2	10	--	--
MTTI 194	205	0.1	120	0.4	50	--	--
MTTI 195	205	0.1	65	2.6	35	--	--
MTTI 196	205	0.1	69	8.2	700	BARB	--
MTTI 197	205	0.1	90	2.8	40	1 stone	--
MTTI 198	205	0.1	90	7.2	55	--	--
MTTI 199	205	0.1	57	1.4	15	--	--
MTTI 200	205	0.1	60	5.2	15	--	--
MTTI 201	205	0.1	59	3.6	20	--	--
MTTI 202	205	0.1	77	39.0	165	--	--
MTTI 203	205	0.1	45	1.6	15	--	--
MTTI 204	205	0.1	300	21.0	20	--	--
MTTI 205	205	52.0	>1000	39.0	10000	- near the east river	--
MTTI 206	205	2.0	59	1.4	20	Gallons	--
MTTI 207	205	1.4	25	3.2	20	--	--
MTTI 208	205	0.8	22	2.0	20	--	--
MTTI 209	205	1.3	155	1.6	85	--	--
MTTI 210	205	1.0	18	1.2	5	near the GL	--
MTTI 211+212	205	1.0	43	1.4	2600	GL cont	--
MTTI 213	205	0.2	11	2.0	20	--	--
MTTI 214	205	1.1	9	8.2	15	--	--
MTTI 215	205	0.2	6	1.4	15	--	--
MTTI 216	205	0.2	63	9.2	25	--	--
MTTI 217	205	0.2	23	4.4	10	--	--
MTTI 218	205	0.7	9	1.2	10	--	--
MTTI 219	205	0.4	10	1.6	25	--	--
MTTI 220	205	0.5	46	2.4	10	--	--
MTTI 221	205	0.5	67	2.4	15	--	--
MTTI 222	205	0.6	15	1.2	15	--	--
MTTI 223	205	0.2	11	1.4	10	--	--
MTTI 224	205	1.1	240	2.6	190	--	--
MTTI 225	205	0.5	67	3.2	35	--	--

Certified by *Ha K. Bickler*





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
 MINERALS STAFF
 #901 - 355 BURRARD ST.
 VANCOUVER, B.C.
 V6C 2G8

CERT. # : A8112537-002-A
 INVOICE # : I8112537
 DATE : 12-AUG-81
 P.O. # : 568C9
 M504

CC L. DICK

Sample description	Prep code	Ag ppm	AS ppm	Sb ppm	AU-FA+AA ppb		
RLT1 420	201	0.1	325	12.8	30	--	--
RLT1 421	201	0.1	125	5.6	5	--	--
RLT1 422	201	0.2	135	9.0	40	--	--
RLT1 423	201	0.1	63	2.4	20	--	--
RLT1 424	201	0.4	180	5.4	5	--	--
RLT1 425	201	0.8	175	5.2	15	--	--
RLT1 426	201	0.1	12	3.8	<5	--	--
RLT1 427	201	0.1	410	11.4	10	--	--
RLT1 428	201	0.1	1000	19.2	75	--	--
RLT1 429	201	0.6	550	26.0	435	--	--
RLT1 430	201	0.2	230	7.0	50	--	--
RLT1 431	201	0.2	310	14.0	170	TUT	--
RLT1 432	201	0.1	200	8.4	170	--	--
JHT1 318	201	0.2	310	4.6	100	--	--
JHT1 319	201	0.3	350	4.4	5	--	--
JHT1 320	201	0.4	970	7.6	10	--	--
JHT1 321	201	0.1	520	4.8	20	--	--
JHT1 322	201	0.1	95	2.8	30	--	--
JHT1 323	201	0.4	41	1.6	5	--	--
JHT1 324	201	0.5	95	1.4	205	--	--
JHT1 325	201	0.2	>1000	9.0	45	--	--
JHT1 326	201	0.1	220	2.8	5	--	--
JHT1 327	201	0.4	>1000	11.6	265	Magnetic	--
JHT1 328	201	0.8	640	7.0	430	BAR.B	--
JHT1 329	201	0.5	400	5.4	95	CLIMS	--
JHT1 330	201	0.6	350	3.8	100	--	--
JHT1 331	203	0.1	71	1.6	5	--	--
JHT1 332	201	0.1	25	0.6	155	--	--
JHT1 333	201	0.1	15	0.6	30	--	--
JHT1 334	201	0.3	6	0.4	45	--	--
JHT1 335	201	0.1	3	0.2	5	--	--
JHT1 336	201	0.1	12	1.6	5	--	--
JHT1 337	201	0.1	12	0.6	<5	--	--
JHT1 338	201	0.1	23	1.2	<5	--	--
JHT1 339	201	0.1	5	1.0	<5	--	--
JHT1 340	201	0.1	4	0.4	<5	--	--
JHT1 341	201	0.1	5	0.4	15	--	--
JHT1 342	201	0.1	10	0.6	5	--	--
JHT1 343	201	0.3	5	0.6	5	--	--
JHT1 344	201	0.1	5	1.0	5	--	--

Certified by *Hart Bickler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
 MINERALS STAFF
 #901 - 355 BURRARD ST.
 VANCOUVER, B.C.
 V6C 2G8

CERT. # : A8112835-002-A
 INVOICE # : I8112835
 DATE : 20-AUG-81
 P.O. # : S6809
 M504

ATTN: L.A. DICK

Sample description	Prep code	Ag ppm	AS ppm	AU-FA+AA ppb			
KSTI-348	205	0.1	63	<5	---	---	---
KSTI-349	205	0.1	110	<5	---	---	---
KSTI-350	205	0.1	12	<5	---	---	---
KSTI-351	205	0.1	730	<5	---	---	---
KSTI-352	205	0.1	>1000	<5	---	---	---
KSTI-353	205	0.1	830	<5	---	---	---
KSTI-354	205	0.1	160	<5	---	---	---
KSTI-355	205	0.1	>1000	<5	---	---	---
KSTI-356	205	0.1	>1000	<5	---	---	---
KSTI-357	205	0.1	165	<5	---	---	---
KSTI-359	205	0.1	36	<5	---	---	---
KSTI-360	205	0.1	16	<5	---	---	---
JHTI-385A	205	0.1	51	<5	---	---	---
MTTI-299	205	0.1	73	10	---	---	---
MTTI-300	205	0.1	30	20	---	---	---
MTTI-301	205	0.1	39	10	---	---	---
MTTI-302	205	0.2	33	5	---	---	---
MTTI-303	205	0.1	17	<5	---	---	---
MTTI-304	205	0.9	53	<5	---	---	---
MTTI-305	205	0.1	29	<5	---	---	---
MTTI-306	205	0.1	10	<5	---	---	---
MTTI-307	205	0.1	63	<5	---	---	---
MTTI-308	205	0.1	57	<5	---	---	---
MTTI-309	205	0.1	33	<5	---	---	---
MTTI-309B	205	0.1	15	<5	---	---	---
MTTI-310	205	0.1	>1000	<5	---	---	---
MTTI-311	205	0.1	440	<5	---	---	---
MTTI-312	205	0.1	>1000	<5	---	---	---
MTTI-313	205	0.1	33	<5	---	---	---

TABLE

PTRO

Certified by Hart Bickler