



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

BATCH #1 DRILL CORE

Drill hole Geochemical 841343  
To: CHEVRON CANADA RESOURCES LTD.  
MINERALS STAFF  
1900 - 1055 W. HASTINGS ST  
VANCOUVER, B.C.  
V6E 2E9

Page No. : 1-A  
Tot. Pages: 2  
Date : 3-NOV-87  
Invoice # : I-8725023  
P.O. # : 36854

## MASTER FILE

Project : M577  
Comments :

### CERTIFICATE OF ANALYSIS A8725023

omit  
Rock  
GEOCHEM

87-1

80-5-10

84-1

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
87-MM 359	205 238	< 5	0.63	< 0.2	< 5	160	< 0.5	< 2	1.04	< 0.5	< 1	18	4	0.85	< 10	< 1	0.27	< 10	0.42	387
87-MM 360	205 238	10	3.09	< 0.2	< 5	20	< 0.5	< 2	1.84	< 0.5	20	6	53	4.26	10	< 1	0.02	< 10	2.35	545
87-MM 361	205 238	10	0.33	< 0.2	65	70	< 0.5	< 2	0.86	< 0.5	8	88	32	1.81	< 10	< 1	0.16	< 10	0.11	639
87-MM 362	205 238	5	3.02	< 0.2	< 5	110	< 0.5	< 2	0.34	< 0.5	22	34	31	6.60	10	< 1	0.07	< 10	2.85	1105
87-MM 363	205 238	< 5	1.06	< 0.2	5	110	< 0.5	< 2	2.00	< 0.5	40	151	83	7.08	< 10	< 1	0.22	< 10	1.11	1100
87-MM 364	205 238	< 5	0.14	< 0.2	< 5	20	< 0.5	< 2	0.05	< 0.5	5	158	17	0.68	< 10	< 1	0.01	< 10	0.08	486
87-MM 365	205 238	10	0.38	< 0.2	55	280	< 0.5	< 2	0.12	< 0.5	5	116	13	3.99	< 10	< 1	0.11	< 10	0.06	1910
87-MM 366	205 238	5	0.47	< 0.2	5	280	< 0.5	< 2	2.41	< 0.5	7	19	15	2.25	< 10	< 1	0.24	< 10	0.92	578
87-MM 367	205 238	5	0.58	0.2	30	70	< 0.5	< 2	13.10	< 0.5	8	17	41	3.94	< 10	< 1	0.10	< 10	0.38	1120
87-MM 368	205 238	220	0.18	< 0.2	1200	90	< 0.5	< 2	1.36	< 0.5	4	110	6	1.47	< 10	< 1	0.06	< 10	0.38	406
87-WH 342 A	205 238	< 5	1.45	< 0.2	5	40	< 0.5	< 2	1.40	< 0.5	9	126	78	0.68	< 10	6	0.03	< 10	0.34	208
87-WH 476	205 238	< 5	0.37	< 0.2	70	10	< 0.5	2	5.94	< 0.5	14	97	12	2.57	< 10	< 1	0.07	< 10	1.26	826
87-WH 477	205 238	< 5	0.50	0.2	120	20	< 0.5	< 2	8.02	< 0.5	28	1210	177	1.90	< 10	< 1	< 0.01	< 10	6.02	531
113201 H	205 238	< 5	3.42	0.2	15	< 10	< 0.5	< 2	5.95	< 0.5	50	423	111	5.41	< 10	< 1	0.04	< 10	6.51	994
113202 H	205 238	25	1.76	0.2	235	< 10	< 0.5	< 2	10.10	< 0.5	36	277	107	3.27	< 10	< 1	0.08	< 10	4.95	781
113203 H 1-840	205 238	>10000	3.02	1.4	235	< 10	< 0.5	< 2	9.40	< 0.5	67	1165	55	3.65	< 10	< 1	< 0.01	< 10	5.08	738
113204 H oz/ton	205 238	< 5	2.84	< 0.2	35	< 10	< 0.5	< 2	6.07	< 0.5	33	486	75	3.42	< 10	< 1	< 0.01	< 10	4.77	650
113205 H	205 238	45	2.72	0.2	< 5	< 10	< 0.5	< 2	3.67	< 0.5	22	240	58	2.43	< 10	< 1	0.05	< 10	3.71	457
113206 H	205 238	< 5	2.93	0.2	35	< 10	< 0.5	< 2	5.82	< 0.5	24	222	73	2.72	< 10	< 1	0.05	< 10	4.12	555
113207 H	205 238	20	3.23	0.2	60	< 10	< 0.5	< 2	9.45	< 0.5	26	418	54	2.64	< 10	< 1	0.08	< 10	4.27	480
113208 H	205 238	5	3.74	0.6	110	< 10	< 0.5	< 2	6.50	< 0.5	66	766	491	4.03	< 10	< 1	0.03	< 10	5.75	747
113209 H	205 238	65	3.18	0.2	110	< 10	< 0.5	< 2	9.20	< 0.5	35	575	92	3.55	< 10	< 1	< 0.01	< 10	5.39	868
113210 H	205 238	95	3.69	0.2	20	< 10	< 0.5	< 2	4.98	< 0.5	35	423	104	3.15	< 10	< 1	0.01	< 10	4.50	584
113211 H	205 238	5	3.64	0.2	< 5	< 10	< 0.5	< 2	5.29	< 0.5	31	406	51	3.28	< 10	< 1	0.07	< 10	4.46	597
113212 H	205 238	< 5	3.96	0.2	< 5	< 10	< 0.5	< 2	5.75	< 0.5	35	340	72	3.16	< 10	< 1	0.05	< 10	4.66	594
113213 H	205 238	10	3.79	0.2	< 5	10	< 0.5	< 2	6.83	< 0.5	32	297	56	3.31	< 10	< 1	0.11	< 10	3.97	662
113214 H	205 238	< 5	2.75	0.2	< 5	< 10	< 0.5	< 2	3.90	< 0.5	14	150	137	1.23	< 10	< 1	< 0.01	< 10	1.38	198
113215 H	205 238	< 5	3.94	0.4	< 5	< 10	< 0.5	< 2	4.71	< 0.5	25	78	51	3.41	< 10	< 1	0.06	< 10	3.77	651
113216 H	205 238	25	3.59	0.2	20	10	< 0.5	< 2	5.58	< 0.5	31	18	118	4.38	< 10	< 1	0.08	< 10	3.67	770
113217 H	205 238	25	1.92	< 0.2	40	20	< 0.5	< 2	7.33	< 0.5	26	28	49	3.37	< 10	< 1	0.20	< 10	3.02	726
113218 H	205 238	10	0.81	< 0.2	100	20	< 0.5	< 2	5.73	< 0.5	19	35	116	2.98	< 10	< 1	0.19	< 10	2.56	567
113219 H	205 238	< 5	4.61	< 0.2	< 5	30	< 0.5	< 2	5.79	< 0.5	6	185	18	0.57	< 10	1	0.27	< 10	0.75	186
113220 H	205 238	< 5	3.11	0.2	< 5	10	< 0.5	< 2	6.40	< 0.5	25	209	136	2.31	< 10	< 1	0.04	< 10	3.13	451
113221 H	205 238	< 5	3.65	0.2	< 5	10	< 0.5	< 2	6.55	0.5	38	665	81	3.42	< 10	< 1	0.03	< 10	4.80	647
113222 H	205 238	< 5	3.44	0.2	10	10	< 0.5	< 2	7.47	< 0.5	25	384	35	3.18	< 10	< 1	0.23	< 10	3.81	583
113223 H	205 238	< 5	1.33	< 0.2	< 5	10	< 0.5	< 2	1.18	< 0.5	9	68	2	1.04	< 10	< 1	0.18	< 10	0.70	140
113224 H	205 238	< 5	0.76	< 0.2	< 5	< 10	< 0.5	< 2	1.46	< 0.5	5	94	1	0.75	< 10	< 1	0.08	< 10	0.43	111
113225 H	205 238	20	0.47	< 0.2	< 5	< 10	< 0.5	< 2	2.54	< 0.5	1	127	2	0.47	< 10	< 1	0.07	< 10	0.17	90
113226 H	205 238	10	2.79	< 0.2	35	10	< 0.5	< 2	3.61	< 0.5	25	28	50	5.92	< 10	< 1	0.25	< 10	1.86	776
113227 H	205 238	< 5	2.06	< 0.2	95	< 10	< 0.5	< 2	4.85	< 0.5	19	251	15	2.50	< 10	< 1	0.18	< 10	3.09	591

CERTIFICATION :



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.  
MINERALS STAFF  
1900 - 1055 W. HASTINGS ST.  
VANCOUVER, B.C.  
V6E 2E9

Project: M577

Comments:

Page No. : 1-B  
Tot. Pages: 2  
Date : 3-NOV-87  
Invoice #: I-8725023  
P.O. #: 36854

## CERTIFICATE OF ANALYSIS A8725023

SAMPLE DESCRIPTION	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Se	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
87-MM 359	205	238	< 1	0.04	3	130	14	< 5	< 10	72	< 0.01	< 10	< 10	2	< 5	38
87-MM 360	205	238	< 1	0.09	2	280	< 2	< 5	10	14	0.17	< 10	< 10	143	< 5	56
87-MM 361	205	238	< 1	0.01	120	220	2	15	< 10	15	< 0.01	< 10	< 10	12	< 5	31
87-MM 362	205	238	< 1	0.07	16	800	< 2	< 5	10	18	0.03	< 10	< 10	220	< 5	92
87-MM 363	205	238	< 1	0.03	113	620	< 2	< 5	< 10	31	< 0.01	< 10	< 10	138	< 5	89
87-MM 364	205	238	1	0.01	9	90	< 2	< 5	< 10	5	< 0.01	< 10	< 10	13	< 5	10
87-MM 365	205	238	2	0.01	42	610	< 2	< 5	< 10	112	< 0.01	< 10	< 10	14	< 5	29
87-MM 366	205	238	< 1	0.05	4	270	4	< 5	< 10	120	< 0.01	< 10	< 10	6	< 5	42
87-MM 367	205	238	< 1	0.01	22	480	< 2	5	10	131	< 0.01	< 10	< 10	33	< 5	59
87-MM 368	205	238	< 1	0.06	5	370	2	< 5	< 10	111	< 0.01	< 10	< 10	6	< 5	25
87-WH 342 A	205	238	< 1	0.02	32	50	2	< 5	< 10	32	< 0.01	< 10	< 10	8	< 5	2
87-WH 476	205	238	< 1	0.06	25	120	4	< 5	< 10	86	< 0.01	< 10	< 10	13	< 5	17
87-WH 477	205	238	< 1	0.01	218	20	< 2	50	< 10	287	< 0.01	< 10	< 10	71	5	12
113201 H	205	238	< 1	0.02	192	100	< 2	< 5	< 10	63	0.01	< 10	< 10	81	< 5	36
113202 H	205	238	< 1	0.02	141	40	< 2	40	< 10	247	< 0.01	< 10	< 10	43	< 5	24
113203 H	205	238	< 1	0.01	390	20	2	< 5	< 10	110	< 0.01	< 10	< 10	86	< 5	28
113204 H	205	238	< 1	0.02	129	90	< 2	< 5	< 10	72	0.02	< 10	< 10	72	< 5	25
113205 H	205	238	< 1	0.04	98	140	< 2	< 5	< 10	26	0.07	< 10	< 10	59	< 5	15
113206 H	205	238	< 1	0.02	88	90	< 2	< 5	< 10	94	0.01	< 10	< 10	31	< 5	21
113207 H	205	238	< 1	0.02	107	40	2	< 5	< 10	177	< 0.01	< 10	< 10	43	< 5	22
113208 H	205	238	< 1	0.02	332	20	< 2	< 5	< 10	60	< 0.01	< 10	< 10	78	< 5	29
113209 H	205	238	< 1	0.03	192	20	< 2	< 5	< 10	119	0.01	< 10	< 10	60	< 5	23
113210 H	205	238	< 1	0.05	123	30	< 2	< 5	< 10	52	0.06	< 10	< 10	70	< 5	20
113211 H	205	238	< 1	0.04	103	30	< 2	< 5	< 10	58	0.01	< 10	< 10	82	< 5	22
113212 H	205	238	< 1	0.05	124	10	< 2	< 5	< 10	54	0.02	< 10	< 10	58	< 5	19
113213 H	205	238	< 1	0.08	109	30	< 2	< 5	10	70	< 0.01	< 10	< 10	74	< 5	27
113214 H	205	238	< 1	0.06	38	60	< 2	< 5	< 10	14	0.02	< 10	< 10	15	< 5	9
113215 H	205	238	< 1	0.06	38	100	< 2	< 5	< 10	58	0.06	< 10	< 10	89	< 5	35
113216 H	205	238	< 1	0.07	26	90	< 2	< 5	< 10	89	< 0.01	< 10	< 10	131	< 5	40
113217 H	205	238	< 1	0.12	26	80	< 2	< 5	10	133	< 0.01	< 10	< 10	83	< 5	28
113218 H	205	238	< 1	0.07	20	200	< 2	< 5	< 10	181	< 0.01	< 10	< 10	21	< 5	30
113219 H	205	238	< 1	0.06	18	20	2	< 5	< 10	30	0.04	< 10	< 10	26	< 5	2
113220 H	205	238	< 1	0.08	78	40	< 2	< 5	< 10	53	< 0.01	< 10	< 10	46	< 5	15
113221 H	205	238	< 1	0.07	149	20	< 2	< 5	< 10	58	0.02	< 10	< 10	82	< 5	19
113222 H	205	238	< 1	0.03	94	100	< 2	< 5	10	69	0.06	< 10	< 10	87	< 5	14
113223 H	205	238	< 1	0.09	8	500	4	< 5	< 10	30	< 0.01	< 10	< 10	15	< 5	8
113224 H	205	238	< 1	0.09	1	240	< 2	< 5	< 10	26	< 0.01	< 10	< 10	9	< 5	4
113225 H	205	238	< 1	0.09	1	100	4	< 5	< 10	38	< 0.01	< 10	< 10	1	< 5	1
113226 H	205	238	< 1	0.04	3	180	< 2	< 5	20	105	< 0.01	< 10	< 10	137	< 5	57
113227 H	205	238	< 1	0.04	74	60	< 2	< 5	< 10	129	< 0.01	< 10	< 10	39	< 5	30

CERTIFICATION

*[Handwritten signature]*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.

MINERALS STAFF  
1900 - 1055 W. HASTINGS ST.  
VANCOUVER, B.C.  
V6E 2E9

Project: M577

Comments:

Page No. : 2-A

Tot. Pages: 2

Date : 3-NOV-87

Invoice #: I-8725023

P.O. #: 36854

## CERTIFICATE OF ANALYSIS A8725023

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
113228 H	205 238	25	0.61	0.2	265	10	< 0.5	< 2	4.15	< 0.5	14	118	18	2.24	< 10	< 1	0.17	< 10	2.30	538
113229 H	205 238	310	0.31	0.4	2350	10	< 0.5	< 2	5.44	< 0.5	21	30	50	3.78	< 10	< 1	0.19	< 10	2.41	668
84-1 113230 H	205 238	35	0.26	0.4	145	< 10	< 0.5	< 2	5.89	< 0.5	14	54	32	1.99	< 10	< 1	0.12	< 10	2.78	511
113231 H	205 238	5	0.71	0.2	80	< 10	< 0.5	< 2	6.36	< 0.5	20	81	53	2.50	< 10	< 1	0.19	< 10	3.45	561
113232 H	205 238	< 5	1.41	< 0.2	70	10	< 0.5	< 2	6.32	< 0.5	31	153	40	3.32	< 10	< 1	0.19	< 10	4.23	701
113233 H	205 238	450	2.46	0.2	85	10	< 0.5	< 2	5.86	< 0.5	36	385	48	4.02	< 10	< 1	0.14	< 10	4.90	802
113234 H	205 238	< 5	0.73	< 0.2	10	60	< 0.5	< 2	1.67	< 0.5	17	54	61	3.76	< 10	< 1	0.14	< 10	2.66	547
113235 H	205 238	5	0.70	< 0.2	55	90	< 0.5	< 2	3.77	< 0.5	15	59	37	2.80	< 10	< 1	0.18	< 10	3.24	628
113236 H	205 238	30	0.37	< 0.2	75	90	< 0.5	< 2	2.60	< 0.5	16	24	39	3.13	< 10	< 1	0.14	< 10	2.90	574
113237 H	205 238	150	0.57	0.6	305	60	< 0.5	< 2	3.07	< 0.5	22	143	40	3.24	< 10	< 1	0.23	< 10	4.31	867
87-2 113238 H	205 238	< 5	0.27	< 0.2	150	10	< 0.5	< 2	1.74	< 0.5	82	450	9	3.28	< 10	< 1	< 0.01	< 10	7.78	467
113239 H	205 238	< 5	0.42	0.2	120	50	< 0.5	< 2	7.96	< 0.5	18	99	27	2.93	< 10	< 1	0.08	< 10	6.77	746
113240 H	205 238	< 5	0.32	< 0.2	955	30	< 0.5	< 2	4.53	< 0.5	61	382	35	3.78	< 10	< 1	0.04	< 10	7.78	817
113241 H	205 238	< 5	0.84	< 0.2	10	40	0.5	< 2	2.31	< 0.5	55	370	29	4.27	< 10	< 1	0.03	< 10	8.86	922
113242 H	205 238	< 5	1.41	< 0.2	10	60	< 0.5	< 2	1.51	< 0.5	54	495	42	4.70	< 10	< 1	0.05	< 10	9.66	1065
113243 H	205 238	< 5	0.31	0.2	315	30	< 0.5	< 2	1.75	< 0.5	79	415	26	3.95	< 10	< 1	0.03	< 10	9.80	690
113244 H 0.056	205 238	1750	0.24	2.2	595	40	< 0.5	< 2	2.57	< 0.5	7	44	77	3.97	< 10	< 1	0.11	< 10	1.59	721
113245 H 0.050	205 238	1400	0.25	2.0	625	40	1.0	< 2	2.84	< 0.5	18	60	97	4.80	< 10	< 1	0.09	< 10	2.28	799
113246 H 02/40n	205 238	90	0.71	0.2	220	40	< 0.5	< 2	4.91	< 0.5	29	257	28	3.31	< 10	< 1	0.10	< 10	6.69	926
84-8 113247 H	205 238	25	1.76	< 0.2	90	< 10	< 0.5	< 2	5.14	< 0.5	21	55	15	2.76	< 10	< 1	0.25	< 10	3.14	444
WATH Rocks omit. 115901 H	205 238	540	0.68	< 0.2	600	170	0.5	< 2	4.25	< 0.5	29	97	56	5.29	< 10	< 1	0.33	< 10	1.35	922
115902 H	205 238	200	0.30	< 0.2	300	90	0.5	< 2	5.11	< 0.5	28	100	52	6.85	< 10	< 1	0.17	< 10	2.97	1630
115903 H	205 238	375	1.38	< 0.2	400	390	1.0	< 2	2.98	< 0.5	40	143	97	6.48	< 10	< 1	0.40	< 10	1.37	2330
115904 H	205 238	55	0.27	< 0.2	60	180	< 0.5	< 2	0.10	< 0.5	10	134	54	1.39	< 10	< 1	0.06	< 10	0.13	903
115905 H	205 238	35	2.36	< 0.2	35	30	< 0.5	< 2	1.83	< 0.5	19	57	44	4.38	< 10	< 1	0.11	< 10	1.74	755

CERTIFICATION :



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.  
MINERALS STAFF  
1900 - 1055 W. HASTINGS ST.  
VANCOUVER, B.C.  
V6E 2E9

Project: M577

Comments:

Page No. : 2-B  
Tot. Pages: 2  
Date : 3-NOV-87  
Invoice #: I-8725023  
P.O. #: 36854

## CERTIFICATE OF ANALYSIS A8725023

SAMPLE DESCRIPTION	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Se	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
84-1 113228 H	205	238	< 1	0.04	56	60	< 2	< 5	< 10	172	< 0.01	< 10	< 10	12	5	27
113229 H	205	238	< 1	0.02	26	70	< 2	5	10	242	< 0.01	< 10	< 10	21	5	36
113230 H	205	238	< 1	0.02	41	20	< 2	10	< 10	184	< 0.01	< 10	< 10	10	5	14
113231 H	205	238	< 1	0.04	53	30	< 2	10	< 10	164	< 0.01	< 10	< 10	23	5	23
113232 H	205	238	< 1	0.02	69	20	< 2	< 5	< 10	145	< 0.01	< 10	< 10	45	10	18
113233 H	205	238	< 1	0.03	87	< 10	< 2	5	< 10	124	< 0.01	< 10	< 10	102	15	24
113234 H	205	238	< 1	0.03	116	270	< 2	< 5	< 10	132	< 0.01	< 10	< 10	36	5	88
113235 H	205	238	< 1	0.08	68	200	< 2	< 5	< 10	429	< 0.01	< 10	< 10	26	5	59
113236 H	205	238	< 1	0.03	76	80	< 2	5	< 10	313	< 0.01	< 10	< 10	15	5	70
113237 H	205	238	< 1	0.04	185	160	< 2	10	< 10	389	< 0.01	< 10	< 10	25	10	49
87-2 113238 H	205	238	< 1	0.01	1535	< 10	< 2	25	< 10	118	< 0.01	< 10	< 10	11	10	16
113239 H	205	238	< 1	0.03	122	60	< 2	10	< 10	869	< 0.01	< 10	< 10	33	10	28
113240 H	205	238	< 1	0.02	909	40	< 2	25	< 10	367	< 0.01	< 10	< 10	33	15	37
113241 H	205	238	< 1	0.02	601	100	< 2	5	< 10	221	< 0.01	< 10	< 10	44	20	45
113242 H	205	238	< 1	0.03	524	90	< 2	< 5	< 10	156	< 0.01	< 10	< 10	58	20	50
113243 H	205	238	< 1	0.02	1160	40	< 2	10	< 10	236	< 0.01	< 10	< 10	26	15	29
113244 H	205	238	< 1	0.02	63	290	14	5	< 10	218	< 0.01	< 10	< 10	10	145	120
113245 H	205	238	2	0.02	117	270	24	10	10	248	< 0.01	< 10	< 10	13	160	128
113246 H	205	238	< 1	0.04	307	70	< 2	10	< 10	584	< 0.01	< 10	< 10	35	15	39
84-8 113247 H	205	238	< 1	0.02	43	120	< 2	< 5	< 10	102	< 0.01	< 10	< 10	61	10	18
WAH ROCKS 115901 H	205	238	< 1	0.04	95	660	< 2	15	< 10	284	< 0.01	< 10	< 10	55	20	61
115902 H	205	238	< 1	0.02	154	540	< 2	20	10	400	< 0.01	< 10	< 10	41	30	77
115903 H	205	238	< 1	0.03	174	860	4	15	10	158	0.02	< 10	< 10	67	20	90
115904 H	205	238	2	0.01	38	110	< 2	5	< 10	36	< 0.01	< 10	< 10	8	< 5	44
115905 H	205	238	< 1	0.07	17	200	< 2	< 5	< 10	49	< 0.01	< 10	< 10	120	15	44

CERTIFICATION :



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.  
MINERALS STAFF  
1900 - 1055 W. HASTINGS ST.  
VANCOUVER, B.C.  
V6E 2E9

Project: M 577

Comments:

Page No. : 1-A  
Tot. Pages: 2  
Date : 26-NOV-87  
Invoice #: I-8726429  
P.O. # : NONE

## CERTIFICATE OF ANALYSIS A8726429

\*BATCH 2 DRILL CORE  
NOV 27/87 830AM

A001

A002

A003

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
113248 H	205 238	170	2.42	< 0.2	1425	10	< 0.5	< 2	4.49	0.5	27	135	83	6.05	< 10	< 1	0.01	< 10	3.31	1110
113249 H	205 238	700	1.89	< 0.2	1730	< 10	< 0.5	< 2	3.87	0.5	27	65	101	5.74	< 10	< 1	0.14	< 10	3.50	1745
113250 H	205 238	10	3.57	< 0.2	50	< 10	< 0.5	< 2	3.62	< 0.5	31	285	12	6.24	10	< 1	0.03	< 10	4.72	1250
113251 H	205 238	10	1.26	< 0.2	< 5	< 10	< 0.5	< 2	3.44	< 0.5	8	50	6	3.20	< 10	< 1	0.03	< 10	1.15	483
113252 H	205 238	285	0.63	< 0.2	590	10	< 0.5	< 2	7.55	< 0.5	21	66	41	4.20	< 10	< 1	0.19	< 10	3.16	938
113253 H	205 238	25	1.64	< 0.2	5	< 10	< 0.5	< 2	2.12	< 0.5	15	51	20	4.08	< 10	< 1	0.06	< 10	1.66	548
113254 H	205 238	5	1.63	< 0.2	10	10	< 0.5	< 2	5.94	< 0.5	36	127	59	5.22	< 10	2	0.09	< 10	3.74	921
113255 H	205 238	10	2.82	< 0.2	60	20	< 0.5	< 2	5.39	< 0.5	32	47	13	5.17	< 10	< 1	0.36	< 10	2.97	817
113256 H	205 238	40	1.38	< 0.2	20	10	< 0.5	< 2	4.97	< 0.5	17	122	12	3.82	< 10	< 1	0.15	< 10	2.64	644
113257 H	205 238	165	1.21	< 0.2	1275	10	< 0.5	< 2	7.37	< 0.5	36	21	75	5.38	< 10	1	0.33	< 10	3.35	960
113258 H	205 238	570	0.17	< 0.2	2060	< 10	< 0.5	< 2	5.45	< 0.5	12	45	14	2.32	< 10	< 1	0.10	< 10	2.00	557
113259 H	205 238	20	2.07	< 0.2	30	10	< 0.5	< 2	6.16	0.5	36	59	57	4.13	< 10	< 1	0.15	< 10	4.26	805
113260 H	205 238	< 5	3.73	< 0.2	< 5	< 10	< 0.5	< 2	4.28	< 0.5	16	83	30	2.61	< 10	< 1	< 0.01	< 10	1.57	501
113261 H	205 238	< 5	3.35	< 0.2	< 5	< 10	< 0.5	< 2	2.07	< 0.5	26	168	56	2.29	< 10	< 1	< 0.01	< 10	3.83	313
113262 H	205 238	5	4.45	< 0.2	< 5	< 10	< 0.5	< 2	4.24	< 0.5	17	219	51	1.58	< 10	< 1	< 0.01	< 10	2.45	288
113263 H	205 238	< 5	3.66	< 0.2	< 5	< 10	< 0.5	< 2	2.97	< 0.5	21	330	31	1.74	< 10	< 1	< 0.01	< 10	2.92	263
113264 H	205 238	10	4.23	< 0.2	< 5	< 10	< 0.5	< 2	3.80	0.5	23	181	90	1.92	< 10	< 1	< 0.01	< 10	2.83	318
113265 H	205 238	< 5	6.26	< 0.2	< 5	< 10	< 0.5	< 2	6.19	0.5	25	227	77	2.32	< 10	< 1	< 0.01	< 10	3.19	375
113266 H	205 238	< 5	5.75	< 0.2	< 5	< 10	< 0.5	< 2	5.88	0.5	21	149	86	2.08	< 10	< 1	0.01	< 10	2.47	320
113267 H	205 238	< 5	4.49	< 0.2	< 5	< 10	< 0.5	< 2	4.00	< 0.5	28	214	65	2.45	< 10	< 1	< 0.01	< 10	3.30	375
113268 H	205 238	5	5.12	< 0.2	< 5	< 10	1.0	< 2	4.93	0.5	26	83	68	4.01	< 10	< 1	< 0.01	< 10	2.98	674
113269 H	205 238	< 5	4.26	< 0.2	< 5	< 10	0.5	< 2	2.21	0.5	50	305	131	4.42	< 10	< 1	< 0.01	< 10	5.66	639
113270 H	205 238	< 5	3.78	< 0.2	< 5	< 10	< 0.5	< 2	1.01	< 0.5	55	285	145	4.33	< 10	< 1	< 0.01	< 10	5.92	608
113271 H	205 238	< 5	3.79	< 0.2	5	< 10	< 0.5	< 2	0.87	0.5	70	486	169	4.93	< 10	< 1	< 0.01	< 10	5.94	648
113272 H	205 238	< 5	3.46	< 0.2	< 5	< 10	0.5	< 2	1.10	< 0.5	44	235	95	3.47	< 10	< 1	< 0.01	< 10	4.59	503
113273 H	205 238	< 5	3.59	< 0.2	< 5	< 10	< 0.5	< 2	1.14	< 0.5	46	341	108	3.90	< 10	< 1	< 0.01	10	5.56	532
113274 H	205 238	< 5	3.64	< 0.2	< 5	< 10	0.5	< 2	1.94	0.5	42	231	100	3.25	< 10	< 1	< 0.01	< 10	4.45	481
113275 H	205 238	< 5	3.36	< 0.2	< 5	< 10	< 0.5	< 2	2.47	< 0.5	33	299	78	2.52	< 10	< 1	< 0.01	< 10	3.53	381
113276 H	205 238	< 5	5.25	< 0.2	< 5	< 10	< 0.5	< 2	5.63	< 0.5	17	333	45	1.35	< 10	< 1	< 0.01	< 10	2.54	253
113277 H	205 238	< 5	0.67	< 0.2	55	280	< 0.5	< 2	1.94	0.5	34	79	36	5.61	< 10	< 1	0.26	10	4.52	979
113278 H	205 238	10	0.39	< 0.2	125	90	< 0.5	< 2	2.45	0.5	30	93	34	4.55	< 10	< 1	0.20	< 10	4.21	765
113279 H	205 238	< 5	0.37	< 0.2	120	70	< 0.5	< 2	2.13	0.5	37	56	49	6.37	< 10	< 1	0.19	10	4.88	970
113280 H	205 238	< 5	0.98	< 0.2	< 5	120	< 0.5	< 2	1.70	< 0.5	6	42	2	2.67	< 10	< 1	0.18	10	0.79	682
113281 H	205 238	< 5	0.37	< 0.2	20	520	< 0.5	< 2	3.22	< 0.5	9	129	210	1.50	< 10	< 1	0.04	< 10	2.23	334
113282 H	205 238	< 5	1.11	< 0.2	125	490	1.5	< 2	3.06	0.5	64	399	32	6.79	< 10	< 1	0.03	< 10	5.45	1150
113283 H	205 238	70	0.38	< 0.2	195	10	< 0.5	< 2	4.36	< 0.5	12	223	12	1.64	< 10	< 1	0.01	< 10	2.29	805
113284 H	205 238	95	3.29	< 0.2	760	10	< 0.5	< 2	5.93	0.5	46	415	46	5.41	< 10	< 1	0.09	< 10	5.56	1355
113285 H	205 238	125	1.17	< 0.2	605	10	< 0.5	< 2	6.25	< 0.5	26	64	48	3.76	< 10	< 1	0.17	< 10	3.64	966
113286 H	205 238	5	4.32	0.2	5	< 10	< 0.5	< 2	1.54	7.0	32	84	331	6.72	< 10	< 1	< 0.01	10	4.71	1760
113287 H	205 238	10	4.29	0.2	10	10	< 0.5	< 2	0.85	7.0	30	67	252	6.87	< 10	< 1	0.05	10	4.72	1870

CERTIFICATION :



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To : CHEVRON CANADA RESOURCES LTD.  
MINERALS STAFF  
1900 - 1055 W. HASTINGS ST.  
VANCOUVER, B.C.  
V6E 2E9

Project : M 577

Comments :

Page No. : 2-A

Tot. Pages: 2


Date : 26-NOV-87

Invoice # : I-8726429

P.O. # : NONE

## CERTIFICATE OF ANALYSIS A8726429

SAMPLE DESCRIPTION	PREP CODE		Au ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
	FA+AA																				
84-11 87-3 113288 H	205	238	10	4.34	0.2	< 5	10	< 0.5	< 2	0.76	8.0	34	69	180	6.94	< 10	< 1	0.02	10	4.93	1800
113289 H	205	238	< 5	3.10	< 0.2	< 5	< 10	< 0.5	< 2	5.25	< 0.5	29	224	27	2.22	< 10	< 1	< 0.01	< 10	2.88	413
113290 H	205	238	100	2.87	< 0.2	270	< 10	< 0.5	< 2	4.85	0.5	28	118	57	5.58	< 10	< 1	0.03	< 10	3.93	1190
113291 H	205	238	< 5	3.37	< 0.2	< 5	< 10	< 0.5	< 2	2.44	0.5	31	102	98	5.55	< 10	< 1	< 0.01	< 10	3.86	1140
85-1 113292 H	205	238	< 5	3.62	< 0.2	55	< 10	< 0.5	< 2	4.28	0.5	37	343	51	4.85	< 10	< 1	< 0.01	< 10	4.95	1030
113293 H	205	238	< 5	2.50	< 0.2	35	< 10	< 0.5	2	4.91	< 0.5	26	331	42	2.80	< 10	< 1	< 0.01	< 10	3.00	647
113294 H	205	238	590	0.53	< 0.2	1975	70	< 0.5	< 2	5.14	0.5	21	36	10	4.87	< 10	< 1	0.15	< 10	3.01	1105
113295 H	205	238	60	0.34	< 0.2	20	50	< 0.5	< 2	1.07	< 0.5	1	32	1	0.83	< 10	< 1	0.14	10	0.29	371
113296 H	205	238	5	4.70	< 0.2	25	< 10	< 0.5	< 2	5.38	< 0.5	29	213	48	3.46	< 10	< 1	0.04	< 10	4.08	690
113297 H	205	238	< 5	4.08	< 0.2	5	< 10	< 0.5	< 2	3.85	0.5	31	330	78	4.23	< 10	< 1	< 0.01	< 10	4.16	638
87-3 113298 H	205	238	< 5	4.73	< 0.2	10	< 10	< 0.5	< 2	5.86	0.5	29	251	84	3.82	< 10	< 1	0.03	< 10	4.02	707
113299 H	205	238	< 5	3.80	< 0.2	< 5	< 10	< 0.5	< 2	3.03	< 0.5	21	149	60	2.43	< 10	< 1	< 0.01	< 10	2.21	379
113300 H	205	238	< 5	3.92	< 0.2	< 5	< 10	< 0.5	< 2	10.20	< 0.5	28	333	34	2.43	< 10	< 1	< 0.01	< 10	3.55	530
113301 H	205	238	< 5	6.26	< 0.2	< 5	< 10	0.5	< 2	4.81	0.5	35	396	47	3.54	< 10	< 1	< 0.01	< 10	4.23	614

CERTIFICATION : 



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.  
MINERALS STAFF  
1900 - 1055 W. HASTINGS ST.  
VANCOUVER, B.C.  
V6E 2E9

Project: M 577  
Comments:

Page No. : 1-B  
Tot. Pages: 2  
Date : 26-NOV-87  
Invoice #: I-8726429  
P.O. #: NONE

## CERTIFICATE OF ANALYSIS A8726429

AD03

AD04

AD05

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
113248 H	205 238	< 1	0.02	58	250	82	< 5	< 10	150	< 0.01	< 10	< 10	202	< 5	67
113249 H	205 238	< 1	0.02	31	190	2	5	< 10	164	< 0.01	< 10	< 10	106	< 5	106
113250 H	205 238	< 1	0.02	100	230	< 2	5	< 10	118	< 0.01	< 10	< 10	193	< 5	70
113251 H	205 238	< 1	0.08	12	300	6	< 5	< 10	94	0.02	< 10	< 10	51	< 5	12
113252 H	205 238	< 1	0.03	24	100	6	< 5	< 10	220	< 0.01	< 10	< 10	96	< 5	26
84-3 113253 H	205 238	< 1	0.08	17	490	2	< 5	< 10	48	< 0.01	< 10	< 10	67	< 5	17
113254 H	205 238	< 1	0.05	106	150	10	5	< 10	141	< 0.01	< 10	< 10	129	< 5	35
113255 H	205 238	< 1	0.04	22	90	< 2	< 5	< 10	117	0.01	< 10	< 10	178	< 5	29
113256 H	205 238	< 1	0.05	42	220	6	< 5	< 10	131	< 0.01	< 10	< 10	69	< 5	19
113257 H	205 238	< 1	0.04	41	40	2	5	< 10	263	< 0.01	< 10	< 10	118	< 5	36
113258 H	205 238	< 1	0.01	15	190	2	5	< 10	214	< 0.01	< 10	< 10	11	< 5	14
113259 H	205 238	< 1	0.04	48	10	8	< 5	< 10	118	< 0.01	< 10	< 10	81	< 5	29
113260 H	205 238	< 1	0.05	14	90	6	< 5	< 10	16	0.09	< 10	< 10	89	< 5	20
113261 H	205 238	< 1	0.03	157	< 10	< 2	< 5	< 10	13	0.03	< 10	< 10	24	< 5	16
113262 H	205 238	< 1	0.02	75	< 10	< 2	< 5	< 10	13	0.03	< 10	< 10	38	< 5	10
87-3 113263 H	205 238	< 1	0.01	104	< 10	4	< 5	< 10	12	0.05	< 10	< 10	49	< 5	12
113264 H	205 238	< 1	0.03	86	< 10	2	< 5	< 10	24	0.03	< 10	< 10	42	< 5	12
113265 H	205 238	< 1	0.05	80	< 10	< 2	< 5	< 10	15	0.04	< 10	< 10	50	< 5	12
113266 H	205 238	< 1	0.04	43	< 10	6	< 5	< 10	19	0.04	< 10	< 10	55	< 5	10
113267 H	205 238	< 1	0.06	94	< 10	< 2	< 5	< 10	14	0.02	< 10	< 10	44	< 5	16
113268 H	205 238	< 1	0.06	23	180	< 2	< 5	< 10	36	0.14	< 10	< 10	148	< 5	41
113269 H	205 238	< 1	0.10	270	< 10	< 2	< 5	< 10	31	0.04	< 10	< 10	47	< 5	29
113270 H	205 238	< 1	0.08	290	< 10	< 2	< 5	< 10	20	0.02	< 10	< 10	22	< 5	27
113271 H	205 238	< 1	0.05	449	< 10	< 2	5	< 10	17	0.02	< 10	< 10	29	< 5	34
113272 H	205 238	< 1	0.09	217	< 10	< 2	< 5	< 10	26	0.02	< 10	< 10	24	< 5	21
113273 H	205 238	< 1	0.09	261	< 10	< 2	< 5	< 10	19	0.02	< 10	< 10	27	< 5	25
113274 H	205 238	< 1	0.04	229	< 10	< 2	< 5	< 10	17	0.03	< 10	< 10	23	< 5	21
113275 H	205 238	< 1	0.09	178	< 10	< 2	< 5	< 10	16	0.02	< 10	< 10	25	< 5	19
113276 H	205 238	< 1	0.02	97	20	< 2	< 5	< 10	7	0.03	< 10	< 10	42	< 5	6
113277 H	205 238	< 1	0.02	84	700	2	5	< 10	262	< 0.01	< 10	< 10	48	< 5	70
85-7 113278 H	205 238	< 1	0.01	123	450	< 2	20	< 10	285	< 0.01	< 10	< 10	27	< 5	58
113279 H	205 238	< 1	0.01	107	800	< 2	20	< 10	243	< 0.01	< 10	< 10	32	< 5	75
113280 H	205 238	< 1	0.08	7	420	< 2	< 5	< 10	56	< 0.01	< 10	< 10	29	< 5	56
113281 H	205 238	< 1	0.01	38	90	2	< 5	< 10	181	< 0.01	< 10	< 10	19	< 5	32
113282 H	205 238	< 1	0.03	473	340	< 2	< 5	< 10	174	< 0.01	10	< 10	114	< 5	70
84-11 113283 H	205 238	< 1	< 0.01	114	120	< 2	5	< 10	131	< 0.01	< 10	< 10	17	< 5	21
113284 H	205 238	< 1	0.01	478	560	6	10	< 10	196	< 0.01	10	< 10	82	5	75
113285 H	205 238	< 1	0.01	38	50	< 2	5	< 10	166	< 0.01	< 10	< 10	49	< 5	34
113286 H	205 238	< 1	0.04	19	110	< 2	< 5	< 10	19	0.32	< 10	< 10	236	< 5	2950
113287 H	205 238	< 1	0.04	16	80	4	< 5	< 10	11	0.28	< 10	< 10	216	< 5	3070

CERTIFICATION :



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To : CHEVRON CANADA RESOURCES LTD.  
MINERALS STAFF  
1900 - 1055 W. HASTINGS ST.  
VANCOUVER, B.C.  
V6E 2E9

Project : M 577

Comments :

Page No. : 2-B  
Tot. Pages: 2  
Date : 26-NOV-87  
Invoice # : I-8726429  
P.O. # : NONE

## CERTIFICATE OF ANALYSIS A8726429

SAMPLE DESCRIPTION	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Se	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
84-11 87-3 113288 H	205	238	< 1	0.06	21	100	< 2	< 5	< 10	15	0.34	< 10	< 10	251	< 5	2930
113289 H	205	238	< 1	0.02	149	10	18	5	< 10	35	0.02	< 10	< 10	19	< 5	50
113290 H	205	238	< 1	0.02	74	150	< 2	5	< 10	110	< 0.01	< 10	< 10	145	< 5	53
113291 H	205	238	< 1	0.01	47	70	< 2	< 5	< 10	44	0.12	< 10	< 10	153	< 5	86
85-1 113292 H	205	238	< 1	0.02	266	460	< 2	< 5	< 10	59	< 0.01	< 10	< 10	123	< 5	57
113293 H	205	238	< 1	0.01	213	240	< 2	< 5	< 10	90	< 0.01	< 10	< 10	71	< 5	32
113294 H	205	238	< 1	0.08	15	90	4	5	< 10	210	< 0.01	< 10	< 10	70	< 5	47
113295 H	205	238	< 1	0.05	2	260	12	< 5	< 10	86	< 0.01	< 10	< 10	3	< 5	43
113296 H	205	238	< 1	0.10	86	< 10	< 2	< 5	< 10	53	0.07	< 10	< 10	94	< 5	23
113297 H	205	238	< 1	0.02	62	< 10	< 2	< 5	< 10	35	0.07	< 10	< 10	163	5	40
87-3 113298 H	205	238	< 1	0.11	78	< 10	< 2	< 5	< 10	69	0.08	< 10	< 10	135	< 5	23
113299 H	205	238	< 1	0.02	59	130	< 2	< 5	< 10	198	0.12	< 10	< 10	68	< 5	24
113300 H	205	238	< 1	0.02	126	< 10	< 2	< 5	< 10	115	0.06	< 10	< 10	61	5	23
113301 H	205	238	< 1	0.02	143	< 10	< 2	< 5	< 10	175	0.09	< 10	< 10	84	< 5	35

CERTIFICATION :





# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.  
MINERALS STAFF  
1900 - 1055 W. HASTINGS ST.  
VANCOUVER, B.C.  
V6E 2E9

Project: M 577  
Comments:

Page No.: 1  
Tot. Pages: 1  
Date: 21-DEC-87  
Invoice #: I-8726780  
P.O. #: NONE

## CERTIFICATE OF ANALYSIS A8726780

SAMPLE DESCRIPTION	PREP CODE	Au FA oz/T									
113203 H RESPLIT	236	--	0.034								
113203 H RESPLIT	--	--	0.040								
113203 H RE-RSPL	--	--	0.108								

ALL ASSAY DETERMINATIONS ARE PERFORMED OR SUPERVISED BY B.C. CERTIFIED ASSAYERS

CERTIFICATION:



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.  
MINERALS STAFF  
1900 - 1055 W. HASTINGS ST.  
VANCOUVER, B.C.  
V6E 2E9

Project : M577

Comments:

Page No. : 1-A  
Tot. Pages: 5  
Date : 14-DEC-87  
Invoice # : I-8727304  
P.O. # : NONE

## CERTIFICATE OF ANALYSIS A8727304

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
113302 H	205 238	< 5	3.32	< 0.2	< 5	< 10	< 0.5	< 2	3.45	< 0.5	13	254	41	1.26	< 10	< 1	0.01	< 10	1.80	301
113303 H	205 238	< 5	3.27	< 0.2	< 5	< 10	< 0.5	2	4.31	< 0.5	11	162	26	1.50	< 10	< 1	0.05	< 10	1.13	295
113304 H	205 238	< 5	2.75	< 0.2	< 5	< 10	< 0.5	< 2	3.16	< 0.5	9	51	36	2.63	< 10	< 1	0.01	< 10	0.88	378
113305 H	205 238	< 5	4.07	< 0.2	< 5	< 10	< 0.5	2	4.27	0.5	20	9	53	2.50	< 10	< 1	0.01	< 10	1.65	422
113306 H	205 238	< 5	3.32	< 0.2	< 5	< 10	< 0.5	< 2	2.66	< 0.5	22	13	50	2.87	< 10	< 1	0.01	< 10	2.10	498
113307 H	205 238	< 5	3.34	< 0.2	10	< 10	< 0.5	< 2	3.57	< 0.5	23	12	52	4.11	< 10	< 1	0.08	< 10	3.04	806
113308 H	205 238	< 5	4.46	< 0.2	< 5	< 10	< 0.5	< 2	5.57	< 0.5	12	90	6	1.26	< 10	< 1	< 0.01	< 10	1.83	209
113309 H	205 238	< 5	3.76	< 0.2	< 5	< 10	< 0.5	2	3.57	< 0.5	12	77	49	1.53	< 10	< 1	0.04	< 10	2.13	214
113310 H	205 238	< 5	4.33	< 0.2	< 5	< 10	< 0.5	< 2	4.41	< 0.5	12	83	6	1.44	< 10	< 1	0.03	< 10	2.12	241
113311 H	205 238	< 5	4.92	< 0.2	< 5	< 10	< 0.5	< 2	4.06	< 0.5	27	52	25	2.04	< 10	2	0.03	< 10	3.33	336
113312 H	205 238	< 5	5.40	< 0.2	< 5	< 10	< 0.5	< 2	5.05	0.5	26	135	39	2.40	< 10	2	< 0.01	< 10	3.36	413
113313 H	205 238	< 5	5.91	< 0.2	< 5	< 10	< 0.5	< 2	5.87	< 0.5	25	141	116	2.68	< 10	< 1	< 0.01	< 10	3.17	443
113314 H	205 238	< 5	6.02	< 0.2	< 5	< 10	< 0.5	< 2	5.63	0.5	25	258	113	2.81	< 10	< 1	0.01	< 10	3.74	517
113315 H	205 238	< 5	4.88	< 0.2	< 5	< 10	< 0.5	< 2	4.11	< 0.5	28	60	59	4.79	< 10	< 1	< 0.01	< 10	2.98	724
113316 H	205 238	< 5	5.99	< 0.2	< 5	< 10	< 0.5	< 2	5.80	< 0.5	21	128	66	3.97	< 10	< 1	< 0.01	< 10	2.79	661
113317 H	205 238	< 5	6.28	< 0.2	< 5	< 10	< 0.5	< 2	6.44	< 0.5	22	177	37	3.48	< 10	2	< 0.01	< 10	2.49	589
113318 H	205 238	< 5	5.33	< 0.2	5	< 10	< 0.5	< 2	4.81	< 0.5	27	224	82	3.75	< 10	2	< 0.01	< 10	2.86	639
113319 H	205 238	< 5	4.55	< 0.2	< 5	< 10	< 0.5	< 2	4.33	< 0.5	21	78	52	3.77	< 10	< 1	< 0.01	< 10	2.26	588
113320 H	205 238	< 5	4.61	< 0.2	< 5	< 10	< 0.5	< 2	4.42	< 0.5	21	46	59	4.00	< 10	< 1	< 0.01	< 10	2.06	586
113321 H	205 238	< 5	4.74	< 0.2	< 5	< 10	< 0.5	< 2	4.59	0.5	22	89	60	3.69	< 10	< 1	< 0.01	< 10	2.34	628
113322 H	205 238	< 5	3.71	< 0.2	5	10	< 0.5	< 2	3.29	< 0.5	12	107	47	1.50	< 10	< 1	0.07	< 10	1.55	314
113323 H	205 238	< 5	3.63	< 0.2	< 5	10	< 0.5	< 2	2.76	< 0.5	10	63	32	2.46	< 10	1	0.07	< 10	1.44	376
113324 H	205 238	< 5	4.11	< 0.2	5	< 10	< 0.5	< 2	2.81	< 0.5	26	162	73	2.59	< 10	< 1	< 0.01	< 10	3.53	424
113325 H	205 238	< 5	3.01	< 0.2	< 5	< 10	< 0.5	< 2	1.66	< 0.5	35	225	202	2.92	< 10	< 1	< 0.01	< 10	3.81	415
113326 H	205 238	< 5	3.90	< 0.2	< 5	< 10	< 0.5	< 2	3.15	< 0.5	26	163	122	2.47	< 10	< 1	< 0.01	< 10	3.21	386
113327 H	205 238	< 5	3.80	< 0.2	< 5	< 10	< 0.5	< 2	4.14	< 0.5	26	187	29	1.98	< 10	< 1	< 0.01	< 10	2.11	320
113328 H	205 238	< 5	4.67	< 0.2	< 5	< 10	< 0.5	< 2	3.67	< 0.5	22	126	89	2.41	< 10	< 1	0.03	< 10	2.45	390
113329 H	205 238	< 5	4.53	< 0.2	< 5	< 10	< 0.5	2	5.21	< 0.5	16	147	114	1.56	< 10	< 1	< 0.01	< 10	1.46	242
113330 H	205 238	< 5	4.29	< 0.2	< 5	< 10	< 0.5	< 2	6.39	< 0.5	12	77	80	1.08	< 10	< 1	< 0.01	< 10	0.81	229
113331 H	205 238	< 5	4.59	< 0.2	< 5	< 10	< 0.5	< 2	3.21	0.5	27	85	152	2.27	< 10	< 1	0.02	< 10	2.53	358
113332 H	205 238	< 5	5.41	< 0.2	< 5	< 10	< 0.5	< 2	4.79	< 0.5	25	107	146	2.06	< 10	< 1	0.02	< 10	2.32	352
113333 H	205 238	< 5	4.12	< 0.2	< 5	< 10	< 0.5	2	3.74	< 0.5	25	117	190	1.85	< 10	1	0.02	< 10	1.49	249
113334 H	205 238	< 5	4.22	< 0.2	10	< 10	< 0.5	< 2	7.62	< 0.5	34	17	70	5.24	< 10	< 1	< 0.01	< 10	2.01	614
113335 H	205 238	< 5	4.53	< 0.2	15	< 10	< 0.5	< 2	3.89	< 0.5	43	5	124	7.29	10	< 1	< 0.01	< 10	2.13	723
113336 H	205 238	< 5	2.12	< 0.2	5	< 10	< 0.5	< 2	4.82	< 0.5	19	48	29	3.58	< 10	< 1	< 0.01	< 10	1.14	644
113337 H	205 238	< 5	3.52	< 0.2	< 5	< 10	< 0.5	< 2	3.34	< 0.5	20	16	54	5.53	< 10	< 1	0.03	< 10	1.67	749
113338 H	205 238	< 5	4.40	< 0.2	5	< 10	< 0.5	< 2	4.78	< 0.5	21	50	44	3.96	< 10	< 1	< 0.01	< 10	1.25	595
113339 H	205 238	< 5	3.52	< 0.2	< 5	< 10	< 0.5	< 2	2.22	0.5	21	16	59	5.31	< 10	< 1	0.03	< 10	1.62	696
113340 H	205 238	< 5	3.63	< 0.2	10	< 10	< 0.5	< 2	2.09	< 0.5	20	22	56	5.59	< 10	2	0.01	< 10	2.01	755
113341 H	205 238	< 5	4.94	< 0.2	15	< 10	< 0.5	< 2	5.09	< 0.5	21	22	51	4.89	10	< 1	< 0.01	< 10	1.73	693

CERTIFICATION :

87-3

87-4

71.571



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.  
MINERALS STAFF  
1900 - 1055 W. HASTINGS ST.  
VANCOUVER, B.C.  
V6E 2E9

Project: M577  
Comments:

Page No: 1-B  
Tot. Pages: 5  
Date: 14-DEC-87  
Invoice #: I-8727304  
P.O. #: NONE

## CERTIFICATE OF ANALYSIS A8727304

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
113302 H	205 238	< 1	0.06	61	40	< 2	< 5	< 10	20	0.02	< 10	< 10	30	< 5	10
113303 H	205 238	< 1	0.12	30	200	< 2	< 5	< 10	28	0.07	< 10	< 10	39	< 5	13
113304 H	205 238	< 1	0.05	6	360	< 2	< 5	< 10	17	0.08	< 10	< 10	55	< 5	19
113305 H	205 238	< 1	0.10	3	160	2	5	< 10	14	0.04	< 10	< 10	61	< 5	20
113306 H	205 238	< 1	0.07	13	90	< 2	< 5	< 10	12	0.05	< 10	< 10	78	< 5	24
113307 H	205 238	< 1	0.07	20	100	< 2	< 5	< 10	36	0.06	< 10	< 10	112	< 5	36
113308 H	205 238	< 1	0.05	46	50	< 2	< 5	< 10	17	0.03	< 10	< 10	36	< 5	4
113309 H	205 238	< 1	0.09	52	40	< 2	< 5	< 10	16	0.03	< 10	< 10	38	< 5	6
113310 H	205 238	< 1	0.09	55	40	< 2	< 5	< 10	17	0.03	< 10	< 10	36	< 5	6
113311 H	205 238	< 1	0.08	78	40	< 2	< 5	< 10	34	0.03	< 10	< 10	32	< 5	9
113312 H	205 238	< 1	0.10	84	40	< 2	< 5	< 10	17	0.03	< 10	< 10	39	< 5	14
113313 H	205 238	< 1	0.09	74	60	< 2	< 5	< 10	19	0.07	< 10	< 10	77	< 5	19
113314 H	205 238	< 1	0.09	88	80	< 2	< 5	< 10	27	0.06	< 10	< 10	71	< 5	18
113315 H	205 238	< 1	0.06	16	340	< 2	5	< 10	50	0.28	< 10	< 10	161	< 5	48
113316 H	205 238	< 1	0.07	34	270	< 2	< 5	< 10	60	0.16	< 10	< 10	132	< 5	31
113317 H	205 238	< 1	0.06	39	280	< 2	< 5	< 10	57	0.15	< 10	< 10	116	< 5	27
113318 H	205 238	< 1	0.10	95	140	< 2	< 5	< 10	38	0.11	< 10	< 10	131	< 5	32
113319 H	205 238	< 1	0.10	25	230	< 2	< 5	< 10	34	0.12	< 10	< 10	121	< 5	39
113320 H	205 238	< 1	0.10	11	290	< 2	< 5	< 10	84	0.15	< 10	< 10	166	< 5	35
113321 H	205 238	< 1	0.12	15	180	< 2	< 5	< 10	33	0.12	< 10	< 10	129	< 5	51
113322 H	205 238	< 1	0.17	46	100	< 2	< 5	< 10	41	0.03	< 10	< 10	30	< 5	10
113323 H	205 238	< 1	0.27	22	180	< 2	< 5	< 10	53	0.06	< 10	< 10	63	< 5	25
113324 H	205 238	< 1	0.19	148	220	< 2	< 5	< 10	36	0.03	< 10	< 10	18	< 5	17
113325 H	205 238	< 1	0.08	223	40	< 2	< 5	< 10	18	0.02	< 10	< 10	16	< 5	18
113326 H	205 238	< 1	0.12	108	50	< 2	< 5	< 10	25	0.04	< 10	< 10	45	< 5	17
113327 H	205 238	< 1	0.06	105	100	< 2	< 5	< 10	8	0.03	< 10	< 10	24	< 5	16
113328 H	205 238	< 1	0.15	54	40	< 2	< 5	< 10	34	0.05	< 10	< 10	72	< 5	14
113329 H	205 238	< 1	0.09	57	90	< 2	< 5	< 10	13	0.04	< 10	< 10	44	< 5	8
113330 H	205 238	< 1	0.16	29	170	< 2	< 5	< 10	16	0.04	< 10	< 10	32	< 5	5
113331 H	205 238	< 1	0.21	108	80	< 2	< 5	< 10	48	0.03	< 10	< 10	28	< 5	15
113332 H	205 238	< 1	0.19	90	160	< 2	< 5	< 10	44	0.04	< 10	< 10	39	< 5	12
113333 H	205 238	< 1	0.25	66	120	< 2	< 5	< 10	44	0.04	< 10	< 10	39	< 5	10
113334 H	205 238	< 1	0.04	1	90	< 2	5	< 10	84	0.16	< 10	< 10	272	< 5	48
113335 H	205 238	< 1	0.04	< 1	100	< 2	5	< 10	136	0.21	< 10	< 10	515	< 5	53
113336 H	205 238	< 1	0.06	< 1	80	6	< 5	< 10	31	0.14	< 10	< 10	177	< 5	28
113337 H	205 238	< 1	0.10	2	120	6	5	< 10	37	0.14	< 10	< 10	250	< 5	39
113338 H	205 238	1	0.03	2	120	2	< 5	< 10	120	0.14	< 10	< 10	141	< 5	39
113339 H	205 238	1	0.14	2	120	4	< 5	< 10	32	0.14	< 10	< 10	221	< 5	49
113340 H	205 238	1	0.10	4	140	8	5	< 10	19	0.17	< 10	< 10	213	< 5	55
113341 H	205 238	< 1	0.03	1	110	< 2	10	< 10	98	0.16	< 10	< 10	181	< 5	56

87-3

87-4

CERTIFICATION :



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.  
MINERALS STAFF  
1900 - 1055 W. HASTINGS ST.  
VANCOUVER, B.C.  
V6E 2E9

Project: M577

Comments:

Page No.: 2-A  
Tot. Pages: 5  
Date: 14-DEC-87  
Invoice #: I-8727304  
P.O. #: NONE

## CERTIFICATE OF ANALYSIS A8727304

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
113342 H	205 238	< 5	3.61	< 0.2	< 5	< 10	< 0.5	< 2	2.33	< 0.5	21	29	55	5.11	< 10	< 1	0.02	< 10	1.87	736
113343 H	205 238	< 5	3.72	< 0.2	< 5	< 10	< 0.5	< 2	3.79	< 0.5	22	37	75	4.56	< 10	1	< 0.01	< 10	1.95	587
113344 H	205 238	< 5	3.73	< 0.2	< 5	< 10	< 0.5	< 2	3.08	< 0.5	30	16	104	6.81	10	< 1	0.10	< 10	2.67	919
113345 H	205 238	240	1.59	< 0.2	480	< 10	< 0.5	2	8.88	< 0.5	22	34	48	2.99	< 10	< 1	0.14	< 10	1.03	1100
113346 H	205 238	< 5	3.43	< 0.2	30	< 10	< 0.5	< 2	5.21	< 0.5	34	29	73	6.19	< 10	2	0.08	< 10	2.76	920
113347 H	205 238	< 5	3.78	< 0.2	60	< 10	< 0.5	< 2	6.69	0.5	35	142	56	5.50	< 10	3	0.07	< 10	3.21	887
113348 H	205 238	< 5	3.80	0.2	< 5	< 10	< 0.5	< 2	4.20	0.5	24	22	85	4.43	< 10	1	0.06	< 10	2.99	775
113349 H	205 238	< 5	3.81	0.2	< 5	< 10	< 0.5	< 2	3.97	< 0.5	25	24	66	3.79	< 10	< 1	< 0.01	< 10	2.61	646
113350 H	205 238	< 5	2.29	< 0.2	< 5	< 10	< 0.5	< 2	2.42	< 0.5	12	45	80	2.06	< 10	< 1	0.03	< 10	1.37	338
113351 H	205 238	< 5	3.29	0.2	< 5	< 10	< 0.5	< 2	2.84	0.5	22	40	64	3.65	< 10	1	0.04	< 10	1.91	498
113352 H	205 238	< 5	3.76	0.2	< 5	< 10	< 0.5	< 2	3.25	0.5	22	52	67	4.37	< 10	< 1	0.05	< 10	2.03	782
113353 H	205 238	< 5	3.30	< 0.2	< 5	< 10	< 0.5	< 2	2.84	0.5	19	36	78	3.31	< 10	1	0.03	< 10	1.56	555
113354 H	205 238	< 5	3.30	0.2	< 5	< 10	< 0.5	< 2	3.30	< 0.5	18	38	59	2.98	< 10	< 1	0.02	< 10	1.67	504
113355 H	205 238	< 5	3.58	0.2	< 5	< 10	< 0.5	< 2	5.57	0.5	22	42	54	3.75	< 10	< 1	0.01	< 10	2.16	624
113356 H	205 238	< 5	3.07	< 0.2	< 5	< 10	< 0.5	< 2	2.30	< 0.5	24	26	69	3.67	< 10	1	0.02	< 10	2.34	626
113357 H	205 238	< 5	3.12	< 0.2	30	50	< 0.5	< 2	10.65	< 0.5	24	192	41	2.40	< 10	2	0.13	< 10	3.54	645
113358 H	205 238	< 5	7.65	< 0.2	< 5	10	< 0.5	< 2	9.35	< 0.5	9	56	58	0.85	< 10	5	0.17	< 10	0.58	173
113359 H	205 238	< 5	1.25	0.4	< 5	30	< 0.5	< 2	2.06	1.0	10	216	49	2.16	< 10	< 1	0.24	< 10	1.22	378
113360 H	205 238	< 5	0.55	< 0.2	< 5	< 10	< 0.5	< 2	0.24	0.5	13	223	36	1.09	< 10	< 1	0.05	< 10	0.44	250
113361 H	205 238	5	2.83	0.4	< 5	< 10	< 0.5	< 2	6.64	< 0.5	43	958	36	3.62	< 10	< 1	< 0.01	< 10	6.23	769
113362 H	205 238	< 5	0.74	< 0.2	120	20	< 0.5	< 2	2.74	0.5	29	127	37	5.10	< 10	< 1	0.33	< 10	4.51	1010
113363 H	205 238	< 5	0.56	< 0.2	45	40	< 0.5	< 2	5.43	< 0.5	28	19	125	5.84	< 10	< 1	0.22	< 10	3.43	1110
113364 H	205 238	< 5	1.75	0.2	25	10	< 0.5	< 2	2.52	0.5	39	215	52	6.38	< 10	< 1	0.20	< 10	6.19	1175
113365 H	205 238	< 5	4.38	0.6	< 5	< 10	< 0.5	< 2	1.77	1.0	30	71	132	7.04	10	< 1	0.02	< 10	4.81	1295
113366 H	205 238	1050	2.24	0.4	3100	30	< 0.5	< 2	5.88	< 0.5	24	31	40	5.42	< 10	< 1	0.46	< 10	4.11	1095
113367 H	205 238	35	1.57	< 0.2	245	10	< 0.5	< 2	6.31	< 0.5	25	250	40	3.73	< 10	1	0.31	< 10	2.79	752
113368 H	205 238	20	1.81	< 0.2	120	< 10	< 0.5	< 2	5.31	< 0.5	22	359	26	3.01	< 10	< 1	0.23	< 10	2.51	605
113369 H	205 238	295	0.42	< 0.2	390	< 10	< 0.5	< 2	1.58	< 0.5	< 1	186	5	0.66	< 10	< 1	0.11	< 10	0.34	154
113370 H	205 238	< 5	1.61	< 0.2	15	10	< 0.5	< 2	4.47	0.5	13	73	21	2.03	< 10	< 1	0.27	< 10	2.13	376
113371 H	205 238	< 5	1.59	0.2	< 5	< 10	< 0.5	< 2	3.56	< 0.5	6	99	5	0.84	< 10	< 1	0.20	< 10	1.06	167
113372 H	205 238	< 5	3.28	< 0.2	< 5	10	< 0.5	< 2	3.46	0.5	11	395	7	0.91	< 10	< 1	0.14	< 10	1.69	180
113373 H	205 238	< 5	2.61	< 0.2	< 5	< 10	< 0.5	< 2	0.92	< 0.5	39	235	12	2.06	< 10	< 1	0.02	< 10	3.91	309
113374 H	205 238	< 5	2.73	< 0.2	< 5	< 10	< 0.5	< 2	2.83	< 0.5	23	237	14	1.64	< 10	1	0.04	< 10	2.67	277
113375 H	205 238	< 5	2.40	0.2	< 5	< 10	< 0.5	< 2	1.43	< 0.5	14	158	42	2.55	< 10	< 1	0.01	< 10	2.23	409
113376 H	205 238	< 5	4.30	0.2	< 5	< 10	< 0.5	< 2	1.61	0.5	68	903	28	3.88	< 10	< 1	< 0.01	< 10	7.53	615
113377 H	205 238	< 5	5.55	0.2	10	10	< 0.5	< 2	6.45	< 0.5	25	637	11	3.47	< 10	1	0.18	< 10	3.88	689
113378 H	205 238	< 5	3.79	0.2	< 5	< 10	< 0.5	2	4.65	0.5	10	197	24	1.99	< 10	< 1	< 0.01	< 10	1.48	360
113379 H	205 238	< 5	5.24	< 0.2	< 5	< 10	< 0.5	< 2	5.55	0.5	11	492	9	2.26	< 10	2	< 0.01	< 10	2.45	449
113380 H	205 238	< 5	7.29	0.2	< 5	< 10	< 0.5	< 2	9.52	1.0	10	304	1	1.80	< 10	< 1	< 0.01	< 10	1.83	385
113381 H	205 238	< 5	4.24	0.2	< 5	< 10	< 0.5	< 2	3.95	0.5	23	55	88	3.58	10	3	0.02	< 10	2.26	577

CERTIFICATION :



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.  
MINERALS STAFF  
1900 - 1055 W. HASTINGS ST.  
VANCOUVER, B.C.  
V6E 2E9

Project: M577

Comments:

Page No.: 2-B  
Tot. Pages: 5  
Date: 14-DEC-87  
Invoice #: I-8727304  
P.O. #: NONE

## CERTIFICATE OF ANALYSIS A8727304

SAMPLE DESCRIPTION	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Se	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
113342 H	205	238	< 1	0.07	8	140	10	< 5	< 10	26	0.13	< 10	< 10	169	< 5	60
113343 H	205	238	< 1	0.05	10	140	4	< 5	< 10	22	0.14	< 10	< 10	166	< 5	46
113344 H	205	238	< 1	0.05	3	120	4	< 5	< 10	27	0.07	< 10	< 10	255	< 5	59
113345 H	205	238	< 1	0.03	13	80	8	5	< 10	131	< 0.01	< 10	< 10	45	< 5	47
113346 H	205	238	< 1	0.03	25	110	4	5	< 10	37	< 0.01	< 10	< 10	138	< 5	56
113347 H	205	238	< 1	0.03	101	170	< 2	< 5	< 10	49	< 0.01	< 10	< 10	129	< 5	49
113348 H	205	238	< 1	0.03	19	110	< 2	< 5	< 10	20	0.07	< 10	< 10	129	< 5	38
113349 H	205	238	< 1	0.04	17	80	< 2	< 5	< 10	14	0.06	< 10	< 10	116	< 5	31
113350 H	205	238	< 1	0.10	14	90	2	< 5	< 10	8	0.03	< 10	< 10	47	< 5	17
113351 H	205	238	< 1	0.17	16	180	10	< 5	< 10	21	0.11	< 10	< 10	126	< 5	34
113352 H	205	238	< 1	0.19	16	230	2	< 5	< 10	35	0.12	< 10	< 10	152	< 5	47
113353 H	205	238	< 1	0.13	11	190	< 2	< 5	< 10	26	0.08	< 10	< 10	103	< 5	34
113354 H	205	238	< 1	0.10	18	150	< 2	5	< 10	17	0.07	< 10	< 10	99	< 5	29
113355 H	205	238	< 1	0.05	17	140	2	< 5	< 10	51	0.09	< 10	< 10	113	< 5	34
113356 H	205	238	< 1	0.08	23	130	4	5	< 10	16	0.09	< 10	< 10	109	< 5	34
113357 H	205	238	< 1	0.03	60	30	4	5	< 10	288	0.02	< 10	< 10	48	< 5	18
113358 H	205	238	< 1	0.09	3	70	< 2	10	< 10	30	0.01	< 10	< 10	12	< 5	< 1
113359 H	205	238	13	0.04	33	1030	14	5	< 10	90	0.10	< 10	< 10	80	< 5	96
113360 H	205	238	< 1	0.06	40	70	6	< 5	< 10	18	< 0.01	< 10	< 10	122	< 5	49
113361 H	205	238	< 1	0.12	660	350	6	5	< 10	422	0.19	< 10	< 10	55	5	38
113362 H	205	238	< 1	0.04	116	310	10	5	< 10	133	< 0.01	< 10	< 10	68	< 5	65
113363 H	205	238	< 1	0.07	29	190	6	5	< 10	187	< 0.01	< 10	< 10	45	< 5	65
113364 H	205	238	1	0.04	178	430	6	< 5	< 10	81	< 0.01	< 10	< 10	118	< 5	68
113365 H	205	238	1	0.07	26	220	6	< 5	< 10	10	0.31	< 10	< 10	261	< 5	259
113366 H	205	238	< 1	0.04	30	110	4	5	< 10	256	< 0.01	< 10	< 10	83	< 5	65
113367 H	205	238	< 1	0.03	61	290	4	5	< 10	115	< 0.01	< 10	< 10	47	< 5	26
113368 H	205	238	< 1	0.04	60	170	8	5	< 10	87	< 0.01	< 10	< 10	61	< 5	22
113369 H	205	238	< 1	0.03	11	50	6	< 5	< 10	26	< 0.01	< 10	< 10	7	< 5	24
113370 H	205	238	< 1	0.05	26	500	6	5	< 10	98	< 0.01	< 10	< 10	51	< 5	12
113371 H	205	238	< 1	0.10	12	420	4	5	< 10	51	0.17	< 10	< 10	55	< 5	3
113372 H	205	238	< 1	0.08	51	50	4	< 5	< 10	20	0.03	< 10	< 10	34	< 5	3
113373 H	205	238	< 1	0.05	302	40	8	< 5	< 10	26	0.01	< 10	< 10	10	< 5	34
113374 H	205	238	1	0.12	149	60	< 2	5	< 10	31	0.03	< 10	< 10	22	< 5	19
113375 H	205	238	< 1	0.08	81	240	2	< 5	< 10	33	0.12	< 10	< 10	51	< 5	32
113376 H	205	238	< 1	0.08	560	110	< 2	5	< 10	62	0.05	< 10	< 10	30	< 5	30
113377 H	205	238	1	0.04	129	130	2	5	< 10	82	0.07	< 10	< 10	86	< 5	30
113378 H	205	238	< 1	0.09	33	190	< 2	< 5	< 10	50	0.10	< 10	< 10	62	< 5	34
113379 H	205	238	< 1	0.06	68	230	< 2	5	< 10	29	0.07	< 10	< 10	53	< 5	30
113380 H	205	238	< 1	0.03	48	190	< 2	< 5	< 10	22	0.13	< 10	< 10	94	5	10
113381 H	205	238	< 1	0.06	26	240	< 2	< 5	< 10	77	0.15	< 10	< 10	129	< 5	39

87-4

85-6

84-5

87-5

CERTIFICATION :

*BC*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.  
MINERALS STAFF  
1900 - 1055 W. HASTINGS ST.  
VANCOUVER, B.C.  
V6E 2E9

Project: M577  
Comments:

Page No.: 3-A  
Tot. Pages: 5  
Date: 14-DEC-87  
Invoice #: I-8727304  
P.O. #: NONE

## CERTIFICATE OF ANALYSIS A8727304

SAMPLE DESCRIPTION	PREP CODE		Au ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
	FA+AA																				
87-5 113382 H	205	238	< 5	4.81	< 0.2	< 5	< 10	< 0.5	2	3.68	< 0.5	30	34	76	4.70	< 10	< 1	0.01	< 10	2.62	733
113383 H	205	238	< 5	2.78	< 0.2	< 5	< 10	< 0.5	2	2.04	0.5	26	262	75	1.97	< 10	< 1	0.02	< 10	3.13	303
113384 H	205	238	< 5	2.46	< 0.2	< 5	10	< 0.5	< 2	2.09	0.5	15	34	81	3.67	< 10	< 1	0.04	< 10	1.43	458
113385 H	205	238	< 5	1.67	< 0.2	< 5	10	< 0.5	< 2	1.74	< 0.5	11	71	19	1.61	< 10	< 1	0.08	< 10	1.00	275
113386 H	205	238	< 5	2.00	< 0.2	< 5	< 10	< 0.5	< 2	1.67	0.5	9	51	23	2.49	< 10	< 1	0.07	< 10	0.92	454
113387 H	205	238	< 5	2.47	< 0.2	< 5	< 10	< 0.5	< 2	2.48	0.5	10	84	14	2.11	< 10	< 1	0.04	< 10	0.78	421
113388 H	205	238	< 5	1.65	0.2	< 5	10	< 0.5	< 2	1.24	< 0.5	9	73	18	2.16	< 10	1	0.10	< 10	0.81	390
113389 H	205	238	< 5	1.99	< 0.2	5	< 10	< 0.5	< 2	1.81	0.5	8	124	32	1.99	< 10	< 1	0.06	< 10	0.73	350
113390 H	205	238	825	0.50	1.0	1420	< 10	< 0.5	2	4.78	< 0.5	13	209	17	1.17	< 10	< 1	0.13	< 10	0.69	293
113391 H	205	238	45	2.22	< 0.2	85	10	< 0.5	< 2	7.28	< 0.5	13	138	3	1.92	< 10	< 1	0.64	< 10	2.93	459
113392 H	205	238	10	4.37	< 0.2	< 5	10	< 0.5	< 2	4.87	0.5	13	111	5	1.35	< 10	< 1	0.22	< 10	2.12	250
113393 H	205	238	15	4.68	< 0.2	< 5	10	< 0.5	< 2	5.31	0.5	12	95	3	1.01	< 10	< 1	0.19	< 10	1.59	163
113394 H	205	238	5	4.70	< 0.2	< 5	10	< 0.5	< 2	4.62	0.5	11	84	2	0.90	< 10	1	0.17	< 10	1.32	149
113395 H	205	238	5	2.60	< 0.2	< 5	20	< 0.5	< 2	2.40	0.5	9	60	25	0.68	< 10	< 1	0.30	< 10	1.02	124
113396 H	205	238	< 5	4.41	< 0.2	< 5	< 10	< 0.5	< 2	8.49	0.5	12	107	31	1.36	10	< 1	0.01	< 10	1.05	203
113397 H	205	238	< 5	3.77	< 0.2	< 5	< 10	< 0.5	< 2	4.99	< 0.5	10	91	1	0.93	< 10	1	0.14	< 10	1.23	188
113398 H	205	238	< 5	4.12	< 0.2	< 5	10	< 0.5	< 2	4.27	0.5	13	87	5	1.08	< 10	< 1	0.14	< 10	1.73	222
113399 H	205	238	< 5	1.25	0.2	< 5	< 10	< 0.5	< 2	3.86	< 0.5	5	20	9	2.49	< 10	1	0.02	< 10	0.51	398
113400 H	205	238	< 5	1.68	< 0.2	< 5	< 10	< 0.5	< 2	2.86	< 0.5	5	35	3	2.62	< 10	< 1	0.01	< 10	0.52	408
115906 H	205	238	< 5	0.91	< 0.2	< 5	300	< 0.5	2	3.45	0.5	40	166	77	5.45	< 10	< 1	0.17	< 10	1.53	915
Bill 115907 H	205	238	20	0.77	< 0.2	255	240	< 0.5	< 2	5.74	0.5	39	74	68	6.57	< 10	< 1	0.33	< 10	2.80	1230
115908 H	205	238	10	0.03	< 0.2	65	10	< 0.5	< 2	9.92	< 0.5	25	200	2	2.26	< 10	20	0.01	< 10	6.56	466
87-6 116251 H	205	238	< 5	3.39	0.2	< 5	10	< 0.5	< 2	4.63	0.5	24	165	20	2.29	< 10	1	0.15	< 10	3.59	428
116252 H	205	238	< 5	2.83	0.2	< 5	10	< 0.5	2	8.86	0.5	22	206	4	1.93	< 10	< 1	0.18	< 10	3.16	377
116253 H	205	238	< 5	3.76	< 0.2	< 5	10	< 0.5	< 2	5.99	0.5	27	248	5	2.96	< 10	1	0.16	< 10	4.44	535
116254 H	205	238	< 5	3.59	0.2	10	30	< 0.5	< 2	8.42	< 0.5	28	177	4	2.73	< 10	2	0.37	< 10	3.87	527
116255 H	205	238	10	5.10	0.2	10	< 10	< 0.5	< 2	6.20	< 0.5	11	114	9	1.94	< 10	4	0.06	< 10	2.67	377
116256 H	205	238	< 5	5.16	0.2	< 5	< 10	< 0.5	< 2	6.74	< 0.5	9	91	2	0.98	< 10	5	0.07	< 10	1.83	207
84-4 116257 H	205	238	< 5	3.66	< 0.2	< 5	< 10	< 0.5	< 2	6.45	< 0.5	25	401	54	2.94	< 10	1	< 0.01	< 10	3.50	410
87-4 116258 H	205	238	< 5	4.38	0.2	< 5	< 10	< 0.5	< 2	3.32	< 0.5	30	19	94	7.15	10	< 1	0.05	< 10	1.45	691
116259 H	205	238	< 5	4.04	0.2	10	< 10	< 0.5	< 2	3.21	< 0.5	32	25	46	7.02	10	< 1	0.01	< 10	2.11	745
116260 H	205	238	10	2.43	< 0.2	10	< 10	< 0.5	< 2	3.09	< 0.5	33	540	15	3.03	< 10	< 1	< 0.01	< 10	4.56	504
116261 H	205	238	< 5	2.97	< 0.2	35	< 10	< 0.5	< 2	10.30	0.5	29	810	7	2.64	< 10	< 1	0.02	< 10	4.65	787
116262 H	205	238	< 5	2.75	< 0.2	10	< 10	< 0.5	< 2	4.32	< 0.5	32	723	39	3.11	< 10	< 1	< 0.01	< 10	5.17	634
80-5-10 116263 H	205	238	< 5	2.17	< 0.2	5	< 10	< 0.5	< 2	2.45	< 0.5	25	500	27	2.47	< 10	< 1	< 0.01	< 10	3.95	442
116264 H	205	238	< 5	3.77	< 0.2	10	< 10	< 0.5	< 2	2.67	< 0.5	17	35	9	3.38	< 10	< 1	0.09	< 10	5.81	852
116265 H	205	238	< 5	3.98	< 0.2	25	< 10	< 0.5	< 2	2.39	< 0.5	46	440	18	5.40	< 10	< 1	< 0.01	< 10	7.17	837
84-6 116266 H	205	238	25	1.21	< 0.2	525	10	< 0.5	< 2	8.08	1.0	39	151	51	3.52	< 10	< 1	0.13	< 10	3.50	639
116267 H	205	238	< 5	2.19	< 0.2	15	10	< 0.5	< 2	4.14	0.5	30	126	98	4.13	< 10	< 1	0.14	< 10	3.23	757
85-2 116268 H	205	238	980	1.76	< 0.2	1390	70	< 0.5	< 2	4.40	3.0	34	100	20	6.23	< 10	< 1	0.55	< 10	5.04	1820

CERTIFICATION :

*PCJ*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.  
MINERALS STAFF  
1900 - 1055 W. HASTINGS ST.  
VANCOUVER, B.C.  
V6E 2E9

Project : M577

Comments:

Page No. : 3-B

Tot. Pages: 5

Date : 14-DEC-87

Invoice # : I-8727304

P.O. # : NONE

## CERTIFICATE OF ANALYSIS A8727304

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
87-5 113382 H	205 238	< 1	0.05	16	270	4	10	< 10	242	0.19	< 10	< 10	159	< 5	52
113383 H	205 238	< 1	0.05	129	90	2	< 5	< 10	24	0.04	< 10	< 10	36	< 5	14
113384 H	205 238	< 1	0.08	7	330	2	< 5	< 10	33	0.17	< 10	< 10	157	< 5	32
113385 H	205 238	< 1	0.07	28	110	6	< 5	< 10	13	0.06	< 10	< 10	30	< 5	18
113386 H	205 238	< 1	0.10	3	220	8	5	< 10	15	0.11	< 10	< 10	74	< 5	34
113387 H	205 238	1	0.09	3	190	< 2	< 5	< 10	39	0.10	< 10	< 10	52	< 5	33
113388 H	205 238	< 1	0.09	5	430	10	< 5	< 10	19	0.10	< 10	< 10	45	< 5	32
113389 H	205 238	< 1	0.10	6	230	6	< 5	< 10	49	0.09	< 10	< 10	31	< 5	33
87-6 113390 H	205 238	< 1	0.02	103	110	6	5	< 10	77	< 0.01	< 10	< 10	8	< 5	20
113391 H	205 238	< 1	0.04	54	130	< 2	10	< 10	95	< 0.01	< 10	< 10	31	< 5	11
113392 H	205 238	< 1	0.07	37	50	2	< 5	< 10	30	0.02	< 10	< 10	32	< 5	5
113393 H	205 238	< 1	0.07	23	50	< 2	5	< 10	30	0.02	< 10	< 10	27	< 5	1
113394 H	205 238	1	0.07	23	50	< 2	5	< 10	37	0.02	< 10	< 10	26	< 5	2
113395 H	205 238	< 1	0.07	23	50	< 2	< 5	< 10	33	0.01	< 10	< 10	15	< 5	3
113396 H	205 238	< 1	0.03	27	120	< 2	5	< 10	13	0.06	< 10	< 10	43	< 5	8
113397 H	205 238	< 1	0.09	27	60	2	5	< 10	30	0.03	< 10	< 10	32	< 5	4
113398 H	205 238	< 1	0.07	32	60	< 2	5	< 10	24	0.03	< 10	< 10	31	< 5	3
113399 H	205 238	< 1	0.11	2	160	2	5	< 10	15	0.08	< 10	< 10	5	< 5	43
113400 H	205 238	< 1	0.11	2	140	12	5	< 10	16	0.10	< 10	< 10	8	< 5	44
87-6 115906 H	205 238	< 1	0.02	149	190	8	< 5	< 10	94	< 0.01	< 10	< 10	122	< 5	61
87-6 115907 H	205 238	< 1	0.02	185	440	2	10	< 10	251	< 0.01	< 10	< 10	58	< 5	63
115908 H	205 238	< 1	0.01	262	30	< 2	920	< 10	830	< 0.01	< 10	< 10	7	525	7
116251 H	205 238	< 1	0.04	59	60	4	< 5	< 10	83	0.07	< 10	< 10	96	75	10
116252 H	205 238	< 1	0.05	54	60	< 2	5	< 10	121	< 0.01	< 10	< 10	50	30	10
116253 H	205 238	< 1	0.04	68	90	< 2	< 5	< 10	71	< 0.01	< 10	< 10	87	10	19
116254 H	205 238	< 1	0.03	72	110	< 2	5	< 10	148	< 0.01	< 10	< 10	69	10	17
116255 H	205 238	< 1	0.04	41	190	< 2	< 5	< 10	55	0.07	< 10	< 10	63	5	10
116256 H	205 238	< 1	0.04	19	270	< 2	5	< 10	46	0.12	< 10	< 10	98	< 5	2
87-4 116257 H	205 238	< 1	0.02	149	150	< 2	< 5	< 10	72	0.09	< 10	< 10	91	5	29
87-4 116258 H	205 238	< 1	0.16	< 1	110	< 2	5	< 10	42	0.17	< 10	< 10	469	15	50
116259 H	205 238	< 1	0.06	1	80	< 2	< 5	< 10	108	0.23	< 10	10	363	10	46
116260 H	205 238	< 1	0.04	180	60	< 2	< 5	< 10	24	0.03	< 10	< 10	44	10	23
116261 H	205 238	< 1	0.02	127	80	< 2	< 5	< 10	100	0.04	< 10	< 10	78	295	19
80-5-10 116262 H	205 238	< 1	0.03	111	60	< 2	< 5	< 10	30	0.04	< 10	< 10	73	10	20
116263 H	205 238	< 1	0.07	134	80	< 2	< 5	< 10	15	0.04	< 10	< 10	43	5	18
116264 H	205 238	1	0.02	7	120	< 2	< 5	< 10	30	0.07	< 10	< 10	44	5	26
116265 H	205 238	< 1	0.02	167	80	< 2	< 5	< 10	26	0.04	< 10	< 10	78	5	38
84-6 116266 H	205 238	< 1	0.03	93	70	< 2	5	< 10	307	< 0.01	< 10	< 10	38	5	29
116267 H	205 238	< 1	0.05	40	130	6	< 5	< 10	77	0.01	< 10	< 10	109	5	42
85-2 116268 H	205 238	< 1	0.08	83	140	< 2	5	< 10	419	< 0.01	< 10	< 10	83	5	171

CERTIFICATION :

*PC*



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.  
MINERALS STAFF  
1900 - 1055 W. HASTINGS ST.  
VANCOUVER, B.C.  
V6E 2E9

Project : M577  
Comments:

Page No. : 4-A  
Tot. Pages: 5  
Date : 14-DEC-87  
Invoice #: I-8727304  
P.O. #: NONE

## CERTIFICATE OF ANALYSIS A8727304

SAMPLE DESCRIPTION	PREP CODE		Au ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
			FA+AA	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm
85-2 116269 H	205	238	< 5	3.36	< 0.2	30	60	< 0.5	< 2	0.52	0.5	33	77	19	13.30	< 10	< 1	0.51	< 10	2.94	908
116270 H	205	238	< 5	3.73	< 0.2	15	20	< 0.5	< 2	1.99	< 0.5	40	324	35	5.68	< 10	< 1	0.09	< 10	5.05	1050
116271 H	205	238	< 5	3.23	< 0.2	55	20	< 0.5	< 2	1.95	1.0	36	184	42	10.80	< 10	< 1	0.10	< 10	4.14	884
116272 H	205	238	10	2.63	< 0.2	110	10	< 0.5	< 2	5.16	0.5	29	82	56	5.66	< 10	< 1	0.14	< 10	3.64	1285
116273 H	205	238	4280	1.69	< 0.2	7410	280	< 0.5	< 2	3.05	5.0	30	54	377	6.49	< 10	< 1	0.31	< 10	3.01	1300
116274 H	205	238	75	1.04	< 0.2	205	30	< 0.5	< 2	4.01	0.5	20	121	122	3.83	< 10	< 1	0.15	< 10	2.59	1215
116275 H	205	238	140	2.60	< 0.2	505	20	< 0.5	< 2	2.04	1.0	27	41	23	6.22	< 10	< 1	0.18	< 10	3.69	1150
116276 H	205	238	25	0.46	< 0.2	25	40	< 0.5	< 2	4.84	< 0.5	11	58	21	2.81	< 10	< 1	0.19	< 10	1.30	544
116277 H	205	238	65	1.22	< 0.2	85	130	< 0.5	< 2	4.44	0.5	15	78	34	4.17	< 10	< 1	0.53	< 10	1.76	718
116278 H	205	238	1740	1.01	0.6	2790	110	< 0.5	< 2	5.33	3.0	14	116	36	3.96	< 10	< 1	0.49	< 10	1.90	814
116279 H	205	238	125	0.38	< 0.2	305	40	< 0.5	< 2	2.33	0.5	4	42	< 1	2.27	< 10	< 1	0.17	< 10	0.80	778
116280 H	205	238	100	1.03	< 0.2	230	110	< 0.5	< 2	1.87	0.5	5	67	< 1	2.69	< 10	< 1	0.43	< 10	0.75	819
116281 H	205	238	620	0.56	< 0.2	1705	60	< 0.5	< 2	2.52	2.0	5	62	< 1	2.59	< 10	< 1	0.22	10	0.84	874
116282 H	205	238	575	0.67	< 0.2	950	60	< 0.5	< 2	2.90	1.5	3	160	< 1	2.25	< 10	< 1	0.21	< 10	0.90	783
116283 H	205	238	2600	0.23	0.2	2440	20	< 0.5	< 2	1.94	2.5	5	35	2	2.79	< 10	< 1	0.09	10	0.58	575
116284 H	205	238	450	1.30	< 0.2	1170	120	< 0.5	< 2	1.80	1.5	5	90	2	2.53	< 10	< 1	0.47	10	0.65	685
116285 H	205	238	1320	0.19	< 0.2	2930	20	< 0.5	< 2	5.86	3.0	6	37	1	3.61	< 10	< 1	0.08	< 10	1.85	1525
116286 H	205	238	65	0.89	< 0.2	230	60	< 0.5	< 2	2.13	0.5	5	67	2	2.23	< 10	< 1	0.28	< 10	1.05	813
116288 H	205	238	< 5	2.92	< 0.2	345	30	< 0.5	< 2	3.35	1.0	45	521	42	4.34	< 10	< 1	0.05	< 10	5.84	977
116289 H	205	238	< 5	1.35	< 0.2	5	130	< 0.5	< 2	1.43	< 0.5	2	96	< 1	0.85	< 10	< 1	0.59	< 10	0.50	625
116290 H	205	238	< 5	1.84	< 0.2	10	170	< 0.5	< 2	0.78	< 0.5	1	136	< 1	0.88	< 10	< 1	0.84	10	0.33	496
116291 H	205	238	< 5	3.27	< 0.2	40	50	< 0.5	< 2	2.92	0.5	39	190	63	6.11	< 10	< 1	0.11	< 10	4.48	978
116292 H	205	238	< 5	1.42	< 0.2	20	130	< 0.5	< 2	2.38	0.5	16	65	38	4.43	< 10	< 1	0.49	< 10	1.39	569
116293 H	205	238	< 5	0.44	< 0.2	10	80	< 0.5	< 2	4.95	< 0.5	14	16	42	3.58	< 10	< 1	0.13	< 10	2.20	637
116294 H	205	238	340	1.01	< 0.2	950	130	< 0.5	< 2	1.24	2.0	6	51	12	2.86	< 10	< 1	0.35	< 10	0.79	786
116295 H	205	238	< 5	1.25	< 0.2	15	120	< 0.5	< 2	5.52	< 0.5	13	50	41	3.97	< 10	< 1	0.36	< 10	2.34	554
116296 H	205	238	715	0.27	< 0.2	2120	40	< 0.5	< 2	2.50	2.5	7	50	9	2.87	< 10	< 1	0.12	10	1.00	996
116297 H	205	238	< 5	0.40	< 0.2	445	30	< 0.5	< 2	4.01	1.0	54	243	39	3.80	< 10	< 1	0.07	< 10	7.22	902
116298 H	205	238	< 5	1.98	< 0.2	120	70	< 0.5	< 2	2.57	0.5	42	187	51	5.01	< 10	< 1	0.26	< 10	7.27	1000
116299 H	205	238	< 5	2.03	< 0.2	90	40	< 0.5	< 2	3.70	0.5	52	604	28	3.65	< 10	< 1	0.05	< 10	7.50	954
116300 H	205	238	< 5	1.44	< 0.2	385	40	< 0.5	< 2	1.55	1.0	55	404	45	4.10	< 10	< 1	0.05	< 10	9.54	1010
116301 H	205	238	< 5	3.26	< 0.2	10	50	< 0.5	< 2	2.37	0.5	48	476	64	4.93	< 10	< 1	0.01	< 10	6.82	1310
116302 H	205	238	< 5	1.53	< 0.2	115	100	< 0.5	< 2	3.04	0.5	43	189	75	5.11	< 10	< 1	0.11	< 10	5.99	1535
116303 H	205	238	< 5	0.75	< 0.2	75	40	< 0.5	< 2	1.92	0.5	40	277	50	3.46	< 10	< 1	0.04	< 10	5.98	1025
116304 H	205	238	< 5	0.47	< 0.2	110	100	< 0.5	< 2	2.14	0.5	16	50	16	3.34	< 10	< 1	0.13	< 10	4.49	922
116305 H	205	238	230	0.84	< 0.2	315	170	< 0.5	< 2	8.20	1.0	17	79	4	3.24	< 10	< 1	0.31	< 10	6.49	1530
116306 H	205	238	410	0.39	< 0.2	1085	160	< 0.5	< 2	3.63	1.5	10	21	16	3.17	< 10	< 1	0.11	< 10	3.35	1025
116307 H	205	238	550	1.03	< 0.2	1335	200	< 0.5	< 2	2.83	2.0	19	134	30	3.78	< 10	< 1	0.24	10	2.87	949
116308 H	205	238	30	0.24	< 0.2	55	40	< 0.5	< 2	2.63	0.5	19	14	16	5.16	< 10	< 1	0.07	< 10	1.90	1080
116309 H	205	238	10	0.49	< 0.2	35	90	< 0.5	< 2	1.20	0.5	11	16	63	3.83	< 10	< 1	0.23	< 10	0.86	393

CERTIFICATION :





# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.  
MINERALS STAFF  
1900 - 1055 W. HASTINGS ST.  
VANCOUVER, B.C.  
V6E 2E9

Project: M577

Comments:

Page No. : 4-B  
Tot. Pages: 5  
Date : 14-DEC-87  
Invoice #: I-8727304  
P.O. #: NONE

## CERTIFICATE OF ANALYSIS A8727304

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
116269 H	205 238	< 1	0.05	21	120	< 2	< 5	< 10	34	< 0.01	< 10	< 10	122	5	174
116270 H	205 238	< 1	0.06	301	510	< 2	< 5	< 10	68	< 0.01	< 10	< 10	132	5	92
116271 H	205 238	< 1	0.06	158	360	< 2	5	10	47	< 0.01	< 10	< 10	162	10	205
116272 H	205 238	< 1	0.08	30	340	< 2	< 5	< 10	115	< 0.01	< 10	< 10	180	10	71
116273 H	205 238	< 1	0.11	15	40	8	10	10	230	< 0.01	< 10	< 10	123	< 5	171
116274 H	205 238	< 1	0.15	16	260	< 2	5	< 10	161	< 0.01	< 10	< 10	82	< 5	82
116275 H	205 238	< 1	0.15	12	280	< 2	< 5	< 10	74	< 0.01	< 10	< 10	191	5	59
116276 H	205 238	< 1	0.04	9	260	2	10	< 10	351	< 0.01	< 10	< 10	18	< 5	45
116277 H	205 238	< 1	0.08	13	330	4	5	< 10	345	< 0.01	< 10	< 10	29	5	77
116278 H	205 238	< 1	0.04	54	130	4	25	< 10	435	< 0.01	< 10	< 10	19	< 5	75
116279 H	205 238	< 1	0.07	2	510	< 2	< 5	< 10	145	< 0.01	< 10	< 10	4	5	56
116280 H	205 238	< 1	0.14	2	490	4	< 5	< 10	124	< 0.01	< 10	< 10	8	< 5	63
116281 H	205 238	< 1	0.07	1	400	2	5	< 10	177	< 0.01	< 10	< 10	5	< 5	67
116282 H	205 238	< 1	0.10	3	250	< 2	< 5	< 10	231	< 0.01	< 10	< 10	6	< 5	38
116283 H	205 238	< 1	0.03	1	380	12	5	< 10	142	< 0.01	< 10	< 10	2	< 5	64
116284 H	205 238	< 1	0.16	2	470	4	5	< 10	130	< 0.01	< 10	< 10	9	< 5	65
116285 H	205 238	< 1	0.03	12	320	4	5	10	502	< 0.01	< 10	< 10	5	< 5	55
116286 H	205 238	< 1	0.17	4	400	4	< 5	< 10	199	< 0.01	< 10	< 10	9	< 5	50
116288 H	205 238	< 1	0.02	549	470	2	75	< 10	379	< 0.01	10	< 10	67	5	64
116289 H	205 238	4	0.12	11	220	8	< 5	< 10	117	< 0.01	10	< 10	< 1	5	54
116290 H	205 238	5	0.19	2	220	4	< 5	< 10	86	< 0.01	10	< 10	< 1	< 5	41
116291 H	205 238	< 1	0.05	85	360	< 2	< 5	< 10	202	< 0.01	< 10	< 10	191	5	62
116292 H	205 238	< 1	0.07	15	370	4	< 5	< 10	229	< 0.01	< 10	< 10	46	< 5	70
116293 H	205 238	< 1	0.04	10	360	< 2	< 5	< 10	221	< 0.01	< 10	< 10	21	5	68
116294 H	205 238	< 1	0.17	2	690	2	5	< 10	109	< 0.01	< 10	< 10	22	< 5	72
116295 H	205 238	< 1	0.10	8	270	< 2	5	< 10	282	< 0.01	< 10	< 10	36	5	70
116296 H	205 238	< 1	0.04	1	720	4	5	< 10	200	< 0.01	< 10	< 10	9	< 5	71
116297 H	205 238	< 1	0.02	729	120	< 2	25	< 10	480	< 0.01	10	< 10	28	5	37
116298 H	205 238	< 1	0.05	221	230	< 2	10	< 10	295	< 0.01	< 10	< 10	102	5	50
116299 H	205 238	< 1	0.03	776	160	< 2	5	< 10	249	< 0.01	10	< 10	52	10	41
116300 H	205 238	< 1	0.02	652	190	< 2	20	< 10	221	< 0.01	< 10	< 10	45	5	65
116301 H	205 238	< 1	0.05	379	390	< 2	< 5	< 10	152	< 0.01	< 10	< 10	132	10	48
116302 H	205 238	< 1	0.05	156	230	< 2	10	< 10	283	< 0.01	< 10	< 10	112	5	53
116303 H	205 238	< 1	0.02	384	190	< 2	10	< 10	235	< 0.01	< 10	< 10	50	5	51
116304 H	205 238	4	0.06	97	140	< 2	5	< 10	302	< 0.01	< 10	< 10	17	< 5	60
116305 H	205 238	< 1	0.05	82	100	< 2	5	< 10	931	< 0.01	< 10	< 10	14	5	42
116306 H	205 238	< 1	0.06	11	140	< 2	5	< 10	338	< 0.01	< 10	< 10	14	< 5	59
116307 H	205 238	< 1	0.20	125	200	2	10	< 10	359	< 0.01	< 10	< 10	39	< 5	75
116308 H	205 238	< 1	0.05	3	550	< 2	< 5	< 10	182	< 0.01	< 10	< 10	64	10	79
116309 H	205 238	< 1	0.03	15	260	< 2	10	< 10	107	< 0.01	< 10	< 10	14	< 5	95

CERTIFICATION :



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To : CHEVRON CANADA RESOURCES LTD.  
MINERALS STAFF  
1900 - 1055 W. HASTINGS ST.  
VANCOUVER, B.C.  
V6E 2E9

Project : M577  
Comments:

Page No. : 5-A  
Tot. Pages: 5  
Date : 14-DEC-87  
Invoice # : I-8727304  
P.O. # : NONE

## CERTIFICATE OF ANALYSIS A8727304

SAMPLE DESCRIPTION	PREP CODE		Au ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
			FATAA																		
116310 H	205	238	265	0.24	< 0.2	130	40	< 0.5	< 2	2.11	1.0	10	34	30	2.90	< 10	< 1	0.12	< 10	0.84	717
116311 H	205	238	135	0.46	< 0.2	85	70	< 0.5	< 2	1.64	0.5	9	56	40	3.91	< 10	< 1	0.22	< 10	0.85	708
116312 H	205	238	530	0.72	< 0.2	150	90	< 0.5	< 2	2.41	0.5	7	98	8	2.18	< 10	< 1	0.34	< 10	0.80	610

87-8

CERTIFICATION :



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.  
MINERALS STAFF  
1900 - 1055 W. HASTINGS ST.  
VANCOUVER, B.C.  
V6E 2E9

Project: M577

Comments:

Page No.: 5-B  
Tot. Pages: 5  
Date: 14-DEC-87  
Invoice #: I-8727304  
P.O. #: NONE

## CERTIFICATE OF ANALYSIS A8727304

87-8

SAMPLE DESCRIPTION	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Se	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
116310 H	205	238	3	0.03	10	210	4	10	< 10	152	< 0.01	< 10	< 10	9	5	111
116311 H	205	238	< 1	0.05	8	400	4	10	< 10	119	< 0.01	< 10	< 10	16	< 5	96
116312 H	205	238	< 1	0.04	4	440	< 2	5	< 10	179	< 0.01	< 10	< 10	11	< 5	72

CERTIFICATION :



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To : CHEVRON CANADA RESOURCES LTD.  
MINERALS STAFF  
1900 - 1055 W. HASTINGS ST.  
VANCOUVER, B.C.  
V6E 2E9

Project : M577

Comments :

Page No. : 1  
Tot. Pages : 1  
Date : 22-DEC-87  
Invoice # : I-8728067  
P.O. # :

## CERTIFICATE OF ANALYSIS A8728067

SAMPLE DESCRIPTION	PREP CODE	Au oz/T										
113366H	214 ---	0.028										
116273H	214 ---	0.122										
116278H	214 ---	0.052										
116283H	214 ---	0.076										
116285H	214 ---	0.036	680									

ALL ASSAY DETERMINATIONS ARE PERFORMED OR SUPERVISED BY B.C. CERTIFIED ASSAYERS

CERTIFICATION : W. San Amelino