

841433
Wayside
87-2


DDH 87-2

depth is 150 ft (45.72m)

tube OD: 30 mm

avg appar. dip: 55.2°

true dip: 48.0°



841433
Washing
5-18

BDH 81-5


(.91 x 32) 29.12
.77 x 90 69.30
.45 x 49 22.05
1.99 x 44 87.56

 .15 x 60 9.00
.76 x 89 67.64
.46 x 91 41.86
5.49 326.53

avg. % Rec = 59%

22.0
22.0
26.0
22.0
22.0
21.0
22.0
22.0
22.0

TWO-BOB
 DDH 87-2
 1:500
 226°, -50°



87-2

* ADD TO CROSS-SECTION *

FROM-TO (m)	LENGTH(m)/REC(%)	A _n ppb	A _s ppm	SAMPLE NUMBER
20.10-20.88	0.78/74	45	10	113234H
20.88-21.64	0.76/85	5	55	113235H
21.64-23.47	1.83/33	30	75	113236H
23.47-24.99	1.52/11	150	305	113237H
24.99-25.90	0.91/32	45	150	113238H
25.90-26.48	0.58/90	45	120	113239H
26.48-27.12	0.64/55	45	955	113240H
27.12-29.11	1.99/44	45	10	113241H
29.11-30.02	0.91/83	45	10	113242H
30.02-30.48	0.26/91	45	315	113243H
34.75-35.66	SLUDGE	1750	595	113244H
35.66-38.71	SLUDGE	1400	625	113245H
UNKNOWN	RUBBLE	90	220	113246H