



Chevron Canada Resources Limited

Minerals Staff

1900 - 1055 West Hastings St., Vancouver, B.C. V6E 2E9

841485
Wayside
88-13

WS88013

Set 1







W 88003

68-15-5

68-15-6

68-15-7

50.6

50.7

67.60

50.6

50.6

50.6

50.6

50.6

50.6



11.6.0

11.6.0

WS 880013

67.58

11.6.0

67.58

67.58

67.58

11.6.0

70.30

72.85

11.6.0

75

75

11.6.0

81.5

81.5

11.6.0

11.6.0





88-15-16

WS 880013

10851

88-15-17

377
16
10852

387

10853

12356

1222



Blocks & Blocks

S = Alpha S 0 = Zero 1 = One 2 = Two 7 = Seven Ø = Alpha O I = Alpha I Z = Alpha Z

4/17 12/86

ENTER KEYS IN COL. 1 TO ACTIVATE ENTRIES																																								
KEY	FLAG	FORMAT VERSION	H/T TYPE	ID OF DRILLHOLE/TRAVELER NAME AND NUMBER	SIZE OF CORE OR HOLE	YR	MON	DATE AND TIME DAY HR MIN	APT	GEOLOGGED BY	ED BY	YR	COMPLETED MON DAY	COMMENT / REMARK	GRID AZIMUTH	UNITS M/F																								
I	D E N	6 B 0 5	DH	WS880013	NQ	88	07	21		RUBSG	m	88	07 24	COUNSEL 3		M																								
I	P R J																																							
KEY	TURN 'G PT. 000 = Collar	FROM	TO	F - S	O	AZ M	CLOCKWISE FROM TRUE N	V-ANG	NEG IF DOWN	STATION	OFFSET	NEG IF LEFT	NORTHING	NEG IF SOUTH	EASTING	NEG IF WEST	ELEVATION	NEG IF SUB-SEA																						
S																																								
U	FLAG	FROM	TO	RECOVERY	T _{MOD}	% MIX	ROCK-SOIL	TYPIFY-MAT TM ₁	TM ₂	QALMAT QM ₁	TEXTURES TX ₁	TX ₂	GRAIN Ff Cf % C MP	FRACTURE COUNT 1 2	STRUC1 ID	STRIKE AZ M	DIP To Right	DIP To Left	ALTERATION & MINERALIZATION CY CB MG XX PY	DEFAULT SUITES CP	GL	YY	SUMMARY F1 F2																	
L																																								
A		FROM	TO	RECOVERY	RQD	FM MEM	ENV	RTQ	LC Colour	TM ₃	QM ₂	TX ₃	TX ₄	Sr	Rn	Sh	O/C	Is	Im	Il	Sl	T ₂	STRUC2 ID	AZ M	DIP To Right	DIP To Left	KF	MU	CL	EP	HE	Hw Amt	PR	MO	SL	Hw Amt	M1	M2		
F																																								
1		24.68	0.00	0.00																																				
1		24.38	0.34	0.00																																				
2		26.27	1.59	0.43																																				
2		27.13	0.90	0.50																																				
2		28.05	0.12	0.00																																				
2		29.20	0.90	0.00																																				
2		30.49	2.13	0.00																																				
2		32.31	1.46	0.73																																				
3		35.36	2.80	0.60																																				
4		38.41	2.85	1.32																																				
4		39.82	1.20	0.00																																				
4		41.45	0.88	0.00																																				
4		44.50	2.36	0.78																																				
5		45.72	1.00	0.00																																				
5		46.94	0.96	0.35																																				
5		48.46	1.43	0.76																																				
6		51.51	2.82	0.85																																				
6		54.56	2.95	1.26																																				
7		57.61	3.05	2.27																																				
7		59.44	1.69	1.13																																				
7		61.27	0.94	0.00																																				
8		62.48	1.09	0.00																																				
8		65.53	2.00	1.42																																				
9		67.06	1.45	0.60																																				
9		70.10	2.97	1.72																																				
10		72.85	2.38	0.64																																				
10		75.90	2.92	1.34																																				
10		78.94	3.01	1.67																																				
10		81.99	3.05	1.81																																				
12		85.04	3.05	1.37																																				
12		86.87	1.79	0.57																																				
12		87.78	0.30	0.30																																				



ASSAY INFO

S = Alpha S 0 = Zero 1 = One 2 = Two 7 = Seven Ø = Alpha O Tori = Alpha I Z = Alpha Z

6/7 [Signature] 20/2

ENTER KEYS IN COL. 1 TO ACTIVATE ENTRIES

Identity Data
Survey Data
Upper Tier
Lower Tier
Geodata
Assay Data
F-Entry

KEY	FLAG	FORMAT VERSION	H/T TYPE	ID of DRILLHOLE/TRVERSE NAME AND NUMBER	SIZE OF CORE OR HOLE	YR	MON	DATE AND TIME DAY	HR	MIN	APT	GEOLOGGED BY	YR	COMPLETED MON	DAY	COMMENT / REMARK	GRID AZIMUTH	UNITS M/F																			
I	D E N	6 B 0 5		WS080013																																	
I	P R J																																				
S	TURN'G PT. 000=Collar	FROM	TO	F-S	O	AZM	CLOCKWISE FROM TRUE N	V-ANG	NEG IF DOWN	STATION	OFFSET	NEG IF LEFT	NORTHING	NEG IF SOUTH	EASTING	NEG IF WEST	ELEVATION	NEG IF SUB-SEA																			
U	FLAG	FROM	TO	RECOVERY	T _{MOD}	% Mix	ROCK-SOIL	TYPIFY-MAT TM ₁	TM ₂	QALMAT QM ₁	TEXTURES TX ₁	TX ₂	GRAIN F _f	C _f	% C	MP	FRACTURE COUNT 1	2	STRUC1 ID	STRIKE AZM	DIP To Right	DIP To Left	ALTERATION & MINERALIZATION QZ	BI	CY	CB	MG	XX	DEFAULT SUITES PY	CP	GL	YY	SUMMARY F1	F2			
L		FROM	TO	RQD	FM MEM	ENV	RTQ	LC Colour	TM ₃	QM ₂	TX ₃	TX ₄	Sr	Rn	Sh	O/C	IS	IM	IL	ΣI	T ₂	STRUC2 ID	AZM	DIP To Right	DIP To Left	KF	MU	CL	EP	HE	Hw Amt	PR	MO	SL	Hw Amt	M1	M2
A		FROM	TO	RECOVERY	Sample Serial No.																																
F		FROM	TO																																		

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80

AFTM 110.95 112.70 79108H
 112.70 119.79 79109H
 119.79 121.31 79110H
 121.31 123.44 79111H
 123.44 124.97 79112H
 124.97 127.41 79113H
 END

GRAPHIC

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----

