```
IBEN6B05DHWS880017       NQ  88 8 5      RUBSGM88 8 7CABINET AUG 21/88    0.00MT66
IPRJM577                                 841496
S000    000  8778    205.00-50.00 Wayside 88-17 5635035.00 511497.00    810.00
S001   8778 10790    205.00-50.00
P       000   335       OVER                    P
P       335  2652       CHRT       MXKR11X1     P          V3                T-
L       335  2652            6A                 XL
P      2652  4818       CHRT       MX  11X1     P          V3             V.
L      2652  4818            6A                 L               V.
P      4818  6313       GNST       MXSH11X1     P UC     20            D.
L      4818  6313            7G                 L FC     55V*
P      6313 10790       SERP       MXEQ         P FC     20
L      6313 10790            3G    SH           L                V.    D.
ND      793   900      XCHRT       BXKR11X1     D          V3         P.D.T-
L       793   900            6A                 XL
ND     3860  4500      XCHRT       BX  11X1     D          V3         D.D.
L      3860  4500            6A                 L               V.
ND     5525  6313      XGNST       MXSH11X1     D UC     20            D.
L      5525  6313            7G                 L FC     55V*
ND     7120  8097      XSERP       MXEQ         D FC     25
L      7120  8097            3G    SH           L                V.    D.
ND     8885 10440      XSERP       MXEQ         D FC     20
L      8885 10440            3G    SH           L                V.    D(
ND    10600 10790      XSERP       MXEQ         D FC     20
L     10600 10790            3G    SH           L                V.    D.
RP      000   335OVERBURDEN: BOULDER TILL.
RP      335  2652CHERT: INTENSELY CRACKLED WITH RESULTING FRACTURES FILLED WITH
RP      335  2652QUARTZ. RUSTY FRACTURES MAY CONTAIN PARTLY OXIDIZED SULPHIDES.
RP      335  2652ALSO ABUNDANT MICROFRACTURES THROUGHOUT CONTAINING MN MINERALS.
RP      335  2652HEAVY LIMONITE IN FRACTURES TO 10M DEPTH.
RD      793   900CHERT: BRECCIATED WITH ANGULAR CLASTS OF CHERT.
RP     2652  4818CHERT: SIMILAR TO CHERT ABOVE BUT WITH A REDDISH TINT. CHLORITE
RP     2652  4818AND HEMATITE ARE ASSOCIATED WITH THE CHALCOPYRITE LOCALLY.
RP     2652  4818FAIRLY ABUNDANT CHALCOPYRITE AT 33.30-33.60M. PYRITE IS
RP     2652  4818ASSOCIATED WITH CHALCOPYRITE AT 38.60M.
RD     3860  4500CHERT: FAULT BRECCIATED CHERT WITH ANGULAR CHERT FRAGMENTS
RD     3860  4500LARGELY SET IN A CHLORITE AND SILICA GROUNDMASS. GRAPHITIC
RD     3860  4500GOUGE AT 30 DEG. AT 43.00-43.20M.
RP     4818  6313GREENSTONE(?): WITH A PARTICULARILY STRIKING LIGHT GREEN COLOR
RP     4818  6313OVER LENGTHS UP TO SEVERAL METERS SEPERATED BY BLACK HIGHLY
RP     4818  6313SHEARED ROCK INCLUDING CATACLASTIC SECTIONS. AUGENS DO OCCUR
RP     4818  6313AND IT APPEARS THAT A LITHOLOGY THAT PREVIOUSLY UNDERWENT
RP     4818  6313CATACLASTIC METAMORPHISM HAS BEEN SUBJECT TO LATER FAULTING.
RP     4818  6313CATACLASTIC TEXTURE AT 60 DEG. IN THE GREENSTONE AT 51.50M.
RP     4818  6313FRAGMENTS OF THE GREEN LITHOLOGY OCCUR IN THE CATACLASTIC
RP     4818  6313ZONES. AUGEN DEVELOPMENT AT 51.56-52.00M.
RD     5525  6313GREENSTONE: ZONE OF PARTICULARILY INTENSE SHEARING AT 55.59M AT
RD     5525  631365 DEG. AND 56.69-58.00M AT 50 DEG. A BLOCK OF RED CHERT CAUGHT
RD     5525  6313UP IN THE FAULT ZONE IS AT 58.85-90.00M. A RED CHERT BLOCK IS
RD     5525  6313AT 62.50-63.13M.
RP     6313 10790SERPENTINITE: VERY INTENSELY SHEARED. OCCASIONALLY FRAGMENTS OF
RP     6313 10790CHERT AND THE GREENSTONE OCCUR. PYRRHOTITE IS OCCASIONALLY
RP     6313 10790FOUND ON SLICKENSIDED FRACTURES AS SMEARS. SPECIFIC INTERVALS
RP     6313 107900F GOUGE AND SLICKENSIDES INCLUDE 65.70-65.84M AT 45 DEG. AND
RP     6313 1079066.53-66.73M AT 20 DEG. A CATACLASTIC ZONE THAT SHOWS SIGNS OF
RP     6313 10790LATER FAULTING IS AT 67.53-67.60M. GOUGE AT 10 DEG. AT
RP     6313 1079067.53-67.73M. ABUNDANT FRAGMENTS OF GREENSTONE IN A CATACLASTIC
RP     6313 10790SETTING ARE FOUND AT 68.58-70.50M. FAULT AT 82.60 AT 20 DEG. NO
RP     6313 10790QUARTZ VEINING AND VERY RARE CALCITE VEINING.
RD     7120  8097SERPENTINITE: THIS SECTION CONSISTS ESSENTIALLY OF ROCK WITH
```

```
RD     7120  8097THE COMPETENCY OF GOUGE. SOME CORE ANGLES ARE: 0 DEG. AT
RD     7120  809771.63M, 40 DEG. AT 72.63M, 25 DEG. AT 75.38M, 25 DEG. AT
RD     7120  809775.30M, 25 DEG. AT 77.10M AND 35 DEG. AT 79.80M.
RD     8885 10440SERPENTINITE: INTENSELY SHEARED SERPENTINITE WITH VERY
RD     8885 10440ABUNDANT SLICKENSIDED FRAGMENTS FREQUENTLY CONTAINING SPECS OF
RD     8885 10440PYRRHOTITE. LITTLE GOUGE DEVELOPMENT AS IN 71.20-80.97M.
RD     8885 10440SLICKENSIDES AT 87.46M AT 0 AND 10 DEG., AT 15 DEG. AT 90.93M,
RD     8885 10440AT 65 DEG. AT 92.20M AND AT 103.33M AT 60 DEG.
RD    10600 10790SERPENTINITE: FAULT INCLUDING 5CM GOUGE AT 106.00-106.25M AT 50
RD    10600 10790DEG. GOUGE AND SLICKENSIDES AT 60 DEG. AT 106.50-106.75M.
R     10790 10790END OF HOLE.
FREC    000   325  0.00  0.00  0.00  0.00
FREC    325   488  1.13 69.33  0.60 36.81
FREC    488   793  2.95 96.72  2.50 81.97
FREC    793   884  0.85 93.41  0.50 54.94
FREC    884  1097  1.89 88.73  1.28 60.09
FREC   1097  1402  2.75 90.16  1.91 62.62
FREC   1402  1707  2.83 92.79  0.92 30.16
FREC   1707  1951  2.50102.46  0.73 29.92
FREC   1951  2164  2.06 96.71  0.26 12.21
FREC   2164  2271  1.10102.80  0.21 19.63
FREC   2271  2591  3.03 94.69  0.68 21.25
FREC   2591  2652  0.57 93.44  0.00  0.00
FREC   2652  2774  1.15 94.26  0.31 25.41
FREC   2774  2850  0.78102.63  2.01264.47
FREC   2850  3155  2.90 95.08  1.63 53.44
FREC   3155  3475  3.04 95.00  2.09 65.31
FREC   3475  3719  2.27 93.03  1.17 47.95
FREC   3719  4023  3.02 99.34  1.59 52.30
FREC   4023  4298  2.36 85.82  1.12 40.73
FREC   4298  4343  0.43 95.56  0.00  0.00
FREC   4343  4542  2.18109.55  1.10 55.28
FREC   4542  4694  1.20 78.95  0.12  7.89
FREC   4694  4877  1.53 83.61  0.80 43.72
FREC   4877  5060  1.89103.28  0.50 27.32
FREC   5060  5365  3.02 99.02  2.60 85.25
FREC   5365  5669  2.97 97.70  1.53 50.33
FREC   5669  5974  3.03 99.34  2.80 91.80
FREC   5974  6279  3.00 98.36  1.84 60.33
FREC   6279  6553  2.37 86.50  1.10 40.15
FREC   6553  6858  3.00 98.36  1.10 36.07
FREC   6858  7163  2.90 95.08  1.79 58.69
FREC   7163  7498  2.93 87.46  1.95 58.21
FREC   7498  7711  1.45 68.08  0.00  0.00
FREC   7711  7742  0.27 87.10  0.00  0.00
FREC   7742  8016  2.18 79.56  0.74 27.01
FREC   8016  8327  2.93 94.21  1.17 37.62
FREC   8327  8565  2.56107.56  0.94 39.50
FREC   8565  8778  2.08 97.65  1.94 91.08
FREC   8778  8946  1.10 65.48  0.00  0.00
FREC   8946  9083  1.40102.19  0.00  0.00
FREC   9083  9220  1.60116.79  0.13  9.49
FREC   9220  9403  1.43 78.14  0.00  0.00
FREC   9403  9601  1.35 68.18  0.00  0.00
FREC   9601  9754  1.85120.92  0.00  0.00
FREC   9754  9921  1.36 81.44  0.00  0.00
FREC   9921 10074  1.60104.58  0.00  0.00
FREC  10074 10196  1.67136.89  0.00  0.00
FREC  10196 10333  1.27 92.70  0.00  0.00
FREC  10333 10424  1.04114.29  0.00  0.00
```

```
FREC 10424 10577  1.54100.65  0.43 28.10
FREC 10577 10790  2.00 93.90  0.00  0.00
ZFTN
X                                LENGTHLENGTH      622N
AFTN   000   335
AFTN   335   500     79401H  1.65
AFTN   500   700     79402H  2.00
AFTN   700   900     79403H  2.00
AFTN   900  1100     79404H  2.00
AFTN  1100  1300     79405H  2.00
AFTN  1300  1500     79406H  2.00
AFTN  1500  1707     79407H  2.07
AFTN  1707  1900     79408H  1.93
AFTN  1900  2100     79409H  2.00
AFTN  2100  2300     79210H  2.00
AFTN  2300  2500     79411H  2.00
AFTN  2500  2700     79412H  2.00
AFTN  2700  2900     79413H  2.00
AFTN  2900  3100     79414H  2.00
AFTN  3100  3300     79415H  2.00
AFTN  3300  3500     79416H  2.00
AFTN  3500  3700     79417H  2.00
AFTN  3700  3900     79418H  2.00
AFTN  3900  4100     79419H  2.00
AFTN  4100  4300     79420H  2.00
AFTN  4300  4500     79421H  2.00
AFTN  4500  4700     79422H  2.00
AFTN  4700  4818     79423H  1.18
AFTN  4818  5000     79424H  1.82
AFTN  5000  5200     79425H  2.00
AFTN  5200  5550     79426H  3.50
AFTN  5550  6000
AFTN  6000  6230     79427H  2.30
AFTN  6230  6700
AFTN  6700  6900     79428H  2.00
AFTN  6900  7200     79429H  3.00
AFTN  7200  7400     79430H  2.00
AFTN  7400  7600     79431H  2.00
AFTN  7600  7800     79432H  2.00
AFTN  7800  8000     79433H  2.00
AFTN  8000  8327
AFTN  8327  8565     79434H  2.38
AFTN  8565  8885     79435H  3.20
AFTN  8885  9083     79436H  1.98
AFTN  9083  9403     79437H  3.20
AFTN  9403  9754     79438H  3.51
AFTN  9754 10074     79439H  3.20
AFTN 10074 10394     79440H  3.20
AFTN 10394 10577     79441H  1.83
AFTN 10577 10790     79442H  2.13
/END
```

Sept 14/88

```
IDEN6B05DHWS880018      NQ  88 8 7      RUBSGM88 8 9CABINET                    0.00MT66
IPRJM577
S000   000 10241    202.00-50.00                    5634865.00 511230.00    867.00
S001 10241 10241    202.00-49.00
P      000   975       OVER                    P
P      975  2897       DIOR       MX  4555     P FC    70V)          D.D.
L      975  2897           GA                  3L        V-  H2E-
P     2897  3775       CHRT       MXKR11X1     P         V)        X2
L     2897  3775           6A                  9L        V+        V1
P     3775  3982       DYKE       SHMX23)4     P LC    65          X2D.
L     3775  3982                                L                 V(
P     3982  4460       CHRT       BXPA11X1     P FC    10          X2
L     3982  4460                  SH           L         V.        V(
P     4460  4750       FAUL       SH           P UC     0
L     4460  4750           GA                   L LC    15
P     4750  5424       DYKE       AGCA34=5     P
L     4750  5424                               5L        V(  G=
P     5424  6333       CHRT       KRSH11X1     P         V)          V*D.
L     5424  6333           3A     MXBX         L         <+          D*D/
P     6333  7850       SILT       CTSH12X2     P
L     6333  7850           3A     CABX        3L         <+          D*D/
P     7850  9368       CHRT       RNSH11X1     P BD                  D(D/
L     7850  9368           3A                  3L                    D*
P     9368 10125       SILT       CTCA22X2     P
L     9368 10125           5A     PA          3L         <.          D*
P    10125 10241       SILT       MXCA22X4     P
L    10125 10241           AG                  3L         <+
N     1707  1821      XGRAN       MXKR5556     N UC    60V)          D.
L     1707  1821           5A                  6L LC    60    H)
N     3537  3775      XCHRT       SHKR11X1     N
L     3537  3775           4A                   L                    B*
ND    4905  5150      XFAUL       AGCA34=5     D FO    15
L     4905  5150                               5L FC    40V(  G=
ND    5280  5424      XCHRT       MXCA11X1     D LC    20
L     5280  5424           6A                  5L        V+  G=
N     8040  8259      XSILT       CT  22X2     N
L     8040  8259           5A     CABX        3L         V*          <*
N     9368 10125      3CHRT       BAPA11X1     N LC    30
L     9368 10125           3A     CA          3L         <.          D(
RP     000   975OVERBURDEN:
RP     975  2897DIORITE: THE HEAVIEST PYRITE IN AN INDIVIDUAL VEIN SEEN IN THE
RP     975  2897DRILLING PROGRAM TO DATE OCCURS AT 16.90M IN A 1.5CM THICK
RP     975  2897QUARTZ VEIN AT 65 DEG. MINERALIZATION OCCURS AS BLEBS. FAULTING
RP     975  2897AT 15 DEG. INCLUDING A GOUGE OCCURING IN THE CONTACT OF A
RP     975  2897BANDED QUARTZ VEIN 3CM THICK AT 19.71-19.91M. LOCALLY EPIDOTE
RP     975  2897OCCURS IN ENVELOPES OF FRACTURES. TRACES OF CHALCOPYRITE SEEN
RP     975  2897AT 23.00M.
RN    1707  1821GRANITE:
RP    2897  3775CHERT: CONTAINS A MEDIUM BROWN MATERIAL (X2) OCCURING AS VEINS
RP    2897  3775TYPICALLY 1-3MM THICK WITH A HARDNESS OF ABOUT 6, PROBABLY A
RP    2897  3775PLAGIOCLASE FELDSPAR. MINOR GOUGE AT 40 DEG. AT 29.80M. FAULT
RP    2897  3775AT 15 DEG. INCLUDING 5CM OF GOUGE ON A FRACTURE AT 40 DEG. AT
RP    2897  377534.33-34.60M.
RN    3537  3775CHERT: SHEARED AND SLICKENSIDED. SHEARING AT 35.55M AT 0 DEG.,
RN    3537  3775AT 36.36M AT 30 DEG., AT 36.75M AT 35 DEG. AND AT 37.75M AT 50
RN    3537  3775DEG. THIS IS ONE OF THE MOST PYRITIC SECTIONS SEEN.
RP    3775  3982UNDIFFERENTIATED DYKE: APHANITIC TO FINE GRAINED, NO QUARTZ
RP    3775  3982VEINS.
RP    4460  4750FAULT ZONE: FRAGMENTS OF DYKE ROCK AT 47.50-58.30M AND CHERT
RP    4460  4750INCORPORATED IN THE FAULT ZONE. SHEARING AT 45.00M AT 15 DEG.
RP    4460  4750AND AT 47.50M AT 0 DEG.
RP    4750  5424UNDIFFERENTIATED DYKE: CATACLASTIC METAMORPHISM WITH AUGEN AT
RP    4750  542430 DEG. AT 48.85M. LIGHT GREY CHERT AT 49.25-50.00M.
RD    4905  5150FAULT ZONE: SHEARING AND CATACLASTIC ACTIVITY.
```

```
RD     5280  5424CHERT: MINOR REDDISH CHERT ALSO. SIMILAR CHERT IN THE UPPER
RD     5280  5424PART OF WS880017. CONTAINS ABUNDANT QUARTZ VEINLETS.
RP     5424  6333CHERT: ONE SPEC OF CHALCOPYRITE AT 60.45M. PYRITE OCCURS
RP     5424  6333THROUGHOUT AS FRACTURE FILLINGS AND DISSEMINATIONS. CALCITE
RP     5424  63330CCURS AS MICROVEINS AND AS VEINS UP TO 4MM WIDE.
RP     6333  7850SILTSTONE: CONSISTS OF DARK GREY AND LIGHT GREY SILTSTONES THAT
RP     6333  7850HAVE UNDERGONE BRECCIATION WITH LOCAL CATACLASTIC METAMORPHISM
RP     6333  7850SUGGESTED BY AUGENS. MINOR CHERT FRAGMENTS INCLUDED IN THE
RP     6333  7850SECTION AND THESE ARE PROBABLY TECTONICALLY INTRODUCED.
RP     6333  7850FOLIATION AT 63.93M IA 65 DEG., AT 65.84M IS 50 DEG. AND AT
RP     6333  785075.30M IS 40 DEG. TRACES OF DISSEMINATED CHALCOPYRITE
RP     6333  7850ASSOCIATED WITH THE PYRRHOTITE.
RP     7850  9368CHERT: THE BULK OF SULPHIDES OCCUR IN DISSEMINATED FORM WITHIN
RP     7850  9368GENERALLY HARD BLACK STREAKS IN THE CHERT.
RN     8040  8259SILTSTONE: CATACLASTIC AT 80.98M AT 30 DEG. PYRRHOTITE IS FOUND
RN     8040  8259BOTH AS DISSEMINATED AND FRACTURE FILLINGS. LITTLE  INDICATIONS
RN     8040  82590F FAULTING AS SUGGESTED BY SLICKENSIDES AND GOUGE.
RP     9368 10125SILTSTONE: FAULT AT 94.40M AT 25 DEG. MINOR GRAPHITIC GOUGE.
RN     9368 10125CHERT: ACCUMULATED CHERT WITHIN THIS PREDOMINANTLY SILTSTONE
RN     9368 10125UNIT. THE LOWER CONTACT IS CATACLASTIC.
RP    10125 10241SILTSTONE: CATACLASTIC AT 102.37M AT 20 DEG.
RSUM 10241 10241DRILL HOLE WS880018 WAS COLLARED 140M N OF WS880016 AND WAS
RSUM 10241 10241DRILLED TO TEST A STRONG VLF EM-16 ANOMALY THAT CONVERGES
RSUM 10241 10241WITH A MAJOR NE TRENDING FAULT. THIS HOLE, LOCATED ON THE WS
RSUM 10241 10241DIORITE ZONE, WAS DRILLED AT AN AZIMUTH OF 202 DEG. AND A DIP
RSUM 10241 10241OF -50 DEG. FOR A TOTAL DEPTH OF 102.41M.
RSUM 10241 10241OVERBURDEN WAS TRICONED TO 9.75M. DIORITE WITH ABUNDANT PYRITE
RSUM 10241 10241WAS INTERSECTED AT 9.75-28.97M. CHERT WITH MINOR ZONES OF
RSUM 10241 10241SILTSTONE OCCURS FROM 28.97-102.41M. AN UNDIFFERENTIATED DYKE
RSUM 10241 10241WITH A WELL DEVELOPED FAULT ZONE AT THE HANGING WALL CONTACT
RSUM 10241 10241WAS INTERSECTED AT 47.50-54.24M.
FREC   000   975  0.00  0.00  0.00  0.00
FREC   975  1097  0.50 40.98  0.32 26.23
FREC  1097  1341  2.14 87.70  0.95 38.93
FREC  1341  1536  1.85 94.87  1.02 52.31
FREC  1536  1707  1.83107.02  0.68 39.77
FREC  1707  1981  2.75100.36  1.05 38.32
FREC  1981  2103  1.23100.82  0.35 28.69
FREC  2103  2317  2.05 95.79  0.78 36.45
FREC  2317  2621  3.08101.32  1.84 60.53
FREC  2621  2926  2.65 86.89  0.29  9.51
FREC  2926  3231  3.02 99.02  0.89 29.18
FREC  3231  3444  1.53 71.83  0.43 20.19
FREC  3444  3749  3.00 98.36  0.93 30.49
FREC  3749  3962  2.03 95.31  0.75 35.21
FREC  3962  4267  3.00 98.36  1.49 48.85
FREC  4267  4572  3.03 99.34  2.14 70.16
FREC  4572  4877  3.02 99.02  1.80 59.02
FREC  4877  5182  3.05100.00  2.21 72.46
FREC  5182  5486  2.88 94.74  1.94 63.82
FREC  5486  5669  1.73 94.54  1.06 57.92
FREC  5669  5944  2.50 90.91  0.97 35.27
FREC  5944  6005  0.54 88.52  0.43 70.49
FREC  6005  6279  2.70 98.54  2.30 83.94
FREC  6279  6584  3.04 99.67  2.31 75.74
FREC  6584  6889  3.08100.98  2.57 84.26
FREC  6889  7193  2.93 96.38  2.78 91.45
FREC  7193  7498  3.08100.98  2.05 67.21
FREC  7498  7803  3.08100.98  2.39 78.36
FREC  7803  8108  3.03 99.34  2.19 71.80
FREC  8108  8412  2.93 96.38  1.28 42.11
FREC  8412  8717  2.95 96.72  2.51 82.30
FREC  8717  9022  2.97 97.38  2.55 83.61
FREC  9022  9327  3.05100.00  2.51 82.30
FREC  9327  9632  3.02 99.02  2.35 77.05
FREC  9632  9937  2.98 97.70  2.65 86.89
```

```
FREC  9937 10241  2.97 97.70  2.72 89.47
ZD06              1988 ASSAY FILE
X                                LENGTHLENGTH      622N
X                                 AUPPBAUPPB       610N
X                                 CUPPMCUPPM       610N
X                                 MOPPMMOPPM       610N
X                                 PBPPMPBPPM       610N
X                                 ZNPPMZNPPM       610N
X                                 AGPPMAGPPM       621N
X                                 ASPPMASPPM       610N
X                                 SBPPMSBPPM       621N
AD06   975  1300    79443  3.25    0   56    1    1   41  0.1   3  0.1
AD06  1300  1600    79444  3.00    5   94    1    1   62  0.1   3  0.1
AD06  1600  1900    79445  3.00    0   72    1    1   48  0.1   4  0.1
AD06  1900  2200    79446  3.00    0   82    1    1   43  0.1   3  0.1
AD06  2200  2550    79447  3.50    0   83    1    1   68  0.1   5  0.1
AD06  2550  2897    79448  3.47    0   59    1    1   44  0.1   3  0.1
AD06  2897  3100    79449  2.03    0   27    1    5   46  0.1   3  0.2
AD06  3100  3300    79450  2.00    0   35    3    8   51  0.1   3  0.1
AD06  3300  3537    79451  2.37    0   49    2    3  112  0.1   3  0.1
AD06  3537  3775    79452  2.38    0   53    6    4  103  0.1   7  1.4
AD06  3775  3982    79453  2.07    0   28    2    1  116  0.1   3  0.1
AD06  3982  4267    79454  2.85    0   62    1    3   66  0.1  17  0.2
AD06  4267  4460    79455  1.93   10   83    1    1   68  0.1   5  0.1
AD06  4460  4750    79456  2.90    5   59    2    1  121  0.2   4  0.2
AD06  4750  4905    79457  1.55    0   38    2    1  129  0.1   4  0.1
AD06  4905  5182    79458  2.77    5   54    2    1   99  0.1   4  0.1
AD06  5182  5481    79459  2.99   10   58    1    1   71  0.2   4  0.2
AD06  5481  5669    79460  1.88    0   63    2    1  103  0.2   4  0.1
AD06  5669  5830    79461  1.61    0   69    1    1   91  0.1   6  0.1
AD06  5830  6005    79462  1.75   15   60    2    1   96  0.2   6  0.8
AD06  6005  6333    79463  3.28   10   69    4    3   94  0.3   6  1.0
AD06  6333  6584    79464  2.51    0   62    2    1   87  0.2   5  0.4
AD06  6584  6889    79465  3.05    0   62    2    1   93  0.2   7  0.4
AD06  6889  7193    79466  3.04    0   59    3    1   85  0.3   6  0.2
AD06  7193  7498    79467  3.05    0   51    1    1   84  0.2   6  0.2
AD06  7498  7683    79468  1.85    0   75    1    1  100  0.3   5  0.4
AD06  7683  7850    79469  1.67    0   69    1    1   80  0.2  10  0.2
AD06  7850  8040    79470  1.90    0   54    7    1   81  0.2   5  0.2
AD06  8040  8259    79471  2.19    0   62    1    1   91  0.2   6  0.2
AD06  8259  8462    79472  2.03    0   64    5    4  138  0.2   5  0.4
AD06  8462  8717    79473  2.55    0   78    1    1   71  0.3   4  0.2
AD06  8717  9022    79474  3.05    0   81    4    1  142  0.2   9  1.0
AD06  9022  9368    79475  3.46    0   72    1    1   86  0.2   4  0.1
AD06  9368  9632    79476  2.64   10   76    4    2  108  0.3   6  0.1
AD06  9632  9937    79477  3.05    0   66    2    1  104  0.2   6  0.2
AD06  9937 10125    79478  1.88    0   57    3    1   95  0.2   6  0.1
AD06 10125 10241    79479  1.16    0   69    1    1  123  0.2   4  0.1
ZFTN
X                                LENGTHLENGTH      622N
AFTN   000   975
AFTN   975  1300    79443  3.25
AFTN  1300  1600    79444  3.00
AFTN  1600  1900    79445  3.00
AFTN  1900  2200    79446  3.00
AFTN  2200  2550    79447  3.50
AFTN  2550  2897    79448  3.47
AFTN  2897  3100    79449  2.03
AFTN  3100  3300    79450  2.00
AFTN  3300  3537    79451  2.37
AFTN  3537  3775    79452  2.38
AFTN  3775  3982    79453  2.07
AFTN  3982  4267    79454  2.85
AFTN  4267  4460    79455  1.93
AFTN  4460  4750    79456  2.90
AFTN  4750  4905    79457  1.55
```

AFTN	4905	5182	79458	2.77
AFTN	5182	5481	79459	2.99
AFTN	5481	5669	79460	1.88
AFTN	5669	5830	79461	1.61
AFTN	5830	6005	79462	1.75
AFTN	6005	6333	79463	3.28
AFTN	6333	6584	79464	2.51
AFTN	6584	6889	79465	3.05
AFTN	6889	7193	79466	3.04
AFTN	7193	7498	79467	3.05
AFTN	7498	7683	79468	1.85
AFTN	7683	7850	79469	1.67
AFTN	7850	8040	79470	1.90
AFTN	8040	8259	79471	2.19
AFTN	8259	8462	79472	2.03
AFTN	8462	8717	79473	2.55
AFTN	8717	9022	79474	3.05
AFTN	9022	9368	79475	3.46
AFTN	9368	9632	79476	2.64
AFTN	9632	9937	79477	3.05
AFTN	9937	10125	79478	1.88
AFTN	10125	10241	79479	1.16

/END

Sept 14/88

```
IDEN6B05DHWS880017      NQ  88 8 5      RUBSGM88 8 7CABINET                0.00MT66
IPRJM577
S000    000  8778    205.00-50.00                    5635035.00 511497.00    810.00
S001   8778 10790    205.00-50.00
P       000   335       OVER                    P
P       335  2652       CHRT        MXKR11X1    P          V3                  T-
L       335  2652           6A                 XL
P      2652  4818       CHRT        MX   11X1   P          V3               V.
L      2652  4818           6A                 L              V.
P      4818  6313       GNST        MXSH11X1    P UC    20              D.
L      4818  6313           7G                 L FC    55V*
P      6313 10790       SERP        MXEQ        P FC    20
L      6313 10790           3G     SH          L                 V.     D.
ND      793   900      XCHRT        BXKR11X1    D          V3           P.D.T-
L       793   900           6A                 XL
ND     3860  4500      XCHRT        BX   11X1   D          V3           D.D.
L      3860  4500           6A                 L              V.
ND     5525  6313      XGNST        MXSH11X1    D UC    20              D.
L      5525  6313           7G                 L FC    55V*
ND     7120  8097      XSERP        MXEQ        D FC    25
L      7120  8097           3G     SH          L                 V.     D.
ND     8885 10440      XSERP        MXEQ        D FC    20
L      8885 10440           3G     SH          L                 V.     D(
ND    10600 10790      XSERP        MXEQ        D FC    20
L     10600 10790           3G     SH          L                 V.     D.
RP      000   335OVERBURDEN: BOULDER TILL.
RP      335  2652CHERT: INTENSELY CRACKLED WITH RESULTING FRACTURES FILLED WITH
RP      335  2652QUARTZ. RUSTY FRACTURES MAY CONTAIN PARTLY OXIDIZED SULPHIDES.
RP      335  2652ALSO ABUNDANT MICROFRACTURES THROUGHOUT CONTAINING MN MINERALS.
RP      335  2652HEAVY LIMONITE IN FRACTURES TO 10M DEPTH.
RD      793   900CHERT: BRECCIATED WITH ANGULAR CLASTS OF CHERT.
RP     2652  4818CHERT: SIMILAR TO CHERT ABOVE BUT WITH A REDDISH TINT. CHLORITE
RP     2652  4818AND HEMATITE ARE ASSOCIATED WITH THE CHALCOPYRITE LOCALLY.
RP     2652  4818FAIRLY ABUNDANT CHALCOPYRITE AT 33.30-33.60M. PYRITE IS
RP     2652  4818ASSOCIATED WITH CHALCOPYRITE AT 38.60M.
RD     3860  4500CHERT: FAULT BRECCIATED CHERT WITH ANGULAR CHERT FRAGMENTS
RD     3860  4500LARGELY SET IN A CHLORITE AND SILICA GROUNDMASS. GRAPHITIC
RD     3860  4500GOUGE AT 30 DEG. AT 43.00-43.20M.
RP     4818  6313GREENSTONE(?): WITH A PARTICULARILY STRIKING LIGHT GREEN COLOR
RP     4818  6313OVER LENGTHS UP TO SEVERAL METERS SEPERATED BY BLACK HIGHLY
RP     4818  6313SHEARED ROCK INCLUDING CATACLASTIC SECTIONS. AUGENS DO OCCUR
RP     4818  6313AND IT APPEARS THAT A LITHOLOGY THAT PREVIOUSLY UNDERWENT
RP     4818  6313CATACLASTIC METAMORPHISM HAS BEEN SUBJECT TO LATER FAULTING.
RP     4818  6313CATACLASTIC TEXTURE AT 60 DEG. IN THE GREENSTONE AT 51.50M.
RP     4818  6313FRAGMENTS OF THE GREEN LITHOLOGY OCCUR IN THE CATACLASTIC
RP     4818  6313ZONES. AUGEN DEVELOPMENT AT 51.56-52.00M.
RD     5525  6313GREENSTONE: ZONE OF PARTICULARILY INTENSE SHEARING AT 55.59M AT
RD     5525  631365 DEG. AND 56.69-58.00M AT 50 DEG. A BLOCK OF RED CHERT CAUGHT
RD     5525  6313UP IN THE FAULT ZONE IS AT 58.85-90.00M. A RED CHERT BLOCK IS
RD     5525  6313AT 62.50-63.13M.
RP     6313 10790SERPENTINITE: VERY INTENSELY SHEARED. OCCASIONALLY FRAGMENTS OF
RP     6313 10790CHERT AND THE GREENSTONE OCCUR. PYRRHOTITE IS OCCASIONALLY
RP     6313 10790FOUND ON SLICKENSIDED FRACTURES AS SMEARS. SPECIFIC INTERVALS
RP     6313 107900F GOUGE AND SLICKENSIDES INCLUDE 65.70-65.84M AT 45 DEG. AND
RP     6313 1079066.53-66.73M AT 20 DEG. A CATACLASTIC ZONE THAT SHOWS SIGNS OF
RP     6313 10790LATER FAULTING IS AT 67.53-67.60M. GOUGE AT 10 DEG. AT
RP     6313 1079067.53-67.73M. ABUNDANT FRAGMENTS OF GREENSTONE IN A CATACLASTIC
RP     6313 10790SETTING ARE FOUND AT 68.58-70.50M. FAULT AT 82.60 AT 20 DEG. NO
RP     6313 10790QUARTZ VEINING AND VERY RARE CALCITE VEINING.
RD     7120  8097SERPENTINITE: THIS SECTION CONSISTS ESSENTIALLY OF ROCK WITH
RD     7120  8097THE COMPETENCY OF GOUGE. SOME CORE ANGLES ARE: 0 DEG. AT
RD     7120  809771.63M, 40 DEG. AT 72.63M, 25 DEG. AT 75.38M, 25 DEG. AT
RD     7120  809775.30M, 25 DEG. AT 77.10M AND 35 DEG. AT 79.80M.
RD     8885 10440SERPENTINITE: INTENSELY SHEARED SERPENTINITE WITH VERY
```

```
RD     8885 10440ABUNDANT SLICKENSIDED FRAGMENTS FREQUENTLY CONTAINING SPECS OF
RD     8885 10440PYRRHOTITE. LITTLE GOUGE DEVELOPMENT AS IN 71.20-80.97M.
RD     8885 10440SLICKENSIDES AT 87.46M AT 0 AND 10 DEG., AT 15 DEG. AT 90.93M,
RD     8885 10440AT 65 DEG. AT 92.20M AND AT 103.33M AT 60 DEG.
RD    10600 10790SERPENTINITE: FAULT INCLUDING 5CM GOUGE AT 106.00-106.25M AT 50
RD    10600 10790DEG. GOUGE AND SLICKENSIDES AT 60 DEG. AT 106.50-106.75M.
R     10790 10790END OF HOLE.
RSUM 10790 10790DRILL HOLE WS880017 WAS COLLARED 400M NE OF HOLE WS880016 AND
RSUM 10790 10790WAS DRILLED TO TEST THE STRONG VLF EM-16 ANOMALY THAT MARKS
RSUM 10790 10790THE NE CONTACT OF THE SW DIORITE WITH THE ADJACENT CHERT. THE
RSUM 10790 10790HOLE, LOCATED ON THE SW DIORITE ZONE, WAS DRILLED AT AN AZIMUTH
RSUM 10790 10790OF 205 DEG. AND A DIP OF -50 DEG. FOR A TOTAL DEPTH OF 107.90M.
RSUM 10790 10790OVERBURDEN WAS TRICONED TO 3.85M. CHERT OCCURS FROM 3.35-48.18M
RSUM 10790 10790A ZONE OF SHEARED GREENSTONE WAS INTERSECTED AT 48.18-63.13M.
RSUM 10790 10790THE HOLE ENDS IN CHERT THAT EXTENDS FROM 63.13-107.90M. THE
RSUM 10790 10790DIORITE-CHERT CONTACT WAS NOT INTERSECTED AND MUST DIP TO THE
RSUM 10790 10790WEST.
FREC   000   325  0.00  0.00  0.00  0.00
FREC   325   488  1.13 69.33  0.60 36.81
FREC   488   793  2.95 96.72  2.50 81.97
FREC   793   884  0.85 93.41  0.50 54.94
FREC   884  1097  1.89 88.73  1.28 60.09
FREC  1097  1402  2.75 90.16  1.91 62.62
FREC  1402  1707  2.83 92.79  0.92 30.16
FREC  1707  1951  2.50102.46  0.73 29.92
FREC  1951  2164  2.06 96.71  0.26 12.21
FREC  2164  2271  1.10102.80  0.21 19.63
FREC  2271  2591  3.03 94.69  0.68 21.25
FREC  2591  2652  0.57 93.44  0.00  0.00
FREC  2652  2774  1.15 94.26  0.31 25.41
FREC  2774  2850  0.78102.63  2.01264.47
FREC  2850  3155  2.90 95.08  1.63 53.44
FREC  3155  3475  3.04 95.00  2.09 65.31
FREC  3475  3719  2.27 93.03  1.17 47.95
FREC  3719  4023  3.02 99.34  1.59 52.30
FREC  4023  4298  2.36 85.82  1.12 40.73
FREC  4298  4343  0.43 95.56  0.00  0.00
FREC  4343  4542  2.18109.55  1.10 55.28
FREC  4542  4694  1.20 78.95  0.12  7.89
FREC  4694  4877  1.53 83.61  0.80 43.72
FREC  4877  5060  1.89103.28  0.50 27.32
FREC  5060  5365  3.02 99.02  2.60 85.25
FREC  5365  5669  2.97 97.70  1.53 50.33
FREC  5669  5974  3.03 99.34  2.80 91.80
FREC  5974  6279  3.00 98.36  1.84 60.33
FREC  6279  6553  2.37 86.50  1.10 40.15
FREC  6553  6858  3.00 98.36  1.10 36.07
FREC  6858  7163  2.90 95.08  1.79 58.69
FREC  7163  7498  2.93 87.46  1.95 58.21
FREC  7498  7711  1.45 68.08  0.00  0.00
FREC  7711  7742  0.27 87.10  0.00  0.00
FREC  7742  8016  2.18 79.56  0.74 27.01
FREC  8016  8327  2.93 94.21  1.17 37.62
FREC  8327  8565  2.56107.56  0.94 39.50
FREC  8565  8778  2.08 97.65  1.94 91.08
FREC  8778  8946  1.10 65.48  0.00  0.00
FREC  8946  9083  1.40102.19  0.00  0.00
FREC  9083  9220  1.60116.79  0.13  9.49
FREC  9220  9403  1.43 78.14  0.00  0.00
FREC  9403  9601  1.35 68.18  0.00  0.00
FREC  9601  9754  1.85120.92  0.00  0.00
FREC  9754  9921  1.36 81.44  0.00  0.00
FREC  9921 10074  1.60104.58  0.00  0.00
FREC 10074 10196  1.67136.89  0.00  0.00
FREC 10196 10333  1.27 92.70  0.00  0.00
FREC 10333 10424  1.04114.29  0.00  0.00
```

```
FREC 10424 10577  1.54100.65  0.43 28.10
FREC 10577 10790  2.00 93.90  0.00  0.00
ZD06              1988 ASSAY FILE
X                                LENGTHLENGTH      622N
X                                 AUPPBAUPPB       610N
X                                 CUPPMCUPPM       610N
X                                 MOPPMMOPPM       610N
X                                 PBPPMPBPPM       610N
X                                 ZNPPMZNPPM       610N
X                                 AGPPMAGPPM       621N
X                                 ASPPMASPPM       610N
X                                 SBPPMSBPPM       621N
AD06   335   500    79401   1.65    0    21    1    5    57   0.1    5   0.1
AD06   500   700    79402   2.00    0    11    1    4    42   0.1    3   0.1
AD06   700   900    79403   2.00    0   425    1    1    38   0.1    3   0.1
AD06   900  1100    79404   2.00    0    59    1    1    25   0.1    3   0.1
AD06  1100  1300    79405   2.00    0    37    1    1    23   0.1    3   0.1
AD06  1300  1500    79406   2.00    0    44    3   16    39   0.1    3   0.1
AD06  1500  1707    79407   2.07    0    47    4    5    41   0.1    3   0.1
AD06  1707  1900    79408   1.93    0    41    5    6    51   0.1    3   0.1
AD06  1900  2100    79409   2.00    0    63    4    5    51   0.1    3   0.1
AD06  2100  2300    79210   2.00    0     7    1    1    37   0.1    3   0.1
AD06  2300  2500    79411   2.00    0    36    3    4    34   0.1    3   0.1
AD06  2500  2700    79412   2.00    0    34    3    3    29   0.1    3   0.1
AD06  2700  2900    79413   2.00    0    32    2    9    28   0.1    3   0.1
AD06  2900  3100    79414   2.00   10    42    3   29    32   0.1    3   4.2
AD06  3100  3300    79415   2.00    5   132    3    1    25   0.1    3   0.1
AD06  3300  3500    79416   2.00    0   416    4    1    38   0.1    3   0.1
AD06  3500  3700    79417   2.00    0    70    4    2    23   0.1    3   0.1
AD06  3700  3900    79418   2.00    0    80    2    7    36   0.1    3   0.1
AD06  3900  4100    79419   2.00    0    87    5    8    55   0.1    3   0.1
AD06  4100  4300    79420   2.00    0    92    3    3    40   0.1    4   0.1
AD06  4300  4500    79421   2.00    0    44    4    4    33   0.1    3   0.1
AD06  4500  4700    79422   2.00    0    30    2    3    28   0.1    3   0.1
AD06  4700  4818    79423   1.18    0    68    1    2    54   0.1    3   0.1
AD06  4818  5000    79424   1.82    0   111    2    2   105   0.1    4   0.1
AD06  5000  5200    79425   2.00    0    70    2    1    94   0.1    4   0.1
AD06  5200  5550    79426   3.50    0    68    1    1   143   0.1    3   0.1
AD06  6000  6230    79427   2.30   10    69    3    1   131   0.1    3   0.1
AD06  6700  6900    79428   2.00    0    34    2    1    47   0.1    3   0.1
AD06  6900  7200    79429   3.00    0    46    2    1    53   0.1    4   0.1
AD06  7200  7400    79430   2.00    0    19    1    1    42   0.1    4   0.1
AD06  7400  7600    79431   2.00    0    11    1   18    84   0.1    5   0.1
AD06  7600  7800    79432   2.00    0    17    1    6    48   0.1    4   0.1
AD06  7800  8000    79433   2.00    0    14    1    6    43   0.1    3   0.1
AD06  8327  8565    79434   2.38    0    13    1    1    42   0.1    3   0.1
AD06  8565  8885    79435   3.20    0    47    2    1    38   0.1    3   0.1
AD06  8885  9083    79436   1.98    0    20    1    1    47   0.1    3   0.1
AD06  9083  9403    79437   3.20    0     9    1    1    43   0.1    3   0.1
AD06  9403  9754    79438   3.51    0     8    1    1    40   0.1    3   0.1
AD06  9754 10074    79439   3.20    0     8    1    1    40   0.1    3   0.1
AD06 10074 10394    79440   3.20    0     5    1    3    41   0.1    3   0.1
AD06 10394 10577    79441   1.83    0    15    1    1    81   0.1    3   0.1
AD06 10577 10790    79442   2.13    0     9    1    1    54   0.1    3   0.1
ZFTN
X                                LENGTHLENGTH      622N
AFTN   000   335
AFTN   335   500    79401   1.65
AFTN   500   700    79402   2.00
AFTN   700   900    79403   2.00
AFTN   900  1100    79404   2.00
AFTN  1100  1300    79405   2.00
AFTN  1300  1500    79406   2.00
AFTN  1500  1707    79407   2.07
AFTN  1707  1900    79408   1.93
AFTN  1900  2100    79409   2.00
```

AFTN	2100	2300	79210	2.00
AFTN	2300	2500	79411	2.00
AFTN	2500	2700	79412	2.00
AFTN	2700	2900	79413	2.00
AFTN	2900	3100	79414	2.00
AFTN	3100	3300	79415	2.00
AFTN	3300	3500	79416	2.00
AFTN	3500	3700	79417	2.00
AFTN	3700	3900	79418	2.00
AFTN	3900	4100	79419	2.00
AFTN	4100	4300	79420	2.00
AFTN	4300	4500	79421	2.00
AFTN	4500	4700	79422	2.00
AFTN	4700	4818	79423	1.18
AFTN	4818	5000	79424	1.82
AFTN	5000	5200	79425	2.00
AFTN	5200	5550	79426	3.50
AFTN	5550	6000		
AFTN	6000	6230	79427	2.30
AFTN	6230	6700		
AFTN	6700	6900	79428	2.00
AFTN	6900	7200	79429	3.00
AFTN	7200	7400	79430	2.00
AFTN	7400	7600	79431	2.00
AFTN	7600	7800	79432	2.00
AFTN	7800	8000	79433	2.00
AFTN	8000	8327		
AFTN	8327	8565	79434	2.38
AFTN	8565	8885	79435	3.20
AFTN	8885	9083	79436	1.98
AFTN	9083	9403	79437	3.20
AFTN	9403	9754	79438	3.51
AFTN	9754	10074	79439	3.20
AFTN	10074	10394	79440	3.20
AFTN	10394	10577	79441	1.83
AFTN	10577	10790	79442	2.13

/END