



# CHEMEX LABS LTD.

841521 *microgold*

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1

TELEPHONE: (604) 984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

## CERTIFICATE OF ASSAY

TO : CHEVRON STANDARD LIMITED  
MINERALS STAFF  
#901 - 355 BARRARD ST.  
VANCOUVER, B.C.  
V6C 2G8

CERT. # : A8213412-001-A  
INVOICE # : I8213412  
DATE : 16-SEP-82  
P.O. # : NONE  
M459

Sample description	Prep code	F %						
ED 873	214	5.49	--	--	--	--	--	--
ED 874	214	14.13	--	--	--	--	--	--
ED 875	214	3.32	--	--	--	--	--	--
ED 876	214	13.45	--	--	--	--	--	--

.....  
Registered Assayer, Province of British Columbia

No. <sup>ED</sup> 26873 OFFICE COPY

*Microprobe*

**To: Bondar-Clegg & Co. Ltd.**  
 130 Pemberton Ave., North Vancouver, B.C.  
 GEOCHEMISTS - ASSAYERS - CHEMISTS  
 GEOCHEMICAL KIT SUPPLIES

Date .....

Project .....

Description *top of the hill*

.....

.....

Description .....

Au Ag Cu Pb Zn Ni MoS<sub>2</sub> Mo

No. <sup>ED</sup> 26875 OFFICE COPY

**To: Bondar-Clegg & Co. Ltd.**  
 130 Pemberton Ave., North Vancouver, B.C.  
 GEOCHEMISTS - ASSAYERS - CHEMISTS  
 GEOCHEMICAL KIT SUPPLIES

Date .....

Project .....

Description *Face of hill random float*

.....

.....

Description .....

Au Ag Cu Pb Zn Ni MoS<sub>2</sub> Mo

No. <sup>ED 876</sup> 26875 ASSAYER'S COPY

**To: Bondar-Clegg & Co. Ltd.**  
 130 Pemberton Ave., North Vancouver, B.C.  
 GEOCHEMISTS - ASSAYERS - CHEMISTS  
 GEOCHEMICAL KIT SUPPLIES

Au QUANT. ASSAY REQUEST

Ag .....

Cu From *Fluorite*

Pb *from Redbird?*

Zn .....

Ni .....

MoS<sub>2</sub> .....

Mo .....

Quant. Assay for: .....

No. <sup>ED</sup> 26874 OFFICE COPY

**To: Bondar-Clegg & Co. Ltd.**  
 130 Pemberton Ave., North Vancouver, B.C.  
 GEOCHEMISTS - ASSAYERS - CHEMISTS  
 GEOCHEMICAL KIT SUPPLIES

Date .....

Project *Sample #1*

Description *Face of hill random float*

*random float*

Description *Fluorite - random*

Au Ag Cu Pb Zn Ni MoS<sub>2</sub> Mo

No. 26874 ASSAYER'S COPY

**To: Bondar-Clegg & Co. Ltd.**  
 130 Pemberton Ave., North Vancouver, B.C.  
 GEOCHEMISTS - ASSAYERS - CHEMISTS  
 GEOCHEMICAL KIT SUPPLIES

Au QUANT. ASSAY REQUEST

Ag .....

Cu From .....

Pb .....

Zn .....

Ni .....

MoS<sub>2</sub> .....

Mo .....

Quant. Assay for: .....



# CHEMEX LABS LTD.

JA

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1  
TELEPHONE: (604) 984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED  
MINERALS STAFF  
#901 - 355 BURRARD ST.  
VANCOUVER, B.C.  
V6C 2G8

CERT. # : A8213289-001-A  
INVOICE # : I8213289  
DATE : 21-SEP-82  
P.O. # : NONE  
M 459

Sample description	Prep code	Ag ppm	AS ppm	F ppm	Sb ppm	Au ppb	FA+AA ppb	
ED 873	205	2.1	430	>10000	19.4	260		--
ED 874	205	0.2	92	>10000	34.0	5		--
ED 875	205	4.7	77	>10000	8.4	525		--
ED 876	205	0.6	73	>10000	10.2	600		--

*first grabs - Microgold*

*D.S.*



MEMBER  
CANADIAN TESTING  
ASSOCIATION

Certified by *Hart Bichler*



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1  
TELEPHONE: (604) 984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED  
MINERALS STAFF  
#901 - 355 BURRARD ST.  
VANCOUVER, B.C.  
V6C 2G8

CERT. # : A8213710-001-A  
INVOICE # : I8213710  
DATE : 4-JCT-82  
P.O. # : NONE  
H 459

ATTN: L. DEKKER & D. SHAW

Sample description	Prep code	Ag ppm	AS ppm	W ppm	Hg ppb	Sb ppm	Au FA+AA ppb
MG 82-5S A	201	0.2	190	DELAYED	140	30.0	DELAYED
MG 82-5S B	201	0.2	63	DELAYED	90	9.2	DELAYED
MG 82-16 S	201	0.2	6	DELAYED	50	0.6	DELAYED



MEMBER  
CANADIAN TESTING  
ASSOCIATION

Certified by *Hart Bichler* .....

M 522



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1

TELEPHONE: (604) 984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED  
MINERALS STAFF  
#901 - 355 BURRARD ST.  
VANCOUVER, B.C.  
V6C 2G8

CERT. # : A8213710-001-A  
INVOICE # : I8213710  
DATE : 6-OCT-82  
P.O. # : NONE  
H 459

ATTN: L. DEKKER & D. SHAW

Sample description	Prep code	Ag ppm	AS ppm	W ppm	Hg ppb	Sb ppm	Au FA+AA ppb
MG 82-55 A	201	0.2	190	1	140	30.0	DELAYED
MG 82-55 B	201	0.2	63	1	90	9.2	DELAYED
MG 82-16 S	201	0.2	6	1	50	0.6	DELAYED



MEMBER  
CANADIAN TESTING  
ASSOCIATION

Certified by Hart Bickler



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
 NORTH VANCOUVER, B.C.  
 CANADA V7J 2C1  
 TELEPHONE: (604) 984-0221  
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED  
 MINERALS STAFF  
 #901 - 355 BURRARD ST.  
 VANCOUVER, B.C.  
 V6C 2G8

ATTN: L. DEKKAR & D. SHAW

CERT. # : A8213711-001-A  
 INVOICE # : I8213711  
 DATE : 7-OCT-82  
 P.O. # : NONE  
 M 459  
*Soil sample near  
 Sample #2  
 Kullag Lake  
 outcrop*

*Background  
 granites*

*Silica smelter  
 near Kullag Lake*

*? Bleached  
 granites  
 on W side Kullag Lake*

Parameter Description	Sample # 1	Sample # 2	Sample # 3	Sample # 4
Sample preparation code	214	214	214	214
Antimony (ppm)	<100	<100	<100	<100
Arsenic (ppm)	<100	<100	<100	100
Beryllium (ppm)	<2	3 *	<2	<2
Bismuth (ppm)	<5	<5	<5	<5
Boron (ppm)	<20	<20	<20	<20
Cadmium (ppm)	<20	<20	<20	<20
Chromium (ppm)	50	200 *	50	70
Cobalt (ppm)	20	<20	<20	30
Copper (ppm)	50	3	50	50
Lead (ppm)	<10	<10	<10	<10
Manganese (ppm)	1000	15	1000	1000
Molybdenum (ppm)	<100	1000 *	<100	<100
Nickel (ppm)	<20	<20	<20	100
Silver (ppm)	<2	<2	<2	<2
Thorium (ppm)	<500	<500	<500	<500
Tin (ppm)	<10	<10	<10	<10
Titanium (ppm)	3000	150	2000	5000
Vanadium (ppm)	500	100	300	200
Zinc (ppm)	50	<20	50	50
Zirconium (ppm)	200	<20	150	200


! SEMIQUANTITATIVE SPECTROGRAPH ANALYSIS !

### Sample description information

Sample # 1 MG 82-1  
 Sample # 2 MG 82-5  
 Sample # 3 MG 82-13 B  
 Sample # 4 MG 82-55 A

### Preparation code description

214 Bag pulp



Certified by *[Signature]*



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221  
TELEX: 043-52597

## CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED  
MINERALS STAFF  
#901 - 355 BURRARD ST.  
VANCOUVER, B.C.  
V6C 2G8

CERT. # : A8213709-001-A  
INVOICE # : I8213709  
DATE : 7-OCT-82  
P.O. # : NONE  
M 459

ATTN: L. DEKKER

Sample description	Prep code	Ag ppm	AS ppm	W ppm	Hg ppb	Sb ppm	Au FA+AA ppb
MG 82-1 <i>quartzites</i>	205	0.5	5	1	70	0.6	DELAYED
MG 82-3 <i>silica outcrop</i>	205	0.7	210	2	190	10.0	DELAYED
MG 82-5 <i>silica outcrop</i>	205	1.8	110	3	230	14.0	DELAYED
MG 82-13 <i>Bil. bleached quartz.</i>	205	0.3	65	15	210	9.4	DELAYED
MG 82-18	205	1.7	80	3	260	8.6	DELAYED

*↳ Sample given to Earl by perspective of breccia zone just north of hill top*

*13B is slightly bleached quartzites*



MEMBER  
CANADIAN TESTING  
ASSOCIATION

Certified by *Hart Bichler*



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1

TELEPHONE: (604) 984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED  
MINERALS STAFF  
#901 - 355 BURRARD ST.  
VANCOUVER, B.C.  
V6C 2G8

CERT. # : A8213710-001-A  
INVOICE # : I8213710  
DATE : 12-OCT-82  
P.O. # : NONE  
H 459

ATTN: L. DEKKER & D. SHAW

Sample description	Prep code	Ag ppm	AS ppm	W ppm	Hg ppb	Sb ppm	Au FA+AA ppb
MG 82-5S A	201	0.2	190	1	140	30.0	85
MG 82-5S B	201	0.2	63	1	90	9.2	10
MG 82-16 S	201	0.2	6	1	50	0.6	<5



MEMBER  
CANADIAN TESTING  
ASSOCIATION

Certified by *Hart Bichler* .....





# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1

TELEPHONE: (604) 984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED  
MINERALS STAFF  
#901 - 355 BURRARD ST.  
VANCOUVER, B.C.  
V6C 2G8

CERT. # : A8213709-001-A  
INVOICE # : I8213709  
DATE : 12-OCT-82  
P.O. # : NONE  
M 459

ATTN: L. DEKKER

Sample description	Prep code	Ag ppm	AS ppm	W ppm	Hg ppb	Sb ppm	Au FA+AA ppb
MG 82-1	205	0.5	5	1	70	0.6	30
MG 82-3	205	0.7	210	2	190	10.0	825
MG 82-5	205	1.8	110	3	230	14.0	550
MG 82-13 B	205	0.3	65	15	210	9.4	20
MG 82-18	205	1.7	80	3	260	8.6	225



MEMBER  
CANADIAN TESTING  
ASSOCIATION

Certified by *Hart Bickler*



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1

TELEPHONE: (604) 984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED  
MINERALS STAFF  
#901 - 355 BURRARD ST.  
VANCOUVER, B.C.  
V6C 2G8

CERT. # : A8213942-001-A  
INVOICE # : 18213942  
DATE : 25-OCT-82  
P.O. # : NONE  
M522

ATTN: H. WOBER

Sample description	Prep code	AS ppm	F ppm	Sb ppm	Hg ppb	Au ppb	FA+AA ppb	
DBK2 1	202	20	340	1.6	50		15	--
DBK2 2	202	25	330	1.4	60		20	--
DBK2 3	202	24	330	2.0	40		10	--
DBK2 4	202	15	520	1.4	110		5	--
DBK2 5	202	165	680	6.6	60		105	--
DBK2 6	202	17	420	1.8	90		10	--
DBK2 7	202	100	560	3.2	40		40	--
DBK2 8	202	90	430	1.2	40		10	--
DBK2 9	202	75	420	2.2	40		20	--
DBK2 10	202	6	2400	0.1	30		5	--
DBK2 11	202	5	200	0.4	30		15	--
DBK2 12	202	6	190	0.4	50		10	--
DBK2 13	202	5	150	0.6	30		10	--
DBK2 14	202	5	160	0.5	30		5	--
DBK2 15	202	3	450	0.1	30		<5	--
DBK2 16	202	10	200	0.7	40		5	--
DBK2 17	202	7	180	0.6	30		<5	--
DBK2 18	202	4	180	0.7	40		<5	--
DBK2 19	202	5	280	0.2	50		<5	--
DBK2 20	202	4	180	3.0	40		15	--
DBK2 21	202	6	270	0.4	30		<5	--
DBK2 22	202	4	450	2.4	30		<5	--
DBK2 23	202	36	240	1.0	40		<5	--
DBK2 24	202	600	540	13.0	660		60	--
DBK2 23	202	110	380	7.4	80		30	--
DBK2 26	202	225	660	15.8	280		155	--
DBK2 27	202	32	230	1.8	60		15	--
DBK2 28	202	20	360	2.0	50		10	--
DBK2 29	202	15	230	2.4	60		5	--
DBK2 30	202	14	260	1.0	50		15	--
DBK2 31	202	33	200	1.2	40		25	--
DBK2 32	202	145	310	3.0	40		105	--
DBK2 33	202	115	490	3.4	40		70	--
DBK2 34	202	130	570	3.8	30		20	--
DBK2 35	202	115	460	3.4	50		20	--
DBK2 36	202	6	420	1.2	30		20	--
DBK2 37	202	55	290	1.4	40		10	--
DBK2 38	202	14	470	1.2	50		15	--
DBK2 39	202	6	1350	0.1	30		5	--
DBK2 40	202	4	280	0.8	20		10	--

*Hart Buchler*

Certified by .....





# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1

TELEPHONE: (604) 984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED  
MINERALS STAFF  
#901 - 355 BURRARD ST.  
VANCOUVER, B.C.  
V6C 2G8

CERT. # : A8213942-002-A  
INVOICE # : I8213942  
DATE : 25-OCT-82  
P.O. # : NONE  
M522

ATTN: H. WOBER

Sample description	Prep code	AS ppm	F ppm	Sb ppm	Hg ppb	Au ppb	FA+AA ppb	
DBK2 41	202	10	450	0.8	40	10		--
DBK2 42	202	12	310	0.6	50	5		--
DBK2 43	202	15	200	0.8	40	5		--
DBK2 44	202	15	210	0.5	50	<5		--
DBK2 45	202	22	260	0.9	50	<5		--
DBK2 46	202	110	450	4.8	50	25		--
DBK2 47	202	50	380	1.9	50	<5		--
DBK2 48	202	90	1250	10.2	70	15		--
DBK2 49	202	45	600	2.4	40	30		--
DBK2 50	202	75	810	2.8	60	20		--
DBK2 51	202	24	320	2.0	40	15		--
DBK2 52	202	22	260	1.8	60	10		--
DBK2 53	202	9	280	0.4	40	5		--
DBK2 54	202	15	220	1.0	50	5		--
DBK2 55	202	11	230	0.6	60	<5		--
DBK2 56	202	41	270	2.8	60	20		--
DBK2 57	202	39	250	1.0	170	10		--
DBK2 58	202	15	550	1.0	70	10		--
DBK2 59	202	17	1000	1.2	60	5		--
DBK2 60	202	32	230	0.8	50	10		--
DBK2 61	202	48	250	1.1	50	10		--
DBK2 62	202	11	200	1.0	40	<5		--
DBK2 63	202	16	240	1.0	40	5		--
DBK2 64	202	11	240	0.4	40	10		--
DBK2 65	202	45	310	2.6	50	15		--
DBK2 66	202	215	780	8.6	70	75		--
DBK2 67	202	100	900	3.6	60	20		--
DBK2 68	202	65	430	1.8	50	15		--
DBK2 69	202	11	370	0.7	40	10		--
DBK2 70	202	9	300	0.4	40	<5		--
DBK2 71	202	10	280	0.3	40	5		--
DBK2 72	202	14	270	0.4	50	<5		--
DBK2 73	202	29	340	0.4	40	15		--
DBK2 74	202	14	230	0.4	50	5		--
DBK2 75	202	30	500	1.4	40	5		--
DBK2 76	202	90	700	3.2	40	15		--
DBK2 77	202	70	430	1.6	50	10		--
DBK2 78	202	100	600	3.4	40	25		--
DBK2 79	202	45	1500	1.8	60	5		--
DBK2 80	202	55	440	2.6	40	10		--

*Haut Buchler*

Certified by .....



MEMBER  
CANADIAN TESTING  
ASSOCIATION



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1

TELEPHONE: (604) 984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED  
MINERALS STAFF  
#901 - 355 BARRARD ST.  
VANCOUVER, B.C.  
V6C 2G8

CERT. # : A8213942-003-A  
INVOICE # : I8213942  
DATE : 25-OCT-82  
P.O. # : NONE  
M522

ATTN: H. WOBER

Sample description	Prep code	AS ppm	F ppm	Sb ppm	Hg ppb	Au	FA+AA ppb	
DBK2 81	202	90	560	4.0	50		20	--
DBK2 82	202	23	310	2.0	60		15	--
DBK2 83	202	14	280	1.4	40		<5	--
DBK2 84	202	16	300	0.8	40		5	--
DBK2 85	202	30	320	1.8	30		5	--
DBK2 86	202	32	280	2.6	30		20	--
DBK2 87	202	65	400	5.4	50		10	--
DBK2 88	202	150	500	8.2	70		85	--
DBK2 89	202	435	710	15.2	120		80	--
DBK2 90	202	55	390	4.2	70		25	--
DBK2 91	202	50	880	2.0	40		15	--
DBK2 92	202	45	420	1.0	30		10	--
DBK2 93	202	12	280	0.2	20		10	--
DBK2 94	202	36	420	0.9	40		20	--
DBK2 95	202	38	450	1.0	40		20	--
DBK2 96	202	50	810	1.8	70		50	--
DBK2 97	202	14	270	0.5	40		5	--
DBK2 98	202	150	380	3.4	50		10	--
DBK2 99	202	10	300	0.8	40		10	--
DBK2 100	202	17	670	1.1	40		15	--
DBK2 101	202	14	430	1.2	30		20	--
DBK2 102	202	95	1150	6.2	60		135	--
DBK2 103	202	140	1200	10.2	40		95	--
DBK2 104	202	310	1250	1.9	60		220	--
DBK2 105	202	225	1250	11.6	60		110	--
DBK2 106	202	210	1150	8.4	60		80	--
DBK2 107	202	180	610	5.8	40		95	--
DBK2 108	202	185	500	4.4	40		65	--
DBK2 109	202	215	530	8.2	40		70	--
DBK2 110	202	90	470	2.6	30		50	--
DBK2 111	202	38	330	1.4	30		40	--
DBK2 112	202	36	360	1.6	30		15	--
DBK2 113	202	20	340	0.8	30		<5	--
DBK2 114	202	50	700	1.8	30		80	--
DBK2 115	202	19	300	0.6	30		25	--
DBK2 116	202	16	300	0.6	20		15	--
DBK2 117	202	14	310	0.6	30		10	--
DBK2 118	202	9	250	0.2	20		10	--
DBK2 119	202	7	840	0.3	50		<5	--
DBK2 120	202	14	260	0.8	40		15	--

*Hart Buchler*

Certified by .....



MEMBER  
CANADIAN TESTING  
ASSOCIATION



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1

TELEPHONE: (604) 984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED  
MINERALS STAFF  
#901 - 355 BURRARD ST.  
VANCOUVER, B.C.  
V6C 2G8

CERT. # : A8213942-004-A  
INVOICE # : I8213942  
DATE : 25-OCT-82  
P.O. # : NONE  
M522

ATTN: H. WOBER

Sample description	Prep code	AS ppm	F ppm	Sb ppm	Hg ppb	Au FA+AA ppb	
DBK2 121	202	15	290	1.2	40	20	--
DBK2 122	202	20	300	1.4	40	25	--
DBK2 123	202	50	850	2.6	40	115	--
DBK2 124	202	85	1600	3.2	60	110	--
DBK2 125	202	75	1350	3.4	50	100	--
DBK2 126	202	65	1650	3.8	50	75	--
DBK2 127	202	70	1450	3.2	40	80	--
DBK2 128	202	100	1300	6.6	50	35	--
DBK2 129	202	120	3250	6.2	40	650	--
DBK2 130	202	35	580	1.8	40	35	--
DBK2 131	202	23	410	1.2	30	25	--
DBK2 132	202	22	780	1.0	30	15	--
DBK2 133	202	25	410	1.3	30	25	--
DBK2 134	202	15	280	0.6	30	20	--
DBK2 135	202	17	1450	0.8	30	40	--
DBK2 136	202	12	910	1.0	20	10	--
DBK2 137	202	12	440	1.0	20	10	--
DBK2 138	202	9	1500	0.4	20	65	--
DBK2 139	202	9	270	0.4	20	<5	--
DBK2 140	202	10	210	0.4	20	10	--
DBK2 141	202	7	290	0.5	30	15	--

*Hart Buchler*

Certified by .....



MEMBER  
CANADIAN TESTING  
ASSOCIATION



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1

TELEPHONE: (604) 984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED  
MINERALS STAFF  
#901 - 355 BURRARD ST.  
VANCOUVER, B.C.  
V6C 2G8

CERT. # : A8213941-001-A  
INVOICE # : I8213941  
DATE : 25-OCT-82  
P.O. # : NONE  
M522

ATTN: H. WOBER

Sample description	Prep code	AS ppm	F ppm	Sb ppm	Hg ppb	Au ppb	FA+AA ppb	
MTK2 1	202	15	240	2.2	30		<5	--
MTK2 2	202	14	220	1.0	30		<5	--
MTK2 3	202	15	220	1.0	20		<5	--
MTK2 4	202	10	400	2.0	40		<5	--
MTK2 5	202	4	400	0.5	10		<5	--
MTK2 6	202	6	180	0.4	30		<5	--
MTK2 7	202	3	110	0.2	30		5	--
MTK2 8	202	4	130	0.3	70		<5	--
MTK2 9	202	3	120	0.2	30		<5	--
MTK2 10	202	7	170	0.3	30		<5	--
MTK2 11	202	7	180	0.5	20		<5	--
MTK2 12	202	5	200	0.4	20		10	--
MTK2 13	202	4	170	0.2	30		10	--
MTK2 14	202	5	180	0.6	20		<5	--
MTK2 15	202	6	200	0.2	30		<5	--
MTK2 16	202	7	230	0.6	20		<5	--
MTK2 17	202	4	170	0.4	30		<5	--
MTK2 18	202	5	160	0.3	20		<5	--
MTK2 19	202	22	220	0.8	30		<5	--
MTK2 20	202	39	380	1.8	40		<5	--
MTK2 21	202	55	400	3.0	40		5	--
MTK2 22	202	115	730	6.4	40		35	--
MTK2 23	202	110	400	4.4	190		20	--
MTK2 24	202	75	550	1.8	70		10	--
MTK2 25	202	80	500	2.0	40		40	--
MTK2 26	202	60	360	0.9	30		25	--
MTK2 27	202	4	200	0.4	30		<5	--
MTK2 28	202	6	330	8.0	20		<5	--
MTK2 29	202	4	250	0.6	30		<5	--
MTK2 30	202	4	230	0.2	20		<5	--
MTK2 31	202	7	310	0.6	30		<5	--
MTK2 32	202	6	260	0.6	30		<5	--
MTK2 33	202	5	330	0.6	20		<5	--
MTK2 34	202	5	260	0.4	30		<5	--
MTK2 35	202	6	210	0.4	30		<5	--
MTK2 36	202	10	210	0.6	30		<5	--
MTK2 37	202	10	220	0.2	30		10	--
MTK2 38	202	70	260	1.6	30		5	--
MTK2 39	202	30	340	1.0	40		20	--
MTK2 40	202	100	520	2.6	20		25	--

*Hart Buchler*

Certified by .....



MEMBER  
CANADIAN TESTING  
ASSOCIATION



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1

TELEPHONE: (604) 984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED  
MINERALS STAFF  
#901 - 355 BARRARD ST.  
VANCOUVER, B.C.  
V6C 2G8

CERT. # : A8213941-002-A  
INVOICE # : I8213941  
DATE : 25-OCT-82  
P.O. # : NONE  
M522

ATTN: H. WOBER

Sample description	Prep code	AS ppm	F ppm	Sb ppm	Hg ppb	Au FA+AA ppb	
MTK2 41	202	140	420	3.4	70	35	--
MTK2 42	202	185	850	6.4	60	40	--
MTK2 43	202	80	490	6.6	60	40	--
MTK2 44	202	9	240	1.6	40	20	--
MTK2 45	202	6	200	0.6	30	<5	--
MTK2 46	202	15	320	1.3	40	<5	--
MTK2 47	202	60	260	13.4	60	45	--
MTK2 48	202	40	300	5.0	50	20	--
MTK2 49	202	27	300	2.8	40	<5	--
MTK2 50	202	110	320	6.4	40	5	--
MTK2 51	202	70	290	2.8	30	10	--
MTK2 52	202	51	460	2.6	30	20	--
MTK2 53	202	25	360	1.8	30	5	--
MTK2 54	202	420	460	57.0	2800	215	--
MTK2 55	202	65	400	14.0	140	45	--
MTK2 56	202	16	260	1.2	60	<5	--
MTK2 57	202	50	340	3.2	70	15	--
MTK2 58	202	60	400	12.2	70	<5	--
MTK2 59	202	55	340	7.4	80	5	--
MTK2 60	202	20	660	2.6	40	10	--
MTK2 61	202	39	330	1.8	50	<5	--
MTK2 62	202	11	270	0.6	40	<5	--
MTK2 63	202	19	240	1.8	40	5	--
MTK2 64	202	9	240	0.5	20	<5	--
MTK2 65	202	11	240	0.2	30	<5	--
MTK2 66	202	17	240	1.0	40	5	--
MTK2 67	202	19	240	1.4	40	<5	--
MTK2 68	202	50	310	3.8	40	5	--
MTK2 69	202	135	410	8.0	60	20	--
MTK2 70	202	9	430	0.9	60	5	--
MTK2 71	202	12	750	1.4	50	20	--
MTK2 72	202	7	330	0.4	40	5	--
MTK2 73	202	22	240	2.2	40	5	--
MTK2 74	202	19	370	2.0	40	5	--
MTK2 75	202	24	330	2.4	40	5	--
MTK2 76	202	12	360	1.3	50	<5	--
MTK2 77	202	11	380	1.6	40	5	--
MTK2 78	202	11	350	1.1	40	10	--
MTK2 79	202	9	310	0.4	30	<5	--
MTK2 80	202	9	320	0.8	30	<5	--

*Handwritten signature*

Certified by .....





# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1

TELEPHONE: (604) 984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED  
MINERALS STAFF  
#901 - 355 BURRARD ST.  
VANCOUVER, B.C.  
V6C 2G8

CERT. # : A8213941-003-A  
INVOICE # : I8213941  
DATE : 25-OCT-82  
P.O. # : NONE  
M522

ATTN: H. WOBER

Sample description	Prep code	AS ppm	F ppm	Sb ppm	Hg ppb	Au ppb	FA+AA ppb	
MTK2 81	202	10	300	1.1	40	5		--
MTK2 82	202	50	430	2.6	50	15		--
MTK2 83	202	41	350	0.9	40	25		--
MTK2 84	202	61	480	1.9	50	5		--
MTK2 85	202	20	360	1.2	40	5		--
MTK2 86	202	17	350	1.0	50	10		--
MTK2 87	202	17	370	2.0	40	5		--
MTK2 88	202	14	240	0.4	30	<5		--
MTK2 89	202	9	360	0.2	30	<5		--
MTK2 90	202	32	820	1.4	40	5		--
MTK2 91	202	17	260	0.7	30	<5		--
MTK2 92	202	15	430	1.0	30	<5		--
MTK2 93	202	36	310	1.4	50	10		--
MTK2 94	202	30	250	1.4	30	10		--
MTK2 95	202	7	550	0.6	30	10		--
MTK2 96	202	12	230	1.0	30	10		--
MTK2 97	202	17	260	1.2	30	15		--
MTK2 98	202	57	270	2.2	30	45		--
MTK2 99	202	27	270	1.6	30	20		--
MTK2 100	202	16	320	1.6	40	5		--
MTK2 101	202	20	290	1.4	40	10		--
MTK2 102	202	27	300	1.4	40	15		--
MTK2 103	202	175	970	4.0	30	105		--
MTK2 104	202	160	760	3.8	40	80		--
MTK2 105	202	30	450	1.4	30	10		--
MTK2 106	202	32	360	1.2	40	20		--
MTK2 107	202	15	250	1.0	30	5		--
MTK2 108	202	17	240	0.8	30	<5		--
MTK2 109	202	11	210	0.6	50	<5		--
MTK2 110	202	14	240	0.9	30	5		--
MTK2 111	202	11	410	1.2	30	5		--
MTK2 112	202	7	250	0.6	30	10		--
MTK2 113	202	7	230	0.4	30	5		--
MTK2 114	202	55	300	7.4	30	10		--
MTK2 115	202	25	250	1.8	30	5		--
MTK2 116	202	95	390	5.4	40	20		--
MTK2 117	202	140	600	8.8	50	60		--
MTK2 118	202	125	450	9.4	40	95		--
MTK2 119	202	55	430	5.2	40	40		--
MTK2 120	202	130	1000	6.0	60	55		--

*Hart Buchler*

Certified by .....



MEMBER  
CANADIAN TESTING  
ASSOCIATION





# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1

TELEPHONE: (604) 984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED  
MINERALS STAFF  
#901 - 355 BARRARD ST.  
VANCOUVER, B.C.  
V6C 2G8

CERT. # : A8213941-004-A  
INVOICE # : 18213941  
DATE : 25-OCT-82  
P.O. # : NONE  
M522

ATTN: H. WOBER

Sample description	Prep code	AS ppm	F ppm	Sb ppm	Hg ppb	Au	FA+AA ppb	
MTK2 121	202	24	480	1.6	50		<5	--
MTK2 122	202	23	410	1.8	60		5	--
MTK2 123	202	17	310	1.2	50		5	--
MTK2 124	202	36	380	1.4	50		20	--
MTK2 125	202	29	320	1.0	60		15	--
MTK2 126	202	24	570	1.0	40		10	--
MTK2 127	202	19	2200	1.2	30		20	--
MTK2 128	202	16	250	0.6	30		5	--
MTK2 129	202	11	260	0.4	40		<5	--
MTK2 130	202	14	250	0.8	40		5	--
MTK2 131	202	7	310	0.3	30		10	--
MTK2 132	202	7	410	0.3	30		5	--
MTK2 133	202	6	240	0.2	30		5	--
MTK2 134	202	10	230	0.7	40		<5	--
MTK2 135	202	190	1200	8.0	40		155	--
MTK2 136	202	80	630	4.4	40		60	--
MTK2 137	202	300	1100	12.8	100		200	--
MTK2 138	202	195	1450	10.4	170		350	--
MTK2 139	202	200	1700	9.0	80		315	--
MTK2 140	202	180	2700	6.6	90		180	--
MTK2 141	202	35	580	2.2	60		150	--
MTK2 142	202	80	670	6.6	50		65	--
MTK2 143	202	50	580	3.4	40		35	--
MTK2 144	202	16	310	1.4	40		10	--
MTK2 145	202	17	400	1.2	40		5	--
MTK2 146	202	11	510	0.8	40		5	--
MTK2 147	202	22	320	1.4	30		5	--
MTK2 148	202	33	320	1.6	40		15	--
MTK2 149	202	50	600	2.6	80		35	--
MTK2 150	202	10	760	0.4	30		<5	--
MTK2 151	202	16	1850	0.7	30		5	--
MTK2 152	202	27	250	0.6	30		<5	--
MTK2 153	202	7	570	0.7	40		<5	--
MTK2 154	202	7	220	0.3	30		<5	--
MTK2 155	202	9	220	0.2	30		<5	--
MTK2 156	202	9	200	0.5	30		<5	--
MTK2 157	202	7	210	0.4	30		<5	--
MTK2 158	202	22	310	1.2	30		5	--
MTK2 159	202	29	650	1.8	40		20	--
MTK2 160	202	41	1100	2.0	40		20	--

*Hartman*

Certified by .....





# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1

TELEPHONE: (604) 984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED  
MINERALS STAFF  
#901 - 355 BURRARD ST.  
VANCOUVER, B.C.  
V6C 2G8

CERT. # : A8213941-005-A  
INVOICE # : I8213941  
DATE : 25-OCT-82  
P.O. # : NONE  
M522

ATTN: H. WOBER

Sample description	Prep code	AS ppm	F ppm	Sb ppm	Hg ppb	Au ppb	FA+AA ppb	
MTK2 161	202	65	1200	3.0	50		60	--
MTK2 162	202	45	640	2.2	60		25	--
MTK2 163	202	22	350	1.5	40		5	--
MTK2 164	202	48	760	2.2	40		95	--
MTK2 165	202	55	920	2.2	40		55	--
MTK2 166	202	39	740	1.8	40		35	--
MTK2 167	202	15	270	0.6	30		<5	--



MEMBER  
CANADIAN TESTING  
ASSOCIATION

Certified by *Hart Bichler*



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1

TELEPHONE: (604) 984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED  
MINERALS STAFF  
#901 - 355 BURRARD ST.  
VANCOUVER, B.C.  
V6C 2G8


CERT. # : A8214324-001-A  
INVOICE # : I8214324  
DATE : 11-NOV-82  
P.O. # : NONE  
M 522

ATTN: DAVID SHAW

Sample description	Prep code	AS ppm	Hg ppb	Sb ppm	Au FA+AA ppb		
MGS2-20	205	2	90	3.4	DELAYED	--	--
MGS2-21	205	14	170	1.8	DELAYED	--	--
MGS2-22	205	205	160	8.6	DELAYED	--	--
MGS2-23	205	9	90	3.2	DELAYED	--	--
MGS2-23A	205	6	50	2.2	DELAYED	--	--
MGS2-24	205	6	40	1.2	DELAYED	--	--
MGS2-25	205	12	50	6.4	DELAYED	--	--
MGS2-26	205	2	30	1.2	DELAYED	--	--
MGS2-27	205	9	100	7.8	DELAYED	--	--
MGS2-28	205	140	390	11.2	DELAYED	--	--
MGS2-29	205	25	320	2.6	DELAYED	--	--
MGS2-30	205	81	80	1.2	DELAYED	--	--
MGS2-32	205	14	70	1.2	DELAYED	--	--
MGS2-33	205	14	40	1.0	DELAYED	--	--
MGS2-34	205	36	40	1.4	DELAYED	--	--
MGS2-35	205	300	480	16.8	DELAYED	--	--
MGS2-36	205	7	30	1.2	DELAYED	--	--
MGS2-37	205	61	90	3.4	DELAYED	--	--
MGS2-38	205	77	50	3.8	DELAYED	--	--
MGS2-38A	205	235	200	18.6	DELAYED	--	--
MGS2-39	205	260	70	4.2	DELAYED	--	--
MGS2-40	205	145	320	17.2	DELAYED	--	--
MGS2-41	205	92	300	13.4	DELAYED	--	--
MGS2-42	205	73	130	6.8	DELAYED	--	--
MGS2-43	205	81	230	12.6	DELAYED	--	--
MGS2-44	205	340	500	35.0	DELAYED	--	--
MGS2-45	205	140	180	12.0	DELAYED	--	--
MGS2-46	205	67	100	6.4	DELAYED	--	--
MGS2-50	205	50	70	4.8	DELAYED	--	--
MGS2-55	205	195	160	3.0	DELAYED	--	--
MGS2-56	205	6	70	1.8	DELAYED	--	--
MGS2-57	205	120	140	5.2	DELAYED	--	--
MGS2-58	205	135	70	2.8	DELAYED	--	--
MGS2-59	205	145	190	6.8	DELAYED	--	--
MGS2-65	205	12	50	1.4	DELAYED	--	--
MGS2-66	205	83	60	2.6	DELAYED	--	--
MGS2-67	205	1350	>10000	23.0	DELAYED	--	--
MGS2-68	205	170	480	2.6	DELAYED	--	--
MGS2-71	205	710	3800	15.4	DELAYED	--	--
MGS2-73	205	135	610	16.0	DELAYED	--	--

*Hart Buchler*

Certified by .....





# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
 NORTH VANCOUVER, B.C.  
 CANADA V7J 2C1  
 TELEPHONE: (604) 984-0221  
 TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS


## CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED  
 MINERALS STAFF  
 #901 - 355 BURRARD ST.  
 VANCOUVER, B.C.  
 V6C 2G8

CERT. # : A8214324-002-A  
 INVOICE # : I8214324  
 DATE : 11-NOV-82  
 P.O. # : NONE  
 M 522

ATTN: DAVID SHAW

Sample description	Prep code	AS ppm	Hg ppb	Sb ppm	Au FA+AA ppb		
MGS2-76	205	220	160	5.8	DELAYED	--	--
MGS2-79	205	65	60	1.6	DELAYED	--	--
MGS2-85	205	14	60	0.6	DELAYED	--	--
MGS2-90	205	3	40	0.8	DELAYED	--	--
MGS2-90A	205	57	120	0.2	DELAYED	--	--
MGS2-100	205	15	60	0.8	DELAYED	--	--
MGS2-101	205	3	40	0.2	DELAYED	--	--
MGS2-102	205	3	30	0.2	DELAYED	--	--
MGS2-103	205	45	50	0.8	DELAYED	--	--
MGS2-104	205	850	140	9.8	DELAYED	--	--
MGS2-105	205	94	90	1.2	DELAYED	--	--
MGS2-106	205	51	60	4.6	DELAYED	--	--
MGS2-107	205	100	50	2.8	DELAYED	--	--
MGS2-110	205	36	50	1.4	DELAYED	--	--
MGS2-112	205	200	620	24.0	DELAYED	--	--
MGS2-113	205	63	130	5.8	DELAYED	--	--
MGS2-114	205	107	100	2.8	DELAYED	--	--
MGS2-115	205	110	110	5.2	DELAYED	--	--
MGS2-116	205	15	40	0.8	DELAYED	--	--
MGS2-117	205	48	420	1.4	DELAYED	--	--
MGS2-118	205	100	380	22.0	DELAYED	--	--
MGS2-119	205	17	90	2.8	DELAYED	--	--
MGS2-120	205	130	160	22.0	DELAYED	--	--
MGS2-121	205	490	80	3.2	DELAYED	--	--
MGS2-122	205	46	70	3.2	DELAYED	--	--
MGS2-127	205	150	710	21.0	DELAYED	--	--



Certified by *Hart Bichler*



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1

TELEPHONE: (604) 984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED  
MINERALS STAFF  
#901 - 355 BURRARD ST.  
VANCOUVER, B.C.  
V6C 2G8

CERT. # : A8214325-001-A  
INVOICE # : I8214325  
DATE : 11-NOV-82  
P.O. # : NONE  
M 522

ATTN: DAVID SHAW

Sample description	Prep code	AS ppm	Hg ppb	Sb ppm	Au FA+AA ppb		
DBS2-01	202	4	90	1.2	DELAYED	--	--
DBS2-02	202	135	80	8.8	DELAYED	--	--
DBS2-03	202	16	60	1.2	DELAYED	--	--
DBS2-04	202	5	40	0.6	DELAYED	--	--
DBS2-05	202	55	50	2.2	DELAYED	--	--
DBS2-06	202	9	40	0.6	DELAYED	--	--
DBS2-07	202	39	50	1.6	DELAYED	--	--
DBS2-08	202	103	70	5.4	DELAYED	--	--
DBS2-09	202	5	60	0.2	DELAYED	--	--
DBS2-10	202	6	50	0.4	DELAYED	--	--
DBS2-11	202	5	40	0.2	DELAYED	--	--
DBS2-12	202	48	50	1.6	DELAYED	--	--
DBS2-13	202	14	70	0.4	DELAYED	--	--
DBS2-14	202	6	80	0.2	DELAYED	--	--
DBS2-15	202	4	50	0.2	DELAYED	--	--
DBS2-16	202	5	50	0.2	DELAYED	--	--
DBS2-17	202	5	40	0.2	DELAYED	--	--
DBS2-18	202	5	50	0.4	DELAYED	--	--
DBS2-19	202	5	40	0.2	DELAYED	--	--
DBS2-20	202	4	50	0.4	DELAYED	--	--
DBS2-21	202	11	40	0.6	DELAYED	--	--
DBS2-22	202	25	40	1.2	DELAYED	--	--
DBS2-23	202	30	50	1.8	DELAYED	--	--
DBS2-24	202	30	40	2.6	DELAYED	--	--
DBS2-25	202	4	70	0.2	DELAYED	--	--
DBS2-26	202	6	40	0.6	DELAYED	--	--
DBS2-27	202	6	50	0.4	DELAYED	--	--
DBS2-28	202	5	50	0.2	DELAYED	--	--
DBS2-29	202	5	30	0.2	DELAYED	--	--
DBS2-30	202	6	40	0.4	DELAYED	--	--
DBS2-31	202	15	50	1.0	DELAYED	--	--
DBS2-32	202	9	40	0.6	DELAYED	--	--
DBS2-33	202	6	60	1.0	DELAYED	--	--
DBS2-34	202	5	70	0.4	DELAYED	--	--
DBS2-35	202	4	50	0.6	DELAYED	--	--
DBS2-36	202	4	60	0.4	DELAYED	--	--
DBS2-37	202	6	40	0.2	DELAYED	--	--
DBS2-38	202	7	40	0.4	DELAYED	--	--
DBS2-39	202	4	70	0.2	DELAYED	--	--
DBS2-40	202	6	50	0.6	DELAYED	--	--

*Hart Buchler*

Certified by .....



MEMBER  
CANADIAN TESTING  
ASSOCIATION



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
 NORTH VANCOUVER, B.C.  
 CANADA V7J 2C1  
 TELEPHONE: (604) 984-0221  
 TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED  
 MINERALS STAFF  
 #901 - 355 BURRARD ST.  
 VANCOUVER, B.C.  
 V6C 2G8

CERT. # : A8214325-002-A  
 INVOICE # : I8214325  
 DATE : 11-NOV-82  
 P.O. # : NONE  
 M 522

ATTN: DAVID SHAW


Sample description	Prep code	AS ppm	Hg ppb	Sb ppm	Au FA+AA ppb		
DBS2-41	202	5	60	0.6	DELAYED	--	--
DBS2-42	202	14	80	0.8	DELAYED	--	--
DBS2-43	202	9	40	0.8	DELAYED	--	--
DBS2-44	202	6	40	0.6	DELAYED	--	--
DBS2-45	202	7	40	2.2	DELAYED	--	--
DBS2-46	202	20	40	1.2	DELAYED	--	--
DBS2-47	202	5	30	0.4	DELAYED	--	--
DBS2-48	202	46	30	0.4	DELAYED	--	--
DBS2-49	202	77	70	2.4	DELAYED	--	--
DBS2-50	202	27	40	2.2	DELAYED	--	--
DBS2-51	202	11	60	0.8	DELAYED	--	--
DBS2-52	202	7	60	0.4	DELAYED	--	--
DBS2-53	202	5	80	0.4	DELAYED	--	--
DBS2-54	202	11	40	0.1	DELAYED	--	--
DBS2-55	202	5	40	0.6	DELAYED	--	--
DBS2-56	202	6	60	0.2	DELAYED	--	--
DBS2-57	202	4	50	0.4	DELAYED	--	--
DBS2-58	202	6	60	0.6	DELAYED	--	--
DBS2-59	202	6	50	0.8	DELAYED	--	--
DBS2-60	202	6	50	0.8	DELAYED	--	--
DBS2-61	202	5	40	1.0	DELAYED	--	--
DBS2-62	202	4	50	0.8	DELAYED	--	--
DBS2-63	202	11	40	0.8	DELAYED	--	--
DBS2-64	202	10	30	1.0	DELAYED	--	--
DBS2-65	202	9	30	0.8	DELAYED	--	--
DBS2-66	202	10	30	0.6	DELAYED	--	--
DBS2-67	202	6	30	0.4	DELAYED	--	--
DBS2-68	202	5	40	0.2	DELAYED	--	--
DBS2-69	202	6	40	0.4	DELAYED	--	--
DBS2-70	202	9	30	0.8	DELAYED	--	--
DBS2-71	202	19	90	2.2	DELAYED	--	--
DBS2-72	202	5	90	0.2	DELAYED	--	--
DBS2-73	202	6	80	0.6	DELAYED	--	--
DBS2-74	202	4	50	0.4	DELAYED	--	--
DBS2-75	202	5	40	0.1	DELAYED	--	--
DBS2-76	202	5	40	0.4	DELAYED	--	--
DBS2-77	202	10	50	1.2	DELAYED	--	--
DBS2-78	202	6	40	0.4	DELAYED	--	--
DBS2-79	202	4	50	0.4	DELAYED	--	--
DBS2-80	202	4	50	0.2	DELAYED	--	--



MEMBER  
 CANADIAN TESTING  
 ASSOCIATION

Certified by *Hart Buchler*





# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1

TELEPHONE: (604) 984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED  
MINERALS STAFF  
#901 - 355 BARRARD ST.  
VANCOUVER, B.C.  
V6C 2G8

CERT. # : A8214325-003-A  
INVOICE # : I8214325  
DATE : 11-NOV-82  
P.O. # : NONE  
M 522


ATTN: DAVID SHAW

Sample description	Prep code	AS ppm	Hg ppb	Sb ppm	Au FA+AA ppb		
DBS2-81	202	4	50	0.1	DELAYED	--	--
DBS2-82	202	6	50	0.2	DELAYED	--	--
DBS2-83	202	3	40	0.2	DELAYED	--	--
DBS2-84	202	5	40	0.2	DELAYED	--	--
DBS2-85	202	6	40	0.1	DELAYED	--	--
DBS2-86	202	5	30	0.2	DELAYED	--	--
DBS2-87	202	4	30	0.4	DELAYED	--	--
DBS2-88	202	5	30	1.2	DELAYED	--	--
DBS2-89	202	6	40	7.4	DELAYED	--	--
DBS2-90	202	4	50	5.8	DELAYED	--	--
DBS2-91	202	11	40	0.8	DELAYED	--	--
DBS2-92	202	4	40	0.1	DELAYED	--	--
DBS2-93	202	5	60	0.1	DELAYED	--	--
DBS2-94	202	6	50	0.6	DELAYED	--	--
DBS2-95	202	6	50	6.6	DELAYED	--	--
DBS2-96	202	7	50	1.0	DELAYED	--	--
DBS2-97	202	7	40	0.4	DELAYED	--	--
DBS2-98	202	5	70	0.4	DELAYED	--	--
DBS2-99	202	4	50	0.4	DELAYED	--	--
DBS2-100	202	4	40	0.2	DELAYED	--	--
DBS2-101	202	90	60	5.6	DELAYED	--	--
DBS2-102	202	23	50	1.2	DELAYED	--	--
DSS2-01	202	43	70	2.2	DELAYED	--	--
DSS2-02	202	35	50	3.2	DELAYED	--	--
DSS2-03	202	5	50	0.6	DELAYED	--	--
DSS2-04	202	5	60	0.2	DELAYED	--	--
DSS2-05	202	33	70	1.2	DELAYED	--	--
DSS2-06	202	6	50	0.2	DELAYED	--	--
DSS2-07	202	11	50	0.8	DELAYED	--	--
DSS2-08	202	3	40	0.1	DELAYED	--	--
DSS2-09	202	4	40	0.1	DELAYED	--	--
DSS2-10	202	50	70	2.2	DELAYED	--	--
DSS2-11	202	19	50	1.0	DELAYED	--	--
DSS2-12	202	39	50	1.4	DELAYED	--	--
DSS2-13	202	5	40	0.2	DELAYED	--	--
DSS2-14	202	5	50	0.1	DELAYED	--	--
DSS2-15	202	4	40	0.1	DELAYED	--	--
DSS2-16	202	5	40	0.2	DELAYED	--	--
DSS2-17	202	5	30	0.6	DELAYED	--	--
DSS2-18	202	5	30	0.4	DELAYED	--	--

Certified by *Hart Buchler*



MEMBER  
CANADIAN TESTING  
ASSOCIATION



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1

TELEPHONE: (604) 984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED  
MINERALS STAFF  
#901 - 355 BURRARD ST.  
VANCOUVER, B.C.  
V6C 2G8


CERT. # : A8214325-004-A  
INVOICE # : I8214325  
DATE : 11-NOV-82  
P.O. # : NONE  
M 522

ATTN: DAVID SHAW

Sample description	Prep code	AS ppm	Hg ppb	Sb ppm	Au FA+AA ppb		
DSS2-19	202	4	30	0.4	DELAYED	--	--
DSS2-20	202	6	60	0.2	DELAYED	--	--
DSS2-21	202	50	50	1.4	DELAYED	--	--
DSS2-22	202	20	40	1.4	DELAYED	--	--
DSS2-23	202	4	40	0.1	DELAYED	--	--
DSS2-24	202	4	60	0.2	DELAYED	--	--
DSS2-25	202	5	30	0.1	DELAYED	--	--
DSS2-26	202	5	80	0.4	DELAYED	--	--
DSS2-27	202	5	50	0.2	DELAYED	--	--
DSS2-28	202	9	50	1.2	DELAYED	--	--
DSS2-29	202	4	60	0.2	DELAYED	--	--
DSS2-30	202	6	60	0.2	DELAYED	--	--
DSS2-31	202	5	40	0.6	DELAYED	--	--
DSS2-32	202	14	40	1.0	DELAYED	--	--
DSS2-33	202	20	50	1.2	DELAYED	--	--
DSS2-34	202	15	40	1.0	DELAYED	--	--
DSS2-35	202	11	30	0.6	DELAYED	--	--
DSS2-36	202	5	60	0.2	DELAYED	--	--
DSS2-37	202	6	30	0.6	DELAYED	--	--
DSS2-38	202	5	40	0.4	DELAYED	--	--
DSS2-39	202	4	30	0.4	DELAYED	--	--
DSS2-40	202	6	50	0.4	DELAYED	--	--
DSS2-41	202	35	130	5.8	DELAYED	--	--
DSS2-42	202	7	70	0.6	DELAYED	--	--
DSS2-43	202	17	50	1.0	DELAYED	--	--
DSS2-44	202	11	40	0.6	DELAYED	--	--
DSS2-45	202	9	30	0.4	DELAYED	--	--
DSS2-46	202	10	30	0.6	DELAYED	--	--
DSS2-47	202	6	30	0.4	DELAYED	--	--
DSS2-48	202	6	50	0.2	DELAYED	--	--
DSS2-49	202	4	40	0.2	DELAYED	--	--
DSS2-50	202	6	30	0.2	DELAYED	--	--
DSS2-51	202	5	30	0.1	DELAYED	--	--
DSS2-52	202	5	30	0.2	DELAYED	--	--
DSS2-53	202	6	30	0.2	DELAYED	--	--
DSS2-54	202	7	40	0.6	DELAYED	--	--
DSS2-55	202	6	40	0.2	DELAYED	--	--
DSS2-56	202	9	30	0.2	DELAYED	--	--
DSS2-57	202	6	40	4.2	DELAYED	--	--
DSS2-58	202	5	60	0.2	DELAYED	--	--

*Hart Buchler*

Certified by .....







# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1

TELEPHONE: (604) 984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS


## CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED  
MINERALS STAFF  
#901 - 355 BURRARD ST.  
VANCOUVER, B.C.  
V6C 2G8

CERT. # : A8214325-005-A  
INVOICE # : I8214325  
DATE : 11-NOV-82  
P.O. # : NONE  
M 522

ATTN: DAVID SHAW

Sample description	Prep code	AS ppm	Hg ppb	Sb ppm	Au FA+AA ppb		
DSS2-59	202	7	50	1.6	DELAYED	--	--
DSS2-60	202	5	60	0.4	DELAYED	--	--
DSS2-61	202	5	40	0.4	DELAYED	--	--
DSS2-62	202	6	60	0.2	DELAYED	--	--
DSS2-63	202	4	40	0.2	DELAYED	--	--
DSS2-64	202	9	30	0.4	DELAYED	--	--
DSS2-65	202	6	50	0.4	DELAYED	--	--
DSS2-66	202	6	50	1.2	DELAYED	--	--
DSS2-67	202	5	40	1.4	DELAYED	--	--
DSS2-68	202	4	40	1.0	DELAYED	--	--
DSS2-69	202	3	30	0.8	DELAYED	--	--
DSS2-70	202	4	40	1.6	DELAYED	--	--
DSS2-71	202	5	30	1.2	DELAYED	--	--
DSS2-72	202	5	40	1.2	DELAYED	--	--



Certified by *Hart Bichler*



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1

TELEPHONE: (604) 984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED  
MINERALS STAFF  
#901 - 355 BURRARD ST.  
VANCOUVER, B.C.  
V6C 2G8

CERT. # : A8214324-001-A  
INVOICE # : I8214324  
DATE : 15-NOV-82  
P.O. # : NONE  
M 522

ATTN: DAVID SHAW

175

411

7.7


440

Sample description	Prep code	AS ppm	Hg ppb	Sb ppm	Au FA+AA ppb		
MGS2-20	205	2	90	3.4	<5	--	--
MGS2-21	205	14	170	1.8	<5	--	--
MGS2-22	205	205	160	8.6	25	--	--
MGS2-23	205	9	90	3.2	15	--	--
MGS2-23A	205	6	50	2.2	10	--	--
MGS2-24	205	6	40	1.2	5	--	--
MGS2-25	205	12	50	6.4	<5	--	--
MGS2-26	205	2	30	1.2	10	--	--
MGS2-27	205	9	100	7.8	15	--	--
MGS2-28	205	140	390	11.2	115	--	--
MGS2-29	205	25	320	2.6	5	--	--
MGS2-30	205	81	80	1.2	45	--	--
MGS2-32	205	14	70	1.2	5	--	--
MGS2-33	205	14	40	1.0	5	--	--
MGS2-34	205	36	40	1.4	10	--	--
MGS2-35	205	300	480	16.8	725	--	--
MGS2-36	205	7	30	1.2	25	--	--
MGS2-37	205	61	90	3.4	190	--	--
MGS2-38	205	77	50	3.8	255	--	--
MGS2-38A	205	235	200	18.6	850	--	--
MGS2-39	205	260	70	4.2	550	--	--
MGS2-40	205	145	320	17.2	70	--	--
MGS2-41	205	92	300	13.4	80	--	--
MGS2-42	205	73	130	6.8	10	--	--
MGS2-43	205	81	230	12.6	15	--	--
MGS2-44	205	340	500	35.0	15	--	--
MGS2-45	205	140	180	12.0	10	--	--
MGS2-46	205	67	100	6.4	125	--	--
MGS2-50	205	50	70	4.8	525	--	--
MGS2-55	205	195	160	3.0	210	--	--
MGS2-56	205	6	70	1.8	15	--	--
MGS2-57	205	120	140	5.2	950	--	--
MGS2-58	205	135	70	2.8	35	--	--
MGS2-59	205	145	190	6.8	525	--	--
MGS2-65	205	12	50	1.4	175	--	--
MGS2-66	205	83	60	2.6	175	--	--
MGS2-67	205	1350	>10000	23.0	240	--	--
MGS2-68	205	170	480	2.6	15	--	--
MGS2-71	205	710	3800	15.4	55	--	--
MGS2-73	205	135	610	16.0	245	--	--



MEMBER  
CANADIAN TESTING  
ASSOCIATION

Certified by *Hart Bechler*



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1

TELEPHONE: (604) 984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED  
MINERALS STAFF  
#901 - 355 BURRARD ST.  
VANCOUVER, B.C.  
V6C 2G8

CERT. # : A8214324-002-A  
INVOICE # : I8214324  
DATE : 15-NOV-82  
P.O. # : NONE  
M 522

ATTN: DAVID SHAW

Sample description	Prep code	AS ppm	Hg ppb	Sb ppm	Au FA+AA ppb		
MGS2-76	205	220	160	5.8	260	--	--
MGS2-79	205	65	60	1.6	1275	--	--
MGS2-85	205	14	60	0.6	10	--	--
MGS2-90	205	3	40	0.8	<5	--	--
MGS2-90A	205	57	120	0.2	5	--	--
MGS2-100	205	15	60	0.8	15	--	--
MGS2-101	205	3	40	0.2	10	--	--
MGS2-102	205	3	30	0.2	20	--	--
MGS2-103	205	45	50	0.8	120	--	--
MGS2-104	205	850	140	9.8	50	--	--
MGS2-105	205	94	90	1.2	50	--	--
MGS2-106	205	51	60	4.6	280	--	--
MGS2-107	205	100	50	2.8	185	--	--
MGS2-110	205	36	50	1.4	95	--	--
MGS2-112	205	200	620	24.0	725	--	--
MGS2-113	205	63	130	5.8	5	--	--
MGS2-114	205	107	100	2.8	130	--	--
MGS2-115	205	110	110	5.2	270	--	--
MGS2-116	205	15	40	0.8	45	--	--
MGS2-117	205	48	420	1.4	30	--	--
MGS2-118	205	100	380	22.0	165	--	--
MGS2-119	205	17	90	2.8	925	--	--
MGS2-120	205	130	160	22.0	1150	--	--
MGS2-121	205	490	80	3.2	1350	--	--
MGS2-122	205	46	70	3.2	225	--	--
MGS2-127	205	150	710	21.0	245	--	--



MEMBER  
CANADIAN TESTING  
ASSOCIATION

Certified by *Hart Bichler*



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221

TELEX: 043-52597

## CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED  
MINERALS STAFF  
#901 - 355 BURRARD ST.  
VANCOUVER, B.C.  
V6C 2G8

CERT. # : A8214325-001-A  
INVOICE # : 18214325  
DATE : 18-NOV-82  
P.O. # : NONE  
M 522

ATTN: DAVID SHAW

Sample description	Prep code	AS ppm	Hg ppb	Sb ppm	Au FA+AA ppb		
DBS2-01	202	4	90	1.2	10	--	--
DBS2-02	202	135	80	8.8	30	--	--
DBS2-03	202	16	60	1.2	15	--	--
DBS2-04	202	5	40	0.6	10	--	--
DBS2-05	202	55	50	2.2	10	--	--
DBS2-06	202	9	40	0.6	5	--	--
DBS2-07	202	39	50	1.6	5	--	--
DBS2-08	202	103	70	5.4	20	--	--
DBS2-09	202	5	60	0.2	10	--	--
DBS2-10	202	6	50	0.4	5	--	--
DBS2-11	202	5	40	0.2	5	--	--
DBS2-12	202	48	50	1.6	5	--	--
DBS2-13	202	14	70	0.4	5	--	--
DBS2-14	202	6	80	0.2	15	--	--
DBS2-15	202	4	50	0.2	10	--	--
DBS2-16	202	5	50	0.2	10	--	--
DBS2-17	202	5	40	0.2	<5	--	--
DBS2-18	202	5	50	0.4	<5	--	--
DBS2-19	202	5	40	0.2	10	--	--
DBS2-20	202	4	50	0.4	5	--	--
DBS2-21	202	11	40	0.6	5	--	--
DBS2-22	202	25	40	1.2	5	--	--
DBS2-23	202	30	50	1.8	10	--	--
DBS2-24	202	30	40	2.6	10	--	--
DBS2-25	202	4	70	0.2	10	--	--
DBS2-26	202	6	40	0.6	5	--	--
DBS2-27	202	6	50	0.4	5	--	--
DBS2-28	202	5	50	0.2	15	--	--
DBS2-29	202	5	30	0.2	<5	--	--
DBS2-30	202	6	40	0.4	10	--	--
DBS2-31	202	15	50	1.0	10	--	--
DBS2-32	202	9	40	0.6	10	--	--
DBS2-33	202	6	60	1.0	5	--	--
DBS2-34	202	5	70	0.4	5	--	--
DBS2-35	202	4	50	0.6	<5	--	--
DBS2-36	202	4	60	0.4	<5	--	--
DBS2-37	202	6	40	0.2	5	--	--
DBS2-38	202	7	40	0.4	5	--	--
DBS2-39	202	4	70	0.2	15	--	--
DBS2-40	202	6	50	0.6	5	--	--



Certified by *Hart Bichler*



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1

TELEPHONE: (604) 984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED  
MINERALS STAFF  
#901 - 355 BARRARD ST.  
VANCOUVER, B.C.  
V6C 2G8

CERT. # : A8214325-002-A  
INVOICE # : I8214325  
DATE : 18-NOV-82  
P.O. # : NONE  
M 522

ATTN: DAVID SHAW

Sample description	Prep code	AS ppm	Hg ppb	Sb ppm	Au FA+AA ppb		
DBS2-41	202	5	60	0.6	5	--	--
DBS2-42	202	14	80	0.8	5	--	--
DBS2-43	202	9	40	0.8	10	--	--
DBS2-44	202	6	40	0.6	5	--	--
DBS2-45	202	7	40	2.2	10	--	--
DBS2-46	202	20	40	1.2	<5	--	--
DBS2-47	202	5	30	0.4	<5	--	--
DBS2-48	202	46	30	0.4	<5	--	--
DBS2-49	202	77	70	2.4	25	--	--
DBS2-50	202	27	40	2.2	<5	--	--
DBS2-51	202	11	60	0.8	5	--	--
DBS2-52	202	7	60	0.4	<5	--	--
DBS2-53	202	5	80	0.4	<5	--	--
DBS2-54	202	11	40	0.1	<5	--	--
DBS2-55	202	5	40	0.6	10	--	--
DBS2-56	202	6	60	0.2	<5	--	--
DBS2-57	202	4	50	0.4	10	--	--
DBS2-58	202	6	60	0.6	15	--	--
DBS2-59	202	6	50	0.8	10	--	--
DBS2-60	202	6	50	0.8	15	--	--
DBS2-41	202	5	40	1.0	20	--	--
DBS2-62	202	4	50	0.8	25	--	--
DBS2-63	202	11	40	0.8	15	--	--
DBS2-64	202	10	30	1.0	10	--	--
DBS2-65	202	9	30	0.8	15	--	--
DBS2-66	202	10	30	0.6	5	--	--
DBS2-67	202	6	30	0.4	5	--	--
DBS2-68	202	5	40	0.2	<5	--	--
DBS2-69	202	6	40	0.4	10	--	--
DBS2-70	202	9	30	0.8	5	--	--
DBS2-71	202	19	90	2.2	15	--	--
DBS2-72	202	5	90	0.2	10	--	--
DBS2-73	202	6	80	0.6	5	--	--
DBS2-74	202	4	50	0.4	<5	--	--
DBS2-75	202	5	40	0.1	10	--	--
DBS2-76	202	5	40	0.4	20	--	--
DBS2-77	202	10	50	1.2	<5	--	--
DBS2-78	202	6	40	0.4	<5	--	--
DBS2-79	202	4	50	0.4	<5	--	--
DBS2-80	202	4	50	0.2	<5	--	--

*Hart Buchler*

Certified by .....





# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221

TELEX: 043-52597

## CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED  
MINERALS STAFF  
#901 - 355 BURRARD ST.  
VANCOUVER, B.C.  
V6C 2G8

CERT. # : A8214325-003-A  
INVOICE # : I8214325  
DATE : 18-NOV-82  
P.O. # : NONE  
M 522

ATTN: DAVID SHAW

Sample description	Prep code	AS ppm	Hg ppb	Sb ppm	Au FA+AA ppb		
DBS2-81	202	4	50	0.1	10	--	--
DBS2-82	202	6	50	0.2	<5	--	--
DBS2-83	202	3	40	0.2	10	--	--
DBS2-84	202	5	40	0.2	<5	--	--
DBS2-85	202	6	40	0.1	10	--	--
DBS2-86	202	5	30	0.2	10	--	--
DBS2-87	202	4	30	0.4	5	--	--
DBS2-88	202	5	30	1.2	15	--	--
DBS2-89	202	6	40	7.4	5	--	--
DBS2-90	202	4	50	5.8	10	--	--
DBS2-91	202	11	40	0.8	15	--	--
DBS2-92	202	4	40	0.1	<5	--	--
DBS2-93	202	5	60	0.1	<5	--	--
DBS2-94	202	6	50	0.6	<5	--	--
DBS2-95	202	6	50	6.6	<5	--	--
DBS2-96	202	7	50	1.0	5	--	--
DBS2-97	202	7	40	0.4	5	--	--
DBS2-98	202	5	70	0.4	<5	--	--
DBS2-99	202	4	50	0.4	5	--	--
DBS2-100	202	4	40	0.2	<5	--	--
DBS2-101	202	90	60	5.6	10	--	--
DBS2-102	202	23	50	1.2	35	--	--
DSS2-01	202	43	70	2.2	25	--	--
DSS2-02	202	35	50	3.2	10	--	--
DSS2-03	202	5	50	0.6	10	--	--
DSS2-04	202	5	60	0.2	5	--	--
DSS2-05	202	33	70	1.2	10	--	--
DSS2-06	202	6	50	0.2	10	--	--
DSS2-07	202	11	50	0.8	15	--	--
DSS2-08	202	3	40	0.1	10	--	--
DSS2-09	202	4	40	0.1	<5	--	--
DSS2-10	202	50	70	2.2	<5	--	--
DSS2-11	202	19	50	1.0	10	--	--
DSS2-12	202	39	50	1.4	25	--	--
DSS2-13	202	5	40	0.2	5	--	--
DSS2-14	202	5	50	0.1	10	--	--
DSS2-15	202	4	40	0.1	5	--	--
DSS2-16	202	5	40	0.2	<5	--	--
DSS2-17	202	5	30	0.6	5	--	--
DSS2-18	202	5	30	0.4	<5	--	--

*Hart Bichler*

Certified by .....



MEMBER  
CANADIAN TESTING  
ASSOCIATION



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1

TELEPHONE: (604) 984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED  
MINERALS STAFF  
#901 - 355 BURRARD ST.  
VANCOUVER, B.C.  
V6C 2G8

CERT. # : A8214325-004-A  
INVOICE # : I8214325  
DATE : 18-NOV-82  
P.O. # : NONE  
M 522

ATTN: DAVID SHAW

Sample description	Prep code	AS ppm	Hg ppb	Sb ppm	Au FA+AA ppb		
DSS2-19	202	4	30	0.4	<5	--	--
DSS2-20	202	6	60	0.2	<5	--	--
DSS2-21	202	50	50	1.4	10	--	--
DSS2-22	202	20	40	1.4	<5	--	--
DSS2-23	202	4	40	0.1	<5	--	--
DSS2-24	202	4	60	0.2	10	--	--
DSS2-25	202	5	30	0.1	15	--	--
DSS2-26	202	5	80	0.4	10	--	--
DSS2-27	202	5	50	0.2	<5	--	--
DSS2-28	202	9	50	1.2	<5	--	--
DSS2-29	202	4	60	0.2	5	--	--
DSS2-30	202	6	60	0.2	10	--	--
DSS2-31	202	5	40	0.6	15	--	--
DSS2-32	202	14	40	1.0	10	--	--
DSS2-33	202	20	50	1.2	5	--	--
DSS2-34	202	15	40	1.0	<5	--	--
DSS2-35	202	11	30	0.6	5	--	--
DSS2-36	202	5	60	0.2	<5	--	--
DSS2-37	202	6	30	0.6	5	--	--
DSS2-38	202	5	40	0.4	5	--	--
DSS2-39	202	4	30	0.4	<5	--	--
DSS2-40	202	6	50	0.4	<5	--	--
DSS2-41	202	35	130	5.8	<5	--	--
DSS2-42	202	7	70	0.6	<5	--	--
DSS2-43	202	17	50	1.0	20	--	--
DSS2-44	202	11	40	0.6	<5	--	--
DSS2-45	202	9	30	0.4	<5	--	--
DSS2-46	202	10	30	0.6	5	--	--
DSS2-47	202	6	30	0.4	10	--	--
DSS2-48	202	6	50	0.2	10	--	--
DSS2-49	202	4	40	0.2	5	--	--
DSS2-50	202	6	30	0.2	10	--	--
DSS2-51	202	5	30	0.1	10	--	--
DSS2-52	202	5	30	0.2	<5	--	--
DSS2-53	202	6	30	0.2	10	--	--
DSS2-54	202	7	40	0.6	10	--	--
DSS2-35	202	6	40	0.2	5	--	--
DSS2-56	202	9	30	0.2	10	--	--
DSS2-57	202	6	40	0.2	20	--	--
DSS2-58	202	5	60	0.2	10	--	--



MEMBER  
CANADIAN TESTING  
ASSOCIATION

Certified by *Hart Bichler*



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1

TELEPHONE: (604) 984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED  
MINERALS STAFF  
#901 - 355 BURRARD ST.  
VANCOUVER, B.C.  
V6C 2G8

CERT. # : A8214325-005-A  
INVOICE # : I8214325  
DATE : 18-NOV-82  
P.O. # : NONE  
M 522

ATTN: DAVID SHAW

Sample description	Prep code	AS ppm	Hg ppb	Sb ppm	Au FA+AA ppb		
DSS2-59	202	7	50	1.6	35	--	--
DSS2-60	202	5	60	0.4	10	--	--
DSS2-61	202	5	40	0.4	10	--	--
DSS2-62	202	6	60	0.2	5	--	--
DSS2-63	202	4	40	0.2	10	--	--
DSS2-64	202	9	30	0.4	15	--	--
DSS2-65	202	6	50	0.4	10	--	--
DSS2-66	202	6	50	1.2	5	--	--
DSS2-67	202	5	40	1.4	10	--	--
DSS2-68	202	4	40	1.0	5	--	--
DSS2-69	202	3	30	0.8	5	--	--
DSS2-70	202	4	40	1.6	5	--	--
DSS2-71	202	5	30	1.2	<5	--	--
DSS2-72	202	5	40	1.2	5	--	--



MEMBER  
CANADIAN TESTING  
ASSOCIATION

Certified by *Stuart Bickler*...





# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1

TELEPHONE: (604) 984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED  
MINERALS STAFF  
#901 - 355 BURRARD ST.  
VANCOUVER, B.C.  
V6C 2G8

CERT. # : A8214647-001-A  
INVOICE # : I8214647  
DATE : 9-DEC-82  
P.O. # : NONE  
M522

ATTN: DAVID SHAW

Parameter Description	Sample # 1	Sample # 2	Sample # 3	Sample # 4	Sample # 5
Sample preparation code	214	214	214	214	214
Aluminium (pct)	2	1	2	1	1
Antimony (ppm)	<200	<200	<200	<200	<200
Arsenic (ppm)	<200	<200	<200	<200	300
Barium (ppm)	100	200	150	500	500
Beryllium (ppm)	2	5	<2	2	2
Bismuth (ppm)	<10	<10	<10	<10	<10
Boron (ppm)	50	<50	50	<50	<50
Cadmium (ppm)	<50	<50	<50	<50	<50
Calcium (pct)	3	10	0.3	0.1	3
Chromium (ppm)	70	100	50	100	100
Cobalt (ppm)	<30	<30	<30	<30	<30
Copper (ppm)	50	2	30	7	5
Germanium (ppm)	<20	<20	<20	<20	<20
Iron (pct)	2	0.2	1	0.5	1
Lead (ppm)	<20	<20	<20	<20	<20
Magnesium (pct)	1	<0.02	0.5	<0.02	<0.02
Manganese (ppm)	100	100	100	10	10
Molybdenum (ppm)	500	<100	<100	500	1000
Nickel (ppm)	<30	<30	<30	<30	<30
Niobium (ppm)	<200	<200	<200	<200	<200
Potassium (pct)	<0.5	<0.5	0.5	0.5	<0.5
Silicon (pct)	30	30	30	30	30
Silver (ppm)	<2	2	<2	5	2
Sodium (pct)	<0.10	<0.10	<0.10	<0.10	<0.10
Thorium (ppm)	<500	<500	<500	<500	<500
Tin (ppm)	<20	<20	<20	<20	<20
Titanium (ppm)	<1000	<20	1500	500	<20
Vanadium (ppm)	100	<100	100	150	200
Zinc (ppm)	<50	<50	<50	<50	<50
Zirconium (ppm)	<50	<50	<50	<50	<50

### ! SEMIQUANTITATIVE SPECTROGRAPH ANALYSIS !

#### Sample description information

Sample # 1 MGS2-22  
 Sample # 2 MGS2-79  
 Sample # 3 MGS2-117  
 Sample # 4 MGS2-120  
 Sample # 5 MGS2-121

#### Preparation code description

214 Bag pulp



Certified by *HP Shuf*



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1  
TELEPHONE: (604) 984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CHEVRON CANADA RESOURCES LTD.  
MINERALS STAFF  
#901 - 355 BURRARD ST.  
VANCOUVER, B.C.  
V6C 2G8

CERT. # : A8311219-001-A  
INVOICE # : I8311219  
DATE : 13-MAY-83  
P.C. # : NONE  
M 522

ATTN: LARRY DECKER AND EARL DODSON, VANC

Sample description	Prep code	Ag ppm	AS ppm	Au FA+AA ppb			
MG83-2 1	205	2.6	190	DELAYED	--	--	--
MG83-2 2	205	2.7	71	DELAYED	--	--	--
MG83-2 3	205	0.7	230	DELAYED	--	--	--
MG83-2 4	205	0.8	630	DELAYED	--	--	--
MG83-2 5	205	2.7	97	DELAYED	--	--	--
MG83-2 6	205	1.1	225	DELAYED	--	--	--
MG83-2 6A	205	5.8	430	DELAYED	--	--	--
MG83-2 7	205	1.5	190	DELAYED	--	--	--
MG83-2 8	205	0.5	35	DELAYED	--	--	--
MG83-2 9	205	1.6	180	DELAYED	--	--	--
MG83-2 10	205	0.4	195	DELAYED	--	--	--
MG83-2 11	205	0.5	29	DELAYED	--	--	--
MG83-2 12	205	0.3	51	DELAYED	--	--	--
MG83-2 13	205	0.1	36	DELAYED	--	--	--
MG83-2 14	205	0.2	55	DELAYED	--	--	--
MG83-2 15	205	0.1	3	DELAYED	--	--	--



Certified by *Hart Bichler*



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1  
TELEPHONE: (604) 984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CHEVRON CANADA RESOURCES LTD.  
MINERALS STAFF  
#901 - 355 BURRARD ST.  
VANCOUVER, B.C.  
V6C 2G8

CERT. # : A8311165-002-A  
INVOICE # : I8311165  
DATE : 13-MAY-83  
P.O. # : NONE  
M 522

ATTN: LARRY DECKER

MICROGOLD

Sample description	Prep code	Ag ppm	AS ppm	Au FA+AA ppb			
MG83-1 54	205	0.1	61	65	--	--	--
MG83-1 55	205	0.1	17	5	--	--	--
MG83-1 56	205	0.1	3	<5	--	--	--
MG83-1 57	205	0.1	113	15	--	--	--
MG83-1 58	205	1.4	71	15	--	--	--
MG83-1 60	205	0.4	260	160	--	--	--

Certified by Hart Biehler



MEMBER  
CANADIAN TESTING  
ASSOCIATION



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1  
TELEPHONE: (604) 984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

## CERTIFICATE OF ASSAY

TO : CHEVRON CANADA RESOURCES LTD.  
MINERALS STAFF  
#901 - 355 BURRARD ST.  
VANCOUVER, B.C.  
V6C 2G8

CERT. # : A8311164-001-A  
INVOICE # : I8311164  
DATE : 9-MAY-83  
P.O. # : NONE  
M 522

ATTN: LARRY DECKER

Sample description	Prep code	Cu %	Mo %	Ag FA oz/T	Au FA oz/T		
MG83-1 59	207	0.31	0.010	0.20	0.003	--	--

*B. L. Swaites*

.....  
Registered Assayer, Province of British Columbia



MEMBER  
CANADIAN TESTING  
ASSOCIATION



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1  
TELEPHONE: (604) 984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TC : CHEVRON CANADA RESOURCES LTD.  
MINERALS STAFF  
#901 - 355 BARRARD ST.  
VANCOUVER, B.C.  
V6C 2G8

CERT. # : A8311164-001-A  
INVOICE # : I8311164  
DATE : 9-MAY-83  
P.O. # : NONE  
M 522

ATTN: LARRY DECKER

Sample description	Prep code	AS ppm					
MG83-1 59	207	38	--	--	--	--	--



MEMBER  
CANADIAN TESTING  
ASSOCIATION

Certified by .....



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
 NORTH VANCOUVER, B.C.  
 CANADA V7J 2C1  
 TELEPHONE: (604) 984-0221  
 TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED  
 MINERALS STAFF  
 #901 - 355 BURRARD ST.  
 VANCOUVER, B.C.  
 V6C 2G8

CERT. # : A8311165-001-A  
 INVOICE # : I8311165  
 DATE : 9-MAY-83  
 P.O. # : NONE  
 M 522

ATTN: LARRY DECKER

Sample description	Prep code	Ag ppm	AS ppm	Au FA+AA ppb			
MG83-1 1	205	0.5	57	DELAYED	--	--	--
MG83-1 2	205	0.9	325	DELAYED	--	--	--
MG83-1 3	205	0.1	130	DELAYED	--	--	--
MG83-1 4	205	1.1	285	DELAYED	--	--	--
MG83-1 5	205	1.2	55	DELAYED	--	--	--
MG83-1 8	205	0.5	330	DELAYED	--	--	--
MG83-1 9	205	0.3	88	DELAYED	--	--	--
MG83-1 10	205	0.5	270	DELAYED	--	--	--
MG83-1 11	205	0.5	220	DELAYED	--	--	--
MG83-1 14	205	0.4	71	DELAYED	--	--	--
MG83-1 16	205	0.1	15	DELAYED	--	--	--
MG83-1 17	205	0.1	16	DELAYED	--	--	--
MG83-1 18	205	0.1	16	DELAYED	--	--	--
MG83-1 19	205	0.1	88	DELAYED	--	--	--
MG83-1 20	205	0.3	43	DELAYED	--	--	--
MG83-1 21	205	0.1	80	DELAYED	--	--	--
MG83-1 22	205	0.1	65	DELAYED	--	--	--
MG83-1 25	205	0.1	23	DELAYED	--	--	--
MG83-1 26	205	1.0	11	DELAYED	--	--	--
MG83-1 27	205	0.2	15	DELAYED	--	--	--
MG83-1 29	205	0.1	71	DELAYED	--	--	--
MG83-1 30	205	0.1	22	DELAYED	--	--	--
MG83-1 32	205	0.1	48	DELAYED	--	--	--
MG83-1 33	205	0.1	20	DELAYED	--	--	--
MG83-1 34	205	0.1	20	DELAYED	--	--	--
MG83-1 35	205	0.1	48	DELAYED	--	--	--
MG83-1 37	205	0.1	4	DELAYED	--	--	--
MG83-1 38	205	0.2	120	DELAYED	--	--	--
MG83-1 39	205	0.1	130	DELAYED	--	--	--
MG83-1 40	205	0.7	65	DELAYED	--	--	--
MG83-1 42	205	0.1	90	DELAYED	--	--	--
MG83-1 44	205	0.4	65	DELAYED	--	--	--
MG83-1 45	205	1.7	94	DELAYED	--	--	--
MG83-1 46	205	0.4	27	DELAYED	--	--	--
MG83-1 47	205	0.3	77	DELAYED	--	--	--
MG83-1 48	205	0.7	43	DELAYED	--	--	--
MG83-1 49	205	0.6	16	DELAYED	--	--	--
MG83-1 50	205	0.1	22	DELAYED	--	--	--
MG83-1 51	205	0.1	3	DELAYED	--	--	--
MG83-1 53	205	0.1	115	DELAYED	--	--	--

*Hart Buchler*

Certified by .....



MEMBER  
 CANADIAN TESTING  
 ASSOCIATION



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1  
TELEPHONE: (604) 984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED  
MINERALS STAFF  
#901 - 355 BURRARD ST.  
VANCOUVER, B.C.  
V6C 2G8

CERT. # : A8311165-002-A  
INVOICE # : I8311165  
DATE : 9-MAY-83  
P.O. # : NONE  
M 522

ATTN: LARRY DECKER

Sample description	Prep code	Ag ppm	AS ppm	Au	FA+AA ppb			
MG83-1 54	205	0.1	61	DELAYED		--	--	--
MG83-1 55	205	0.1	17	DELAYED		--	--	--
MG83-1 56	205	0.1	3	DELAYED		--	--	--
MG83-1 57	205	0.1	113	DELAYED		--	--	--
MG83-1 58	205	1.4	71	DELAYED		--	--	--
MG83-1 60	205	0.4	260	DELAYED		--	--	--



MEMBER  
CANADIAN TESTING  
ASSOCIATION

Certified by *Hart Buchler* .....



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1  
TELEPHONE: (604) 984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CHEVRON CANADA RESOURCES LTD.  
MINERALS STAFF  
#901 - 355 BURRARD ST.  
VANCOUVER, B.C.  
V6C 2G8

CERT. # : A8311219-001-A  
INVOICE # : I8311219  
DATE : 18-MAY-83  
P.O. # : NONE  
M 522

ATTN: LARRY DECKER AND EARL DODSON, VANC

Sample description	Prep code	Ag ppm	AS ppm	Au ppb	FA+AA ppb			
MG83-2 1	205	2.6	190	600		--	--	--
MG83-2 2	205	2.7	71	430		--	--	--
MG83-2 3	205	0.7	230	120		--	--	--
MG83-2 4	205	0.8	630	450		--	--	--
MG83-2 5	205	2.7	97	1100		--	--	--
MG83-2 6	205	1.1	225	465		--	--	--
MG83-2 6A	205	5.8	430	285		--	--	--
MG83-2 7	205	1.5	190	135		--	--	--
MG83-2 8	205	0.5	35	20		--	--	--
MG83-2 9	205	1.6	180	1000		--	--	--
MG83-2 10	205	0.4	195	35		--	--	--
MG83-2 11	205	0.5	29	100		--	--	--
MG83-2 12	205	0.3	51	45		--	--	--
MG83-2 13	205	0.1	36	5		--	--	--
MG83-2 14	205	0.2	55	5		--	--	--
MG83-2 15	205	0.1	3	<5		--	--	--



Certified by *Hart Buchler*





# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
 NORTH VANCOUVER, B.C.  
 CANADA V7J 2C1  
 TELEPHONE: (604) 984-0221  
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CHEVRON CANADA RESOURCES LTD.  
 MINERALS STAFF  
 #901 - 355 BURRARD ST.  
 VANCOUVER, B.C.  
 V6C 2G8

CERT. # : A8311400-001-  
 INVOICE # : I8311400  
 DATE : 27-MAY-83  
 P.O. # : NONE  
 M 522

ATTN: D. SHAW

Sample description	Prep code	Ag ppm	AS ppm	Au FA+AA ppb			
MG 83-4 1	205	0.1	950	DELAYED	--	--	--
MG 83-4 2	205	0.1	600	DELAYED	--	--	--
MG 83-4 3	205	0.1	590	DELAYED	--	--	--
MG 83-4 4	205	0.3	290	DELAYED	--	--	--
MG 83-4 5	205	1.0	43	DELAYED	--	--	--
MG 83-4 6	205	1.5	22	DELAYED	--	--	--
MG 83-4 7	205	0.1	24	DELAYED	--	--	--
MG 83-4 8	205	0.2	69	DELAYED	--	--	--
MG 83-4 9 A	205	0.4	23	DELAYED	--	--	--
MG 83-4 9 B	205	0.6	81	DELAYED	--	--	--
MG 83-4 11	205	0.4	90	DELAYED	--	--	--
MG 83-4 11 A	205	0.1	11	DELAYED	--	--	--
MG 83-4 11 AA	205	0.4	45	DELAYED	--	--	--
MG 83-4 11 B	205	1.5	22	DELAYED	--	--	--
MG 83-4 12	205	4.4	260	DELAYED	--	--	--
MG 83-4 12 A	205	2.1	55	DELAYED	--	--	--
MG 83-4 13	205	0.1	29	DELAYED	--	--	--
MG 83-4 13 A	205	0.1	22	DELAYED	--	--	--
MG 83-4 14	205	0.1	73	DELAYED	--	--	--
MG 83-4 15	205	0.1	9	DELAYED	--	--	--
MG 83-4 16	205	1.1	69	DELAYED	--	--	--