



VANGEOCHEM LAB LTD.

1521 PEMBERTON AVE.,

NORTH VANCOUVER, B.C.,

CANADA V7P 2S3

Aero M-501

TELEPHONE: 986-5211

841561

AREA CODE: 604

• Specialising in Trace Elements Analyses •

Certificate of Geochemical Analyses

-IN ACCOUNT WITH-

Chevron Standard Ltd.

#901, 355 Burrard Street

Vancouver, B.C. V6C 2G8

Attention:

Report No: 80-30-012

Page 1 of 9

Samples Arrived: July 11, 1980

Report Completed: August ;9, 1980

For Project: Aero

Analyst: E.T. & VGC Staff

Invoice # 5753

Job #80-133

Sample Marking	As ppm	Au ppb	Hg ppb			
19E 0+50NA	25	nd	380			
1+00	10	10	92			
1+50	15	nd	142			
2+00	25	nd	340			
2+50	10	nd	160			
3+00	25	nd	157			
3+50	15	10	85			
4+00	4	nd	300			
19E 5+00NA	50	10	370			
19E 0+50SA	15	nd	75			
1+00	4	10	120			
1+50	60	nd	98			
2+00	80	nd	96			
2+50	150	nd	340			
3+00	40	10	162			
3+50	50	20	138			
4+00	400	nd	220			
4+50	50	nd	670			
19E 5+00SA	15	nd	620			
21E 0+50NA	15	nd	157			
1+00EA	25	10	640			
1+50EA	50	nd	176			
2+00NA	50	10	180			
2+50	20	nd	180			
3+00	50	10	133			
3+50	15	nd	80			
4+00	35	10	90			
4+50NA	35	10	168			
21E 0+50SA	10	nd	120			
1+00	60	10	380			
1+50	80	10	350			
2+00	50	10	430			
2+50	100	20	105			
3+00	80	nd	600			
3+50	60	10	140			
4+00	60	20	200			
4+50	150	10	86			
21E 5+00SA	10	10	730			
23E 0+50NA	10	nd	100			

MASTER PRINTING LTD.

REMARKS:

Signed:

% Mo x 1.6683 = % MoS₂

1 Troy oz./ton = 34.28 ppm

1 ppm = 0.0001%

nd = none detected

ppm = parts per million

All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.



VANGEOCHEM LAB LTD.
 1521 PEMBERTON AVE.,
 NORTH VANCOUVER, B.C.,
 CANADA V7P 2S3

TELEPHONE: 986-5211
 AREA CODE: 604

• Specialising in Trace Elements Analyses •

Certificate of Geochemical Analyses

-IN ACCOUNT WITH-
 Chevron Standard

Report No: 80-30-012 Page 2 of 9
 Samples Arrived:
 Report Completed:
 For Project:
 Analyst:

Attention:

Sample Marking	As ppm	Au ppb	Hg ppb			
23E 1+00NA	15	nd	45			
1+50	60	nd	250			
2+00	4	nd	300			
2+50	35	nd	370			
3+00	25	10	128			
3+50	20	nd	108			
4+00	25	nd	180			
4+50	2	10	115			
23E 5+00NA	nd	nd	75			
23E 0+50SA	35	nd	67			
1+00	35	nd	155			
1+50	150	10	490			
2+00	80	nd	140			
2+50	80	10	145			
3+00	50	nd	280			
3+50	25	10	300			
4+00	15	nd	490			
4+50	60	nd	65			
5+00	10	nd	105			
5+50	25	nd	128			
23E 6+00SA	30	nd	180			
25E 0+50NA	25	10	120			
1+00	nd	nd	100			
1+50	35	nd	200			
2+00	25	nd	165			
2+50	20	nd	195			
3+00	25	nd	68			
3+50	25	nd	83			
4+00	nd	10	150			
4+50	4	nd	105			
25E 5+00NA	nd	nd	95			
25E 0+50SA	40	nd	75			
1+00	50	nd	90			
1+50	60	nd	75			
2+00	60	nd	460			
2+50	35	nd	150			
3+00	nd	10	90			
3+50	10	nd	92			
25E 4+00SA	30	nd	210			

MASTER PRINTING LTD.

REMARKS:

Signed: 

% Mo x 1.6683 = % MoS₂ 1 Troy oz./ton = 34.28 ppm 1 ppm = 0.0001% nd = none detected ppm = parts per million
 All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.



VANGEOCHEM LAB LTD.
 1521 PEMBERTON AVE.,
 NORTH VANCOUVER, B.C.,
 CANADA V7P 2S3

TELEPHONE: 986-5211
 AREA CODE: 604

• Specialising in Trace Elements Analyses •

Certificate of Geochemical Analyses

-IN ACCOUNT WITH-

Chevron Stanard Ltd.

Report No: 80-30-012

Page 3 of 9

Samples Arrived:

Report Completed:

For Project:

Analyst:

Attention:

Sample Marking	As ppm	Au ppb	Hg ppb			
25E 4 + 50SA	80	30	350			
5 + 00	4	nd	135			
5 + 50	35	nd	340			
25E 6 + 00SA	20	10	560			
27E 0 + 50NA	20	nd	350			
1 + 00	20	nd	125			
1 + 50	25	10	340			
2 + 00	20	nd	300			
2 + 50	25	nd	155			
3 + 00	15	10	210			
3 + 50	20	10	125			
4 + 00	25	10	106			
4 + 50	25	nd	100			
5 + 00NA	25	nd	145			
0 + 50SA	25	10	70			
1 + 00	4	nd	125			
1 + 50	50	10	50			
3 + 00	80	10	420			
3 + 50	30	10	620			
4 + 00	55	nd	360			
4 + 50	35	nd	480			
5 + 00	150	nd	450			
5 + 50	15	nd	600			
27E 6 + 00SA	20	10	440			
29E 0 + 50NA	nd	nd	25			
1 + 00	25	10	165			
1 + 50	30	nd	56			
2 + 00	20	nd	35			
2 + 50	35	nd	35			
3 + 00	25	nd	82			
3 + 50	25	10	600			
4 + 00	80	nd	40			
4 + 50	15	10	125			
5 + 00NA	15	nd	80			
0 + 50SA	25	nd	500			
1 + 00	25	nd	160			
1 + 50	25	nd	140			
2 + 00	50	nd	140			
29C 2 + 50SA	50	nd	170			

MASTER PRINTING LTD.

REMARKS:

Signed:

% Mo x 1.6683 = % MoS₂ 1 Troy oz./ton = 34.28 ppm 1 ppm = 0.0001% nd = none detected ppm = parts per million
 All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.



VANGEOCHEM LAB LTD.
 1521 PEMBERTON AVE.,
 NORTH VANCOUVER, B.C.,
 CANADA V7P 2S3

TELEPHONE: 986-5211
 AREA CODE: 604

• Specialising in Trace Elements Analyses •

Certificate of Geochemical Analyses

-IN ACCOUNT WITH-

Chevron Standard Ltd.

Report No: 80-30-012

Page 4 of 9

Samples Arrived:

Report Completed:

For Project:

Analyst:

Attention:

Sample Marking	As ppm	Au ppb	Hg ppb			
29E 3 + 00SA	20	20	144			
3 + 50	20	20	66			
4 + 00	25	10	40			
4 + 50	6	nd	320			
5 + 00	35	nd	650			
5 + 50	25	10	500			
29E 6 + 00SA	80	nd	550			
31E 0 + 50NA	30	nd	115			
1 + 00	50	nd	98			
1 + 50	4	10	90			
2 + 00	15	10	26			
2 + 50	2	nd	110			
3 + 00	15	10	60			
3 + 50	20	40	50			
4 + 00	25	nd	55			
4 + 50	25	nd	85			
5 + 00NA	20	10	32			
0 + 50SA	35	10	150			
1 + 00	30	10	185			
1 + 50	30	10	67			
2 + 00	20	20	90			
2 + 50	25	nd	450			
3 + 00	20	nd	350			
3 + 50	nd	nd	55			
4 + 00	20	10	100			
4 + 50	20	nd	360			
5 + 00	20	20	360			
5 + 50	25	10	132			
31E 6 + 00SA	30	10	80			
33E 0 + 50NA	25	nd	110			
1 + 00	40	20	106			
1 + 50	4	10	107			
2 + 00	20	20	127			
2 + 50	15	10	50			
3 + 00	2	10	2			
3 + 50	20	20	100			
4 + 00	20	20	175			
4 + 50	50	nd	185			
33E 5 + 00NA	50	10	92			

MASTER PRINTING LTD.

REMARKS:

Signed: 

% Mo x 1.6683 = % MoS₂ 1 Troy oz./ton = 34.28 ppm 1 ppm = 0.0001% nd = none detected ppm = parts per million

All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.



VANGEOCHEM LAB LTD.
 1521 PEMBERTON AVE.,
 NORTH VANCOUVER, B.C.,
 CANADA V7P 2S3

TELEPHONE: 986-5211
 AREA CODE: 604

• Specialising in Trace Elements Analyses •

Certificate of Geochemical Analyses

-IN ACCOUNT WITH-

Chevron Standard Ltd.


Attention:

Report No: 80-30-012 Page 5 of 9
 Samples Arrived:
 Report Completed:
 For Project:
 Analyst:

Sample Marking	As ppm	Au ppb	Hg ppb			
33E 0 + 50SA	15	10	350			
1 + 00	35	10	620			
1 + 50	50	nd	400			
2 + 00	1	40	112			
2 + 50	2	10	94			
3 + 00	50	20	1000			
3 + 50	25	30	940			
4 + 00	2	nd	550			
4 + 50	25	nd	115			
5 + 00	50	30	1500			
5 + 50	25	20	400			
33E 6 + 00SA	60	20	400			
35E 0 + 50NA	35	10	280			
1 + 00	25	20	98			
1 + 50	4	10	100			
2 + 00	2	30	166			
2 + 50	25	20	140			
3 + 00	25	nd	105			
3 + 50	20	10	320			
4 + 00	30	10	150			
4 + 50	30	nd	560			
5 + 00NA	20	nd	340			
0 + 50SA	50	nd	135			
1 + 00	80	10	440			
1 + 50	40	10	350			
2 + 00	60	nd	760			
2 + 50	50	nd	800			
3 + 00	35	nd	100			
3 + 50	50	nd	720			
4 + 00	50	nd	300			
4 + 50	2	nd	300			
35E 5 + --SA	15	20	152			
37E 0 + 50NA	15	20	92			
1 + 00	15	nd	130			
1 + 50	2	nd	90			
2 + 00	60	10	145			
2 + 50	2	nd	110			
3 + 00	40	nd	620			
37E 3 + 50NA	20	nd	160			

MASTER PRINTING LTD.

REMARKS:

Signed: 

% Mo x 1.6683 = % MoS₂ 1 Troy oz./ton = 34.28 ppm 1 ppm = 0.0001% nd = none detected ppm = parts per million
 All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.



VANGEOCHEM LAB LTD.
1521 PEMBERTON AVE.,
NORTH VANCOUVER, B.C.,
CANADA V7P 2S3

TELEPHONE: 986-5211
AREA CODE: 604

Certificate of Geochemical Analyses

• Specialising in Trace Elements Analyses •

-IN ACCOUNT WITH-
Chevron Standard Ltd.

Report No: 80-30-012

Page 6 of 9


Samples Arrived:
Report Completed:
For Project:
Analyst:

Attention:

Sample Marking	As ppm	Au ppb	Hg ppb			
37E 4 + 00NA	25	nd	930			
4 + 50	25	nd	75			
5 + 00	nd	10	180			
0 + 50SA	30	20	195			
1 + 00	60	20	132			
1 + 50	60	nd	130			
2 + 00	50	20	420			
2 + 50	30	20	640			
3 + 00	25	nd	66			
3 + 50	20	nd	930			
4 + 00	25	nd	450			
4 + 50	20	10	80			
37E 5 + 00SA	15	nd	105			
39E 0 + 50NA	30	10	127			
1 + 00	35	nd	162			
1 + 50	20	nd	45			
2 + 00	25	nd	90			
2 + 50	20	20	35			
3 + 00	50	nd	115			
3 + 50	15	nd	400			
4 + 00	30	nd	56			
4 + 50	20	nd	400			
5 + 00NA	1	nd	90			
0 + 50SA	40	nd	108			
1 + 00	30	nd	70			
1 + 50	25	10	140			
2 + 00	2	nd	200			
2 + 50	25	nd	145			
3 + 00	3	nd	550			
3 + 50	30	nd	95			
4 + 00	25	nd	175			
4 + 50	25	nd	155			
39E 5 + 00SA	25	nd	105			
41E 0 + 50NA	50	nd	175			
1 + 00	50	nd	120			
1 + 50	40	nd	65			
2 + 00	4	nd	130			
2 + 50	2	nd	85			
41E 3 + 00NA	20	nd	30			

MASTER PRINTING LTD.

REMARKS:

Signed: 

% Mo x 1.6683 = % MoS₂

1 Troy oz./ton = 34.28 ppm

1 ppm = 0.0001%

nd = none detected

ppm = parts per million

All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.



VANGEOCHEM LAB LTD.
 1521 PEMBERTON AVE.,
 NORTH VANCOUVER, B.C.,
 CANADA V7P 2S3

TELEPHONE: 986-5211
 AREA CODE: 604

• Specialising in Trace Elements Analyses •

Certificate of Geochemical Analyses

-IN ACCOUNT WITH-
 Chevron Standard

Report No: 80-30-012 Page 7 of 9
 Samples Arrived:
 Report Completed:
 For Project:
 Analyst:

Attention:

Sample Marking	As ppm	Au ppb	Hg ppb		
41E 3+50NA	1	nd	500		
4+00	25	10	90		
4+50	4	nd	350		
5+00NA	15	nd	950		
0+50SA	10	nd	370		
1+00	20	10	125		
1+50	25	10	165		
2+00	40	10	165		
2+50	15	nd	72		
3+00	25	10	620		
3+50	25	nd	520		
4+00	20	10	340		
4+50	35	10	600		
41E 5+00SA	10	10	200		
43E 0+50NA	30	nd	620		
1+00	25	10	130		
1+50	25	nd	30		
2+00	20	nd	1450		
2+50	35	nd	660		
3+00	40	10	640		
3+50	30	nd	450		
4+00	4	nd	155		
4+50	15	nd	195		
5+00NA	35	10	155		
0+50SA	20	20	350		
1+00	4	20	110		
1+50	35	nd	115		
2+00	20	nd	70		
2+50	25	nd	120		
3+00	25	10	150		
3+50	35	30	135		
4+00	15	nd	185		
4+50	10	10	520		
43E 5+00SA	4	20	150		
45E 0+50NA	25	10	148		
1+00	25	10	190		
1+50	30	nd	55		
2+00	35	10	148		
45E 2+50NA	10	20	820		

MASTER PRINTING LTD.

REMARKS:

Signed: 

% Mo x 1.6683 = % MoS₂ 1 Troy oz./ton = 34.28 ppm 1 ppm = 0.0001% nd = none detected ppm = parts per million
 All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.



VANGEOCHEM LAB LTD.
 1521 PEMBERTON AVE.,
 NORTH VANCOUVER, B.C.,
 CANADA V7P 2S3

TELEPHONE: 986-5211
 AREA CODE: 604

• Specialising in Trace Elements Analyses •

Certificate of Geochemical Analyses

-IN ACCOUNT WITH-
 Chevron Standard


Report No: 80-30-012 Page 8 of 9
 Samples Arrived:
 Report Completed:
 For Project:
 Analyst:

Attention:

Sample Marking	As ppm	Au ppm	Hg ppb		
45E 3 + 00NA	35	nd	65		
3 + 50	80	nd	350		
4 + 00	15	10	650		
4 + 50	15	nd	105		
5 + 00	2	10	125		
5 + 00BNA	30	nd	128		
0 + 50SA	25	nd	158		
1 + 00	25	nd	125		
1 + 50	15	nd	150		
2 + 00	20	10	108		
2 + 50	25	nd	80		
3 + 00	30	nd	100		
3 + 50	20	nd	88		
4 + 00	25	nd	8		
4 + 50	20	nd	25		
45E 5 + 00SA	15	nd	138		
BL 15 + 00EA	20	nd	600		
16EA	15	nd	320		
17	20	nd	62		
18	20	nd	76		
19	20	nd	500		
20	150	nd	350		
21	20	nd	105		
22	40	nd	360		
23	40	nd	540		
24	50	10	68		
25	40	nd	460		
26	15	nd	163		
27	20	nd	480		
28	20	nd	84		
29	30	10	88		
30	40	nd	125		
31	45	nd	180		
32	35	nd	170		
33	30	nd	550		
34	50	nd	180		
35EA	25	nd	85		
36 + 00EA	50	nd	550		
BL 37 + 00EA	15	10	60		

MASTER PRINTING LTD.

REMARKS:

Signed: 



VANGEOCHEM LAB LTD.
1521 PEMBERTON AVE.,
NORTH VANCOUVER, B.C.,
CANADA V7P 2S3

TELEPHONE: 986-5211
AREA CODE: 604

Certificate of Geochemical Analyses

• Specialising in Trace Elements Analyses •

-IN ACCOUNT WITH-

Chevron Standard Ltd.
#901 - 355 Burrard Street
Vancouver, B.C. V6C 2G8
Attention:

Report No: 80-30-019 Page 1 of 4
Samples Arrived: October 3, 1980
Report Completed: October 17, 1980
For Project: M501 Aera
Analyst: E.T. & VGC Staff
Invoice: # 5919 Job # 80-341

Sample Marking	As ppm	Hg ppb	Au ppb		
45E 7 + 70N	25	3200	10		
46E 4 + 00N	35	550	nd		
+ 50N	2	160	nd		
5 + 00N	10	40	10		
+ 50N	10	300	nd		
6 + 00N	2	450	nd		
+ 50N	15	95	nd		
7 + 00N	15	150	10		
+ 50N	25	920	nd		
8 + 00N	15	780	nd		
+ 50N	15	650	nd		
9 + 00N	15	70	nd		
+ 50N	15	600	nd		
10 + 00N	20	350	10		
+ 50N	15	550	nd		
11 + 00N	15	280	nd		
+ 50N	4	62	nd		
12 + 00N	20	195	nd		
+ 50N	15	220	10		
13 + 00N	10	190	nd		
+ 50N	nd	125	nd		
46E 14 + 00N	25	190	nd		
47E 9 + 00N	20	1420	nd		
48E 4 + 00N	2	225	nd		
+ 50N	4	150	nd		
5 + 00N	25	170	nd		
+ 50N	20	320	nd		
6 + 00N	20	100	nd		
+ 50N	35	1350	nd		
7 + 00N	15	700	nd		
+ 50N	15	1420	nd		
8 + 00N	15	450	nd		
+ 50N	15	150	nd		
9 + 00N	15	600	nd		
+ 50N	20	125	nd		
10 + 00N	15	130	nd		
+ 50N	20	350	10		
11 + 00N	2	90	nd		
48E 11 + 50N	2	180	nd		

MASTER PRINTING LTD.

REMARKS:

Signed:

% Mo x 1.6683 = % MoS₂ 1 Troy oz./ton = 34.28 ppm 1 ppm = 0.0001% nd = none detected ppm = parts per million

All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.



VANGEOCHEM LAB LTD.
 1521 PEMBERTON AVE.,
 NORTH VANCOUVER, B.C.,
 CANADA V7P 2S3

TELEPHONE: 986-5211
 AREA CODE: 604

Certificate of Geochemical Analyses

• Specialising in Trace Elements Analyses •

-IN ACCOUNT WITH-
 Chevron Standard Ltd.


Report No: 80-30-019 Page 2 of 4
 Samples Arrived:
 Report Completed:
 For Project:
 Analyst:

Attention:

Sample Marking	As ppm	Hg ppb	Au ppb			
48E 12 + 00N	nd	80	nd			
+ 50N	2	155	10			
13 + 00N	4	320	5			
+ 50N	15	225	5			
48E 14 + 00N	25	170	nd			
49E 9 + 00N	15	110	nd			
50E 4 + 00N	50	120	nd			
+ 50N	nd	100	nd			
5 + 00N	15	190	nd			
+ 50N	nd	120	nd			
6 + 00N	nd	215	nd			
+ 50N	50	300	10			
7 + 00N	15	45	5			
+ 50N	10	320	5			
8 + 00N	10	400	10			
+ 50N	20	150	nd			
9 + 00N	20	200	nd			
+ 50N	15	210	5			
10 + 00N	20	350	10			
+ 50N	10	90	5			
11 + 00N	2	50	nd			
+ 50N	2	175	10			
12 + 00N	nd	110	10			
+ 50N	15	120	nd			
13 + 00N	25	400	15			
+ 50N	25	400	nd			
50E 14 + 00N	25	350	10			
51E 9 + 00N	25	160	10			
51E 14 + 00N	10	190	10			
52E 4 + 50N	30	180	25			
5 + 00N	2	195	nd			
+ 50N	25	40	10			
6 + 00N	30	400	5			
+ 50N	30	160	5			
7 + 00N	20	650	nd			
+ 50N	15	170	nd			
8 + 00N	20	450	10			
+ 50N	20	145	nd			
52E 9 + 00N	15	410	5			

MASTER PRINTING LTD.

REMARKS:

Signed: 

% Mo x 1.6683 = % MoS₂ 1 Troy oz./ton = 34.28 ppm 1 ppm = 0.0001% nd = none detected ppm = parts per million
 All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.



VANGEOCHEM LAB LTD.
 1521 PEMBERTON AVE.,
 NORTH VANCOUVER, B.C.,
 CANADA V7P 2S3

TELEPHONE: 986-5211
 AREA CODE: 604

• Specialising in Trace Elements Analyses •

Certificate of Geochemical Analyses

-IN ACCOUNT WITH-
 Chevron Standard Ltd.

Report No: 80-30-019 Page 3 of 4
 Samples Arrived:
 Report Completed:
 For Project:
 Analyst:

Attention:

Sample Marking	As ppm	Hg ppb	Au ppb			
52E 9 + 50N	4	160	10			
10 + 00N	20	600	nd			
+ 50N	35	550	nd			
11 + 00N	25	1380	5			
+ 50N	30	120	nd			
12 + 00N	2	125	nd			
+ 50N	nd	160	nd			
13 + 00N	30	170	5			
+ 50N	30	185	10			
52E 14 + 00N	20	230	5			
53E 9 + 00N	15	50	nd			
54E 4 + 00N	20	180	nd			
+ 50N	40	180	nd			
5 + 00N	35	135	5			
+ 50N	35	70	5			
6 + 00N	30	65	nd			
+ 50N	35	240	10			
7 + 00N	35	450	10			
+ 50N	35	680	5			
8 + 00N	40	210	10			
+ 50N	nd	45	nd			
9 + 00N	30	110	15			
+ 50N	25	650	5			
10 + 00N	30	170	5			
+ 50N	25	90	10			
11 + 00N	30	95	5			
+ 50N	4	450	10			
12 + 00N	25	620	10			
+ 50N	10	500	nd			
13 + 00N	15	80	nd			
+ 50N	15	80	10			
54E 14 + 00N	20	85	10			
55E 9 + 00N	4	230	15			
56E 4 + 00N	35	430	5			
+ 50N	35	230	5			
5 + 00N	35	210	20			
+ 50N	35	620	5			
6 + 00N	15	100	nd			
56E 6 + 50N	nd	600	nd			

MASTER PRINTING LTD.

REMARKS:

Signed: 

% Mo x 1.6683 = % MoS₂ 1 Troy oz./ton = 34.28 ppm 1 ppm = 0.0001% nd = none detected ppm = parts per million

All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.



VANGEOCHEM LAB LTD.
 1521 PEMBERTON AVE.,
 NORTH VANCOUVER, B.C.,
 CANADA V7P 2S3

TELEPHONE: 986-5211
 AREA CODE: 604

• Specialising in Trace Elements Analyses •

Certificate of Geochemical Analyses

-IN ACCOUNT WITH-

Chevron Standard Ltd.
 #901 - 355 Burrard St.
 Vancouver, B.C. V6C 2G8
 Attention:

Report No: 81-30-052 Page 1 of 7
 Samples Arrived: September 19, 1981
 Report Completed: October 20, 1981
 For Project: AERO M 501
 Analyst: E.T. & VGC Staff
 Invoice: 6561 Job # 81-323

Sample Marking	As ppm	Hg ppb	Au ppb		
A-7E 0+50 N	4	220	20		
1	25	350	nd		
1+50	15	1000	20		
2	15	125	20		
2+50	20	140	20		
3	15	100	10		
3+50	15	160	20		
4	2	110	nd		
4+50	4	200	10		
5	2	210	nd		
5+50	4	300	nd		
6 N	4	320	nd		
0 S	10	140	10		
0+50	4	150	10		
1	10	205	nd		
1+50	4	260	20		
2	10	230	nd		
2+50	15	250	10		
3	2	150	10		
3+50	15	300	50		
4	10	3000	10		
4+50	15	260	20		
5	15	160	90		
5+50	4	90	10		
A-7E 6 S	20	250	20		
A-9E 0+50 N	15	300	20		
1	20	280	30		
1+50	25	340	30		
2	4	280	20		
2+50	20	85	30		
3	4	150	10		
3+50	30	185	nd		
4	35	140	10		
4+50	15	220	nd		
5	10	1500	10		
5+50	20	130	10		
6 N	10	100	10		
0 S	40	1800	10		
A-9E 0+50 S ,	4 ,	400 ,	nd ,		

Au
 As • Hg

MASTER PRINTING LTD.

REMARKS:

Signed:

% Mo x 1.6683 = % MoS₂ 1 Troy oz./ton = 34.28 ppm 1 ppm = 0.0001% nd = none detected ppm = parts per million

All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.



VANGEOCHEM LAB LTD.
 1521 PEMBERTON AVE.,
 NORTH VANCOUVER, B.C.,
 CANADA V7P 2S3

TELEPHONE: 986-5211
 AREA CODE: 604

• Specialising in Trace Elements Analyses •

Certificate of Geochemical Analyses

-IN ACCOUNT WITH-

Chevron Standard Ltd.

Report No: 81-30-052

Page 2 of 7

Samples Arrived:

Report Completed:

For Project:


Analyst:

Attention:

Sample Marking	As ppm	Hg ppb	Au ppb			
A- 9E 1 S	4	170	10			
1+50	10	250	nd			
2	40	145	20			
2+50	20	160	nd			
3	20	165	nd			
3+50	10	120	10			
4+50	15	110	20			
5	15	130	10			
5+50	15	640	nd			
A- 9E 6 S	10	320	10			
A-11E 0+50 N	2	185	nd			
1	30	365	nd			
1+50	2	190	nd			
2	35	200	nd			
2+50	40	280	nd			
3	35	140	nd			
3+50	15	400	10			
4	4	190	10			
4+50	4	270	nd			
5	4	250	20			
5+50	25	280	nd			
6 N	20	1370	nd			
B/L	30	235	nd			
0+50 S	30	500	nd			
1	15	3400	10			
1+50	4	370	10			
2	4	330	20			
2+50	15	360	30			
3	4	130	nd			
3+50	4	185	20			
4	2	60	nd			
4+50	20	160	10			
5	15	180	20			
5+50	20	140	nd			
A-11E 6 S	25	180	10			
A-13E 0+50 N	2	150	nd			
1	25	100	nd			
1+50	4	70	nd			
A-13E 2 N	10	460	nd			

MASTER PRINTING LTD.

REMARKS:

Signed: 

% Mo x 1.6683 = % MoS₂

1 Troy oz./ton = 34.28 ppm

1 ppm = 0.0001%

nd = none detected

ppm = parts per million

All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.



VANGEOCHEM LAB LTD.
1521 PEMBERTON AVE.,
NORTH VANCOUVER, B.C.,
CANADA V7P 2S3

TELEPHONE: 986-5211
AREA CODE: 604

Certificate of Geochemical Analyses

• Specialising in Trace Elements Analyses •

-IN ACCOUNT WITH-

Chevron Standard Ltd.

Report No: 81-30-052

Page 3 of 7

Samples Arrived:

Report Completed:

For Project:


Analyst:

Attention:

Sample Marking	As ppm	Hg ppb	Au ppb			
A-13E 2+50 N	15	230	10			
3	10	375	10			
3+50	2	180	nd			
4	2	150	nd			
4+50	35	200	10			
5	35	170	10			
5+50	15	300	20			
6 N	15	220	20			
0 N B/L	2	90	nd			
0+50 S	4	170	nd			
1	60	180	10			
1+50	15	750	nd			
2	35	325	10			
2+50	35	220	30			
3	80	190	40			
3+50	2	200	nd			
4	2	260	nd			
4+50	15	880	nd			
5	15	780	20			
5+50	20	400	nd			
A-13E 6 S	10	900	nd			
A-15E 0+50 N	25	290	10			
1	20	500	10			
1+50	40	300	nd			
2	35	390	10			
2+50	30	360	20			
3	50	140	nd			
4	2	155	nd			
4+50	20	140	10			
5	15	310	nd			
5+50	2	80	nd			
6 N	30	135	nd			
0+50 S	2	200	nd			
1	40	205	nd			
1+50	30	370	20			
2	15	265	nd			
2+50	4	620	nd			
3	15	420	20			
A-15E 3+50S	40	325	10			

MASTER PRINTING LTD.

REMARKS:

Signed: 

% Mo x 1.6683 = % MoS₂

1 Troy oz./ton = 34.28 ppm

1 ppm = 0.0001%

nd = none detected

ppm = parts per million

All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.



VANGEOCHEM LAB LTD.
 1521 PEMBERTON AVE.,
 NORTH VANCOUVER, B.C.,
 CANADA V7P 2S3

TELEPHONE: 986-5211
 AREA CODE: 604

• Specialising in Trace Elements Analyses •

Certificate of Geochemical Analyses

-IN ACCOUNT WITH-
 Chevron Standard Ltd.


Report No: 81-30-052 Page 4 of 7
 Samples Arrived:
 Report Completed:
 For Project:
 Analyst:

Attention:

Sample Marking	As ppm	Hg ppb	Au ppb			
A-15E 4 S	20	1900	nd			
4+50	10	325	10			
5	15	280	10			
5+50	30	250	nd			
A-15E 6 S	35	85	10			
A-17E 0+50 N	25	190	nd			
1	10	170	10			
1+50	30	200	nd			
2	10	260	10			
2+50	4	250	10			
3	20	110	10			
3+50	2	480	nd			
4	20	340	10			
4+50	10	265	10			
5	35	220	nd			
5+50	20	200	nd			
6 N	2	140	10			
0+50 S	2	190	10			
1	10	340	nd			
1+50	30	240	nd			
2	35	340	10			
2+50	60	260	nd			
3	35	660	10			
3+50	35	500	nd			
4	15	95	nd			
4+50	20	2250	nd			
5	2	290	nd			
5+50	15	390	nd			
A-17E 6 S	10	1150	nd			
A-30E 2+50 N	2	275	nd			
3	25	150	nd			
3+50	4	150	nd			
A-30E 4 N	4	65	nd			
A-32E 2+50 N	25	300	nd			
3	25	200	20			
3+50	10	75	nd			
4	4	130	nd			
4+50 N	4	200	nd			
A-32E 1 S	10,	530,	nd,			

MASTER PRINTING LTD.

REMARKS:

Signed: 

% Mo x 1.6683 = % MoS₂ 1 Troy oz./ton = 34.28 ppm 1 ppm = 0.0001% nd = none detected ppm = parts per million

All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.



VANGEOCHEM LAB LTD.
 1521 PEMBERTON AVE.,
 NORTH VANCOUVER, B.C.,
 CANADA V7P 2S3

TELEPHONE: 986-5211
 AREA CODE: 604

• Specialising in Trace Elements Analyses •

Certificate of Geochemical Analyses

-IN ACCOUNT WITH-

Chevron Standard Ltd.

Report No:
 Samples Arrived:
 Report Completed:
 For Project:
 Analyst:


Page 5 of 7

Attention:

Sample Marking	As ppm	Hg ppb	Au ppb			
A-32E 1+50 S	35	260	10			
2	80	75	20			
2+50	30	120	10			
A-32E 3 S	2	225	10			
A-34E 1 S	60	300	nd			
1+50	60	450	10			
2	50	520	nd			
2+50	60	950	20			
A-34E 3 S	60	920	10			
A-39E 11 S	10	120	nd			
11+50	15	125	10			
12	10	205	20			
12+50	35	180	nd			
A-39E 13 S	4	100	nd			
A-40E 5 N	30	370	20			
5+50	2	225	10			
6	10	170	20			
6+50	20	40	nd			
7	35	60	nd			
7+50	15	170	10			
8	20	270	10			
8+50	15	150	nd			
9	15	220	nd			
9+50	15	270	10			
10	20	130	10			
10+50	25	330	nd			
11	15	220	10			
11+50	15	165	nd			
12	20	380	10			
12+50	4	220	10			
13 N	10	225	20			
11 S	4	90	10			
11+50	4	205	nd			
12	40	250	10			
12+50	4	110	nd			
A-40E 13 S	15	150	10			
A-41E 11 S	60	110	nd			
11+50	10	110	10			
A-41E 12 S	40	80	20			

MASTER PRINTING LTD.

REMARKS:

Signed: 

% Mo x 1.6683 = % MoS₂ 1 Troy oz./ton = 34.28 ppm 1 ppm = 0.0001% nd = none detected ppm = parts per million

All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.



VANGEOCHEM LAB LTD.
 1521 PEMBERTON AVE.,
 NORTH VANCOUVER, B.C.,
 CANADA V7P 2S3

TELEPHONE: 986-5211
 AREA CODE: 604

• Specialising in Trace Elements Analyses •

Certificate of Geochemical Analyses

-IN ACCOUNT WITH-

Chevron Standard Ltd.

Attention:

Report No: 81-30-

Page 6 of 7

Samples Arrived:

Report Completed:


For Project:

Analyst:

Sample Marking	As ppm	Hg ppm	Au ppb			
A-41E 12+50 S	4	50	10			
13	20	75	10			
A-42E 5 N	15	450	nd			
5+50	20	245	10			
6	30	165	nd			
6+50	2	370	nd			
7	4	150	10			
7+50	25	120	10			
8	15	260	nd			
8+50	40	200	nd			
9	10	260	10			
9+50	15	190	10			
10	15	140	nd			
10+50	15	180	10			
11	20	240	10			
11+50	30	185	nd			
12	15	3700	nd			
12+50	20	270	nd			
A-42E 13 N	30	1200	nd			
A-44E 5 N	35	150	10			
5+50	15	260	10			
6	25	90	nd			
6+50	20	70	nd			
7	4	240	10			
7+50	15	120	10			
8	15	210	nd			
8+50	20	155	10			
9	15	180	10			
9+50	30	180	10			
10	15	160	nd			
10+50	2	210	10			
11	30	1800	10			
11+50	20	290	nd			
12	2	340	nd			
12+50	4	380	10			
A-44E 13 N	2	160	10			
A-45E 7 N	30	2300	nd			
7+50 N	15	115	nd			
A-47E 7 N	30	300	nd			

MASTER PRINTING LTD.

REMARKS:

Signed: 

% Mo x 1.6683 = % MoS₂

1 Troy oz./ton = 34.28 ppm

1 ppm = 0.0001%

nd = none detected

ppm = parts per million

All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.

