

May 14/76

8

G. LaForme

Horse Thief Creek

841717

- Bridge over Foster Creek
- outcrop of argillite
north side of creek
- Sample L-19/3/76-6A
- Total cont > 1200 yds
carbonate
- BGS 15L - max 700 yds

MAY 14/76

9

Forster Creek

- 8 ray sunt on road.
- See chart.

Mi ~~21~~ ²⁴ 20 - TC readings
→ 1600 cps $\frac{1}{2}$ projected
to find granite boulders
 \sim 300 cps.

calibrated sunt;
began U channel
traverse. - high values
 \sim 400 cps in various
points - pre mi 20
values \sim 250.

\sim $\frac{3}{4}$
from part mi part mi
22 on main rd
turned up McDonald Cr.
rd - stopped by snow
slide - many granite
boulders TC = 3500 cps
U = 700 cps
th = 400 cps.
K = 800 cps.

(2) MAY 14/76 10

see sample (boulder chips)

L- 14/5/76 - 6B

(other ^{str.} numbers on chart.)

reference 1:50,000 topo
map ~~B~~ 82K/9.

rock is coarse grained
pinkish ^{biotite} granite w. F.P.
crystals up to 2 cm
quartz \rightarrow 1 cm. - minor hb
 \approx 5% biotite

May 15/76

82K/15E

82A

- Sandy road & road bank;
carbonate rdgs - max. 1800 cps
- BGS-1SL ~ 700 cps
- Sample L-15/5/76-2
soil

L-15/5/76-4

- sandy sediments on road
(stream sed.)
- max carbonate - 2000 cps
- high values over 1/4 mile
- sample soil
Old stream bed
- gravel lenses & clayey lenses

L-15/5/76-9

- Sand, max carbonate ~ 2100 cps
- Clam Pit

Mint #9 July 24
1975

11 L-15/5/76-13

- Carbon max 4500 cps
- river gravel + sands
- sample

~~sample~~
- granite pebbles + cobbles
in area

- Towards Bugaboo Lodge,
BG 1500 cps with
max 2100 cps

May 18/76

11

Spockdale Creek

- landed where I read 7000 yps
- granite with metased's
to N.W. (north side creek)
- B.G. with ~~SSS~~ → 7000 yps
over outcrops & talus
- Max 1300 coarse gr.
- pyrite in metased
- ~~gry~~ muscovite & tourmaline
in g.f. by vein