

6-GL-45 1

HELLROAR IN CR.

NOTHING OF INTEREST

6-GL-45 2.

WHITE CREEK

GRANODIORITE FLOAT

< 200 CPS.

ANGUS CREEK

NOTHING OF INTEREST

LITTLE OUTCROP

6-GL-45 3

EAST SIDE HALL CR

ONE CONTACT

NOTHING OF INTEREST

6-GL-45 4

SUMMIT - BLAZED CR.

PEC' ON HIGHWAY

< 300 CPS.

MASSIVE < 8mm
MUSCOVITE < 250CPS6-GL-45 5

BOUNDARY CR.

MICA SCHIST

190 CPS

GRANITE OUTCROP

< 200 CPS

6" BROWN STAINED

< 400 CPS.

ALL OVER BURDEN EXCEPT ONE OUTCROP

6-GL-45 6 KIANOKU - SKELLY CR
TILL < 190 CPS
GOUGE ON GOATR. ROAD < 600 CPS

6-GL-45 7 EAST SIDE KIANOKU CR.
SHALE < 150 CPS

6-GL-45 8 SANCA CR.

VERY LITTLE INTEREST

6-GL-45 9 SOUTH SIDE SANCA CR

NOTHING OF INTEREST


SANCA ON FOOT

NOTHING OF INTEREST

6-GL-45 10 NEWINGTON CR + RADIO TOWER
VERY LITTLE INTEREST
2 CONTACTS GRANITE - QTZITE

6-GL-45 11 DODGE CR
INTERESTING. CONG. + SILICARICH ROX
~~VERY LITTLE INTEREST EXCEPT CONG.~~
~~MOSTLY OVERTURBIDEN~~

6-GL-45 12 DUCK CR
NOT VERY INTERESTING. SULPHIDES



BONDAR-CLEGG & COMPANY LTD.

1500 PEMBERTON AVE., NORTH VANCOUVER, B.C. PHONE: 985-0681 TELEX: 04-54554

CHEVRON STANDARD LIMITED
VANCOUVER OFFICE

Geochemical Lab Report

J. G.

Extraction Mo; Hot Aqua Regia U; Hot HNO₃

Report No. 26 - 536 PROJECT: C 445


Method Mo; Atomic Absorption U; Fluorimetric

From Chevron Standard Ltd.

Fraction Used _____

Date July 30 19 76

SAMPLE NO.	Mo ppm	U ppm		SAMPLE NO.	Mo ppm	U ppm	
6GL-45 SS 85	1	1		6GL-45 SS 116	3	0.8	
86	1	16		117	2	3	
87	ND	0.4		118	1	1	
88	1	1		119	1	2	
89	2	1		120	1	3	
90	2	1		121	ND	1	
91	1	0.6		122	5	1	
92	1	1		123	8	2	
93	2	2		124	5	26	
94	1	2		125	ND	1	
95	2	12		126	ND	1	
96	1	2		127	2	1	
97	3	7		128	1	1	
98	2	6		129	1	1	
99	3	ND		130	1	0.8	
100	2	2		131	1	1	
101	2	3		SS 118	1	5	
102	1	2		118 HMS	ND	9	
103	3	3		119	3	14	
104	2	4		119 HMS	3	28	
105	3	1		120	9	82	
106	3	4		120 HMS	25	16	
107	ND	1		121	4	80	
108	4	29		121 HMS	4	38	
109	1	1		122	5	42	
110	2	57		122 HMS	5	32	
111	5	44		123	10	58	
112	ND	4		123 HMS	8	22	
113	ND	4		124	6	51	
114	2	1		124 HMS	5	20	
115	6	16					



RECEIVED

Geochemical Lab Report

Minerals Staff
CHEVRON STANDARD LIMITED
VANCOUVER OFFICE

gmk

Extraction Mo; Hot Aqua Regia U; Hot HNO₃

Report No. 26 - 516

PROJECT: C 445

Method Mo; Atomic Absorption U; Fluorimetric

From Chevron Standard Limited

Fraction Used _____

Date August 4 19 76

SAMPLE NO.	Mo ppm	U ppm		SAMPLE NO.	Mo ppm	U ppm	
6GL 45 - S 26	6	17		6GL 45 - S 39	6	36	
26 HMS	7	47		39 HMS	11	10	
24	26	10		40	4	2	
24 HMS	7	32		40 HMS	15	3	
25	4	8		41	4	2	
25 HMS	29	25		41 HMS	4	1	
27	5	14		42	7	3	
27 HMS	10	18		42 HMS	10	0.8	
28	13	22		43	2	2	
28 HMS	43	15		43 HMS	3	0.6	
29	8	3		44	5	0.8	
29 HMS	25	5		44 HMS	10	0.6	
30	15	36		45	2	1	
30 HMS	10	11		45 HMS	1	0.8	
31	4	25		46	3	1	
31 HMS	IS	20		46 HMS	4	0.4	
32	7	12		47	4	2	
32 HMS	9	15		47 HMS	4	0.8	
33	9	52		48	2	3	
33 HMS	7	20		48 HMS	4	0.2	
34	15	56		49	3	1	
34 HMS	9	11		49 HMS	7	0.8	
35	7	17		50	9	2	
35 HMS	IS	20		50 HMS	6	0.6	
36	9	27		51	5	3	
36 HMS	IS	12		51 HMS	5	0.8	
37	17	175		52	3	1	
37 HMS	16	11		52 HMS	1	0.2	
38	4	133		53	2	5	
38 HMS	IS	31		53 HMS	4	0.8	

BONDAR-CLEGG & COMPANY LTD.

Geochemical Lab Report

Report No. 26 - 516

Page No. 2

SAMPLE NO.	Mo ppm	U ppm	SAMPLE NO.	Mo ppm	U ppm
6GL 45 - S 54	ND	5	6GL 45 - S 71 HMS	ND	0.2
54 HMS	2	1	72	7	2
55	1	4	72 HMS	5	0.2
55 HMS	7	8	73	5	1
56	2	5	73 HMS	4	3
56 HMS	4	2	74	9	22
57	2	8	74 HMS	11	10
57 HMS	33	8	75	2	1
58	1	3	75 HMS	1	0.2
58 HMS	3	2	76	3	26
59	6	13	76 HMS	5	7
59 HMS	2	5	77	1	2
60	3	6	77 HMS	1	0.6
60 HMS	3	6	78	4	10
61	1	8	78 HMS	6	3
61 HMS	10	5	79	3	22
62	1	5	79 HMS	5	14
62 HMS	3	7	80	1	26
63	3	3	80 HMS	4	18
63 HMS	3	3	81	2	8
64	2	4	81 HMS	ND	2
64 HMS	2	4	82	1	12
65	ND	3	82 HMS	1	3
65 HMS	1	3	83	ND	12
66	ND	1	83 HMS	1	30
66 HMS	IS	4	84	3	11
67	1	3	84 HMS	2	5
67 HMS	4	14	85	ND	9
68	2	18	85 HMS	1	14
68 HMS	11	11	85A	2	3
69	2	8	85A HMS	IS	10
69 HMS	5	29	86	1	6
70	3	2	86 HMS	2	7
70 HMS	8	2	86A	4	3
71	2	2	86A HMS	2	2


BONDAR-CLEGG & COMPANY LTD.

Geochemical Lab Report

Report No. 26 - 516

Page No. 3

SAMPLE NO.	Mo ppm	U ppm			SAMPLE NO.	Mo ppm	U ppm		
6GL 45 - S 87	10	10			6GL 45 - S 103 HMS	3	1		
87 HMS	4	2			104	3	0.6		
87A	6	4			104 HMS	1	0.4		
87A HMS	IS	3			105	23	11		
88	4	1			105 HMS	17	2		
88 HMS	2	2			106	13	12		
89	3	3			106 HMS	3	3		
89 HMS	IS	2			107	1	1		
90	2	2			107 HMS	1	3		
90 HMS	ND	ND			108	2	2		
91	1	0.8			108 HMS	1	2		
91 HMS	ND	ND			109	3	9		
92	ND	3			109 HMS	IS	8		
92 HMS	ND	0.6			110	11	20		
93	3	1			110 HMS	7	9		
93 HMS	1	2			111	2	25		
94	1	2			111 HMS	2	42		
94 HMS	3	2			112	1	28		
95	ND	33			112 HMS	2	13		
95 HMS	3	17			113	6	42		
96	1	5			113 HMS	7	15		
96 HMS	3	8			114	10	130		
97	1	31			114 HMS	IS	22		
97 HMS	4	24			115	3	34		
98	ND	3			115 HMS	3	18		
98 HMS	4	21			116	5	20		
99	1	12			116 HMS	1	15		
99 HMS	1	11			117	ND	2		
100	2	1			117 HMS	IS	IS		
100 HMS	2	2			6GL 45-SS 62	14	66		
101	3	2			63	2	1		
101 HMS	5	2			64	1	0.4		
102	5	4			65	1	0.8		
102 HMS	3	1			66	1	1		
103	6	3			67	1	ND		



Geochemical Lab Report

Extraction U; Hot HNO3; Cu,Pb,Zn,Mo; Hot Aqua Regia; Au; Fire Assay & Hot Aqua Regia; U; Fluorimetric; Method Cu,Pb,Zn,Mo,Au; Atomic Absorption; Report No. 26 - 443 PROJECT: C445; From Chevron Standard Ltd.; Date July 16 1976


Table with columns: SAMPLE NO., Cu ppm, Pb ppm, Zn ppm, Mo ppm, U ppm, Au ppb, REMARKS. Rows include sample numbers 6GL 45 - SS 61, C 5, P 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104. A note at the bottom states 'ND denotes 'not detected''.



Geochemical Lab Report

Extraction U; Hot HNO₃ Report No. 26 - 395 PROJECT: C 445
Cu, Pb, Zn, Mo; Hot Aqua Regia
 Method U; Fluorimetric From Chevron Standard Ltd.
Cu, Pb, Zn, Mo; Atomic Absorption
 Fraction Used _____ Date July 13 19 76

SAMPLE NO.	U ppm	Cu ppm	Pb ppm	Zn ppm	Mo ppm		REMARKS
6GL 45 S 22	9	14	14	54	1		
23	12	8	24	128	1		
SS 51	0.4	23	16	32	ND		
52	0.8	28	15	36	ND		
53	3	39	23	59	1		
54	18	10	11	34	1		
55	ND	16	19	74	1		
56	ND	10	22	74	ND		
57	1	9	25	58	1		
58	0.4	9	20	62	1		
59	0.4	13	20	54	1		
60	0.2	6	26	64	ND		
P 78	1	7	7	30	2		
79	1	7	12	24	3		
80	1	11	14	22	2		
81	1	24	16	23	2		
82	2	8	16	28	3		
83	0.8	20	15	17	2		
84	4	7	10	34	ND		
85	4	6	6	20	4		
86	5	10	8	20	ND		
87	8	7	10	23	3		
88	3	6	5	14	1		
89	1	6	4	12	1		
90	2	7	8	16	2		
91	8	6	10	36	2		
92	14	6	13	42	1		ND denotes 'not detected'



BONDAR-CLEGG & COMPANY LTD.

1500 PEMBERTON AVE., NORTH VANCOUVER, B.C. PHONE: 985-0681 TELEX: 04-54554

Geochemical Lab Report

Extraction U; Hot HNO₃
Cu, Pb, Zn, Mo; Hot Aqua Regia
 Method U; Fluorimetric
Cu, Pb, Zn, Mo; Atomic Absorption

Report No. Staff 26-074 PROJECT: C 445
 From MINERAL STANDARD LIMITED
VANCOUVER OFFICE Environ Standard Ltd.

Fraction Used _____ Date July 9 19 76

SAMPLE NO.	Cu ppm	Pb ppm	Zn ppm	Mo ppm	U ppm		REMARKS
6GL 45 S 1	13	20	32	1	ND		
2	6	8	25	ND	0.4		
3	6	7	16	ND	0.6		
4	9	8	19	ND	1		
5	14	7	20	ND	0.4		
6	8	6	25	ND	0.6		
7	9	7	40	ND	1		
8	8	5	11	ND	0.2		
9	12	10	26	ND	0.4		
10	8	9	31	ND	ND		
11	10	7	18	ND	0.2		
12	14	20	47	ND	2		
13	9	11	20	ND	0.6		
14	10	17	38	ND	28		
15	16	23	36	ND	0.2		
16	14	17	42	ND	2		
17	8	11	25	ND	3		
18	8	12	24	ND	2		
19	22	17	38	ND	4		
20	8	24	88	ND	7		
21	6	18	48	ND	3		
SS 16	36	23	127	ND	0.6		
17	22	20	146	ND	0.4		
18	21	17	42	ND	0.6		
19	34	19	51	ND	6		
20	12	11	42	ND	0.2		
21	69	22	74	2	12		
22	13	22	82	1	0.6		
23	8	12	30	ND	0.2		
24	15	10	29	ND	0.6		

BONDAR-CLEGG & COMPANY LTD.

Geochemical Lab Report

Report No. 26 - 374

Page No. 2

SAMPLE NO.	Cu ppm	Pb ppm	Zn ppm	Mo ppm	U ppm			REMARKS
6GL 45 SS 25	9	11	32	ND	1			
26	12	20	31	1	2			
27	9	10	28	ND	0.4			
28	14	19	68	2	0.2			
29	8	11	28	ND	2			
30	7	12	34	ND	1			
31	7	8	24	ND	2			
32	10	21	33	1	1			
33	9	16	47	ND	1			
34	18	27	160	ND	2			
35	24	22	83	1	1			
36	21	22	114	1	3			
37	35	23	75	1	15			
38	16	19	29	1	1			
39	8	20	50	ND	1			
40	9	20	73	1	1			
41	32	32	80	5	42			
42	9	15	42	1	2			
43	5	18	45	1	3			
44	5	20	25	3	25			
45	4	21	30	1	2			
46	6	18	87	ND	1			
47	12	25	38	10	84			
48	6	15	15	2	1			
49	10	21	10	2	3			
50	6	20	10	2	3			
P 12 Panned Conc.	7	10	20	1	0.6			
13	13	12	38	ND	1			
14	12	8	25	2	0.8			
15	13	15	36	4	1			
16	11	13	26	2	1			
17	11	9	37	2	1			
18	14	8	25	1	1			
19	12	12	20	2	0.4			
20	11	8	20	3	0.8			

BONDAR-CLEGG & COMPANY LTD.

Geochemical Lab Report

Report No. 26 - 374

Page No. 3

SAMPLE NO.	Cu ppm	Pb ppm	Zn ppm	Mo ppm	U ppm			REMARKS
6GL 45 P 21	30	126	144	2	2			
22	24	17	80	3	1			
23	22	17	52	3	1			
24	11	15	25	2	4			
25	15	16	41	3	1			
26	16	16	30	3	2			
27	14	24	36	2	12			
28	16	14	31	3	3			
29	9	30	27	2	6			
30	13	18	52	1	1			
31	41	77	70	1	1			
32	30	25	62	1	1			
33	18	20	35	3	3			
34	6	19	24	2	28			
35	23	18	38	2	2			
36	13	15	30	1	2			
37	7	31	41	1	4			
38	5	21	19	2	5			
39	8	21	50	2	3			
40	12	30	35	2	3			
41	14	70	61	2	7			
42	22	135	49	2	4			
43	9	21	35	3	4			
44	8	25	29	2	10			
45	7	21	29	3	17			
46	11	18	30	2	2			
47	8	12	36	2	2			
48	9	15	27	3	11			
49	7	16	30	4	17			
50	6	14	19	2	2			
51	7	21	44	4	5			
52	7	19	36	4	5			
53	6	13	32	2	10			
54	6	8	29	2	2			
55	6	17	32	5	11			



Geochemical Lab Report

Extraction U; Hot HNO₃
Cu, Pb, Zn, Mo₃; Hot Aqua Regia Report No. 26 -374 PROJECT: C 445
 Method U; Fluorimetric
Cu, Pb, Zn, Mo; Atomic Absorption From Chevron Standard Ltd.
 Fraction Used _____ Date July 9 19 76

SAMPLE NO.	Cu ppm	Pb ppm	Zn ppm	Mo ppm	U ppm		REMARKS
6GL 45 S 1	13	20	32	1	ND		
2	6	8	25	ND	0.4		
3	6	7	16	ND	0.6		
4	9	8	19	ND	1		
5	14	7	20	ND	0.4		
6	8	6	25	ND	0.6		
7	9	7	40	ND	1		
8	8	5	11	ND	0.2		
9	12	10	26	ND	0.4		
10	8	9	31	ND	ND		
11	10	7	18	ND	0.2		
12	14	20	47	ND	2		
13	9	11	20	ND	0.6		
14	10	17	38	ND	28		
15	16	23	36	ND	0.2		
16	14	17	42	ND	2		
17	8	11	25	ND	3		
18	8	12	24	ND	2		
19	22	17	38	ND	4		
20	8	24	88	ND	7		
21	6	18	48	ND	3		
SS 16	36	23	127	ND	0.6		
17	22	20	146	ND	0.4		
18	21	17	42	ND	0.6		
19	34	19	51	ND	6		
20	12	11	42	ND	0.2		
21	69	22	74	2	12		
22	13	22	82	1	0.6		
23	8	12	30	ND	0.2		
24	15	10	29	ND	0.6		

BONDAR-CLEGG & COMPANY LTD.

Geochemical Lab Report

Report No. 26 - 374

Page No. 2

SAMPLE NO.	Cu ppm	Pb ppm	Zn ppm	Mo ppm	U ppm	REMARKS
6GL 45 SS 25	9	11	32	ND	1	
26	12	20	31	1	2	
27	9	10	28	ND	0.4	
28	14	19	68	2	0.2	
29	8	11	28	ND	2	
30	7	12	34	ND	1	
31	7	8	24	ND	2	
32	10	21	33	1	1	
33	9	16	47	ND	1	
34	18	27	160	ND	2	
35	24	22	83	1	1	
36	21	22	114	1	3	
37	35	23	75	1	15	
38	16	19	29	1	1	
39	8	20	50	ND	1	
40	9	20	73	1	1	
41	32	32	80	5	42	
42	9	15	42	1	2	
43	5	18	45	1	3	
44	5	20	25	3	25	
45	4	21	30	1	2	
46	6	18	87	ND	1	
47	12	25	38	10	84	
48	6	15	15	2	1	
49	10	21	10	2	3	
50	6	20	10	2	3	
P 12 Panned Conc.	7	10	20	1	0.6	
13	13	12	38	ND	1	
14	12	8	25	2	0.8	
15	13	15	36	4	1	
16	11	13	26	2	1	
17	11	9	37	2	1	
18	14	8	25	1	1	
19	12	12	20	2	0.4	
20	11	8	20	3	0.8	

Geochemical Lab Report

Report No. 26 - 374

Page No. 3

SAMPLE NO.	Cu ppm	Pb ppm	Zn ppm	Mo ppm	U ppm	REMARKS
6GL 45 P 21	30	26	144	2	2	
22	24	17	80	3	1	
23	22	17	52	3	1	
24	11	15	25	2	4	
25	15	16	41	3	1	
26	16	16	30	3	2	
27	14	24	36	2	12	
28	16	14	31	3	3	
29	9	30	27	2	6	
30	13	18	52	1	1	
31	41	77	70	1	1	
32	30	25	62	1	1	
33	18	20	35	3	3	
34	6	19	24	2	28	
35	23	18	38	2	2	
36	13	15	30	1	2	
37	7	31	41	1	4	
38	5	21	19	2	5	
39	8	21	50	2	3	
40	12	30	35	2	3	
41	14	70	61	2	7	
42	22	135	49	2	4	
43	9	21	35	3	4	
44	8	25	29	2	10	
45	7	21	29	3	17	
46	11	18	30	2	2	
47	8	12	36	2	2	
48	9	15	27	3	11	
49	7	16	30	4	17	
50	6	14	19	2	2	
51	7	21	44	4	5	
52	7	19	36	4	5	
53	6	13	32	2	10	
54	6	8	29	2	2	
55	6	17	32	5	11	

