



VANGEOCHEM LAB LTD.

1521 PEMBERTON AVE.,
NORTH VANCOUVER, B.C.,
CANADA V7P 2S3

27

841917
Courte

TELEPHONE: 986-5211

AREA CODE: 604

• Specialising in Trace Elements Analyses •

Certificate of Geochemical Analyses

-IN ACCOUNT WITH-

Chevron Standard Ltd.
#901 - 355 Burrard Street
Vancouver, B.C. V6C 2G8

Attention:

Report No: 81-30-055 Page 1 of 3
Samples Arrived: October 5, 1981
Report Completed: October 27, 1981
For Project: 502
Analyst: E.T. & VGC Staff
Invoice: 6573 Job # 81-351

Sample Marking	Ag ppm	As ppm	Hg ppb	Sb ppm	Au ppb
# 00001	0.2	10	70	nd	nd
02	--	20	85	nd	nd
03	--	15	180	2	nd
04	--	15	100	10	nd
05	0.1	15	60	8	10
06	--	20	95	14	10
07	--	30	140	16	10
08	--	60	290	26	90,
09	--	4	90	20	10
00010	0.4	4	105	11	20
0011	--	25	95	nd	110
12	--	10	110	9	170,
13	--	80	120	nd	10
14	--	10	95	20	230,
15	0.1	4	100	16	40
16	--	15	70	19	20
17	--	25	160	8	10
18	--	4	85	10	10
19	--	10	95	27	nd
20	0.4	4	105	20	50
21	--	100	80	15	40
22	--	50	255	6	20
23	--	200	95	14	90,
24	--	50	110	7	20
25	nd	150	90	10	50
26	--	100	90	18	30
27	--	60	230	19	50
28	--	150	260	15	650,
29	--	60	200	13	10
30	0.1	15	190	nd	nd
31	--	15	300	12	nd
32	--	4	350	nd	nd
33	--	50	350	5	nd
34	--	20	480	14	nd
35	nd	600	5000	34	nd
36	--	100	700	25	20
37	--	15	510	5	10
38	--	200	900	7	10
# 0039,	--,	20,	170,	9,	nd,

MASTER PRINTING LTD.

REMARKS:

Signed:

% Mo x 1.6683 = % MoS₂ 1 Troy oz./ton = 34.28 ppm 1 ppm = 0.0001% nd = none detected ppm = parts per million
All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.



VANGEOCHEM LAB LTD.
 1521 PEMBERTON AVE.,
 NORTH VANCOUVER, B.C.,
 CANADA V7P 2S3

TELEPHONE: 986-5211
 AREA CODE: 604

• Specialising in Trace Elements Analyses •

Certificate of Geochemical Analyses

-IN ACCOUNT WITH-

Chevron Standard Ltd.

Report No: 81-30-055 Page 2 of 3

Samples Arrived:

Report Completed:

For Project:

Analyst:

Attention:

Sample Marking	Ag ppm	As ppm	Hg ppb	Sb ppm	Au ppb
# 0040	0.1	15	30	5	nd
41	---	10	110	8	nd
42	---	40	395	15	nd
43	---	15	650	nd	nd
44	---	4	500	17	10
45	0.1	50	385	2	10
46	---	4	540	nd	nd
47	---	50	560	35	40
48	---	35	110	3	10
49	---	40	110	11	10
50	0.2	10	60	12	nd
51	---	50	95	nd	nd
52	---	40	60	11	10
53	---	20	120	15	nd
54	---	25	75	nd	nd
55	nd	4	70	12	nd
56	---	30	90	1	nd
57	---	20	70	7	nd
58	---	20	80	nd	nd
59	---	40	90	9	10
60	0.1	15	50	4	10
61	---	20	40	16	nd
62	---	60	70	nd	nd
63	---	40	100	5	nd
64	---	4	50	5	nd
65	0.2	15	95	6	nd
66	---	20	80	nd	10
67	---	15	120	nd	nd
68	---	10	80	9	nd
69	---	40	90	nd	nd
70	0.2	80	90	5	nd
71	---	10	110	nd	nd
72	---	4	80	6	nd
73	---	20	90	5	10
74	---	60	85	11	10
75	nd	60	80	15	10
76	---	40	45	5	nd
77	---	40	50	4	nd
# 0078	---	100	90	6	10

MASTER PRINTING LTD.

REMARKS:

Signed:

% Mo x 1.6683 = % MoS₂

1 Troy oz./ton = 34.28 ppm

1 ppm = 0.0001%

nd = none detected

ppm = parts per million

All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.



VANGEOCHEM LAB LTD.
 1521 PEMBERTON AVE.,
 NORTH VANCOUVER, B.C.,
 CANADA V7P 2S3

TELEPHONE: 986-5211
 AREA CODE: 604

• Specialising in Trace Elements Analyses •

Certificate of Geochemical Analyses

-IN ACCOUNT WITH-

Chevron Standard Ltd.
 901 - 355 Burrard St.
 Vancouver, B.C. V6C 2G8

Attention:

Report No: 81-30-061 Page 1 of 3
 Samples Arrived: October 3, 1981
 Report Completed: Nov. 9, 1981
 For Project: ~~M-502~~ M481
 Analyst: E.T. & VGC Staff
 Invoice: 6620 Job # 81-350

Sample Marking	As ppm	Hg ppb	Au ppb	Sb ppm
# 89	15	100	nd	nd
90	25	55	10	nd
91	20	60	nd	6
92	4	50	nd	3
93	10	65	10	14
94	4	40	10	nd
95	2	40	nd	5
96	10	40	10	9
97	15	60	nd	nd
98	30	60	nd	nd
99	20	65	10	5
100	25	110	10	nd
01	15	50	nd	nd
02	30	60	nd	nd
03	4	50	10	nd
04	30	110	nd	8
05	20	60	nd	13
06	60	50	10	2
07	50	80	10	4
08	60	65	nd	10
09	25	65	10	nd
10	4	80	nd	nd
11	20	100	nd	nd
12	4	60	nd	5
13	30	135	nd	nd
14	50	220	10	nd
15	25	280	nd	nd
16	20	640	nd	nd
17	20	130	nd	14
18	25	260	10	6
19	2	95	nd	4
20	10	135	nd	5
21	20	255	nd	9
22	15	360	nd	5
23	30	550	nd	13
24	40	500	10	nd
25	30	520	nd	3
26	30	610	nd	5
# 127	40	800	nd	4

MASTER PRINTING LTD.

REMARKS:

one copy to: Mr. M. ^hTicke
 P.O. Box 733
 Queen Charlott City, B C

Signed:

% Mo x 1.6683 = % MoS₂ 1 Troy oz./ton = 34.28 ppm 1 ppm = 0.0001% nd = none detected ppm = parts per million

All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.



VANGEOCHEM LAB LTD.
 1521 PEMBERTON AVE.,
 NORTH VANCOUVER, B.C.,
 CANADA V7P 2S3

TELEPHONE: 986-5211
 AREA CODE: 604

• Specialising in Trace Elements Analyses •

Certificate of Geochemical Analyses

-IN ACCOUNT WITH-

Chevron Standard Ltd.

Report No: 81-30-061 Page 2 of 3

Samples Arrived:

Report Completed:

For Project:

Analyst:

Attention:

Sample Marking	As ppm	Hg ppb	Au ppb	Sb ppm		
# 128	10	5200	nd	5		
29	4	1830	nd	nd		
30	4	1500	nd	nd		
31	4	920	nd	2		
32	4	250	nd	nd		
33	4	1000	nd	nd		
34	20	7900	10	12		
35	10	1800	nd	4		
36	4	1500	nd	nd		
37	10	1500	nd	9		
38	4	600	nd	6		
39	4	600	nd	nd		
40	15	2000	nd	nd		
41	15	2700	nd	8		
42	2	6000	nd	nd		
43	20	3500	nd	nd		
44	20	3000	nd	nd		
45	15	5400	nd	2		
46	20	3500	nd	nd		
47	15	5000	nd	nd		
48	20	830	nd	11		
49	10	800	nd	5		
50	15	4300	nd	5		
51	40	840	10	nd		
52	40	1150	nd	nd		
53	25	950	10	9		
54	10	1250	nd	5		
55	10	900	nd	5		
56	15	1100	nd	1		
57	10	720	nd	8		
58	10	670	nd	nd		
59	10	680	nd	2		
60	10	600	nd	2		
61	10	580	nd	nd		
62	10	500	20	5		
63	15	460	nd	nd		
64	10	700	nd	10		
65	10	1000	10	nd		
# 166	4	600	nd	10		

MASTER PRINTING LTD.

REMARKS:

Signed:

% Mo x 1.6683 = % MoS₂

1 Troy oz./ton = 34.28 ppm

1 ppm = 0.0001%

nd = none detected

ppm = parts per million

All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.



VANGEOCHEM LAB LTD.
1521 PEMBERTON AVE.,
NORTH VANCOUVER, B.C.,
CANADA V7P 2S3

TELEPHONE: 986-5211
AREA CODE: 604

• Specialising in Trace Elements Analyses •

Certificate of Geochemical Analyses

-IN ACCOUNT WITH-

Chevron Standard Ltd.
901 - 355 Burrard St.
Vancouver, B.C. V6C 2G8

Attention:

Report No: 81-30-060 Page 1 of 3
Samples Arrived: October 19, 1981
Report Completed: November 5, 1981
For Project: M - 502
Analyst: E.T. & VGC Staff
Invoice: 6592 Job # 81-361

Sample Marking	Hg ppb	As ppm	Sb ppm	Au ppb		
188	280	150	nd	20		
189	100	80	4	10		
190	70	60	3	nd		
191	75	60	5	nd		
192	90	35	15	nd		
193	110	60	13	nd		
194	110	30	2	nd		
195	120	30	nd	nd		
196	100	25	5	10		
197	100	20	10	nd		
198	70	35	19	nd		
199	140	60	2	10		
200	140	80	10	20		
201	100	40	nd	nd		
202	115	40	nd	nd		
203	150	80	6	10		
204	130	60	7	nd		
205	130	50	5	nd		
206	160	80	10	nd		
207	260	100	5	nd		
208	250	60	10	10		
209	135	30	3	nd		
210	160	35	1	nd		
211	185	50	5	10		
212	200	50	3	10		
213	110	30	nd	nd		
214	115	30	2	nd		
215	135	25	7	nd		
216	155	30	nd	10		
217	120	20	2	10		
218	110	20	7	10		
219	130	35	nd	10		
220	225	20	10	nd		
221	210	35	7	nd		
222	210	50	9	nd		
223	190	20	7	10		
224	225	25	4	10		
225	250	35	nd	nd		
226	200	30	5	10		

MASTER PRINTING LTD.

REMARKS:

Signed:

% Mo x 1.6683 = % MoS₂

1 Troy oz./ton = 34.28 ppm

1 ppm = 0.0001%

nd = none detected

ppm = parts per million

All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.



VANGEOCHEM LAB LTD.
 1521 PEMBERTON AVE.,
 NORTH VANCOUVER, B.C.,
 CANADA V7P 2S3

TELEPHONE: 986-5211
 AREA CODE: 604

• Specialising in Trace Elements Analyses •

Certificate of Geochemical Analyses

-IN ACCOUNT WITH-

Chevron Standard Ltd.


Attention:

Report No: 81-30-060 Page 2 of 3
 Samples Arrived:
 Report Completed:
 For Project:
 Analyst:

Sample Marking	Hg ppb	As ppm	Sb ppm	Au ppb
227	250	15	10	nd
228	250	20	3	nd
229	600	60	5	10
230	650	60	10	10
231	580	50	5	nd
232	400	80	4	20
233	600	60	14	10
234	280	50	11	10
235	300	60	nd	nd
236	400	40	10	nd
237	540	60	12	nd
238	620	40	12	nd
239	370	60	8	10
240	520	150	15	10
241	200	15	5	nd
242	240	30	nd	10
243	700	50	15	10
244	550	30	4	10
245	540	50	5	nd
246	290	35	nd	nd
247	320	25	5	nd
248	350	30	2	nd
249	310	30	nd	nd
250	360	30	nd	10
251	330	30	2	nd
252	420	50	nd	nd
253	490	40	nd	10
254	650	50	nd	nd
255	300	30	nd	10
256	200	20	10	10
257	190	10	nd	10
258	120	15	nd	nd
259	100	20	nd	nd
260	140	25	nd	nd
261	160	25	nd	nd
262	100	30	nd	nd
263	170	15	nd	nd
264	100	20	5	nd
265	120	30	nd	nd

MASTER PRINTING LTD.

REMARKS:

Signed: 



VANGEOCHEM LAB LTD.
 1521 PEMBERTON AVE.,
 NORTH VANCOUVER, B.C.,
 CANADA V7P 2S3

TELEPHONE: 986-5211
 AREA CODE: 604

• Specialising in Trace Elements Analyses •

Certificate of Geochemical Analyses

-IN ACCOUNT WITH-
 Chevron Standard Ltd.
 901 - 355 Burrard Street
 Vancouver, B. C. V6C 2G8


Attention:

Report No: 81-30-063 Page 1 of 3
 Samples Arrived: Nov. 2, 1981
 Report Completed: Nov. 13, 1981
 For Project: --- M-502-781
 Analyst: E. T. & VGC Staff
 Invoice #6630 Job#81-378

Sample Marking	Hg ppb	As ppm	Sb ppm	Au ppb		
304	200	50	10	20		
05	330	35	8	30		
06	930	50	10	20		
07	100	30	6	nd		
08	35	25	10	nd		
09	20	15	6	10		
10	30	4	15	nd		
11	70	20	nd	nd		
12	100	20	7	20		
13	30	2	8	10		
14	60	4	5	nd		
15	50	4	3	nd		
16	75	2	8	10		
17	30	4	11	nd		
18	20	10	10	nd		
19	10	4	8	10		
20	15	4	6	nd		
21	180	4	8	10		
22	160	30	15	10		
23	300	40	15	10		
24	3600	60	34	10		
25	4300	50	44	10		
26	185	35	7	nd		
27	175	20	5	nd		
28	420	35	nd	nd		
29	400	40	7	nd		
30	115	35	10	10		
31	65	10	10	nd		
32	80	35	4	10		
33	70	40	6	nd		
34	210	60	15	10		
35	165	100	7	nd		
36	330	60	17	20		
37	200	4	26	20		
38	260	25	15	10		
39	50	4	8	nd		
40	170	10	14	10		
41	220	20	nd	20		
342,	195,	20,	14,	nd,		

MASTER PRINTING LTD.

REMARKS:

Signed: 

% Mo x 1.6683 = % MoS₂ 1 Troy oz./ton = 34.28 ppm 1 ppm = 0.0001% nd = none detected ppm = parts per million

All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.



VANGEOCHEM LAB LTD.
 1521 PEMBERTON AVE.,
 NORTH VANCOUVER, B.C.,
 CANADA V7P 2S3

TELEPHONE: 986-5211
 AREA CODE: 604

• Specialising in Trace Elements Analyses •

Certificate of Geochemical Analyses

-IN ACCOUNT WITH-

Chevron Standard Ltd.

Report No: 81-30-063

Page 2 of 3

Samples Arrived:

Report Completed:

For Project:

Analyst:

Attention:

Sample Marking	Hg ppb	As ppm	Sb ppm	Au ppb		
343	60	10	3	nd		
44	45	80	2	10		
45	45	20	9	nd		
46	45	15	10	nd		
47	70	15	9	nd		
48	40	10	11	nd		
49	330	35	2	nd		
50	20	10	19	10		
51	10	4	3	nd		
52	30	4	5	nd		
53	20	2	20	10		
54	80	4	10	10		
55	40	2	10	nd		
56	10	4	10	10		
57	10	4	14	nd		
58	110	30	17	nd		
59	80	15	10	nd		
60	40	10	13	10		
61	50	10	10	10		
62	30	2	nd	10		
63	60	4	nd	nd		
64	30	2	2	20		
65	30	2	16	10		
66	10	2	10	nd		
67	10	2	5	10		
68	10	4	nd	20		
69	10	4	1	30		
70	5	2	10	nd		
71	80	4	7	10		
72	15	2	17	10		
73	5	4	12	nd		
74	10	2	15	10		
75	20	4	15	30		
76	20	4	10	nd		
77	80	4	10	20		
78	105	4	10	20		
79	170	15	21	10		
80	20	2	10	nd		
381	115	4	6	nd		

MASTER PRINTING LTD.

REMARKS:

Signed:

% Mo x 1.6683 = % MoS₂

1 Troy oz./ton = 34.28 ppm

1 ppm = 0.0001%

nd = none detected

ppm = parts per million

All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.



VANGEOCHEM LAB LTD.
 1521 PEMBERTON AVE.,
 NORTH VANCOUVER, B.C.,
 CANADA V7P 2S3

TELEPHONE: 986-5211
 AREA CODE: 604

• Specialising in Trace Elements Analyses •

Certificate of Geochemical Analyses

-IN ACCOUNT WITH-

Chevron Standard Ltd.
 #901 - 355 Burrard Street
 Vancouver, B.C. V6C 2G8
 Attention:

Report No: 81-30-064 Page 1 of 4
 Samples Arrived: November 16, 1981
 Report Completed: November 27, 1981
 For Project: M - 502 481 & 490
 Analyst: E.T. & VGC Staff
 Invoice: 6653 Job # 81-398

Sample Marking	Au ppb	Hg ppb	As ppm	Sb ppm		
389	nd	65	40	nd		
390	nd	220	30	nd		
391	nd	200	35	nd		
392	nd	450	40	nd		
393	nd	240	15	nd		
394	nd	380	25	nd		
395	nd	750	30	nd		
396	nd	300	25	nd		
397	nd	380	40	nd		
398	nd	410	30	nd		
399	10	200	15	nd		
400	nd	100	4	nd		
401	nd	40	4	nd		
402	nd	25	2	nd		
403	nd	65	4	nd		
404	nd	100	10	nd		
405	nd	40	10	nd		
406	nd	40	10	nd		
407	10	160	10	nd		
408	nd	90	4	nd		
409	nd	120	4	nd		
410	nd	195	20	nd		
411	nd	500	80	nd		
412	nd	950	60	nd		
413	10	180	20	nd		
414	10	270	15	nd		
415	10	160	25	nd		
416	nd	20	4	nd		
417	10	30	2	nd		
418	nd	70	2	nd		
419	10	210	10	nd		
420	nd	195	4	nd		
421	10	300	20	nd		
422	nd	90	2	nd		
423	nd	360	4	nd		
424	nd	45	4	nd		
425	10	50	2	nd		
426	10	100	2	nd		
427,	nd,	100,	2,	nd,		

MASTER PRINTING LTD.

REMARKS:

Signed:

% Mo x 1.6683 = % MoS₂ 1 Troy oz./ton = 34.28 ppm 1 ppm = 0.0001% nd = none detected ppm = parts per million
 All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.



VANGEOCHEM LAB LTD.
 1521 PEMBERTON AVE.,
 NORTH VANCOUVER, B.C.,
 CANADA V7P 2S3

TELEPHONE: 986-5211
 AREA CODE: 604

• Specialising in Trace Elements Analyses •

Certificate of Geochemical Analyses

-IN ACCOUNT WITH-
 Chevron Standard Ltd.


Report No: 81-30-064 Page 2 of 4
 Samples Arrived:
 Report Completed:
 For Project:
 Analyst:

Attention:

Sample Marking	Au ppb	Hg ppb	As ppm	Sb ppm		
428	10	150	4	nd		
429	10	70	4	nd		
430	10	130	10	nd		
431	nd	400	20	nd		
432	10	430	35	nd		
433	10	210	25	nd		
434	10	190	20	nd		
435	10	560	30	nd		
436	10	480	35	nd		
437	nd	180	35	nd		
438	nd	250	35	nd		
439	nd	170	30	nd		
440	nd	240	20	nd		
441	nd	450	30	nd		
442	nd	470	20	nd		
443	nd	600	35	nd		
444	10	720	20	nd		
445	10	330	4	nd		
446	nd	330	10	nd		
447	nd	180	25	nd		
448	10	420	35	nd		
449	10	350	35	nd		
450	10	230	30	nd		
451	nd	230	30	nd		
452	10	100	2	nd		
453	10	100	2	nd		
454	nd	70	4	nd		
455	10	140	4	nd		
456	nd	210	2	nd		
457	nd	350	4	nd		
458	10	420	2	nd		
459	10	145	2	nd		
460	nd	80	4	nd		
461	nd	100	2	nd		
462	10	210	4	nd		
463	nd	280	10	nd		
464	10	150	4	nd		
465	nd	80	20	nd		
466	10	220	15	nd		

MASTER PRINTING LTD.

REMARKS:

Signed: 

% Mo x 1.6683 = % MoS₂ 1 Troy oz./ton = 34.28 ppm 1 ppm = 0.0001% nd = none detected ppm = parts per million

All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.



VANGEOCHEM LAB LTD.
 1521 PEMBERTON AVE.,
 NORTH VANCOUVER, B.C.,
 CANADA V7P 2S3

TELEPHONE: 986-5211
 AREA CODE: 604

• Specialising in Trace Elements Analyses •

Certificate of Geochemical Analyses

-IN ACCOUNT WITH-

Chevron Standard Ltd.

Report No: 81-30-064 Page 3 of 4
 Samples Arrived:
 Report Completed:
 For Project:
 Analyst:

Attention:

Sample Marking	Au ppb	Hg ppb	As ppm	Sb ppm		
467	10	70	4	nd		
468	nd	70	10	nd		
469	nd	200	10	nd		
470	nd	145	10	nd		
471 M481	nd	70	10	nd		
472	nd	75	4	nd		
473	nd	70	10	nd		
474	nd	50	10	nd		
475	nd	45	60	nd		
476	nd	30	80	nd		
477	nd	25	80	nd		
478 KING	10	30	80	nd		
479	10	40	35	nd		
480	nd	70	35	nd		
481	nd	60	35	nd		
482	nd	110	40	nd		
483	nd	160	35	nd		
484	10	125	30	nd		
485	10	130	80	nd		
486	10	150	200	nd		
487	nd	80	60	nd		
488	nd	100	35	nd		
489	nd	120	35	nd		
490	nd	140	60	nd		
491	nd	175	35	nd		
492	nd	350	60	nd		
493	10	160	80	nd		
494	nd	370	50	nd		
495	nd	300	80	nd		
496	nd	270	150	nd		
497	nd	320	80	nd		
498	nd	170	100	nd		
499	nd	130	300	nd		
500	nd	370	80	nd		
501	nd	320	35	nd		
502	nd	320	60	nd		
503	nd	330	80	nd		
504	nd	500	80	nd		
505	nd	220	35	nd		

MASTER PRINTING LTD.

REMARKS:

Signed:

% Mo x 1.6683 = % MoS₂ 1 Troy oz./ton = 34.28 ppm 1 ppm = 0.0001% nd = none detected ppm = parts per million
 All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.



VANGEOCHEM LAB LTD.
 1521 PEMBERTON AVE.,
 NORTH VANCOUVER, B.C.,
 CANADA V7P 2S3

TELEPHONE: 986-5211
 AREA CODE: 604

GW

• Specialising in Trace Elements Analyses •

Certificate of Geochemical Analyses

-IN ACCOUNT WITH-
 Chevron Standard Ltd
 901-355 Burrard St.
 Vancouver, B.C. V6C 2G8

Report No: 81-30-065 Page 1 of 3
 Samples Arrived: Nov. 30, 1981
 Report Completed: Dec. 9, 1981
 For Project: --
 Analyst: E.T. & VGC Staff
 Invoice # 6666 Job # 81-405

Attention:

Sample Marking	As ppm	Hg ppb	Sb ppm	Au ppb		
538	10	90	nd	nd		
39	2	50	nd	10		
40	4	110	nd	10		
41	4	60	nd	nd		
42	4	30	nd	nd		
43	4	40	nd	nd		
44	4	30	nd	nd		
45	4	30	nd	nd		
46	2	50	nd	10		
47	4	50	nd	10		
48	4	30	nd	nd		
49	4	40	nd	nd		
50	15	180	nd	10		
51	10	120	nd	nd		
52	2	80	nd	nd		
53	4	80	nd	nd		
54	4	80	nd	nd		
55	4	80	nd	nd		
56	2	300	nd	nd		
57	35	140	nd	nd		
58	80	160	nd	nd		
59	40	20	nd	nd		
60	15	40	nd	nd		
61	10	20	nd	10		
62	15	20	nd	10		
63	20	30	nd	nd		
64	2	20	nd	nd		
65	10	20	nd	nd		
66	10	20	nd	nd		
67	10	20	nd	10		
68	2	10	nd	nd		
69	4	10	nd	nd		
70	4	10	nd	nd		
71	4	10	nd	nd		
72	4	10	nd	nd		
73	2	10	nd	nd		
74	2	20	nd	10		
75	4	20	nd	nd		
576	2	10	nd	nd		

MASTER PRINTING LTD.

REMARKS:

Signed:

% Mo x 1.6683 = % MoS₂ 1 Troy oz./ton = 34.28 ppm 1 ppm = 0.0001% nd = none detected ppm = parts per million

All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.



VANGEOCHEM LAB LTD.
 1521 PEMBERTON AVE.,
 NORTH VANCOUVER, B.C.,
 CANADA V7P 2S3

TELEPHONE: 986-5211
 AREA CODE: 604

• Specialising in Trace Elements Analyses •

Certificate of Geochemical Analyses

-IN ACCOUNT WITH-
 Chevron Standard Ltd.


Report No: 81-30-065 Page 2 of 3
 Samples Arrived:
 Report Completed:
 For Project:
 Analyst:

Attention:

Sample Marking	As ppm	Hg ppb	Sb ppm	Au ppb		
577	4	10	nd	nd		
78	2	10	nd	nd		
79	4	5	nd	nd		
80	4	10	nd	nd		
81	2	10	nd	nd		
82	4	10	nd	nd		
83	4	5	nd	10		
84	10	5	nd	nd		
85	4	10	nd	10		
86	4	10	nd	10		
87	2	10	nd	10		
88	2	20	nd	nd		
89	4	70	nd	nd		
90	2	20	nd	nd		
91	2	120	nd	nd		
92	20	205	nd	nd		
93	60	200	nd	10		
94	40	175	nd	nd		
95	200	400	5	nd		
96	35	60	3	10		
97	35	35	nd	10		
98	35	85	nd	nd		
599	50	35	nd	nd		
600	40	330	nd	10		
01	50	265	nd	nd		
02	20	40	nd	nd		
03	40	40	nd	nd		
04	2	135	nd	10		
05	4	80	nd	10		
06	2	60	nd	nd		
07	10	260	nd	nd		
08	80	60	3	60		
09	150	140	5	10		
10	100	190	68	160		
11	30	195	nd	nd		
12	20	115	nd	nd		
13	150	65	66	360		
14	30	165	7	20		
615	600	20	16	1,150		

MASTER PRINTING LTD.

REMARKS:

Signed: 

% Mo x 1.6683 = % MoS₂ 1 Troy oz./ton = 34.28 ppm 1 ppm = 0.0001% nd = none detected ppm = parts per million

All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.



VANGEOCHEM LAB LTD.
 1521 PEMBERTON AVE.,
 NORTH VANCOUVER, B.C.,
 CANADA V7P 2S3

TELEPHONE: 986-5211
 AREA CODE: 604

• Specialising in Trace Elements Analyses •

Certificate of Geochemical Analyses

-IN ACCOUNT WITH-

Chevron Standard Ltd.
 901 - 355 Burrard Street
 Vancouver, B.C. V6C 2G8
 Attention:

Report No: 81-30-067 Page 1 of 3
 Samples Arrived: December 8, 1981
 Report Completed: December 17, 1981
 For Project: M 502
 Analyst: E.T. & VGC Staff
 Invoice: 6669 Job # 81-407

Sample Marking	As ppm	Hg ppb	Sb ppm	Au ppb		
627	10	45	nd	nd		
28	100	105	nd	180		
29	60	70	nd	90		
30	35	80	nd	40		
32	1000	35	2	2900 ✓		
33	1000	20	35	3850 ✓		
34	35	60	4	40		
35	30	40	104	170		
36	200	45	nd	510 ✓		
37	60	65	nd	90		
38	20	35	nd	20		
39	10	40	nd	20		
40	25	50	nd	20		
41	35	105	nd	10		
42	35	80	nd	30		
43	35	100	nd	30		
44	40	100	nd	50		
45	10	95	nd	10		
46	30	80	nd	20		
47	80	25	nd	150		
48	10	80	nd	10		
49	35	40	nd	50		
50	30	55	nd	60		
51	500	5	17	1000 ✓	14	
52	60	15	nd	90		
53	80	5	nd	390 ✓		
54	10	50	nd	10		
55	35	60	nd	10		
56	60	100	nd	90		
57	35	110	nd	110		
58	20	90	nd	20		
59	60	75	nd	30		
60	25	105	nd	20		
61	35	105	nd	40		
62	30	75	nd	30		
63	80	20	3	350 ✓		
664	20	105	nd	60		

MASTER PRINTING LTD.

REMARKS:

✓ Repeated analyses.

Signed

% Mo x 1.6683 = % MoS₂ 1 Troy oz./ton = 34.28 ppm 1 ppm = 0.0001% nd = none detected ppm = parts per million

All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.



VANGEOCHEM LAB LTD.
 1521 PEMBERTON AVE.,
 NORTH VANCOUVER, B.C.,
 CANADA V7P 2S3

TELEPHONE: 986-5211
 AREA CODE: 604

• Specialising in Trace Elements Analyses •

Certificate of Geochemical Analyses

-IN ACCOUNT WITH-

Chevron Standard Ltd.


Report No: 81-30-067 Page 2 of 3
 Samples Arrived:
 Report Completed:
 For Project:
 Analyst:

Attention:

Sample Marking	As ppm	Hg ppb	Sb ppm	Au ppb		
665	20	70	nd	10		
66	35	150	nd	10		
67	20	70	nd	10		
68	30	90	nd	nd		
69	35	75	nd	50		
70	35	110	nd	60		
71	20	155	nd	20		
72	25	200	nd	20		
73	25	150	nd	nd		
74	15	180	nd	nd		
75	30	195	nd	30		
76	15	140	nd	30		
77	35	140	10	40		
78	35	145	nd	30		
79	100	70	nd	250 ✓		
80	30	35	nd	70		
81	150	30	nd	100		
82	150	15	nd	110		
83	80	20	nd	160		
84	20	20	nd	20		
85	35	15	nd	90		
86	35	20	nd	30		
87	100	15	nd	70		
88	15	15	nd	30		
89	35	35	nd	10		
90	20	10	nd	100		
91	35	10	nd	90		
92	4	10	nd	50		
93	35	35	nd	80		
94	4	40	nd	120		
95	10	50	nd	60		
96	15	60	nd	30		
97	30	215	nd	20		
98	50	235	nd	10		
699	35	190	nd	30		
700	20	15	nd	nd		
01	4	20	nd	10		
02	20	65	nd	40		
073	40	40	nd	30		

MASTER PRINTING LTD.

REMARKS:

Signed: 

% Mo x 1.6683 = % MoS₂ 1 Troy oz./ton = 34.28 ppm 1 ppm = 0.0001% nd = none detected ppm = parts per million
 All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.



VANGEOCHEM LAB LTD.
 1521 PEMBERTON AVE.,
 NORTH VANCOUVER, B.C.,
 CANADA V7P 2S3

TELEPHONE: 986-5211
 AREA CODE: 604

• Specialising in Trace Elements Analyses •

Certificate of Geochemical Analyses

-IN ACCOUNT WITH-

Chevron Standard Ltd.
 901, 355 Burrard Street
 Vancouver, B.C. V6C 2G8

Attention:

Report No: 81-30-068 Page 1 of 2
 Samples Arrived: December 11, 1981
 Report Completed: December 18, 1981
 For Project: M - 504
 Analyst: E.T. & VGC Staff
 Invoice: 6670 Job # 81-411

Sample Marking	As ppm	Hg ppb	Sb ppm	Au ppb		
733	100	20	nd	10		
34	80	25	nd	nd		
35	20	15	nd	20		
36	15	10	nd	nd		
37	15	15	nd	20		
38	4	20	nd	10		
39	2	25	nd	nd		
40	4	30	nd	nd		
41	4	20	nd	nd		
42	10	30	nd	10		
43	20	40	nd	20		
44	25	30	nd	10		
45	30	30	nd	nd		
46	30	30	nd	nd		
47	2	50	nd	nd		
48	4	160	nd	nd		
49	2	90	nd	nd		
50	30	45	nd	nd		
51	4	30	nd	nd		
52	10	50	nd	20		
53	2	50	nd	nd		
54	2	25	2	nd		
55	2	25	nd	10		
56	4	20	nd	nd		
57	4	30	nd	nd		
58	20	40	nd	10		
59	2	30	nd	10		
60	25	130	nd	30		
61	4	50	nd	10		
62	15	120	nd	nd		
63	4	140	nd	80		
64	35	75	nd	20		
65	35	45	nd	10		
66	80	30	nd	160		
67	600	10	108	700		
68	1000	10	45	270		
69	25	40	6	nd		
70	15	15	2	nd		
771	10	15	nd	10		

MASTER PRINTING LTD.

REMARKS:

Signed:

% Mo x 1.6683 = % MoS₂ 1 Troy oz./ton = 34.28 ppm 1 ppm = 0.0001% nd = none detected ppm = parts per million

All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.

