



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

Course 841924

- ANALYTICAL CHEMISTS
- GEOCHEMISTS
- REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

See

TO : CHEVRON STANDARD LIMITED
 901-MARINE BLDG., 355 BURRARD STREET,
 VANCOUVER, B.C.
 V6C 2G8
 PH.# 688-5491

CERT. # : A8011116-001-A
 INVOICE # : 40838
 DATE : 28-NOV-80
 P.O. # : 638
 M-486


*prior values
 VGC, soils*

ATTN: D. ARSCOTT

Sample description	Prep code	As ppm	Hg ppb	AU-FA+AA ppb					
E1-0+50S	214	415 300	300	20 20	--	--	--	--	--
E1-1+00S	214	145 150	110	30 10	--	--	--	--	--
E1-1+50S	214	2 2	160	15 10	--	--	--	--	--
E1-2+00S	214	15 20	90	5 10	--	--	--	--	--
E1-2+50S	214	125 200	120	<5 10	--	--	--	--	--
E1-3+00S	214	3 10	60	<5 nd	--	--	--	--	--
E1-3+50S	214	3 8	60	15 10	--	--	--	--	--
E1-4+00S	214	11 20	90	5 nd	--	--	--	--	--
E1-4+50S	214	>500 1200	50	210 190	--	--	--	--	--
E1-5+00S	214	195 150	30	20 30	--	--	--	--	--
E1-5+50S	214	>500 800	40	200 190	--	--	--	--	--
E1-6+00S	214	110 40	100	25 30	--	--	--	--	--
E1-10+00S	214	12 2	80	30 30	--	--	--	--	--
E1-10+50S	214	4 2	140	65 20	--	--	--	--	--
E1-11+00S	214	10 10	120	15 10	--	--	--	--	--
E1-11+50S	214	16 25	90	20 10	--	--	--	--	--
E1-12+00S	214	7 10	30	10 nd	--	--	--	--	--
E1-12+50S	214	17 10	20	5 20	--	--	--	--	--
E1-13+00S	214	27 20	50	<5 10	--	--	--	--	--
E1-13+50S	214	7 4	30	<5 10	--	--	--	--	--
E1-14+00S	214	45 60	100	<5 10	--	--	--	--	--
1W-6+50S	214	67 4	30	90 20	--	--	--	--	--
1W-7+00S	214	201 4	60	<5 nd	--	--	--	--	--
1W-8+50S	214	9 8	40	<5 20	--	--	--	--	--
1W-9+00S	214	4 2	40	5 10	--	--	--	--	--
1W-9+50S	214	2 2	40	15 nd	--	--	--	--	--
1W-10+00S	214	11 20	40	5 nd	--	--	--	--	--
1W-10+50S	214	9 15	50	10 nd	--	--	--	--	--
1W-11+00S	214	15 25	40	5 10	--	--	--	--	--
1W-11+50S	214	83 80	90	10 10	--	--	--	--	--
1W-12+00S	214	10 40	50	5 10	--	--	--	--	--
1W-12+50S	214	71 60	40	15 30	--	--	--	--	--
1W-13+00S	214	23 30	60	15 20	--	--	--	--	--
1W-13+50S	214	29 35	80	25 nd	--	--	--	--	--
1W-14+00S	214	29 80	60	10 20	--	--	--	--	--
1W-14+50S	214	225 100	100	35 20	--	--	--	--	--
1W-15+00S	214	225 300	70	5 10	--	--	--	--	--
2W-0+50S	214	18 15	140	20 nd	--	--	--	--	--
2W-1+00S	214	10 2	120	15 nd	--	--	--	--	--
2W-1+50S	214	10 15	170	25 nd	--	--	--	--	--

Soils

Certified by *Hart Biele*





CHEMEX LABS LTD.

Sec

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604)984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
901-MARINE BLDG., 355 BURNARD STREET,
VANCOUVER, B.C.
V6C 2G8
PH.# 688-5491

CERT. # : A8011116-002-A
INVOICE # : 40838
DATE : 28-NOV-80
P.O. # : 638
M-486

ATTN: D. ARSCOTT

↓ prior values
VGC or BC ↓

VGC
Soils
↑
BC
Rocks
↓

Sample description	Prep code	As ppm	Hg ppb	AU-FA+AA ppb				
2W-2+00S	214	5 2	290	380 1840	--	--	--	--
2W-2+50S	214	46 100	80	<5 nd	--	--	--	--
2W-3+00S	214	14 25	80	15 nd	--	--	--	--
2W-3+50S	214	5 20	90	<5 10	--	--	--	--
2W-4+00S	214	10 35	50	20 nd	--	--	--	--
2W-4+50S	214	35 20	80	15 10	--	--	--	--
2W-5+00S	214	19 20	60	80 10	--	--	--	--
2W-5+50S	214	MISSING	MISSING	MISSING	--	--	--	--
4W-3+00S	214	125 2	60	<5 40	--	--	--	--
4W-3+50S	214	14 15	60	<10 30	--	--	--	--
4W-4+00S	214	16 2	120	10 20	--	--	--	--
4W-4+50S	214	4 4	80	20 nd	--	--	--	--
4W-5+00S	214	5 4	40	30 10	--	--	--	--
4W-5+50S	214	10 4	40	5 nd	--	--	--	--
4W-6+00S	214	20 20	30	<5 nd	--	--	--	--
4W-6+50S	214	15 15	90	<5 nd	--	--	--	--
79C-884	214	190 500	90	135 140	--	--	--	--
79C-885	214	92 130	70	1400 1540	--	--	--	--
79C-888	214	29 24	100	30 20	--	--	--	--
79C-895	214	61 60	210	<5 5	--	--	--	--
79C-954	214	395 540	110	420 445	--	--	--	--
79C-974	214	>500 >1000	230	>5000 9870	--	--	--	--
79C-976	214	415 606	110	140 95	--	--	--	--
79H-1168	214	5 >1000	110	1200 1150	--	--	--	--
79H-1169	214	135 100	60	5 5	--	--	--	--
79H-1195	214	71 70	70	<5 10	--	--	--	--
79H-1197	214	81 75	70	5 5	--	--	--	--
79H-1250	214	50 58	110	<5 5	--	--	--	--
79H-1253	214	30 40	70	5 5	--	--	--	--
79H-1270	214	61 62	400	>5000 >10,000 & 1.302	--	--	--	--
79H-1277	214	39 58	340	475 635	--	--	--	--
79H-1278	214	425 400	1200	50 35	--	--	--	--
79H-1283	214	345 580	280	300 345	--	--	--	--
79H-1284	214	20 18	90	10 10	--	--	--	--



Certified by *Hart Biddle*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
 901-MARINE BLDG., 355 BURRARD STREET,
 VANCOUVER, B.C.
 V6C 2G8
 PH.# 688-5491

CERT. # : A8011115-001-A
 INVOICE # : 40837
 DATE : 28-NOV-80
 P.O. # : 638
 M 481

Counte

ATTN: D. ARSCOTT

Sample description	Prep code	As ppm	Hg ppb	AU-FA+AA ppb			
18908	214	24 45	90	<5 <5	--	--	--
18909	214	19 23	70	<5 <5	--	--	--
18910	214	17 22	60	<5 <5	--	--	--
18911	214	23 23	60	<5 5	--	--	--
18912	214	17 23	70	<5 <5	--	--	--
18913	214	24 30	100	<5 <5	--	--	--
18914	214	50 52	100	5 <5	--	--	--
18915	214	23 27	70	<5 <5	--	--	--
18916	214	16 21	70	<5 <5	--	--	--
18917	214	36 47	150	<5 5	--	--	--
18918	214	45 50	120	<5 5	--	--	--
18919	214	48 52	90	<5 5	--	--	--
18956	214	51 55	310	35 20	--	--	--
18957	214	53 90	270	20 30	--	--	--
18958	214	395 700	300	175 110	--	--	--
18959	214	180 500	370	125 165	--	--	--
18960	214	160 260	320	170 195	--	--	--
18961	214	175 220	320	215 255	--	--	--
18962	214	485 650	310	410 420	--	--	--
18963	214	94 110	230	45 70	--	--	--
18965	214	180 240	330	130 135	--	--	--
18966	214	120 220	360	120 130	--	--	--
18967	214	120 200	380	120 105	--	--	--
18968	214	88 220	380	70 95	--	--	--

Count



Certified by *Hart Biele*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

King

TO : CHEVRON STANDARD LIMITED
 901-MARINE BLDG., 355 BURRARD STREET,
 VANCOUVER, B.C.
 V6C 2G8
 PH. # 688-5491

CERT. # : A8011118-001-A
 INVOICE # : 40619
 DATE : 21-NOV-80
 P.O. # : 639
 M-490

ATTN: D. ARSCOTT

Sample description	Prep code	As Au -(AA)		Hg			
		PPM	PPB				
K30	214	10 8	<10 5	N.S.S.	---	---	---
K31	214	6 10	<10 450	110	---	---	---
K32	214	11 11	<10 5	110	---	---	---
K33	214	9 7	<10 25	250	---	---	---
K34	214	9 8	<10 5	110	---	---	---
K35	214	10 9	<10 5	160	---	---	---
K36	214	16 13	<10 5	140	---	---	---
K37	214	10 8	10 5	150	---	---	---
K38	214	10 11	<10 5	110	---	---	---
K39	214	10 13	10 5	130	---	---	---
K40	214	16 12	<10 25	90	---	---	---
K100	214	19 29	10 25	120	---	---	---
K101	214	10 15	<10 25	80	---	---	---
K102	214	10 8	10 25	90	---	---	---
K103	214	4 12	<10 25	90	---	---	---
K104	214	10 13	<10 25	100	---	---	---
K105	214	7 13	<10 25	140	---	---	---
K106	214	7 12	<10 25	350	---	---	---
K107	214	9 13	<10 25	180	---	---	---
K108	214	11 12	10 25	190	---	---	---
K109	214	10 13	<10 25	160	---	---	---
K110	214	11 12	<10 25	170	---	---	---
K111	214	7 12	<10 25	130	---	---	---
K112	214	11 12	<10 15	140	---	---	---
K113	214	9 11	<10 25	130	---	---	---
10898	214	>500 650	<10 25	150	---	---	---
10899	214	>500 >1000	10 25	800	---	---	---
10900	214	>500 700	10 20	460	---	---	---
10901	214	225 200	<10 5	270	---	---	---
10902	214	>500 750	<10 5	600	---	---	---
10903	214	110 120	<10 5	220	---	---	---
10904	214	190 180	<10 5	250	---	---	---
10905	214	53 80	<10 25	370	---	---	---
10906	214	190 120	10 5	570	---	---	---
10907	214	79 75	<10 25	500	---	---	---
10908	214	24 33	10 25	1300	---	---	---
10909	214	67 25	<10 10	320	---	---	---
10910	214	38 31	<10 5	580	---	---	---
10911	214	48 40	<10 5	400	---	---	---
10912	214	275 240	<10 5	490	---	---	---

Hart Richler

Certified by





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

King

TO : CHEVRON STANDARD LIMITED
 901-MARINE BLDG., 355 BURRARD STREET,
 VANCOUVER, B.C.
 V6C 2G8
 PH. # 688-5491

CERT. # : A8011118-002-A
 INVOICE # : 40619
 DATE : 21-NOV-80
 P.O. # : 639
 M-490

ATTN: D. ARSCOTT

Sample description	Prep code	As Au -(AA)		Hg			
		PPM	PPB				
10920	214	315	530	<10	25	380	---
10921	214	>500	850	<10	25	310	---
10922	214	>500	750	50	90	370	---
10923	214	>500	>1000	20	25	2600	---
10924	214	275	280	<10	25	410	---
10925	214	>500	850	<10	25	540	---
10926	214	36	45	<10	5	1000	---
10927	214	425	700	<10	25	2000	---
10928	214	110	110	<10	25	1200	---
10929	214	32	32	<10	25	1600	---
10930	214	215	260	<10	25	1100	---
10931	214	>500	700	<10	25	5400	---
10932	214	>500	750	10	25	5700	---
10933	214	485	720	<10	5	>10000	---
10934	214	>500	>1000	<10	5	>10000	---
10935	214	>500	>1000	<10	5	>10000	---
10936	214	>500	>1000	<10	5	>10000	---
10937	214	425	650	<10	25	8900	---
10938	214	225		<10		7000	---
10939	214	110		<10		5100	---

Hart Bichler

Certified by



MEMBER
 CANADIAN TESTING
 ASSOCIATION