



CHEMEX LABS LTD.

Cataract 842043

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ASSAY

TO : CHEVRON STANDARD LIMITED
MINERALS STAFF
#901 - 355 BURRARD ST.
VANCOUVER, B.C.
V6C 2G8

CERT. # : A8310118-001-A
INVOICE # : I8310118
DATE : 20-JAN-83
P.O. # : NONE
CATLO+00

ATTN: R. BRUASET

Sample description	Prep code	Au FA oz/t	weight					
LIGHTS 2+90N B	225	0.062	10.3g	--	--	--	--	--
LIGHTS 3+25N B	225	0.040	14.4g	--	--	--	--	--
LIGHTS 3+50N B	225	0.375	4.2g	--	--	--	--	--
HMS 2+90N B	0	0.047	3.12g	--	--	--	--	--
HMS 3+25N B	0	1.372	4.4g	--	--	--	--	--
HMS 3+50H B	0	1.612	1.9g	--	--	--	--	--


leaves SG 2.96

Results of Au determinations on heavy mineral separates made from the "high grade" gold soil samples from the soil below the cliffs at the East end in the area of B1217. B1217 was the high grade rock sample that got us interested in the Cataract in 1981. P. Swartz



MEMBER
CANADIAN TESTING
ASSOCIATION

Registered Assayer, Province of British Columbia



CHEMEX LABS LTD.

Cataract

842043

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
#1900 - 1055 W. HASTINGS STL.,
VANCOUVER, B.C.
V6E 2E9

CERT. # : A8312534-001-A
INVOICE # : I8312534
DATE : 19-JUL-83
P.O. # : S 8332
CATARACT M 518

CC: R. BRUASET *SOULS EAST JONE GRID*

Sample description	Prep code	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Mn ppm	Au ppb	FA+AA ppb
0+50W 0+50S	201	230	48	160	0.7	650	<5	
0+50W 1+50S	201	108	44	93	1.0	598	<5	
0+50W 2+00S	201	30	32	84	0.9	507	<5	
0+50W 1+50N	201	395	5800	2500	11.0	7600	1350	
0+50W 2+00N	201	310	7750	1710	30.0	>10000	500	
0+50W 3+50N	201	333	5550	2380	12.0	5580	1700	
0+50W 4+00N	201	142	4700	8110	11.5	>10000	320	
0+50W 4+50N	201	355	7000	8100	17.0	9850	600	
0+50W4+95NSHALW	201	63	314	2610	5.0	2850	5	
0+50W4+95NDEEPER	201	48	290	1440	2.0	1700	10	
0+60W 3+45N	201	490	7000	6790	2.5	3100	300	
0+90W 1+85N	201	320	7000	2120	15.0	9100	700	
0+95W 4+95N	201	50	455	1200	2.9	2910	<5	
1+00W0+00 SHALLW	201	215	113	850	1.4	406	<5	
1+00W0+00 DEEPER	201	280	108	1550	0.9	630	<5	
1+00W0+50NSHALW	201	52	235	600	1.4	850	20	
1+00W0+50NDEEPER	201	53	270	650	1.7	1100	5	
1+00W 1+05N	201	345	5700	2620	6.6	4150	200	
1+00W 1+50N	201	515	7000	3180	6.8	390	1100	
1+00W 2+00S SHAL	201	76	83	120	1.5	478	5	
1+00W 4+00N	201	118	4000	6550	8.0	8350	185	
1+00W 5+50N	201	82	560	1080	3.1	1400	10	
1+00W 6+00N	201	25	335	650	1.8	1550	35	
1+45W 5+05N	201	73	380	1390	2.7	1200	70	
1+50W 0+00	201	29	34	58	1.4	186	<5	
1+50W 0+50S	201	26	19	67	0.9	268	<5	
1+50W 1+00S	201	12	22	46	0.8	140	35	
1+50W 2+00S	201	62	17	68	0.6	425	5	
1+50W 1+00N	201	7	25	28	0.9	345	<5	
1+50W 1+50N	201	30	1380	230	2.6	748	40	
1+50W 2+10N	201	205	4800	1290	11.0	10000	415	
1+50W 3+45N	201	160	4600	8200	9.5	9420	330	
1+50W 5+35N	201	61	558	1020	3.0	2050	30	
1+50W 7+50N	201	33	150	980	0.3	1100	<5	



Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
#1900 - 1055 W. HASTINGS ST.,
VANCOUVER, B.C.
V6E 2E9

CERT. # : A8312839-001-A
INVOICE # : I8312839
DATE : 27-JUL-83
P.O. # : S 8332
M 518

CC: R. BRUASET

col

Sample description	Prep code	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Mn ppm	Au ppm	FA+AA ppb
TL 8303	201	74	17	102	0.4	835		<5
TL 8304	201	14	18	61	0.2	220		<5
TL 8306	201	16	17	58	0.1	260		5
TL 8310	201	89	20	56	1.0	390		10
TL 8311	201	46	19	67	0.1	670		<5
TL 8313	201	81	15	56	0.3	360		10
TL 8315	201	53	14	69	0.2	420		5
TL 8317	201	30	13	77	0.1	720		<5
TL 8320	201	57	30	89	0.1	1050		<5
TL 8324	201	99	26	160	1.3	550		70
TL 8325	201	108	44	85	0.4	565		20
TL 8329	201	35	32	150	0.2	665		65
TL 8330	201	35	32	200	0.1	660		5
TL 8331	201	26	45	550	0.2	710		5
TL 8332	201	30	60	385	0.1	775		5
TL 8333	201	141	27	245	0.4	865		55
TL 8334	201	149	25	192	0.3	720		40
TL 8335	201	98	29	152	0.3	630		110
TL 8337	201	310	36	129	8.7	290		900
TL 8339	201	123	32	205	0.8	550		75
TL 8340	201	87	16	200	0.8	490		10
TL 8341	201	76	13	92	0.4	275		15
RB 8301	201	23	28	74	0.2	550		5
RB 8308	201	58	92	37	1.2	200		25
RB 8315	201	345	5300	2700	19.6	4300		600

at drill site #1

Hart Bichler

Certified by



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
#1900 - 1055 W. HASTINGS ST.,
VANCOUVER, B.C.
V6E 2E9

CERT. # : A8312840-001-A
INVOICE # : I8312840
DATE : 28-JUL-83
P.O. # : S 8332
M 518

CC: R. BRUASET

Sample description	Prep code	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Mn ppm	Au ppm	FA+AA ppb
TL 8301	205	37	42	21	1.4	23		<5
TL 8302	205	35	135	78	4.9	770		10
TL 8305 5m chip	205	9	22	47	0.3	225		<5
TL 8308	205	11	22	64	0.1	379		95
TL 8309	205	73	15	75	0.2	586		5
TL 8312	205	28	17	88	0.1	440		<5
TL 8316	205	14	17	115	0.1	550		<5
TL 8321	205	74	17	59	0.5	425		5
TL 8323 near RB8214	205	69	24	54	5.7	230		1850
TL 8327 Float	205	28	16	93	0.2	590		90
TL 8336 Below TL 8214	205	255	3	13	5.4	44		1900
TL 8338 1.5m chip	205	38	4	18	1.1	155		170
TL 8342	205	24	7	76	0.2	450		20
TL 8344	205	89	4600	7000	26.0	>10000		195
TL 8345	205	37	157	735	2.8	6500		35
RB 8302 3x5m chip	205	20	49	145	0.6	790		5
RB 8305 10m chip	205	26	26	100	0.2	680		5
RB 8309 Across 1m shear zone	205	13	28	57	0.1	235		<5
RB 8311 10m x 10m chip	205	22	36	110	0.1	373		<5
RB 8316 Resampling of RB 8244	205	64	11	136	2.9	440		25
RB 8324 8.25 x 10m chip	205	64	21	100	0.3	810		5
RB 8332 10x20m chip	205	20	28	70	0.2	320		<5
RB 8338 Across 25cm	205	43	10	25	2.0	171		500
RB 8339 Across 25cm	205	15	5	12	1.7	46		305
RB 8340 Across 25cm	205	53	9	15	1.2	106		3850
RB 8341 Across 25cm	205	87	470	1720	2.0	>10000		85
RB 8352 3m x 3m chip	205	43	11	20	3.5	67		215

RB 8338 - 8341 collected within a 5.5m by 0.25m wide siliceous shear zone near station TL8214 (Ref 1982 report) TL8214 was a selected specimen of what is reported as a 60cm wide quartz vein.



Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
#1900 - 1055 W. HASTINGS ST.,
VANCOUVER, B.C.
V6E 2E9

CERT. # : A8312841-001-A
INVOICE # : I8312841
DATE : 29-JUL-83
P.O. # : NONE
M 518

CC: R. BRUASET

Perk

Parameter Description	Sample # 1 (TL8344)
Sample preparation code	222
Aluminium (pct)	7
Antimony (ppm)	<100
Arsenic (ppm)	<100
Barium (ppm)	700
Beryllium (ppm)	<2
Bismuth (ppm)	<5
Boron (ppm)	<20
Cadmium (ppm)	<20
Calcium (pct)	2
Chromium (ppm)	150
Cobalt (ppm)	20
Copper (ppm)	100
Germanium (ppm)	<10
Iron (pct)	7
Lead (ppm)	200
Magnesium (pct)	2
Manganese (ppm)	>10000
Molybdenum (ppm)	<100
Nickel (ppm)	30
Niobium (ppm)	<200
Potassium (pct)	2
Silicon (pct)	30
Silver (ppm)	5
Sodium (pct)	0.2
Thorium (ppm)	<500
Tin (ppm)	<10
Titanium (ppm)	5000
Vanadium (ppm)	200
Zinc (ppm)	1500
Zirconium (ppm)	300

! SEMIQUANTITATIVE SPECTROGRAPH ANALYSIS !

Sample description information

Sample # 1 TL 8344 ✓ 30 elements spec

Preparation code description

222 Spectro: ring



Certified by *[Signature]*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604) 984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON CANADA RESOURCES LTD.
 MINERALS STAFF
 #1900 - 1055 W. HASTINGS ST.,
 VANCOUVER, B.C.
 V6E 2E9

CHEVRON CANADA
 c/o PEMBERTON HELICOPTER
 SERVICES
 PEMBERTON, B.C.

CERT. # : A8312841-C01-
 INVOICE # : 18212841
 DATE : 29-JUL-83
 P.C. # : NONE
 M 518

✓ CC: R. BRUASET

Parameter Description	Sample #	Value
Sample preparation code	222	
Aluminium (pct)	7	
Antimony (ppm)	<100	
Arsenic (ppm)	<100	
Barium (ppm)	700	
Beryllium (ppm)	<2	
Bismuth (ppm)	<5	
Boron (ppm)	<20	
Cadmium (ppm)	<20	
Calcium (pct)	2	
Chromium (ppm)	150	
Cobalt (ppm)	20	
Copper (ppm)	100	
Germanium (ppm)	<10	
Iron (pct)	7	
Lead (ppm)	200	
Magnesium (pct)	2	
Manganese (ppm)	>10000	
Molybdenum (ppm)	<100	
Nickel (ppm)	30	
Niobium (ppm)	<200	
Potassium (pct)	2	
Silicon (pct)	30	
Silver (ppm)	5	
Sodium (pct)	0.2	
Thorium (ppm)	<500	
Tin (ppm)	<10	
Titanium (ppm)	5000	
Vanadium (ppm)	200	
Zinc (ppm)	1500	
Zirconium (ppm)	300	

TL8344 ✓

SEMIQUANTITATIVE SPECTROGRAPH ANALYSIS

Sample description information
 Sample # 1 TL 8344 /

Preparation code description
 222 Spectro: ring



Certified by *H. Chif*



CHEMEX LABS LTD.

①

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221

TELEX: 043-52597

CERTIFICATE OF ASSAY

TO : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
#1900 - 1055 W. HASTINGS ST.,
VANCOUVER, B.C.
V6E 2E9

*C/O Pemberton Helicopt.
Pemberton, BC.*

CERT. # : A8313332-C01-A
INVOICE # : I8313332
DATE : 15-AUG-83
P.C. # : S 8332
M 518 CATARACT

CC: R. BRUASET

13.5 ppm

1g Home = 1ppm

Sample description	Prep code	Ag AA g/tonne	Au g/tonne					
DDH 8301 0-5	207	18.5	0.3					
DDH 8301 5-10	207	9.5	<0.1					
DDH 8301 10-15	207	8.0	<0.1					
DDH 8301 15-20	207	3.6	<0.1					
DDH 8301 20-25	207	16.0	<0.1					
DDH 8301 25-30	207	29.0	0.7					
DDH 8301 30-35	207	9.5	<0.5					
DDH 8301 35-40	207	19.5	0.3					
DDH 8301 40-45	207	12.0	0.1					
DDH 8301 45-50	207	31.0	0.2					
DDH 8301 50-55	207	28.5	0.3					
DDH 8301 55-60	207	8.5	<0.1					
DDH 8301 60-65	207	11.0	<0.1					
DDH 8301 65-70	207	16.5	0.2					
DDH 8301 70-75	207	20.5	0.2					
DDH 8301 75-80	207	56.0	0.9					
DDH 8301 80-85	207	16.0	0.3					
DDH 8301 85-90	207	22.0	0.2					
DDH 8301 90-95	207	15.5	<0.1					
DDH 8301 95-100	207	24.0	0.5					
DDH 8301 100-105	207	10.8	0.1					
DDH 8301 105-110	207	7.0	<0.1					
DDH 8301 110-115	207	21.0	0.3					
DDH 8301 115-120	207	21.5	0.5					
DDH 8301 120-125	207	14.0	0.5					
DDH 8301 125-130	207	10.3	<0.1					
DDH 8301 130-135	207	6.0	<0.1					
DDH 8301 135-140	207	13.5	0.7					
DDH 8301 140-145	207	5.0	<0.1					
DDH 8301 145-150	207	10.5	0.3					
DDH 8301 150-155	207	4.1	<0.1					
DDH 8301 155-160	207	2.5	<0.1					
DDH 8301 160-165	207	3.6	<0.1					
DDH 8301 165-170	207	5.5	<0.1					
DDH 8301 170-175	207	6.0	<0.1					
DDH 8301 175-180	207	17.3	0.7					
DDH 8301 180-185	207	7.5	<0.1					
DDH 8301 185-190	207	6.0	<0.1					
DDH 8301 190-195	207	10.3	2.8					
DDH 8301 195-200	207	9.3	0.2					


*0.39%
Pb
0.61%
Zn*

*0.58%
Pb
0.88%
Zn*

*0.38%
Pb
1.12%
Zn*

*0.15%
Pb
0.77%
Zn*

*0.08%
Pb
0.22%
Zn*



San Damiani
Registered Assayer, Province of British Columbia



CHEMEX LABS LTD.

14
 212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604) 984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ASSAY

TO : CHEVRON CANADA RESOURCES LTD.
 MINERALS STAFF
 #1900 - 1055 W. HASTINGS ST.,
 VANCOUVER, B.C.
 V6E 2E9

CERT. # : A8313332-002
 INVOICE # : I8313332
 DATE : 15-AUG-83
 P.C. # : S 8332
 M 518 CATARACT

CC: R. BRUASET

Sample description	Prep code	Ag AA g/tonne	Au g/tonne				
DDH 8301 200-205	207	5.0	0.1	--	--	--	--
DDH 8301 205-210	207	1.7	<0.1	--	--	--	--
DDH 8301 210-215	207	2.5	<0.1	--	--	--	--
DDH 8301 215-220	207	12.0	0.1	--	--	--	--
DDH 8301 220-225	207	5.8	<0.1	--	--	--	--
DDH 8301 225-230	207	14.0	0.2	--	--	--	--
DDH 8301 230-235	207	8.5	0.1	--	--	--	--
DDH 8301 235-240	207	5.0	0.1	--	--	--	--
DDH 8301 240-245	207	8.8	0.3	--	--	--	--
DDH 8301 245-250	207	9.5	0.012 0.4	--	--	--	--
DDH 8301 250-255	207	11.3	0.029 1.0	--	--	--	--
DDH 8301 255-260	207	7.5	0.029 1.0	--	--	--	--
DDH 8301 260-265	207	8.5	0.2	--	--	--	--
DDH 8301 265-270	207	7.0	0.1	--	--	--	--
DDH 8301 270-275	207	12.3	0.3	--	--	--	--
DDH 8301 275-280	207	5.5	<0.1	--	--	--	--
DDH 8301 280-285	207	5.3	0.3	--	--	--	--
DDH 8301 285-290	207	8.0	0.2	--	--	--	--
DDH 8301 290-295	207	9.0	0.08 0.6	--	--	--	--
DDH 8301 295-300	207	8.8	0.08 0.6	--	--	--	--
DDH 8301 300-305	207	6.0	0.3	--	--	--	--
DDH 8301 305-310	207	5.0	<0.1	--	--	--	--
DDH 8301 310-315	207	3.0	<0.1	--	--	--	--
DDH 8301 315-320	207	7.8	0.2	--	--	--	--
DDH 8301 320-325	207	11.0	0.012 0.4	--	--	--	--
DDH 8301 325-330	207	5.8	<0.1	--	--	--	--
DDH 8301 330-335	207	8.3	0.1	--	--	--	--
DDH 8301 335-340	207	6.0	0.1	--	--	--	--
DDH 8301 340-345	207	16.0	0.3	--	--	--	--
DDH 8301 345-350	207	24.3	0.024 0.8	--	--	--	--
DDH 8301 350-355	207	26.5	0.029 1.0	--	--	--	--
DDH 8301 355-360	207	5.3	<0.1	--	--	--	--
DDH 8301 360-365	207	11.8	0.015 0.5	--	--	--	--
DDH 8301 365-370	207	13.3	0.029 1.0	--	--	--	--
DDH 8301 370-375	207	6.0	0.020 0.7	--	--	--	--
DDH 8301 375-380	207	7.8	0.3	--	--	--	--
DDH 8301 380-385	207	5.5	<0.1	--	--	--	--
DDH 8301 385-390	207	5.3	<0.1	--	--	--	--
DDH 8301 390-395	207	5.8	<0.1	--	--	--	--
DDH 8301 395-400	207	10.0	0.1	--	--	--	--

227 start of breccia

0.029 g/ton
Breccia

332 to bottom of upper breccia

0.029 g/ton

0.029 g/ton

San Amadori
 Registered Assayer, Province of British Columbia



40



CHL MEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ASSAY

TO : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
#1900 - 1055 W. HASTINGS ST.,
VANCOUVER, B.C.
V6E 2E9

CERT. # : A8313332-G03-A
INVOICE # : I8313332
DATE : 15-AUG-83
P.C. # : S 8332
M 518 CATARACT

CC: R. BRUASET

Sample description	Prep code	Ag AA g/tonne	Au g/tonne				
DHH 8301 400-405	207	7.0	0.2	--	--	--	--
DHH 8301 405-410	207	4.7	<0.1	--	--	--	--
DHH 8301 410-415	207	3.0	<0.1	--	--	--	--
DHH 8301 415-420	207	3.6	<0.1	--	--	--	--
DHH 8301 420-425	207	3.9	<0.1	--	--	--	--
DHH 8301 425-430	207	2.8	0.1	--	--	--	--
DHH 8301 430-435	207	1.9	<0.1	--	--	--	--
DHH 8301 435-440	207	5.5	<0.1	--	--	--	--
DDH 8301 440-445	207	7.3	<0.1	--	--	--	--
DDH 8301 445-450	207	3.3	<0.1	--	--	--	--
DDH 8301 450-455	207	4.7	0.3	--	--	--	--
DDH 8301 455-460	207	5.5	0.1	--	--	--	--

53.2
12



MEMBER
CANADIAN TESTING
ASSOCIATION

.....
San Amerini
.....
Registered Assayer, Province of British Columbia



CHEMEX LABS LTD.

212 BROOKSBANK AVE
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604) 984-0221
TELEX: 043-52591

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ASSAY

TO : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
#1900 - 1055 W. HASTINGS ST.,
VANCOUVER, B.C.
V6E 2E9

R Bruaset

CERT. # : A8313476-001
INVOICE # : I8313476
DATE : 16-AUG-83
P.C. # : S 8332
CATARACT #518

CC: R. BRUASET

Sample description	Prep code	Ag AA g/tonne	Au g/tonne				
DDH 8301-840-850	207	2.3	0.3	--	--	--	--
DDH 8301 850-860	207	1.9	<0.1	--	--	--	--
DDH 8301 860-870	207	3.3	0.2	--	--	--	--
DDH 8301 870-880	207	3.3	0.2	--	--	--	--
DDH 8301 880-890	207	5.0	0.3	--	--	--	--
DDH 8301 890-900	207	3.6	0.5	--	--	--	--
DDH 8301 900-910	207	2.8	0.2	--	--	--	--
DDH 8301 910-920	207	3.0	0.3	--	--	--	--
DDH 8301 920-930	207	1.7	0.3	--	--	--	--
DDH 8301 930-940	207	2.5	0.2	--	--	--	--
DDH 8301 940-950	207	2.3	<0.1	--	--	--	--
DDH 8301 950-960	207	2.3	0.1	--	--	--	--
DDH 8301 960-970	207	3.3	0.4	--	--	--	--
DDH 8301 970-980	207	3.3	0.4	--	--	--	--
DDH 8301 980-990	207	4.4	0.5	--	--	--	--
DDH8301 990-1000	207	3.0	0.2	--	--	--	--
DDH83011000-1010	207	2.8	0.3	--	--	--	--
DDH83011010-1020	207	2.3	<0.1	--	--	--	--
DDH83011020-1030	207	2.8	0.1	--	--	--	--
DDH83011030-1040	207	2.3	<0.1	--	--	--	--
DDH83011040-1050	207	3.6	0.1	--	--	--	--
DDH83011050-1060	207	3.0	<0.1	--	--	--	--
DDH83011060-1070	207	3.6	0.2	--	--	--	--
DDH83011070-1080	207	2.8	0.4	--	--	--	--
DDH83011080-1090	207	3.9	0.3	--	--	--	--
DDH83011090-1100	207	4.4	0.5	--	--	--	--
DDH83011100-1110	207	3.3	0.3	--	--	--	--
DDH83011110-1120	207	4.1	0.2	--	--	--	--
DDH83011120-1130	207	3.3	0.2	--	--	--	--
DDH83011130-1140	207	6.0	0.2	--	--	--	--
DDH83011140-1150	207	4.4	0.1	--	--	--	--
DDH83011150-1160	207	2.3	<0.1	--	--	--	--
DDH83011160-1170	207	3.9	0.2	--	--	--	--
DDH83011170-1180	207	2.8	0.1	--	--	--	--
DDH83011180-1190	207	5.0	0.5	--	--	--	--
DDH83011190-1200	207	1.3	<0.1	--	--	--	--
DDH83011200-1210	207	0.8	<0.1	--	--	--	--
DDH83011210-1223	207	0.5	<0.1	--	--	--	--

[Signature]
Registered Assayer, Province of British Columbia





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221

TELEX: 043-52597

CERTIFICATE OF ASSAY

TO : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
#1900 - 1055 W. HASTINGS ST.,
VANCOUVER, B.C.
V6E 2E9

CERT. # : A8313386-001-A
INVOICE # : 18313386
DATE : 11-AUG-83
P.O. # : S 8332
M 518 CATARACT

CC: R. BRUASET

Sample description	Prep code	Ag AA g/tonne	Au g/tonne				
DDH8301 460-465	207	11.8	0.3	--	--	--	--
DDH8301 465-470	207	9.0	<0.1	--	--	--	--
DDH8301 470-475	207	2.8	<0.1	--	--	--	--
DDH8301 475-480	207	3.9	<0.1	--	--	--	--
DDH8301 480-485	207	6.0	0.1	--	--	--	--
DDH8301 485-490	207	2.8	<0.1	--	--	--	--
DDH8301 490-495	207	3.0	<0.1	--	--	--	--
DDH8301 495-500	207	4.1	<0.1	--	--	--	--
DDH8301 500-505	207	4.1	<0.1	--	--	--	--
DDH8301 505-510	207	3.9	<0.1	--	--	--	--
DDH8301 510-515	207	3.6	<0.1	--	--	--	--
DDH8301 515-520	207	1.7	<0.1	--	--	--	--
DDH8301 520-525	207	2.3	<0.1	--	--	--	--
DDH8301 525-530	207	2.3	<0.1	--	--	--	--
DDH8301 530-535	207	6.5	<0.1	--	--	--	--
DDH8301 535-540	207	4.7	<0.1	--	--	--	--
DDH8301 540-545	207	4.7	<0.1	--	--	--	--
DDH8301 545-550	207	6.5	<0.1	--	--	--	--
DDH8301 550-555	207	7.0	<0.1	--	--	--	--
DDH8301 555-560	207	10.5	0.3	--	--	--	--
DDH8301 560-565	207	17.0	0.8	--	--	--	--
DDH8301 565-570	207	5.0	0.3	--	--	--	--
DDH8301 570-575	207	3.9	<0.1	--	--	--	--
DDH8301 575-580	207	5.3	0.2	--	--	--	--
DDH8301 580-585	207	6.5	<0.1	--	--	--	--
DDH8301 585-590	207	4.1	<0.1	--	--	--	--
DDH8301 590-595	207	4.4	<0.1	--	--	--	--
DDH8301 595-600	207	5.5	<0.1	--	--	--	--
DDH8301 600-610	207	3.9	<0.1	--	--	--	--
DDH8301 610-620	207	2.8	<0.1	--	--	--	--
DDH8301 620-630	207	2.8	<0.1	--	--	--	--
DDH8301 630-640	207	5.0	<0.1	--	--	--	--
DDH8301 640-650	207	3.6	<0.1	--	--	--	--
DDH8301 650-660	207	2.8	<0.1	--	--	--	--
DDH8301 660-670	207	3.0	<0.1	--	--	--	--
DDH8301 670-680	207	2.3	<0.1	--	--	--	--
DDH8301 680-690	207	3.3	<0.1	--	--	--	--
DDH8301 690-700	207	3.6	<0.1	--	--	--	--
DDH8301 700-710	207	3.3	<0.1	--	--	--	--
DDH8301 710-720	207	2.8	<0.1	--	--	--	--



MEMBER
CANADIAN TESTING
ASSOCIATION

.....
Registered Assayer, Province of British Columbia



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ASSAY

TO : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
#1900 - 1055 W. HASTINGS ST.,
VANCOUVER, B.C.
V6E 2E9

CERT. # : A8313386-002-A
INVOICE # : I8313386
DATE : 11-AUG-83
P.C. # : S 8332
M 518 CATARACT

CC: R. BRUASET

Sample description	Prep code	Ag AA g/tonne	Au g/tonne				
DDH8301 720-730	207	3.9	<0.1	--	--	--	--
DDH8301 730-740	207	3.6	<0.1	--	--	--	--
DDH8301 740-750	207	4.1	<0.1	--	--	--	--
DDH8301 750-760	207	2.8	<0.1	--	--	--	--
DDH8301 760-770	207	3.3	<0.1	--	--	--	--
DDH8301 770-780	207	4.1	<0.1	--	--	--	--
DDH8301 780-790	207	2.3	<0.1	--	--	--	--
DDH8301 790-800	207	3.3	<0.1	--	--	--	--
DDH8301 800-810	207	4.4	<0.1	--	--	--	--
DDH8301 810-820	207	2.8	<0.1	--	--	--	--
DDH8301 820-830	207	1.9	<0.1	--	--	--	--
DDH8301 830-840	207	1.9	<0.1	--	--	--	--

.....
Registered Assayer, Province of British Columbia



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ASSAY

TO : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
#1900 - 1055 W. HASTINGS ST.,
VANCOUVER, B.C.
V6E 2E9

CERT. # : A8313332-001-A
INVOICE # : I8313332
DATE : 15-AUG-83
P.O. # : S 8332
M 518 CATARACT

CC: R. BRUASET

Sample description	Prep code	Ag g/tonne	AA g/tonne	Au g/tonne				
DDH 8301 0-5	207	18.5		0.3	--	--	--	--
DDH 8301 5-10	207	9.5		<0.1	--	--	--	--
DDH 8301 10-15	207	8.0		<0.1	--	--	--	--
DDH 8301 15-20	207	3.6		<0.1	--	--	--	--
DDH 8301 20-25	207	16.0		<0.1	--	--	--	--
DDH 8301 25-30	207	29.0		0.7	--	--	--	--
DDH 8301 30-35	207	9.5		<0.5	--	--	--	--
DDH 8301 35-40	207	19.5		0.3	--	--	--	--
DDH 8301 40-45	207	12.0		0.1	--	--	--	--
DDH 8301 45-50	207	31.0		0.2	--	--	--	--
DDH 8301 50-55	207	28.5		0.3	--	--	--	--
DDH 8301 55-60	207	8.5		<0.1	--	--	--	--
DDH 8301 60-65	207	11.0		<0.1	--	--	--	--
DDH 8301 65-70	207	16.5		0.2	--	--	--	--
DDH 8301 70-75	207	20.5		0.2	--	--	--	--
DDH 8301 75-80	207	56.0		0.9	--	--	--	--
DDH 8301 80-85	207	16.0		0.3	--	--	--	--
DDH 8301 85-90	207	22.0		0.2	--	--	--	--
DDH 8301 90-95	207	15.5		<0.1	--	--	--	--
DDH 8301 95-100	207	24.0		0.5	--	--	--	--
DDH 8301 100-105	207	10.8		0.1	--	--	--	--
DDH 8301 105-110	207	7.0		<0.1	--	--	--	--
DDH 8301 110-115	207	21.0		0.3	--	--	--	--
DDH 8301 115-120	207	21.5		0.5	--	--	--	--
DDH 8301 120-125	207	14.0		0.5	--	--	--	--
DDH 8301 125-130	207	10.3		<0.1	--	--	--	--
DDH 8301 130-135	207	6.0		<0.1	--	--	--	--
DDH 8301 135-140	207	13.5		0.7	--	--	--	--
DDH 8301 140-145	207	5.0		<0.1	--	--	--	--
DDH 8301 145-150	207	10.5		0.3	--	--	--	--
DDH 8301 150-155	207	4.1		<0.1	--	--	--	--
DDH 8301 155-160	207	2.5		<0.1	--	--	--	--
DDH 8301 160-165	207	3.6		<0.1	--	--	--	--
DDH 8301 165-170	207	5.5		<0.1	--	--	--	--
DDH 8301 170-175	207	6.0		<0.1	--	--	--	--
DDH 8301 175-180	207	17.3		0.7	--	--	--	--
DDH 8301 180-185	207	7.5		<0.1	--	--	--	--
DDH 8301 185-190	207	6.0		<0.1	--	--	--	--
DDH 8301 190-195	207	10.3		2.8	--	--	--	--
DDH 8301 195-200	207	9.3		0.2	--	--	--	--

Ken Amadori

Registered Assayer, Province of British Columbia



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS. LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ASSAY

TO : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
#1900 - 1055 W. HASTINGS ST.,
VANCOUVER, B.C.
V6E 2E9

CERT. # : A8313332-002-A
INVIGICE # : I8313332
DATE : 15-AUG-83
P.C. # : S 8332
M 518 CATARACT

CC: R. BRUASET

Sample description	Prep code	Ag g/tonne	AA g/tonne	Au g/tonne				
DDH 8301 200-205	207	5.0		0.1	--	--	--	--
DDH 8301 205-210	207	1.7		<0.1	--	--	--	--
DDH 8301 210-215	207	2.5		<0.1	--	--	--	--
DDH 8301 215-220	207	12.0		0.1	--	--	--	--
DDH 8301 220-225	207	5.8		<0.1	--	--	--	--
DDH 8301 225-230	207	14.0		0.2	--	--	--	--
DDH 8301 230-235	207	8.5		0.1	--	--	--	--
DDH 8301 235-240	207	5.0		0.1	--	--	--	--
DDH 8301 240-245	207	8.8		0.3	--	--	--	--
DDH 8301 245-250	207	9.5		0.4	--	--	--	--
DDH 8301 250-255	207	11.3		1.0	--	--	--	--
DDH 8301 255-260	207	7.5		1.0	--	--	--	--
DDH 8301 260-265	207	8.5		0.2	--	--	--	--
DDH 8301 265-270	207	7.0		0.1	--	--	--	--
DDH 8301 270-275	207	12.3		0.3	--	--	--	--
DDH 8301 275-280	207	5.5		<0.1	--	--	--	--
DDH 8301 280-285	207	5.3		0.3	--	--	--	--
DDH 8301 285-290	207	8.0		0.2	--	--	--	--
DDH 8301 290-295	207	9.0		0.6	--	--	--	--
DDH 8301 295-300	207	8.8		0.6	--	--	--	--
DDH 8301 300-305	207	6.0		0.3	--	--	--	--
DDH 8301 305-310	207	5.0		<0.1	--	--	--	--
DDH 8301 310-315	207	3.0		<0.1	--	--	--	--
DDH 8301 315-320	207	7.8		0.2	--	--	--	--
DDH 8301 320-325	207	11.0		0.4	--	--	--	--
DDH 8301 325-330	207	5.8		<0.1	--	--	--	--
DDH 8301 330-335	207	8.3		0.1	--	--	--	--
DDH 8301 335-340	207	6.0		0.1	--	--	--	--
DDH 8301 340-345	207	16.0		0.3	--	--	--	--
DDH 8301 345-350	207	24.3		0.8	--	--	--	--
DDH 8301 350-355	207	26.5		1.0	--	--	--	--
DDH 8301 355-360	207	5.3		<0.1	--	--	--	--
DDH 8301 360-365	207	11.8		0.5	--	--	--	--
DDH 8301 365-370	207	13.3		1.0	--	--	--	--
DDH 8301 370-375	207	6.0		0.7	--	--	--	--
DDH 8301 375-380	207	7.8		0.3	--	--	--	--
DDH 8301 380-385	207	5.5		<0.1	--	--	--	--
DDH 8301 385-390	207	5.2		<0.1	--	--	--	--
DDH 8301 390-395	207	5.8		<0.1	--	--	--	--
DDH 8301 395-400	207	10.0		0.1	--	--	--	--

.....
Her Amadori
Registered Assayer, Province of British Columbia





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ASSAY

TO : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
#1900 - 1055 W. HASTINGS ST.,
VANCOUVER, B.C.
V6E 2E9

CERT. # : A8313332-003-A
INVOICE # : I8313332
DATE : 15-AUG-83
P.C. # : S 8332
M 518 CATARACT


CC: R. BRUASET

Sample description	Prep code	Ag AA g/tonne	Au g/tonne				
DHH 8301 400-405	207	7.0	0.2	--	--	--	--
DHH 8301 405-410	207	4.7	<0.1	--	--	--	--
DHH 8301 410-415	207	3.0	<0.1	--	--	--	--
DHH 8301 415-420	207	3.6	<0.1	--	--	--	--
DHH 8301 420-425	207	3.9	<0.1	--	--	--	--
DHH 8301 425-430	207	2.3	0.1	--	--	--	--
DHH 8301 430-435	207	1.9	<0.1	--	--	--	--
DHH 8301 435-440	207	5.5	<0.1	--	--	--	--
DDH 8301 440-445	207	7.3	<0.1	--	--	--	--
DDH 8301 445-450	207	3.3	<0.1	--	--	--	--
DDH 8301 450-455	207	4.7	0.3	--	--	--	--
DDH 8301 455-460	207	5.5	0.1	--	--	--	--



MEMBER
CANADIAN TESTING
ASSOCIATION

.....
San Amerini
.....
Registered Assayer, Province of British Columbia



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604) 984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ASSAY

TO : CHEVRON CANADA RESOURCES LTD.
 MINERALS STAFF
 #1900 - 1055 W. HASTINGS ST.,
 VANCOUVER, B.C.
 V6E 2E9

R Bruaset

CERT. # : A8313476-001
 INVOICE # : I8313476
 DATE : 16-AUG-83
 P.C. # : S 8332
 CATARACT M518

CC: R. BRUASET

Sample description	Prep code	Ag g/tonne	Au g/tonne				
DDH 8301-840-850	207	2.3	0.3	--	--	--	--
DDH 8301 850-860	207	1.9	<0.1	--	--	--	--
DDH 8301 860-870	207	3.3	0.2	--	--	--	--
DDH 8301 870-880	207	3.3	0.2	--	--	--	--
DDH 8301 880-890	207	5.0	0.3	--	--	--	--
DDH 8301 890-900	207	3.6	0.5	--	--	--	--
DDH 8301 900-910	207	2.8	0.2	--	--	--	--
DDH 8301 910-920	207	3.0	0.3	--	--	--	--
DDH 8301 920-930	207	1.7	0.3	--	--	--	--
DDH 8301 930-940	207	2.5	0.2	--	--	--	--
DDH 8301 940-950	207	2.3	<0.1	--	--	--	--
DDH 8301 950-960	207	2.3	0.1	--	--	--	--
DDH 8301 960-970	207	3.3	0.4	--	--	--	--
DDH 8301 970-980	207	3.3	0.4	--	--	--	--
DDH 8301 980-990	207	4.4	0.5	--	--	--	--
DDH8301 990-1000	207	3.0	0.2	--	--	--	--
DDH83011000-1010	207	2.8	0.3	--	--	--	--
DDH83011010-1020	207	2.3	<0.1	--	--	--	--
DDH83011020-1030	207	2.8	0.1	--	--	--	--
DDH83011030-1040	207	2.3	<0.1	--	--	--	--
DDH83011040-1050	207	3.6	0.1	--	--	--	--
DDH83011050-1060	207	3.0	<0.1	--	--	--	--
DDH83011060-1070	207	3.6	0.2	--	--	--	--
DDH83011070-1080	207	2.8	0.4	--	--	--	--
DDH83011080-1090	207	3.9	0.3	--	--	--	--
DDH83011090-1100	207	4.4	0.5	--	--	--	--
DDH83011100-1110	207	3.3	0.3	--	--	--	--
DDH83011110-1120	207	4.1	0.2	--	--	--	--
DDH83011120-1130	207	3.3	0.2	--	--	--	--
DDH83011130-1140	207	6.0	0.2	--	--	--	--
DDH83011140-1150	207	4.4	0.1	--	--	--	--
DDH83011150-1160	207	2.3	<0.1	--	--	--	--
DDH83011160-1170	207	3.9	0.2	--	--	--	--
DDH83011170-1180	207	2.8	0.1	--	--	--	--
DDH83011180-1190	207	5.0	0.5	--	--	--	--
DDH83011190-1200	207	1.3	<0.1	--	--	--	--
DDH83011200-1210	207	0.8	<0.1	--	--	--	--
DDH83011210-1223	207	0.5	<0.1	--	--	--	--

128 17.25 39
400-1223
4009 102 = 3.99

.....
 Registered Assayer, Province of British Columbia





CHEMEX LABS LTD.

3 212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604) 984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ASSAY

TO : CHEVRON CANADA RESOURCES LTD.
 MINERALS STAFF
 #1900 - 1055 W. HASTINGS ST.,
 VANCOUVER, B.C.
 V6E 2E9

C Pemberton Helic
 Pemberton, B.C.

CERT. # : A8313612-001-A
 INVOICE # : I8313612
 DATE : 21-AUG-83
 P.O. # : S 8332
 M 518

D118303

CC: R. BRUASET

EXT

Sample description	Prep code	Ag AA g/tonne	Au g/tonne				
8800 I 0-10	207	14.0	140	<0.1	--	--	--
8801 I 10-20	207	26.0	260	0.3	--	--	--
8802 I 20-30	207	24.5	245	0.1	--	--	--
8803 I 30-40	207	6.0	60	<0.1	--	--	--
8804 I 40-50	207	7.5	75	<0.1	--	--	--
8805 I 50-60	207	14.3	143	0.1	--	--	--
8806 I 60-70	207	13.0	130	<0.1	--	--	--
8807 I 70-80	207	25.5	255	<0.1	--	--	--
8808 I 80-90	207	34.0	340	0.4	--	--	--
8809 I 90-100	207	9.8	98	<0.1	--	--	--
8810 I 110	207	39.5	395	0.5	--	--	--
8811 I 120	207	9.8	98	<0.1	--	--	--
8812 I 130	207	7.5	75	<0.1	--	--	--
8813 I 140	207	1.9	19	<0.1	--	--	--
8814 I 150	207	7.5	75	0.3	--	--	--
8815 I 150-160	207	12.3	123	0.1	--	--	--
8816 I 170	207	14.3	143	0.1	--	--	--
8817 I 180	207	20.5	205	1.1	--	--	--
8818 I 180-190	207	5.8	58	<0.1	--	--	--
8819 I 190-199	207	9.0	90	<0.1	--	--	--
8820 I 199-200	207	26.0	260	0.1	--	--	--
8821 I 201-210	207	9.3	93	<0.1	--	--	--
8822 I 210-220	207	8.0	80	<0.1	--	--	--
8823 I 220-234	207	8.3	116.2	<0.1	--	--	--

3356.9

R. S. Swaine

Registered Assayer, Province of British Columbia





CHEMEX LABS LTD.

DDH

2

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ASSAY

TO : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
#1900 - 1055 W. HASTINGS ST.,
VANCOUVER, B.C.
V6E 2E9

CERT. # : A8313531-001-1
INVOICE # : 18313531
DATE : 21-AUG-83
P.O. # : S 8332
M 518

✓ CC: R. BRUASET

Sample description	Prep code	Ag AA g/tonne	Au g/tonne				
DDH 8302 000-010	207	12.0	0.2	--	--	--	--
DDH 8302 010-020	207	9.5	<0.1	--	--	--	--
DDH 8302 020-030	207	19.0	<0.1	--	--	--	--
DDH 8302 030-040	207	9.5	0.1	--	--	--	--
DDH 8302 040-050	207	23.0	0.4	--	--	--	--
DDH 8302 050-055	207	33.5	0.5	--	--	--	--
DDH 8302 065-070	207	24.5	0.1	--	--	--	--
DDH 8302 070-080	207	13.5	<0.1	--	--	--	--
DDH 8302 080-090	207	17.5	0.2	--	--	--	--
DDH 8302 090-100	207	12.0	0.1	--	--	--	--
DDH 8302 100-110	207	17.0	0.2	--	--	--	--
DDH 8302 110-120	207	6.8	<0.1	--	--	--	--
DDH 8302 120-130	207	3.9	<0.1	--	--	--	--
DDH 8302 130-140	207	8.3	<0.1	--	--	--	--
DDH 8302 140-150	207	6.8	<0.1	--	--	--	--
DDH 8302 150-160	207	6.5	<0.1	--	--	--	--
DDH 8302 160-170	207	9.5	<0.1	--	--	--	--
DDH 8302 170-180	207	11.0	<0.1	--	--	--	--
DDH 8302 180-190	207	12.0	0.3	--	--	--	--
DDH 8302 060-065	207	24.5	0.2	--	--	--	--
DDH 8302 055-060	207	7.3	<0.1	--	--	--	--

R. Bruset

Registered Assayer, Province of British Columbia





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221

TELEX: 043-52597

CERTIFICATE OF ASSAY

TO : CHEVRON CANADA RESOURCES LTD.

MINERALS STAFF

#1900 - 1055 W. HASTINGS ST.,
VANCOUVER, B.C.
V6E 2E9

R. BRUASET
c/o PEMBERTON HELICOPTERS
PEMBERTON, B.C.

CERT. # : A8313529-001-A

INVOICE # : 18313529

DATE : 21-AUG-83

P.O. # : S 8332

M518

CC: R. BRUASET

Sample description	Prep code	Ag g/tonne	AA g/tonne	Au g/tonne			
7500 I 190-200	207	8.8	0.1	0.1	201	start of breccia	--
7501 I 210	207	9.0	0.1	0.1			--
7502 I 220	207	10.3	0.3	0.3			--
7503 I 230	207	18.0	0.5	0.5			--
7504 I 240	207	13.8	0.3	0.3			--
7505 I 250	207	9.0	<0.1	<0.1			--
7506 I 260	207	11.0	0.3	0.3			--
7507 I 260-270	207	32.0	3.6	0.1103			--
7508 I 280	207	16.5	0.8	0.8			--
7509 I 280-290	207	9.5	0.3	0.3			--
7510 I 290-300	207	15.5	1.0	1.0			--
7511 I 300-310	207	21.0	0.5	0.5			--
7512 I 320	207	6.0	0.2	0.2			--
7513 I 330	207	9.5	0.1	0.1			--
7514 I 340	207	6.0	0.3	0.3			--
7515 I 350	207	4.4	<0.1	<0.1			--
7516 I 360	207	4.1	<0.1	<0.1			--
7517 I 370	207	3.3	<0.1	<0.1			--
7518 I 380	207	3.0	<0.1	<0.1			--
7519 I 390	207	4.7	<0.1	<0.1			--
7520 I 390-400	207	3.9	<0.1	<0.1			--
7521 I 410	207	4.4	0.1	0.1			--
7522 I 420	207	5.0	<0.1	<0.1			--
7523 I 430	207	4.1	0.1	0.1			--
7524 I 440	207	4.7	0.1	0.1			--
7525 I 440-450	207	12.0	0.3	0.3			--
7526 I 460	207	3.6	0.3	0.3			--
7527 I 470	207	6.0	0.3	0.3			--
7528 I 470-480	207	6.0	0.1	0.1			--
7529 I 480-490	207	3.3	<0.1	<0.1			--
7530 A 490-500	207	4.4	<0.1	<0.1			--
7530 B 500-510	207	5.0	<0.1	<0.1			--
7531 I 510-520	207	5.5	<0.1	<0.1			--
7532 I 530	207	12.5	0.3	0.3			--
7533 I 540	207	7.8	0.2	0.2			--
7534 I 550	207	3.9	<0.1	<0.1			--
7535 I 550-560	207	7.3	<0.1	<0.1			--

1g/tonne = 1 ppm

Average 8.25

Average 1.425 g/tonne = 40 feet

0.0415 g/tonne

301 END OF UPPER BRECCIA

425 END OF CRACKLE BRECCIA

END OF LOWER BRECCIA


Assume <0.1 = 0.05

END

R. Swales

Registered Assayer, Province of British Columbia





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ASSAY

TO : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
#1900 - 1055 W. HASTINGS ST.,
VANCOUVER, B.C.
V6E 2E9

*C/O Pemberton Helicopters
Pemberton, B.C.*

CERT. # : A8313530-001-A
INVOICE # : 18313530
DATE : 24-AUG-83
P.O. # : S 8332
M 518

CC: R. BRUASET

Sample description	Prep code	Cu %	Pb %	Zn %			
190-230 7500 I - 7503 I	261	0.02	0.21	1.48	--	--	--
200-240 7504 I	261	0.02	0.30	1.36	--	--	--
240-250 7505 I	261	0.02	0.18	1.02	--	--	--
250-260 7506 I	261	0.02	0.21	1.37	--	--	--
260-270 7507 I	261	0.13	0.38	2.40	--	--	--
270-280 7508 I	261	0.05	0.27	1.36	--	--	--
280-290 7509 I	261	0.01	0.24	1.12	--	--	--
290-300 7510 I	261	0.03	0.24	1.32	--	--	--
300-310 7511 I	261	0.03	0.45	1.04	--	--	--
310-320 7512 I	261	<0.01	0.16	0.52	--	--	--
320-330 7513 I	261	0.02	0.15	1.37	--	--	--
330-380 7514 I - 7518 I	261	<0.01	0.07	0.44	--	--	--
380-430 7519 I - 7523 I	261	<0.01	0.07	0.50	--	--	--
430-480 7524 I - 7528 I	261	0.02	0.08	0.74	--	--	--
480-560 7529 I - 7535 I	261	<0.01	0.16	0.72	--	--	--

Registered Assayer, Province of British Columbia



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ASSAY

TO : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
#1900 - 1055 W. HASTINGS ST.,
VANCOUVER, B.C.
V6E 2E9

CERT. # : A8313333-001-A
INVOICE # : I8313333
DATE : 23-AUG-83
P.O. # : S 8332
M 518 CATARACT

CC: R. BRUASET

COMPOSITES

Sample description	Prep code	Cu %	Pb %	Zn %			
DDH 8301 000-050	261	0.01	0.39	0.61	--	--	--
DDH 8301 050-100	261	0.01	0.58	0.88	--	--	--
DDH 8301 100-150	261	0.02	0.30	1.13	--	--	--
DDH 8301 150-200	261	0.01	0.15	0.77	--	--	--
DDH 8301 200-250	261	0.02	0.11	0.85	--	--	--
DHH 8301 250-300	261	0.02	0.16	1.31	--	--	--
DDH 8301 300-350	261	0.01	0.19	1.00	--	--	--
DDH 8301 350-400	261	0.01	0.16	0.66	--	--	--
DDH 8301 400-450	261	<0.01	0.07	0.52	--	--	--

.....
Registered Assayer, Province of British Columbia





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ASSAY

TO : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
#1900 - 1055 W. HASTINGS ST.,
VANCOUVER, B.C.
V6E 2E9

CERT. # : A8313387-001-A
INVOICE # : I8313387
DATE : 23-AUG-83
P.O. # : S 8332
M 518 CATARACT

CC: R. BRUASET

Sample description	Prep code	Cu %	Pb %	Zn %			
DDH8301 450-500	261	0.01	0.04	0.68	--	--	--
DDH8301 500-550	261	<0.01	0.05	0.66	--	--	--
DDH8301 550-600	261	0.02	0.10	1.04	--	--	--
DDH8301 600-650	261	0.01	0.05	0.74	--	--	--
DDH8301 650-700	261	<0.01	0.02	0.44	--	--	--
DDH8301 700-750	261	0.01	0.02	0.87	--	--	--
DDH8301 750-800	261	<0.01	0.03	0.51	--	--	--
DDH8301 800-850	261	<0.01	0.02	0.52	--	--	--

.....
Registered Assayer, Province of British Columbia



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ASSAY

TO : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
#1900 - 1055 W. HASTINGS ST.,
VANCOUVER, B.C.
V6E 2E9

CERT. # : A8313477-0C1-A
INVOICE # : I3313477
DATE : 24-AUG-83
P.C. # : S 8332
CATARACT M518

CC: R. BRUASET

Sample description	Prep code	Cu %	Pb %	Zn %			
DDH8301 850-900	261	0.01	0.02	0.43	--	--	--
DDH8301 900-950	261	<0.01	0.01	0.38	--	--	--
DDH8301 950-1000	261	0.01	0.01	0.62	--	--	--
DDH83011000-1150	261	<0.01	0.01	0.40	--	--	--
DDH83011150-1100	261	<0.01	0.01	0.47	--	--	--
DDH83011100-1150	261	0.02	<0.01	0.37	--	--	--
DDH83011150-1200	261	0.01	0.01	0.41	--	--	--
DDH83011200-1223	261	<0.01	<0.01	0.01	--	--	--

.....
Registered Assayer, Province of British Columbia



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604) 984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ASSAY

TO : CHEVRON CANADA RESOURCES LTD.
 MINERALS STAFF
 #1900 - 1055 W. HASTINGS ST.,
 VANCOUVER, B.C.
 V6E 2E9

CERT. # : A8313476-001-A
 INVOICE # : I8313476
 DATE : 16-ALG-83
 P.C. # : S 8332
 CATARACT M519

CC: R. BRUASET

Sample description	Prep code	Ag AA g/tonne	Au g/tonne				
DDH 8301-845-850	207	2.3	0.3	--	--	--	--
DDH 8301 850-860	207	1.9	<0.1	--	--	--	--
DDH 8301 860-870	207	3.3	0.2	--	--	--	--
DDH 8301 870-880	207	3.3	0.2	--	--	--	--
DDH 8301 880-890	207	5.0	0.3	--	--	--	--
DDH 8301 890-900	207	3.6	0.5	--	--	--	--
DDH 8301 900-910	207	2.8	0.2	--	--	--	--
DDH 8301 910-920	207	3.0	0.3	--	--	--	--
DDH 8301 920-930	207	1.7	0.3	--	--	--	--
DDH 8301 930-940	207	2.5	0.2	--	--	--	--
DDH 8301 940-950	207	2.3	<0.1	--	--	--	--
DDH 8301 950-960	207	2.3	0.1	--	--	--	--
DDH 8301 960-970	207	3.3	0.4	--	--	--	--
DDH 8301 970-980	207	3.3	0.4	--	--	--	--
DDH 8301 980-990	207	4.4	0.5	--	--	--	--
DDH8301 990-1000	207	3.0	0.2	--	--	--	--
DDH83011000-1010	207	2.8	0.3	--	--	--	--
DDH83011010-1020	207	2.3	<0.1	--	--	--	--
DDH83011020-1030	207	2.8	0.1	--	--	--	--
DDH83011030-1040	207	2.3	<0.1	--	--	--	--
DDH83011040-1050	207	3.6	0.1	--	--	--	--
DDH83011050-1060	207	3.0	<0.1	--	--	--	--
DDH83011060-1070	207	3.6	0.2	--	--	--	--
DDH83011070-1080	207	2.8	0.4	--	--	--	--
DDH83011080-1090	207	3.9	0.3	--	--	--	--
DDH83011090-1100	207	4.4	0.5	--	--	--	--
DDH83011100-1110	207	3.3	0.3	--	--	--	--
DDH83011110-1120	207	4.1	0.2	--	--	--	--
DDH83011120-1130	207	3.3	0.2	--	--	--	--
DDH83011130-1140	207	6.0	0.2	--	--	--	--
DDH83011140-1150	207	4.4	0.1	--	--	--	--
DDH83011150-1160	207	2.3	<0.1	--	--	--	--
DDH83011160-1170	207	3.9	0.2	--	--	--	--
DDH83011170-1180	207	2.8	0.1	--	--	--	--
DDH83011180-1190	207	5.0	0.5	--	--	--	--
DDH83011190-1200	207	1.3	<0.1	--	--	--	--
DDH83011200-1210	207	0.8	<0.1	--	--	--	--
DDH83011210-1223	207	0.5	<0.1	--	--	--	--

San Amosini
 Registered Assayer, Province of British Columbia





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
#1900 - 1055 W. HASTINGS ST.,
VANCOUVER, B.C.
V6E 2E9


CERT. # : A8313478-001-A
INVOICE # : 18313478
DATE : 17-AUG-83
P.O. # : S8332
M518

Soil sample

ATTN: R. BRUASET

*Drill site
#193305/6*

Sample description	Prep code	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Mn ppm	Au ppb FA+AA
1+20W 1+47N	201	147	1900	6000	4.5	1250	25



Certified by *Hart Buchler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
#1900 - 1055 W. HASTINGS ST.,
VANCOUVER, B.C.
V6E 2E9

*C/O Pemberton Helic.
Pemberton, B.C.*

CERT. # : A8313533-001-A
INVOICE # : I8313533
DATE : 19-AUG-83
P.O. # : S 8332
M 518

CC: R. BRUASET *Rock samples*

*Line 1000
07905*

Sample description	Prep code	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Mn ppm	Au ppb FA+AA
RB 83056 A	205	93	1000	3750	5.5	>10000	55
RB 83056 B	205	1800	550	>10000	28.0	2200	600
RB 83056 C	205	275	1000	6300	14.0	>10000	35
RB 83057	205	18	9	195	0.1	34	5

*Assayed for Zn A8113841 9.7.76.2n
23 Aug 83*

RB83057 was taken on the west face of the breccia pipe in a cave about 50m below the top of the breccia. The sample was taken over 1m. This area is accessible by a modest scramble in the northwesterly direction

Hart Buchler

Certified by





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604) 984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ASSAY

TO : CHEVRON CANADA RESOURCES LTD.
 MINERALS STAFF
 #1900 - 1055 W. HASTINGS ST.,
 VANCOUVER, B.C.
 V6E 2E9

CERT. # : A8313612-001-A
 INVOICE # : I8313612
 DATE : 21-AUG-83
 P.O. # : S 8332
 M 518

CC: R. BRUASET

DDH 8303 CATARACT

Sample description #	Prep code	Ag AA g/tonne	Au g/tonne				
8800 I 0-10	207	14.0	<0.1	--	--	--	--
8801 I 20	207	26.0	0.3	--	--	--	--
8802 I 30	207	24.5	0.1	--	--	--	--
8803 I 40	207	6.0	<0.1	--	--	--	--
8804 I 40-50	207	7.5	<0.1	--	--	--	--
8805 I 60	207	14.3	0.1	--	--	--	--
8806 I 70	207	13.0	<0.1	--	--	--	--
8807 I 80	207	25.5	<0.1	--	--	--	--
8808 I 90	207	34.0	0.4	--	--	--	--
8809 I 90-100	207	9.8	<0.1	--	--	--	--
8810 I 110	207	39.5	0.5	--	--	--	--
8811 I 120	207	9.8	<0.1	--	--	--	--
8812 I 130	207	7.5	<0.1	--	--	--	--
8813 I 140	207	1.9	<0.1	--	--	--	--
8814 I 150	207	7.5	0.3	--	--	--	--
8815 I 160	207	12.3	0.1	--	--	--	--
8816 I 170	207	14.3	0.1	--	--	--	--
8817 I 180	207	20.5	1.1	--	--	--	--
8818 I 190	207	5.8	<0.1	--	--	--	--
8819 I 190-199	207	9.0	<0.1	--	--	--	--
8820 I 199-201	207	26.0	0.1	--	--	--	--
8821 I 201-210	207	9.3	<0.1	--	--	--	--
8822 I 210-220	207	8.0	<0.1	--	--	--	--
8823 I 220-234	207	8.3	<0.1	--	--	--	--

R. Swaites

.....
 Registered Assayer, Province of British Columbia





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ASSAY

TO : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
#1900 - 1055 W. HASTINGS ST.,
VANCOUVER, B.C.
V6E 2E9

CERT. # : A8313529-001-A
INVOICE # : I8313529
DATE : 21-AUG-83
P.O. # : S 8332
M518

*DOT
G302*

CC: R. BRUASET

Sample description	Prep code	Ag AA g/tonne	Au g/tonne				
7500 I 140-200	207	8.8	0.1	--	--	--	--
7501 I 210	207	9.0	0.1	--	--	--	--
7502 I 220	207	10.3	0.3	--	--	--	--
7503 I 230	207	18.0	0.5	--	--	--	--
7504 I 240	207	13.8	0.3	--	--	--	--
7505 I 250	207	9.0	<0.1	--	--	--	--
7506 I 260	207	11.0	0.3	--	--	--	--
7507 I 270	207	32.0	3.6	--	--	--	--
7508 I 280	207	16.5	0.8	--	--	--	--
7509 I 290	207	9.5	0.3	--	--	--	--
7510 I 300	207	15.5	1.0	--	--	--	--
7511 I 310	207	21.0	0.5	--	--	--	--
7512 I 320	207	6.0	0.2	--	--	--	--
7513 I 330	207	9.5	0.1	--	--	--	--
7514 I 340	207	6.0	0.3	--	--	--	--
7515 I 350	207	4.4	<0.1	--	--	--	--
7516 I 360	207	4.1	<0.1	--	--	--	--
7517 I 370	207	3.3	<0.1	--	--	--	--
7518 I 380	207	3.0	<0.1	--	--	--	--
7519 I 390	207	4.7	<0.1	--	--	--	--
7520 I 390 400	207	3.9	<0.1	--	--	--	--
7521 I 410	207	4.4	0.1	--	--	--	--
7522 I 420	207	5.0	<0.1	--	--	--	--
7523 I 430	207	4.1	0.1	--	--	--	--
7524 I 440	207	4.7	0.1	--	--	--	--
7525 I 450	207	12.0	0.3	--	--	--	--
7526 I 460	207	3.6	0.3	--	--	--	--
7527 I 470	207	6.0	0.3	--	--	--	--
7528 I 480	207	6.0	0.1	--	--	--	--
7529 I 490	207	3.3	<0.1	--	--	--	--
7530 A I 490-500	207	4.4	<0.1	--	--	--	--
7530 B I 510	207	5.0	<0.1	--	--	--	--
7531 I 520	207	5.5	<0.1	--	--	--	--
7532 I 530	207	12.5	0.3	--	--	--	--
7533 I 540	207	7.8	0.2	--	--	--	--
7534 I -530	207	3.9	<0.1	--	--	--	--
7535 I -560	207	7.3	<0.1	--	--	--	--

END

.....
Registered Assayer, Province of British Columbia





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604) 984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ASSAY

TO : CHEVRON CANADA RESOURCES LTD.
 MINERALS STAFF
 #1900 - 1055 W. HASTINGS ST.,
 VANCOUVER, B.C.
 V6E 2E9

CERT. # : A8313531-001-A
 INVOICE # : I8313531
 DATE : 21-AUG-83
 P.C. # : S 8332
 M 518

CC: R. BRUASET

Sample description	Prep code	Ag AA g/tonne	AU g/tonne				
DDH 8302 000-010 207		12.0	0.2	--	--	--	--
DDH 8302 C10-020 207		9.5	<0.1	--	--	--	--
DDH 8302 020-030 207		19.0	<0.1	--	--	--	--
DDH 8302 030-040 207		9.5	0.1	--	--	--	--
DDH 8302 040-050 207		23.0	0.4	--	--	--	--
DDH 8302 050-055 207		33.5	0.5	--	--	--	--
DDH 8302 065-070 207		24.5	0.1	--	--	--	--
DDH 8302 070-080 207		13.5	<0.1	--	--	--	--
DDH 8302 080-090 207		17.5	0.2	--	--	--	--
DDH 8302 090-100 207		12.0	0.1	--	--	--	--
DDH 8302 100-110 207		17.0	0.2	--	--	--	--
DDH 8302 110-120 207		6.8	<0.1	--	--	--	--
DDH 8302 120-130 207		3.9	<0.1	--	--	--	--
DDH 8302 130-140 207		8.3	<0.1	--	--	--	--
DDH 8302 140-150 207		6.8	<0.1	--	--	--	--
DDH 8302 150-160 207		6.5	<0.1	--	--	--	--
DDH 8302 160-170 207		9.5	<0.1	--	--	--	--
DDH 8302 170-180 207		11.0	<0.1	--	--	--	--
DDH 8302 180-190 207		12.0	0.3	--	--	--	--
DDH 8302 060-065 207		24.5	0.2	--	--	--	--
DDH 8302 055-060 207		7.3	<0.1	--	--	--	--

R. Bruaset

.....
 Registered Assayer, Province of British Columbia





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604) 984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ASSAY

TO : CHEVRON CANADA RESOURCES LTD.
 MINERALS STAFF
 #1900 - 1055 W. HASTINGS ST.,
 VANCOUVER, B.C.
 V6E 2E9

CERT. # : A8313709-001-A
 INVOICE # : 18313709
 DATE : 23-AUG-83
 P.C. # : S 8332
 M 518

CC: R. BRUASET

Ref A8313479-001-A 18 Aug 83

Sample description	Prep code	Pb %	Zn %	Ag FA oz/T	Cu ppm	Mn ppm	Au ppm FA+AA
* RB83055	214	2.55	3.72	2.28	240	4000	-- 90 --

* Line 1+50W ~ 0+80W

R. Bruaset

.....
 Registered Assayer, Province of British Columbia





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ASSAY

TC : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
#1900 - 1055 W. HASTINGS ST.,
VANCOUVER, B.C.
V6E 2E9

CERT. # : A8313841-U01-A
INVOICE # : I8313841
DATE : 23-AUG-83
P.C. # : S 8332
M 518

CC: R. BRUASET

Sample description	Prep code	Zn %					
RB 83156 B	214	9.76	--	--	--	--	--

thesis
RB 83156 B



.....
Registered Assayer, Province of British Columbia
.....
B. Swates



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604) 984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ASSAY

TO : CHEVRON CANADA RESOURCES LTD.
 MINERALS STAFF
 #1900 - 1055 W. HASTINGS ST.,
 VANCOUVER, B.C.
 V6E 2E9

CERT. # : A8313530-001-A
 INVOICE # : 18313530
 DATE : 24-AUG-83
 P.O. # : S 8332
 M 518

CAT ✓
 ODH
 8302 CC: R. BRUASET

Sample description	Prep code	Cu %	Pb %	Zn %			
190-230 7500 I - 7503 I	261	0.02	0.21	1.48	--	--	--
230-240 7504 I	261	0.02	0.30	1.36	--	--	--
240-250 7505 I	261	0.02	0.18	1.02	--	--	--
250-260 7506 I	261	0.02	0.21	1.37	--	--	--
260-270 7507 I	261	0.13	0.38	2.40	--	--	--
270-280 7508 I	261	0.05	0.27	1.36	--	--	--
280-290 7509 I	261	0.01	0.24	1.12	--	--	--
290-300 7510 I	261	0.03	0.24	1.32	--	--	--
300-310 7511 I	261	0.03	0.45	1.04	--	--	--
310-320 7512 I	261	<0.01	0.16	0.52	--	--	--
320-330 7513 I	261	0.02	0.15	1.37	--	--	--
330-380 >7514 I - 7518 I	261	<0.01	0.07	0.44	--	--	--
380-480 7519 I - 7523 I	261	<0.01	0.07	0.50	--	--	--
480-480 7524 I - 7528 I	261	0.02	0.08	0.74	--	--	--
480-560 7529 I - 7535 I	261	<0.01	0.16	0.72	--	--	--



.....
 Registered Assayer, Province of British Columbia



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ASSAY

TO : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
#1900 - 1055 W. HASTINGS ST.,
VANCOUVER, B.C.
V6E 2E9

CERT. # : A8313532-001-A
INVOICE # : I8313532
DATE : 27-AUG-83
P.O. # : S 8332
M 518

CC: R. BRUASET

COMPOSITES

Sample description	Prep code	Cu %	Pb %	Zn %			
DDH 8302 000-050	261	<0.01	0.29	0.40	--	--	--
DDH 8302 C50-100	261	0.01	0.43	0.86	--	--	--
DDH 8302 100-150	261	0.01	0.18	0.72	--	--	--
DDH 8302 150-190	261	0.01	0.27	0.86	--	--	--

.....
Registered Assayer, Province of British Columbia



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ASSAY

TO : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
#1900 - 1055 W. HASTINGS ST.,
VANCOUVER, B.C.
V6E 2E9

CERT. # : A8313613-001-A
INVOICE # : I8313613
DATE : 27-AUG-83
P.O. # : S 8332
M 518

CATREACT
DDH
8303

CC: R. BRUASET

COMPOSITES

Sample description	Prep code	Cu %	Pb %	Zn %			
0-50 8800 I - 8804 I	261	0.01	0.29	0.64	--	--	--
50-100 8805 I - 8809 I	261	<0.01	0.43	0.58	--	--	--
100-150 8810 I - 8814 I	261	<0.01	0.40	0.66	--	--	--
150-199 8815 I - 8819 I	261	<0.01	0.37	0.66	--	--	--
199-201 8820 I	261	0.06	0.32	6.52	--	--	--
201-234 8821 I - 8823 I	261	0.01	0.21	0.72	--	--	--

.....
Registered Assayer, Province of British Columbia



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

4
DDH

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
#1900 - 1055 W. HASTINGS ST.,
VANCOUVER, B.C.
V6E 2E9

CHEVRON RESOURCES
R. BRUASET
c/o PEMBERTON HELICOPTER
PEMBERTON BC

CERT. # : A8314146-001-A
INVOICE # : I8314146
DATE : 7-SEP-83
P.C. # : S 8332
M 518

DDH 1830
CC: R. BRUASET

Sample description	Prep code	Ag ppm	Au ppb	FA+AA				
8824 I 0-11	208	8.3	91.5	70	--	--	--	--
8825 I 11-131	208	63.0	126.0	500	--	--	--	--
8826 I 13-20	208	6.5	45.5	115	--	--	--	--
8827 I 20-25	208	13.0	65	220	--	--	--	--
8828 I 25-30	208	10.5	52.5	105	--	--	--	--
8829 I 30-35	208	2.8	14.0	30	--	--	--	--
8830 I 35-40	208	4.5	22.5	25	--	--	--	--
8831 I 40-45	208	8.0	40.0	30	--	--	--	--
8832 I 45-50	208	11.3	56.5	245	--	--	--	--
8833 I 50-55	208	13.0	65	140	--	--	--	--
8834 I 55-60	208	5.1	25.5	50	--	--	--	--
8835 I 60-65	208	10.3	51.5	75	--	--	--	--
8836 I 65-70	208	9.8	49.0	100	--	--	--	--
8837 I 70-80	208	4.2	42.0	30	--	--	--	--
8838 I 80-90	208	9.3	93.0	85	--	--	--	--
8839 I 90-98	208	57.0	450	1000	--	--	--	--
8840 I 98-105	208	3.2	22.4	45	--	--	--	--
8841 I 105-115	208	9.0	90.0	125	--	--	--	--
8842 I 115-125	208	8.8	88	120	--	--	--	--
8843 I 125-135	208	2.2	22	30	--	--	--	--
8844 I 135-145	208	4.8	48	50	--	--	--	--
8845 I 145-155	208	0.9	9.0	15	--	--	--	--
8846 I 155-165	208	2.9	29.0	30	--	--	--	--
8847 I 165-175	208	2.4	24.0	40	--	--	--	--
8848 I 175-185	208	2.4	24	15	--	--	--	--
8849 I 185-190	208	30.0	150	195	--	--	--	--
8850 I 190-200	208	3.1	31	50	--	--	--	--
8851 I 200-210	208	5.5	55	20	--	--	--	--
8852 I 210-220	208	3.3	33	15	--	--	--	--
8853 I 220-230	208	2.7	27	90	--	--	--	--
8854 I 230-240	208	2.7	27	30	--	--	--	--
8855 I 240-250	208	3.9	39	15	--	--	--	--
8856 I 250-255	208	1.1	5.5	245	--	--	--	--
8857 I 255-265	208	5.0	50	220	--	--	--	--
8858 I 265-275	208	11.5	115	700	--	--	--	--
8859 I 275-285	208	2.0	20	20	--	--	--	--
8860 I 285-295	208	0.8	8	20	--	--	--	--
8861 I 295-305	208	0.9	9	10	--	--	--	--
8862 I 305-315	208	0.4	4	15	--	--	--	--
8863 I 315-325	208	0.3	3	30	--	--	--	--

1 gram = 1000 ppb

$\frac{19}{31.28} = 0.6079$



Certified by Hart Bichler



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
#1900 - 1055 W. HASTINGS ST.,
VANCOUVER, B.C.
V6E 2E9

CERT. # : A8314146-002-A
INVOICE # : I8314146
DATE : 7-SEP-83
P.O. # : S 8332
M 518

CC: R. BRUASET

Sample description	Prep code	Ag ppm	Au ppb	FA+AA				
8864 I 325-325	208	0.5	5	10	--	--	--	--
8865 I 335-345	208	0.5	5	<5	--	--	--	--
8866 I 345-355	208	0.8	8	20	--	--	--	--
8867 I 355-360.5	208	0.7	385	10	--	--	--	--
8868 I 360.5-361.5	208	10.3	70.3	110	--	--	--	--
8869 I 361.5-370	208	1.7	14.45	15	--	--	--	--
8870 I 370-380	208	0.7	7.0	15	--	--	--	--
8871 I 380-384	208	11.0	44.0	15	--	--	--	--
8872 I 384-385	208	27.0	27.0	195	--	--	--	--
8873 I 385-395	208	1.3	13	15	--	--	--	--
8874 I 395-404.5	208	1.6	15.2	55	--	--	--	--
8875 I 404.5-405.5	208	29.0	29.0	350	--	--	--	--
8876 I 405.5-415	208	1.0	9.5	15	--	--	--	--
8877 I 415-421	208	9.0	54	360	--	--	--	--
8878 I 421-430	208	1.2	10.8	20	--	--	--	--
8879 I 430-439	208	0.9	8.1	10	--	--	--	--
8880 I 439-446	208	4.4	30.8	35	--	--	--	--
8881 I 446-455	208	0.4	3.6	15	--	--	--	--
8882 I 455-460	208	0.4	2.0	15	--	--	--	--
8883 I 460-461.5	208	92.0	92.0	10000	--	--	--	--
8884 I 461-470	208	2.7	27.3	30	--	--	--	--
8885 I 470-478.5	208	0.8	1.75	5	--	--	--	--
8886 I 478.5-481	208	21.0	52.5	100	--	--	--	--
8887 I 481-490	208	0.9	8.1	10	--	--	--	--
8888 I 490-500	208	2.5	25.0	30	--	--	--	--
8889 I 500-509.5	208	0.7	6.65	15	--	--	--	--
8890 I 509.5-510.5	208	36.0	36.0	550	--	--	--	--
8891 I 510.5-520	208	2.5	23.75	25	--	--	--	--
8892 I 520-530	208	1.3	13.0	20	--	--	--	--
8893 I 530-540	208	3.3	33	40	--	--	--	--
8894 I 540-550	208	2.4	24	35	--	--	--	--
8895 I 550-558.5	208	3.8	32.3	35	--	--	--	--

END

Certificate A8314649-007-1A
5/9/83



Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604) 984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ASSAY

TO : CHEVRON CANADA RESOURCES LTD.
 MINERALS STAFF
 #1900 - 1055 W. HASTINGS ST.,
 VANCOUVER, B.C.
 V6E 2E9

CERT. # : A8314146-001-A
 INVOICE # : I8314146
 DATE : 8-SEP-83
 P.O. # : S 8332
 M 518

CC: R. BRUASET

Sample description	Prep code	Pb %	Zn %				
8824 I 0-11	208	0.26	0.25	--	--	--	--
8825 I 11-13 (2)	208	2.14	2.61	--	--	--	--
8826 I 13-20	208	--	--	--	--	--	--
8827 I 20-25	208	0.18	0.37	--	--	--	--
8828 I 25-30	208	--	--	--	--	--	--
8829 I 30-35	208	0.05	0.19	--	--	--	--
8830 I 35-40	208	--	--	--	--	--	--
8831 I 40-45	208	0.15	0.34	--	--	--	--
8832 I 45-50	208	--	--	--	--	--	--
8833 I 50-55	208	0.26	0.32	--	--	--	--
8834 I 55-60	208	--	--	--	--	--	--
8835 I 60-65	208	0.17	0.26	--	--	--	--
8836 I 65-70	208	--	--	--	--	--	--
8837 I 70-80	208	0.06	0.13	--	--	--	--
8838 I 80-90	208	--	--	--	--	--	--
8839 I 90-98 (8)	208	1.22	1.54	--	--	--	--
8840 I 98-105	208	--	--	--	--	--	--
8841 I 105-115	208	--	--	--	--	--	--
8842 I 115-125	208	0.13	0.17	--	--	--	--
8843 I 125-135	208	--	--	--	--	--	--
8844 I 135-145	208	0.09	0.16	--	--	--	--
8845 I 145-155	208	--	--	--	--	--	--
8846 I 155-165	208	0.05	0.06	--	--	--	--
8847 I 165-175	208	--	--	--	--	--	--
8848 I 175-185	208	0.04	0.12	--	--	--	--
8849 I 185-190	208	--	--	--	--	--	--
8850 I 190-200	208	0.06	0.28	--	--	--	--
8851 I 200-210	208	--	--	--	--	--	--
8852 I 210-220	208	0.06	0.18	--	--	--	--
8853 I 220-230	208	--	--	--	--	--	--
8854 I 230-240	208	0.06	0.09	--	--	--	--
8855 I 240-250	208	--	--	--	--	--	--
8856 I 250-258	208	0.01	0.04	--	--	--	--
8857 I 255-265	208	--	--	--	--	--	--
8858 I 265-275	208	0.25	0.46	--	--	--	--
8859 I 275-285	208	--	--	--	--	--	--
8860 I 285-295	208	0.01	0.04	--	--	--	--
8861 I 295-305	208	--	--	--	--	--	--
8862 I 305-315	208	<0.01	0.04	--	--	--	--
8863 I 315-325	208	--	--	--	--	--	--

R. Swait

.....
 Registered Assayer, Province of British Columbia





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ASSAY

TO : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
#1900 - 1055 W. HASTINGS ST.,
VANCOUVER, B.C.
V6E 2E9

CERT. # : A8314146-002-A
INVOICE # : I8314146
DATE : 8-SEP-83
P.O. # : S 8332
M 518

CC: R. BRUASET

Sample description	Prep code	Pb %	Zn %				
8864 I 325-335	208	<0.01	0.08	--	--	--	--
8865 I 335-345	208	--	--	--	--	--	--
8866 I 345-355	208	--	--	--	--	--	--
8867 I 355-360.5	208	0.01	0.07	--	--	--	--
8868 I 360.5-361.5	208	0.17	2.06	--	--	--	--
8869 I 361.5-370	208	0.05	0.11	--	--	--	--
8870 I 370-380	208	--	--	--	--	--	--
8871 I 380-384	208	0.03	0.05	--	--	--	--
8872 I 384-385	208	--	--	--	--	--	--
8873 I 385-395	208	0.03	0.17	--	--	--	--
8874 I 395-404.5	208	--	--	--	--	--	--
8875 I 404.5-405.5	208	0.39	2.87	--	--	--	--
8876 I 405.5-415	208	--	--	--	--	--	--
8877 I 415-421	208	0.29	0.72	--	--	--	--
8878 I 421-430	208	--	--	--	--	--	--
8879 I 430-439	208	0.02	0.04	--	--	--	--
8880 I 439-446	208	0.08	0.68	--	--	--	--
8881 I 446-455	208	0.01	0.05	--	--	--	--
8882 I 455-460	208	--	--	--	--	--	--
8883 I 460-461	208	3.92 →	5.54	--	--	--	--
8884 I 461-470	208	--	--	--	--	--	--
8885 I 470-478.5	208	0.02	0.10	--	--	--	--
8886 I 478.5-481.25	208	0.63 →	3.05	--	--	--	--
8887 I 481-490	208	--	--	--	--	--	--
8888 I 490-500	208	--	--	--	--	--	--
8889 I 500-509.5	208	0.02	0.04	--	--	--	--
8890 I 509.5-510.5	208	--	--	--	--	--	--
8891 I 510.5-520	208	0.05	0.13	--	--	--	--
8892 I 520-530	208	0.01	0.20	--	--	--	--
8893 I 530-540	208	0.10	0.33	--	--	--	--
8894 I 540-550	208	0.06	0.18	--	--	--	--
8895 I 550-558.5	208	0.06	0.37	--	--	--	--

.....
Registered Assayer, Province of British Columbia





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ASSAY

TO : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
#1900 - 1055 W. HASTINGS ST.,
VANCOUVER, B.C.
V6E 2E9

CERT. # : A8314649-001-A
INVOICE # : I8314649
DATE : 12-SEP-83
P.O. # : S 8332
M 518 CATARACT

CC: R. BRUASET

JDH 8304

Sample description	Prep code	Au FA g/tonne					
8883 I	214	5.1	--	--	--	--	--

0.1603/ton
Assays of high geochem.

.....
Registered Assayer, Province of British Columbia





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
#1900 - 1055 W. HASTINGS ST.,
VANCOUVER, B.C.
V6E 2E9

CERT. # : A8314337-001-B
INVOICE # : 18314337
DATE : 12-SEP-83
P.O. # : S-8332
M518

CC: R. BRUASET

Sample description	Prep code	Sb ppm	Bi ppm	Au ppb FA+AA			
RB 83 112	205	0.4	0.4	30	--	--	--
RB 83 122	205	0.4	0.2	45	--	--	--
RB 83 140	205	0.2	0.6	5	--	--	--
TL 83 046	205	0.6	0.2	10	--	--	--
TL 83 047	205	0.6	0.2	5	--	--	--
TL 83 048	205	0.2	0.2	5	--	--	--
TL 83 049	205	0.4	0.4	5	--	--	--
TL 83 050	205	0.2	0.3	5	--	--	--



MEMBER
CANADIAN TESTING
ASSOCIATION

Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
#1900 - 1055 W. HASTINGS ST.,
VANCOUVER, B.C.
V6E 2E9

CERT. # : A8314337-001-A
INVOICE # : I8314337
DATE : 12-SEP-83
P.O. # : S-8332
M518

CC: R. BRUASET

Rock chip samples

Sample description	Prep code	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Mn ppm	AS ppm
RB 83 112	205	5	26	61	0.4	635	11
RB 83 122	205	9	16	72	0.2	273	12
RB 83 140	205	7	24	42	0.1	115	11
TL 83 046	205	9	21	80	0.7	2200	7
TL 83 047	205	6	55	180	1.5	900	11
TL 83 048	205	5	25	61	0.3	415	12
TL 83 049	205	4	20	55	0.2	555	7
TL 83 050	205	4	16	65	0.2	745	6



MEMBER
CANADIAN TESTING
ASSOCIATION

Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604) 984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON CANADA RESOURCES LTD.
 MINERALS STAFF
 #1900 - 1055 W. HASTINGS ST.,
 VANCOUVER, B.C.
 V6E 2E9

*C/o Pemberton Helicopters
 Pemberton, B.C.*

CERT. # : A8314337-001-B
 INVOICE # : 18314337
 DATE : 12-SEP-83
 P.O. # : S-8332
 M518

CC: R. BRUASET

Sample description	Prep code	Sb ppm	Bi ppm	Au ppb FA+AA			
RB 83 112 <i>bedwall</i>	205	0.4	0.4	30	←	<i>On ridge at head of CV</i>	--
RB 83 122 "	205	0.4	0.2	45		<i>low - Pt out on bedwall</i>	--
RB 83 140	205	0.2	0.6	5			--
TL 83 046	205	0.6	0.2	10			--
TL 83 047	205	0.6	0.2	5			--
TL 83 048	205	0.2	0.2	5			--
TL 83 049	205	0.4	0.4	5			--
TL 83 050	205	0.2	0.3	5			--



MEMBER
 CANADIAN TESTING
 ASSOCIATION

Certified by *Hart Bichler*

1983 Miscellaneous



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
#1900 - 1055 W. HASTINGS ST.,
VANCOUVER, B.C.
V6E 2E9

CERT. # : A8314338-001-A
INVOICE # : I8314338
DATE : 12-SEP-83
P.C. # : S-8332
M518

Sample description	Prep code	Ag ppm	AS ppm	Sb ppm	Bi ppm	Au ppb FA+AA	
RB 83 1128 SOIL	201	0.5	150	1.8	17.4	15	--
BR 83 1208 SILT	201	4.5	300	1.0	1.8	35	--
RB 83 141B SOIL	201	0.2	32	0.6	1.4	25	--



Certified by *Hart Bichler*



CHEMEX LABS LTD.

5

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

DDH

CERTIFICATE OF ANALYSIS

TO : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
#1900 - 1055 W. HASTINGS ST.,
VANCOUVER, B.C.
V6E 2E9

CERT. # : A8314339-001-A
INVOICE # : I8314339
DATE : 12-SEP-83
P.O. # : S 8332
M518

DDH
8305

CC: R. BRUASET

Sample description	Prep code	Ag ppm	Au ppb FA+AA				
9100R 18-25	208	11.8	35	--	--	--	--
9101R 30	208	8.3	30	--	--	--	--
9102R 35	208	19.8	35	--	--	--	--
9103R 40	208	13.2	115	--	--	--	--
9104R 40-45	208	5.5	30	--	--	--	--
9105R 45 50	208	10.5	35	--	--	--	--
9106R 55	208	14.2	30	--	--	--	--
9107R 60	208	14.8	90	--	--	--	--
9108R 65	208	17.0	40	--	--	--	--
9109R 70	208	20.0	20	--	--	--	--
9110R 70-75	208	46.0	200	--	--	--	--
9111R 80	208	14.2	35	--	--	--	--
9112R 85	208	84.0	195	--	--	--	--
9113R 90	208	33.0	45	--	--	--	--
9114R 95	208	17.0	45	--	--	--	--
9115R 95-100	208	4.9	25	--	--	--	--
9116R 105	208	3.2	5	--	--	--	--
9117R 110	208	3.1	15	--	--	--	--
9118R 115	208	3.0	35	--	--	--	--
9119R 115 120	208	32.0	130	--	--	--	--
9120R 125	208	18.8	40	--	--	--	--
9121R 130	208	11.8	25	--	--	--	--
9122R 135	208	28.0	375	--	--	--	--
9123R 140	208	24.0	35	--	--	--	--
9124R 145	208	8.4	40	--	--	--	--
9125R 145-150	208	28.0	50	--	--	--	--
9126R 155	208	31.0	55	--	--	--	--
9127R 160	208	15.5	25	--	--	--	--
9128R 165	208	32.0	65	--	--	--	--
9129R 170	208	8.6	20	--	--	--	--
9130R 175	208	10.5	30	--	--	--	--
9131R 180	208	9.5	25	--	--	--	--
9132R 185	208	11.2	50	--	--	--	--
9133R 190	208	2.0	10	--	--	--	--
9134R 195	208	2.5	15	--	--	--	--
9135R 200	208	9.9	20	--	--	--	--
9136R 205	208	16.3	95	--	--	--	--
9137R 210	208	22.0	45	--	--	--	--
9138R 215	208	5.3	15	--	--	--	--
9139R 215-220	208	14.7	55	--	--	--	--



Certified by Hart Bichler



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
#1900 - 1055 W. HASTINGS ST.,
VANCOUVER, B.C.
V6E 2E9

CERT. # : A8314339-002-A
INVICICE # : I8314339
DATE : 12-SEP-83
P.O. # : S 8332
M518

DDH
8305

CC: R. BRUASET

Sample description	Prep code	Ag ppm	Au ppb FA+AA				
9140R 220-225	208	3.2	25	--	--	--	--
9141R 230	208	5.9	20	--	--	--	--
9142R 235	208	5.3	20	--	--	--	--
9143R 240	208	25.0	50	--	--	--	--
9144R 245	208	5.3	15	--	--	--	--
9145R 250	208	1.9	10	--	--	--	--
9146R 255	208	1.0	10	--	--	--	--
9147R 260	208	1.2	20	--	--	--	--
9148R 265	208	1.1	15	--	--	--	--
9149R 270	208	0.7	<5	--	--	--	--
9150R 275	208	0.9	5	--	--	--	--
9151R 280	208	2.1	10	--	--	--	--
9152R 285	208	2.4	35	--	--	--	--
9153R 290	208	1.4	20	--	--	--	--
9154R 295	208	1.3	20	--	--	--	--
9155R 295-300	208	3.4	30	--	--	--	--
9156R 305	208	0.9	15	--	--	--	--
9157R 310	208	1.1	5	--	--	--	--
9158R 315	208	1.0	10	--	--	--	--
9159R 320	208	1.0	10	--	--	--	--
9160R 320 325	208	0.7	10	--	--	--	--
9161R 330	208	0.2	10	--	--	--	--
9162R 335	208	0.2	10	--	--	--	--
9163R 340	208	0.1	<5	--	--	--	--
9164R 340-348	208	1.2	10	--	--	--	--



MEMBER
CANADIAN TESTING
ASSOCIATION

Certified by Hart Bichler



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ASSAY

TO : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
#1900 - 1055 W. HASTINGS ST.,
VANCOUVER, B.C.
V6E 2E9

CERT. # : A8314340-001-A
INVOICE # : I8314340
DATE : 12-SEP-83
P.O. # : S 8332
M518

CC: R. BRUASET

COMPOSITES

*ADK
8/30/83*

Sample description	Prep code	Cu %	Pb %	Zn %			
9100R-9104R	18-45 261	<0.01	0.17	0.31	--	--	--
9105R-9109R	45-75 261	<0.01	0.23	0.79	--	--	--
9110R-9114R	75-95 261	0.01	0.50	1.43	--	--	--
9115R-9119R	95-120 261	<0.01	0.25	0.41	--	--	--
9120R-9124R	120-145 261	0.01	0.25	0.52	--	--	--
9125R-9129R	145-170 261	<0.01	0.24	0.38	--	--	--
9130R-9134R	170-195 261	<0.01	0.09	0.27	--	--	--
9135R-9139R	195-220 261	<0.01	0.23	0.84	--	--	--
9140R-9144R	220-245 261	<0.01	0.11	0.46	--	--	--
9145R-9149R	245-270 261	<0.01	0.01	0.08	--	--	--
9150R-9154R	270-295 261	<0.01	0.01	0.08	--	--	--
9155R-9159R	295-320 261	<0.01	<0.01	0.06	--	--	--
9160R-9164R	320-348 261	<0.01	<0.01	0.03	--	--	--

.....
Registered Assayer, Province of British Columbia



MEMBER
CANADIAN TESTING
ASSOCIATION

DDH8306

CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597



• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
#1900 - 1055 W. HASTINGS ST.,
VANCOUVER, B.C.
V6E 2E9

CERT. # : A8314651-001-A
INVOICE # : I8314651
DATE : 19-SEP-83
P.O. # : S-8332
M-518

CATARACT

ATTN: R. BRUASSET

DDH 8306

DDH
8306

Sample description	Prep code	Ag ppm	Au ppb FA+AA				
9165 R 27-35	208	15.8	60	--	--	--	--
9166 R 40	208	23.0	145	--	--	--	--
9167 R 45	208	23.0	110	--	--	--	--
9168 R 50	208	21.0	230	--	--	--	--
9169 R 55	208	6.3	10	--	--	--	--
9170 R 60	208	16.2	30	--	--	--	--
9171 R 65	208	1.5	10	--	--	--	--
9172 R 70	208	2.9	25	--	--	--	--
9173 R 75	208	3.1	5	--	--	--	--
9174 R 80	208	2.4	5	--	--	--	--
9175 R 85	208	0.1	<5	--	--	--	--
9176 R 90	208	0.2	<5	--	--	--	--
9177 R 95	208	2.9	5	--	--	--	--
9178 R 95-100	208	8.6	30	--	--	--	--
9179 R 105	208	22.0	90	--	--	--	--
9180 R 110	208	15.8	50	--	--	--	--
9181 R 115	208	17.5	50	--	--	--	--
9182 R 120	208	19.0	40	--	--	--	--
9183 R 125	208	12.5	75	--	--	--	--
9184 R 130	208	13.2	65	--	--	--	--
9185 R 135	208	6.0	30	--	--	--	--
9186 R 140	208	3.4	10	--	--	--	--
9187 R 145	208	3.2	20	--	--	--	--
9188 R 150	208	10.8	55	--	--	--	--
9189 R 155	208	10.0	90	--	--	--	--
9190 R 160	208	19.0	275	--	--	--	--
9191 R 165	208	11.5	135	--	--	--	--
9192 R 170	208	4.2	85	--	--	--	--
9193 R 175	208	1.1	30	--	--	--	--
9194 R 180	208	3.5	440	--	--	--	--
9195 R 185	208	13.5	65	--	--	--	--
9196 R 190	208	24.0	110	--	--	--	--
9197 R 195	208	24.0	210	--	--	--	--
9198 R 200	208	46.0	1050	--	--	--	--
9199 R 200-205	208	23.0	160	--	--	--	--
9200 R 210	208	6.5	40	--	--	--	--
9201 R 215	208	3.0	50	--	--	--	--
9202 R 220	208	2.1	50	--	--	--	--
9203 R 225	208	0.9	60	--	--	--	--
9204 R 230	208	4.8	650	--	--	--	--



Certified by Hart Bichler



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
#1900 - 1055 W. HASTINGS ST.,
VANCOUVER, B.C.
V6E 2E9

CERT. # : A8314651-002-A
INVOICE # : 18314651
DATE : 19-SEP-83
P.O. # : S-8332
M-518

ATTN: R. BRUASSET

Sample description	Prep code	Ag ppm	Au ppb FA+AA				
5' 9205 R 230-235	208	3.2	30	--	--	--	--
9206 R 240	208	0.5	50	--	--	--	--
9207 R 245	208	2.5	260	--	--	--	--
9208 R 250	208	1.5	20	--	--	--	--
9209 R 255	208	1.5	70	--	--	--	--
9210 R 260	208	1.3	65	--	--	--	--
9211 R 265	208	0.5	20	--	--	--	--
9212 R 270	208	0.8	15	--	--	--	--
9213 R 275	208	1.6	145	--	--	--	--
9214 R 280	208	0.7	25	--	--	--	--
9215 R 285	208	0.8	50	--	--	--	--
9216 R 290	208	0.8	25	--	--	--	--
9217 R 290-295	208	1.0	15	--	--	--	--
9218 R 300	208	2.3	50	--	--	--	--
9219 R 305	208	3.8	50	--	--	--	--
9220 R 310	208	0.5	50	--	--	--	--
9221 R 315	208	0.6	10	--	--	--	--
5' 9222 R 315-320	208	0.3	<5	--	--	--	--
5' 9223 R 320-325	208	1.3	10	--	--	--	--
10' 9224 R 325-330	208	0.8	5	--	--	--	--
10' 9225 R 335-345	208	1.4	20	--	--	--	--
10' 9226 R 345-355	208	0.8	20	--	--	--	--
6' 9227 R 355-361	208	0.7	10	--	--	--	--



5'
5'
10'
10'
10'
6'



Certified by Hart Bichler



8306

CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
#1900 - 1055 W. HASTINGS ST.,
VANCOUVER, B.C.
V6E 2E9

CERT. # : A8315052-001-A
INVOICE # : 18315052
DATE : 30-SEP-83
P.O. # : S 8332
M 518

ATTN: R. BRUASET

Sample description	Prep code	Pb ppm	Zn ppm				
9165 R-9168 R	261	4700	6860	0.67	--	--	--
9169 R-9172 R	261	1310	2520	0.25	--	--	--
9173 R-9176 R	261	168	800	0.08	--	--	--
9177 R-9180 R	261	900	3500	0.35	--	--	--
9181 R-9184 R	261	730	2030	0.20	--	--	--
9185 R-9188 R	261	335	1230	0.12	--	--	--
9189 R-9192 R	261	580	4200	0.42	--	--	--
9193 R-9196 R	261	540	1700	0.17	--	--	--
9197 R-9200 R	261	1100	3380	0.34	--	--	--
9201 R-9204 R	261	64	1730	0.17	--	--	--
9205 R-9208 R	261	79	1010	0.10	--	--	--
9207 R-9212 R	261	60	850	0.08	--	--	--
9211 R-9216 R	261	42	600	0.06	--	--	--
9217 R-9220 R	261	65	750	0.075	--	--	--
9223 R-9224 R	261	71	500	0.0500	--	--	--
9225 R-9227 R	261	62	610	0.06	--	--	--

lab
return
check

check

6860 x 100
1000000

0.0060 x 100
1000000



MEMBER
CANADIAN TESTING
ASSOCIATION

Certified by Hart Bichler



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
#1900 - 1055 W. HASTINGS ST.,
VANCOUVER, B.C.
V6E 2E9

CERT. # : A8314899-001-A
INVOICE # : I8314899
DATE : 3-OCT-83
P.O. # : S 8332
M 518

SOUTH OF PROPERTY

Sample description	Prep code	Ag ppm	AS ppm	Sb ppm	Bi ppm	Au ppb FA+AA	
TL 8351 <i>brucianop. Rhyncho.</i>	205	0.1	4	0.5	0.2	<5	--
TL 8352 <i>Flg Rhyncho.</i>	205	0.1	2	0.3	0.2	5	--
TL 8359 <i>Torus float with arsenopy.</i>	205	2.0	<u>6500</u>	<u>32.0</u>	<u>0.2</u>	<u>110</u>	--



Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
#1900 - 1055 W. HASTINGS ST.,
VANCOUVER, B.C.
V6E 2E9

CERT. # : A8314898-001-A
INVOICE # : I8314898
DATE : 3-OCT-83
P.O. # : S 8332
M 518

SOILS

Sample description	Prep code	Ag ppm	AS ppm	Sb ppm	Bi ppm	Au ppb FA+AA	
TL 8353 <i>TALUS FINES</i>	201	0.3	9	1.0	0.5	5	--
TL 8354	201	0.4	9	1.0	0.5	5	--
TL 8355	201	0.4	9	1.0	0.5	5	--
TL 8356	201	0.7	7	0.8	0.4	5	--
TL 8357	201	0.9	25	1.0	0.5	5	--
TL 8358 <i>TALUS FINES</i>	201	<u>1.4</u>	<u>2400</u>	<u>17.6</u>	<u>0.3</u>	<u>55</u>	--



MEMBER
CANADIAN TESTING
ASSOCIATION

Certified by *Hart Bichler*.....



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604) 984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON CANADA RESOURCES LTD.
 MINERALS STAFF
 1900 - 1055 W. HASTINGS ST.
 VANCOUVER, B.C.
 V6E 2E9

CERT. # : A8315052-001-A
 INVOICE # : I8315052
 DATE : 11-NOV-83
 P.O. # : S 8332
 M 518 CATARACT

CORRECTED COPY
 DDIT 8306

ATTN: R. BRUASET

Sample description	Prep code	Pb ppm	Zn ppm	Pb ppm	Zn ppm
9165 R-9168 R 27-50	261	4700	6860	--	--
9169 R-9172 R 50-70	261	1310	2520	--	--
9173 R-9176 R 70-90	261	168	800	--	--
9177 R-9180 R 90-110	261	900	3500	--	--
9181 R-9184 R 110-130	261	730	2030	--	--
9185 R-9188 R 130-150	261	335	1230	--	--
9189 R-9192 R 150-170	261	580	4200	--	--
9193 R-9196 R 170-190	261	540	1700	--	--
9197 R-9200 R 190-210	261	1100	3380	--	--
9201 R-9204 R 210-230	261	64	1730	--	--
9205 R-9208 R 230-250	261	79	1010	--	--
9207 R-9212 R 250-270	261	60	850	9209 R-9212 R 250-270	60 880 +30
9211 R-9216 R 270-290	261	42	600	9213 R-9216 R 270-290	41 630 +30
9217 R-9220 R 290-310	261	65	750	9217 R-9220 R 290-310	61 750 +0
9223 R-9224 R 310-335	261	71	500	9221 R-9224 R 310-335	44 440 -60
9225 R-9227 R 335-360	261	62	610	--	--

NOTE: IT APPEARS THAT ONLY 9223 R-9224 R WAS COMPOSITED WRONG. THE CORRECTED COMPOSITE IS ON THE RIGHT HAND SIDE OF THE CERTIFICATE.



Certified byHart Bichler.....