



842044

CHEMEX LABS LTD.

Cataract

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
MINERALS STAFF
#901 - 355 BURRARD ST.
VANCOUVER, B.C.
V6C 2G8

*Note 1217A to 1217V are
check samples on 3 mt
sample #1217 (98) chip
sample #1217 contained 2453
ton Au, Ag.*

CERT. # : A8212169-001-A
INVOICE # : I8212169
DATE : 30-JUL-82
P.O. # : NONE
M518

CC: R.U. BRUASET, PEMBERTON, B.C.

Sample description	Prep code	Au FA+AA ppb	Pb ppm	Zn ppm	Sample description	Prep code	Ag FA oz/T
1217A-A CHARACTER S.207	207	425	>10000	>10000	1217A-A	207	3.08
RB8207-A chip over same internal as 1217A	207	35	2350	3650	RB8207-A	207	0.16
RB8207-B	207	40	1100	3800	RB8207-B	207	0.08
1217B	207	55	--	--	1217B	207	0.06
Report RB8208-A CHARACTER	207	160	1630	530	RB8208-A	207	0.18
1217C	207	35	--	--	1217C	207	0.07
1217D-A	207	40	1000	3000	1217D-A	207	0.06
1217D-B	207	50	950	2400	1217D-B	207	0.10
1217E	207	100	--	--	1217E	207	0.24
1217F-A	207	105	1750	1550	1217F-A	207	0.16
1217F-B	207	55	1650	1280	1217F-B	207	0.16
1217G	207	55	--	--	1217G	207	0.06
1217H-A	207	85	1280	5000	1217H-A	207	0.26
1217H-B	207	90	1300	5250	1217H-B	207	0.30
1217I	207	65	--	--	1217I	207	0.08
1217J-A	207	135	3000	>10000	1217J-A	207	0.34
1217J-B	207	130	2880	>10000	1217J-B	207	0.30
1217K	207	450	--	--	1217K	207	0.54
1217L-A	207	450	3280	9450	1217L-A	207	0.40
1217L-B	207	220	3000	4000	1217L-B	207	0.36
1217M	207	185	--	--	1217M	207	0.22
RB8209-A CHARACTER	207	180	3000	>10000	RB8209-A	207	0.24
RB8209-B	207	180	3050	>10000	RB8209-B	207	0.26
1217N	207	110	--	--	1217N	207	0.23
1217O-A	207	90	1830	3500	1217O-A	207	0.29
1217O-B	207	110	1850	3800	1217O-B	207	0.22
1217P	207	55	--	--	1217P	207	0.18
1217Q-A	207	130	2130	6150	1217Q-A	207	0.29
1217Q-B	207	135	2150	6200	1217Q-B	207	0.28
1217R	207	70	--	--	1217R	207	0.20
1217S-A	207	150	4000	6800	1217S-A	207	0.40
1217S-B	207	175	3800	6500	1217S-B	207	0.36
RB8210	207	260	--	0.90%	RB8210	207	0.44
1217T-A	207	325	4000	7480	1217T-A	207	0.48
1217T-B	207	190	4000	8300	1217T-B	207	0.50
1217U	207	550	--?	--?	1217U	207	0.28
1217V-A	207	200	2400	7450	1217V-A	207	0.30
1217V-B	207	245	2600	8100	1217V-B	207	0.30

Note A x B after first A x B refers to samples split after crushing to check repeatability.

Ref for this certificate A8212169



MEMBER
CANADIAN TESTING
ASSOCIATION

Certified by *[Signature]*

MEMBER
CANADIAN TESTING
ASSOCIATION

character sample = large hand specimen

INVOICE I8212169
30-July 1982
M518

82



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
MINERALS STAFF
#901 - 355 BURRARD ST.
VANCOUVER, B.C.
V6C 2G8

CERT. # : A8212168-002-A
INVOICE # : 18212168
DATE : 5-AUG-82
P.O. # : NONE
M518

CC: R.U. BRUASET, PEMBERTON, B.C.

Sample description	Prep code	Au FA+AA ppb	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Mo ppm
RB 8234	205	30	176	3450	4400	23.0	2
RB 8235	205	95	52	445	950	36.0	1
RB 8236	205	500	184	5400	8750	30.0	1
RB 8237	205	215	82	2500	3050	20.0	1
RB 8238	205	155	41	1800	1550	6.6	1
RB 8239	205	55	32	1230	2050	6.2	1
RB 8240	205	255	200	1000	>10000	12.6	1
RB 8241	205	450	230	1500	9200	11.8	1
RB 8242 ✓	205	185	109	1950	5900	12.4	1
RB 8244 ✓	205	25	37	23	140	0.3	1
RB 8245 ✓	205	35	32	23	57	2.6	11
RB 8246 ✓	205	45	26	6	118	0.3	2
RB 8247 ✓	205	5	22	9	93	0.3	1
RB 8248 ✓	205	5	105	22	140	0.5	1
RB 8249 ✓	205	10	41	18	145	0.7	1
RB 8250 ✓	205	5	30	10	92	0.2	1



MEMBER
CANADIAN TESTING
ASSOCIATION

Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
MINERALS STAFF
#901 - 355 BURRARD ST.
VANCOUVER, B.C.
V6C 2G8

CERT. # : A8212168-001-A
INVOICE # : I8212168
DATE : 5-AUG-82
P.O. # : NONE
M518

CC: R.U. BRUASET, PEMBERTON, B.C.

Sample description	Prep code	Au FA+AA ppb	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Mo ppm
82-J 1678	205	30	67	2000	3900	6.7	3
82-B 1255 RB	205	15	29	1150	1650	7.4	85
RB 8201 ✓	205	10	49	24	138	0.4	3
RB 8202 ✓	205	5	10	120	130	1.1	1
RB 8203 ✓	205	5	8	37	85	0.5	2
RB 8204 ✓	205	15	11	38	78	0.3	1
RB 8205 ✓	205	5	10	32	70	0.1	3
RB 8206 ✓	205	20	34	59	1300	0.8	2
RB 8211	205	155	85	2800	5200	12.0	2
RB 8212	205	155	64	1450	1950	6.7	1
RB 8213	205	160	46	1650	8050	10.9	3
RB 8214* character	205	290	101	7380	>10000	29.0	1
RB 8215* -	205	1175	205	9500	>10000	31.0	1
RB 8217	205	165	120	3550	5100	12.4	1
RB 8218	205	150	95	2250	3980	12.2	1
RB 8221	205	250	88	530	2200	4.1	1
RB 8223	205	25	38	900	2700	2.6	1
RB 8224	205	80	55	2050	4500	7.4	1
RB 8225	205	80	92	2700	4480	11.8	1
RB 8226	205	25	33	650	2000	3.2	1
RB 8228	205	20	46	800	1380	4.2	1
TL 8201	205	75	32	195	1680	1.4	3
TL 8202	205	35	68	960	2830	5.5	1
TL 8203	205	35	82	1430	3100	7.6	1
TL 8204	205	15	8	56	880	0.2	2
TL 8205	205	35	44	415	840	2.0	2
TL 8206	205	45	75	2800	3800	8.0	2
TL 8207	205	150	75	1430	4500	7.2	1
TL 8208	205	85	48	695	780	10.2	1
TL 8209	205	185	70	1550	7000	11.1	1
TL 8210	205	500	210	4800	>10000	22.0	1
TL 8211 ✓	205	205	113	3650	>10000	7.4	1
TL 8212 ✓	205	150	162	2850	>10000	20.0	1
TL 8213 ✓	205	175	103	4500	>10000	12.9	1
TL 8214 ✓ south end of valley?	205	1400	275	50	90	4.3	22
RB 8229 10x10m	205	40	37	430	735	3.4	2
RB 8230 0.5 m in gully	205	240	105	1850	4850	12.6	1
RB 8231 13m	205	50	52	2000	930	6.0	1
RB 8232 character	205	315	186	6130	8600	32.0	1
RB 8233 1 (6.5 m)	205	275	194	4950	6400	26.0	1

Line 8200
North of
main
gully
at entry
zone

0.03/101

0.01/103

Barometer

Certified by *Opynated Hart Buchler*





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604) 984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS


CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
 MINERALS STAFF
 #901 - 355 BURRARD ST.
 VANCOUVER, B.C.
 V6C 2G8

CERT. # : A8212168-001-B
 INVOICE # : I8212168
 DATE : 5-AUG-82
 P.O. # : NONE
 M518

CC: R.U. BRUASET, PEMBERTON, B.C.

Sample description	Prep code	Ba ppm					
<i>02</i> J 1678 <i>rub</i>	205	760	--	--	--	--	--
<i>02</i> B 1255 <i>rub</i>	205	1140	--	--	--	--	--
RB 8201	205	860	--	--	--	--	--
RB 8202	205	1200	--	--	--	--	--
RB 8203	205	1460	--	--	--	--	--
RB 8204	205	1200	--	--	--	--	--
RB 8205	205	1300	--	--	--	--	--
RB 8206	205	560	--	--	--	--	--
RB 8211	205	700	--	--	--	--	--
RB 8212	205	720	--	--	--	--	--
RB 8213	205	820	--	--	--	--	--
RB 8214*	205	580	--	--	--	--	--
RB 8215*	205	600	--	--	--	--	--
RB 8217	205	500	--	--	--	--	--
RB 8218	205	560	--	--	--	--	--
RB 8221	205	900	--	--	--	--	--
RB 8223	205	1140	--	--	--	--	--
RB 8224	205	620	--	--	--	--	--
RB 8225	205	640	--	--	--	--	--
RB 8226	205	840	--	--	--	--	--
RB 8228	205	660	--	--	--	--	--
TL 8201	205	560	--	--	--	--	--
TL 8202	205	700	--	--	--	--	--
TL 8203	205	620	--	--	--	--	--
TL 8204	205	1000	--	--	--	--	--
TL 8205	205	960	--	--	--	--	--
TL 8206	205	920	--	--	--	--	--
TL 8207	205	1060	--	--	--	--	--
TL 8208	205	1260	--	--	--	--	--
TL 8209	205	580	--	--	--	--	--
TL 8210	205	500	--	--	--	--	--
TL 8211	205	480	--	--	--	--	--
TL 8212	205	520	--	--	--	--	--
TL 8213	205	480	--	--	--	--	--
TL 8214	205	20	--	--	--	--	--
RB 8229	205	--	--	--	--	--	--
RB 8230	205	--	--	--	--	--	--
RB 8231	205	--	--	--	--	--	--
RB 8232	205	--	--	--	--	--	--
RB 8233	205	--	--	--	--	--	--



Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
MINERALS STAFF
#901 - 355 BURRARD ST.
VANCOUVER, B.C.
V6C 2G8

CERT. # : A8212178-001
INVOICE # : I8212178
DATE : 5-AUG-82
P.O. # : NONE
M518

CC: R.U. BRUASET, PEMBERTON, B.C.

Sample description	Prep code	Au FA+AA ppb	Cu ppm	Ag ppm	Mo ppm	Ba ppm
RB 8222 * <i>character</i>	207	3500	390	>100.0	Assay, 2	80

copy 0.13 gm

*To 30.3 gm Ag!
Certificate
A8212316-001-A*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ASSAY

TO : CHEVRON STANDARD LIMITED
MINERALS STAFF
#901 - 355 BURRARD ST.
VANCOUVER, B.C.
V6C 2G8

CERT. # : A8212316-001-
INVOICE # : I8212316
DATE : 2-AUG-82
P.O. # : NONE
M518

CC: R.U. BRUASET, PEMBERTON, B.C.

Sample description	Prep code	Ag FA oz/T
RB 8222	214	26.38

Sn + F



MEMBER
CANADIAN TESTING
ASSOCIATION

Done

Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ASSAY

TO : CHEVRON STANDARD LIMITED
MINERALS STAFF
#901 - 355 BARRARD ST.
VANCOUVER, B.C.
V6C 2G8

CERT. # : A8212377-001-A
INVOICE # : I8212377
DATE : 9-AUG-82
P.O. # : NONE
CATARACT (M518)

CC: R.U. BRUASET - PEMBERTON

Sample description	Prep code	Pb %	Zn %	Ag FA oz/T	Sample description	Prep code	Au FA+AA ppb
RB 8290	207	3.26	3.01	2.10	RB 8290	207	235
RB 8291	207	1.47	1.32	1.60	RB 8291	207	675

*Ref. for Au on RB 8290, 91
Certificate A82212377-001-A
Date 9 Aug 82
CATARACT*

*RB 8290 Sph + Galena ^{veining} Float @ 0+25N 0+25W relative to B/C
Galena + sphalerite appears to replace
Calcareous material.*

RB 8291 Sph Galena rich fractures at 0/C TL 8209



San Amantini
.....
Registered Assayer, Province of British Columbia



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
MINERALS STAFF
#901 - 355 BURRARD ST.
VANCOUVER, B.C.
V6C 2G8

CERT. # : A8212376-001-A
INVOICE # : I8212376
DATE : 11-AUG-82
P.O. # : NONE
CATARACT (M518)

CC: R.U. BRUASET - PEMBERTON

Sample description	Prep code	Au FA+AA ppb	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Mo ppm
RB 8252 ✓	205	<5	20	18	64	0.3	3
RB 8253 ✓	205	5	43	4	85	0.1	2
RB 8254 ✓	205	<5	7	5	35	0.1	3
RB 8255 ✓	205	<5	26	3	55	0.1	1
RB 8256 ✓	205	10	33	9	54	0.1	1
RB 8258 ✓	205	<5	123	7	23	0.1	5
RB 8262 ✓ <i>Yonchips</i>	205	10	102	2	57	0.1	3
RB 8263 ✓ <i>Falun</i>	205	5	27	1	61	0.1	2
RB 8266 ✓	205	<5	9	5	20	0.1	8
RB 8269 ✓	205	<5	9	5	14	0.1	3
RB 8271 ✓	205	<5	48	42	56	0.1	2
RB 8275 ✓	205	<5	20	4	9	0.2	1
RB 8276 ✓	205	55	210	48	158	0.6	5
RB 8277 ✓	205	<5	6	27	21	0.2	2
RB 8278 ✓	205	15	8	14	18	0.1	29
RB 8279 ✓	205	<5	26	8	61	0.3	3
RB 8282 ✓ <i>shale, Breton pipe</i>	205	55	68	2	5	0.1	17
RB 8284 ✓	205	15	10	5	11	0.1	3
RB 8293 ✓ <i>CAMP Moly area</i>	205	<5	80	1	50	0.1	7
TL 8218	205	<5	48	2	32	0.1	1
TL 8219	205	<5	44	5	46	0.1	4
TL 8220	205	<5	13	6	14	0.1	1
TL 8221	205	<5	23	4	31	0.1	1
TL 8222	205	<5	7	8	57	0.1	5
TL 8223	205	15	9	13	21	0.1	1
TL 8224	205	15	3	30	14	0.1	1
TL 8225	205	20	42	3	48	0.2	3
TL 8226	205	10	53	1	37	0.1	2



Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
MINERALS STAFF
#901 - 355 BURRARD ST.
VANCOUVER, B.C.
V6C 2G8

CERT. # : A8212376-001-B
INVOICE # : I8212376
DATE : 11-AUG-82
P.O. # : NONE
CATARACT (M518)

CC: R.U. BRUASET - PEMBERTON

Sample description	Prep code	Ba ppm	W ppm	Sn ppm			
RB 8252	205	1880	--	--	--	--	--
RB 8253	205	500	--	--	--	--	--
RB 8254	205	960	1	1	--	--	--
RB 8255	205	600	1	2	--	--	--
RB 8256	205	480	1	2	--	--	--
RB 8258	205	1240	3	1	--	--	--
RB 8262	205	1280	6	1	--	--	--
RB 8263	205	540	1	1	--	--	--
RB 8266	205	1100	7	1	--	--	--
RB 8269	205	1080	5	1	--	--	--
RB 8271	205	760	1	9	--	--	--
RB 8275	205	1420	1	1	--	--	--
RB 8276	205	900	1	1	--	--	--
RB 8277	205	800	1	1	--	--	--
RB 8278	205	940	1	1	--	--	--
RB 8279	205	700	--	--	--	--	--
RB 8282	205	260	--	--	--	--	--
RB 8284	205	960	2	1	--	--	--
RB 8293	205	700	1	1	--	--	--
TL 8218	205	720	1	1	--	--	--
TL 8219	205	460	1	1	--	--	--
TL 8220	205	980	6	1	--	--	--
TL 8221	205	680	1	1	--	--	--
TL 8222	205	860	2	1	--	--	--
TL 8223	205	980	1	1	--	--	--
TL 8224	205	1360	1	3	--	--	--
TL 8225	205	640	1	1	--	--	--
TL 8226	205	420	1	1	--	--	--



Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS


• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS


TO : CHEVRON STANDARD LIMITED
MINERALS STAFF
#901 - 355 BURRARD ST.
VANCOUVER, B.C.
V6C 2G8

CERT. # : A8212458-001-A
INVOICE # : I8212458
DATE : 12-AUG-82
P.O. # : NONE
M518

Sample description	Prep code	Ag ppm	Au ppm	FA+AA ppb				
HW-5181	205	0.8	5		--	--	--	--
<i>Basalt pipe with SiO₂ etc. S-end of Cental Valley.</i>								



Certified by *Hart Bichler*



CHEMEX LABS LTD.

JL

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
MINERALS STAFF
#901 - 355 BURRARD ST.
VANCOUVER, B.C.
V6C 2G8

CERT. # : A8212620-001-B
INVOICE # : I8212620
DATE : 24-AUG-82
P.O. # : NONE

CC: R.U. BRUASET

Sample description	Prep code	Au FA+AA ppb						
RB 8295 A	205	10	--	--	--	--	--	--
RB 8295 B	205	5	--	--	--	--	--	--
RB 8298	205	<5	--	--	--	--	--	--
RB 8299	205	5	--	--	--	--	--	--
RB 82102	205	35	--	--	--	--	--	--
RB 82104	205	10	--	--	--	--	--	--
RB 82105	205	<5	--	--	--	--	--	--
RB 82107	205	<5	--	--	--	--	--	--
TL 8215	205	<5	--	--	--	--	--	--
TL 8216	205	<5	--	--	--	--	--	--
TL 8217	205	<5	--	--	--	--	--	--
TL 8227	205	1100	--	--	--	--	--	--
TL 8228 ✓	205	<5	--	--	--	--	--	--
TL 8229	205	<5	--	--	--	--	--	--



Certified by *Hart Bichler*



CHEMEX LABS LTD.

JL

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
MINERALS STAFF
#901 - 355 BURRARD ST.
VANCOUVER, B.C.
V6C 2G8

CERT. # : A8212620-001-A
INVOICE # : I8212620
DATE : 24-AUG-82
P.O. # : NONE

CC: R.U. BRUASET

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Ba ppm
RB 8295 A <i>Elton Lake</i>	205	240	46	1	26	0.4	820
RB 8295 B	205	115	75	3	14	0.3	660
RB 8298	205	12	5	7	15	0.2	800
RB 8299 <i>Headwall in Central Valley</i>	205	8	1	17	46	0.2	1120
RB 82102	205	28	1	22	225	0.1	540
RB 82104 ✓	205	10	1	63	109	0.2	1160
RB 82105 ✓	205	15	1	26	79	0.1	1240
RB 82107 ✓	205	13	1	26	63	0.3	760
TL 8215 ✓	205	185	4	164	94	1.3	980
TL 8216 ✓	205	18	1	19	54	0.2	1580
TL 8217 ✓	205	61	2	3	100	0.1	420
TL 8227 ✓	205	9000	15	30	35	8.6	60
TL 8228 ✓	205	220	1	1	49	0.3	900
TL 8229 ✓	205	45	2	3	22	0.2	580

ELTON LAKE

RB 8295 A Chip sample 3m x 3m of hornfelsed lapilli tuff breccia

RB 8295 B Site of P 1190 + 1191. Chip 3x3m taken by Terry



Certified by *Hart Bichler*



CHEMEX LABS LTD. *M.*

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
MINERALS STAFF
#901 - 355 BURNARD ST.
VANCOUVER, B.C.
V6C 2G8

CERT. # : A8213145-001-B
INVOICE # : 18213145
DATE : 8-SEP-82
P.O. # : NONE
M518

CERT. # : A8214724-001-A
INVOICE # : 18214724
DATE : 10-DEC-82
P.O. # : NONE
M 518

CC: R. U. BRUASET

VANCOUVER, B.C.
V6C 2G8

Sample description	Prep code	Ba ppm	Au ppm	FA+AA ppm
<i>Run</i> TL 1217 RB ✓	205	--	--	80
<i>Run</i> TL 1217 TL ✓	205	--	--	70
TL 8230	205	--	--	900
TL 8231	205	--	--	4700
TL 8232	205	--	--	200
TL 8233	205	--	--	60
TL 8234	205	--	--	75
TL 8235	205	--	--	115
TL 8236	205	--	--	150
TL 8237	205	--	--	115
TL 8238 ✓	205	--	--	155
TL 8239	205	--	--	200
TL 8240	205	--	--	150
TL 8241	205	--	--	90
TL 8242	205	--	--	95
TL 8243	205	--	--	500
TL 8244 ✓	205	--	--	80
TL 8245	205	--	--	105
TL 8246	205	--	--	575
RB 82111	205	1100	--	15
RB 82114	205	1500	--	10
RB 82115	205	1140	--	20
RB 82116	205	1120	--	<5
RB 82121	205	820	--	<5
RB 82124	205	520	--	<5
RB 82126 ✓	205	260	--	<5
RB 82128 ✓	205	320	--	<5
RB 82129 ✓	205	1540	--	<5
RB 82131 ✓	205	1560	--	25

Sample description	Prep code	Pb ppm	Zn ppm	Ag ppm
TL 8230	214	1530	1280	43.0
TL 8231	214	2800	4000	>100.0

TO : CHEVRON STANDARD LIMITED
MINERALS STAFF
#901 - 355 BURNARD ST.
VANCOUVER, B.C.
V6C 2G8

CERT. # : A8213214-001-A
INVOICE # : 18213214
DATE : 14-SEP-82
P.O. # : NONE
M 518

CC: R. U. BRUASET

Sample description	Prep code	Zn %
TL 8245	214	1.34

EAST ZONE

EAST ZONE



Certified by *Hart Bichler*

82



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
MINERALS STAFF
#901 - 355 BURREARD ST.
VANCOUVER, B.C.
V6C 2G8

CERT. # : A8213145-001-A
INVOICE # : 18213145
DATE : 8-SEP-82
P.O. # : NONE
M518

CC:R.U. BRUASET

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Mn ppm
1217 RB } Resampling AB1217	205	98	1	1850	4050	7.3	--
1217 TL	205	92	2	2050	4600	8.1	--
TL 8230	205	--	--	--	--	--	--
TL 8231	205	--	--	--	--	--	--
TL 8232	205	103	1	3650	6800	11.8	--
TL 8233	205	97	1	2850	5950	6.8	--
TL 8234	205	63	1	3050	4250	8.4	--
TL 8235 } Rocks Resampling SE of 120	205	115	1	2600	5550	7.8	--
TL 8236	205	111	1	3300	8200	9.4	--
TL 8237	205	166	1	2650	10000	11.0	--
TL 8238	205	140	1	2650	9000	9.2	--
TL 8239	205	107	1	6400	8400	15.6	--
TL 8240	205	121	2	4250	8250	11.4	--
TL 8241	205	82	1	5100	6500	10.7	--
TL 8242	205	70	1	3850	5700	8.7	--
TL 8243	205	80	1	3650	6650	7.2	--
TL 8244	205	99	3	3500	4950	9.1	--
TL 8245	205	179	1	1650	>10000	5.9	--
TL 8246	205	198	1	1050	7850	5.7	--
RB 82111 } L3+SD	205	85	175	19 $\bar{x}=3347$	89 $\bar{x}=7203$	0.7 $\bar{x}=9.2$	145
RB 82114	205	9	1	31	66	0.5	335
RB 82115 } Hedwall	205	2	1	4	27	0.1	275
RB 82116	205	3	1	12	27	0.1	235
RB 82121	205	9	1	5	31	0.1	143
RB 82124	205	48	1	25	186	0.6	689
RB 82126	205	93	1	27	98	0.2	685
RB 82128 } eastern part of E zone on top of ridge	205	7	1	9	47	0.1	750
RB 82129	205	53	1	26	59	0.3	>10000
RB 82131	205	32	1	255	345	10.8	>10000



MEMBER
CANADIAN TESTING
ASSOCIATION

Certified by Hart Bichler

82



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604) 984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
 MINERALS STAFF
 #901 - 355 BURRARD ST.
 VANCOUVER, B.C.
 V6C 2G8

CERT. # : A8213146-001-A
 INVOICE # : I8213146
 DATE : 14-SEP-82
 P.O. # : NONE
 M518

CC:R.U. BRUASET

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Mn ppm
CAT TSO1 SOIL	201	13	1	44	84	0.6	1150
CAT TSO2 SOIL	201	12	1	43	50	0.3	1050
RB 82109	201	6	3	--	--	0.3	--
RB 82110	201	19	2	--	--	1.8	--
SOILS - RB 82135	201	39	2	20	52	0.4	230
RB 82136	201	39	4	20	84	0.5	220
RB 82137	201	27	6	31	61	0.8	210
RB 82138	201	28	4	25	72	0.4	670
RB 82139	201	21	2	25	100	0.5	225
RB 82140	201	39	1	21	92	0.5	245
RB 82141	201	31	1	24	99	0.3	210
RB 82142	201	45	7	33	107	0.6	245
RB 82143	201	23	3	34	177	0.5	220
RB 82144	201	45	3	26	124	0.8	750
RB 82145	201	46	8	18	67	0.5	230
RB 82146	201	76	2	21	220	0.8	470
RB 82147	201	64	4	13	70	0.3	260
RB 82148	201	56	2	40	128	0.8	675
RB 82149	201	78	2	45	175	0.7	1350
RB 82150	201	60	1	39	106	0.5	420
RB 82151	201	80	1	55	148	0.9	975
SOILS - CAT LO+00 0+75N	201	200	5	4200	2150	18.1	3800
CAT LO+00 1+25N	201	320	3	3800	880	18.2	3650
CAT LO+00 1+75N	201	350	4	7100	2050	18.3	5450
CAT LO+00 2+25N	201	450	8	7450	2200	22.0	7700
CAT LO+00 2+90N	201	600	6	>10000	3050	44.0	5600
CAT LO+00 3+25N	201	600	5	9750	2650	>100.0	4850
CAT LO+00 3+50N	201	550	10	>10000	2850	58.0	5850
CAT LO+00 3+75N	201	450	6	>10000	2650	65.0	4200
CAT LO+00 4+25N	201	410	2	9050	9000	23.0	6850
CAT LO+00 4+75N	201	72	7	570	1300	2.6	1150
CAT LO+00 5+25N	201	49	6	465	360	2.1	500
CAT LO+00 5+75N	201	26	2	430	265	1.9	695
CAT LO+00 6+25N	201	21	1	220	154	1.9	590
CAT LO+00 6+75N	201	52	3	430	1000	1.6	2400
CAT LO+00 7+25N	201	14	1	96	169	0.8	1050
CAT LO+00 7+75N	201	12	1	102	130	1.2	550
CAT LO+00 8+25N	201	12	1	118	59	0.8	750
CAT LO+00 0+25S	201	210	1	57	117	0.9	355
CAT LO+00 5+75S	201	25	1	48	96	0.5	480



175NTH

Certified by Hart Bichler



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
MINERALS STAFF
#901 - 355 BURRARD ST.
VANCOUVER, B.C.
V6C 2G8


CERT. # : A8213146-001-B
INVOICE # : I8213146
DATE : 14-SEP-82
P.O. # : NONE
M518

CC:R.U. BRUASET

Sample description	Prep code	W ppm	Au FA+AA ppb				
CAT TSO1 SOIL	201	1	10	--	--	--	--
CAT TSO2 SOIL	201	1	25	--	--	--	--
RB 82109	201	1	15	--	--	--	--
RB 82110	201	1	30	--	--	--	--
SOIL RB 82135	201	2	<5	--	--	--	--
RB 82136	201	1	<5	--	--	--	--
RB 82137	201	1	10	--	--	--	--
RB 82138	201	1	<5	--	--	--	--
RB 82139	201	1	5	--	--	--	--
RB 82140	201	3	<5	--	--	--	--
RB 82141	201	1	<5	--	--	--	--
RB 82142	201	1	<5	--	--	--	--
RB 82143	201	2	<5	--	--	--	--
RB 82144	201	2	15	--	--	--	--
RB 82145	201	1	15	--	--	--	--
RB 82146	201	1	15	--	--	--	--
RB 82147	201	1	45	--	--	--	--
RB 82148	201	1	35	--	--	--	--
RB 82149	201	1	15	--	--	--	--
RB 82150	201	1	5	--	--	--	--
RB 82151	201	1	10	--	--	--	--
CAT L0+00 0+75N	201	6	100	--	--	--	--
CAT L0+00 1+25N	201	4	700	--	--	--	--
CAT L0+00 1+75N	201	2	575	--	--	--	--
CAT L0+00 2+25N	201	5	3925	--	--	--	--
CAT L0+00 2+90N	201	7	>10000	--	--	--	--
CAT L0+00 3+25N	201	2	>10000	--	--	--	--
CAT L0+00 3+50N	201	7	>10000	--	--	--	--
CAT L0+00 3+75N	201	5	9900	--	--	--	--
CAT L0+00 4+25N	201	1	800	--	--	--	--
CAT L0+00 4+75N	201	3	35	--	--	--	--
CAT L0+00 5+25N	201	4	45	--	--	--	--
CAT L0+00 5+75N	201	2	15	--	--	--	--
CAT L0+00 6+25N	201	1	40	--	--	--	--
CAT L0+00 6+75N	201	1	30	--	--	--	--
CAT L0+00 7+25N	201	1	20	--	--	--	--
CAT L0+00 7+75N	201	1	10	--	--	--	--
CAT L0+00 8+25N	201	1	15	--	--	--	--
CAT L0+00 0+25S	201	20	10	--	--	--	--
CAT L0+00 5+75S	201	1	30	--	--	--	--

Self at head of cutting
Fall line of schist gneiss

45 weekly and



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ASSAY

TO : CHEVRON STANDARD LIMITED
MINERALS STAFF
#901 - 355 BURRARD ST.
VANCOUVER, B.C.
V6C 2G8

CERT. # : A8214146-001-A
INVOICE # : I8214146
DATE : 29-OCT-82
P.O. # : NONE
M518

ATTN: R. BRUASET

Sample description	Prep code	Au FA oz/t				
CAT L0+00 2+90N	214	0.368	--	--	--	--
CAT L0+00 3+25N	214	0.280	--	--	--	--
CAT L0+00 3+50N	214	0.518	--	--	--	--



38 sales

Certified by *Hart Bichler*

82



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
MINERALS STAFF
#901 - 355 BURRARD ST.
VANCOUVER, B.C.
V6C 2G8

CERT. # : A8213146-003-A
INVOICE # : I8213146
DATE : 14-SEP-82
P.O. # : NONE
M518

CC:R.U. BRUASET

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Mn ppm
SALS CAT 2+00W 09+75S 201		138	7	4	36	0.2	225
CAT 2+00W 10+25S 201		190	28	5	38	0.1	225
CAT 2+00W 10+75S 201		51	10	9	23	0.1	125
CAT 2+00W 11+25S 201		103	6	7	16	0.2	47
CAT 2+00W 11+75S 201		121	1	4	24	0.1	116
CAT 2+00W 12+25S 201		29	1	3	19	0.1	54
CAT 2+00W 12+75S 201		220	5	15	56	0.2	340
CAT 2+00W 13+25S 201		61	3	24	96	0.1	675
CAT 2+00W 13+75S 201		47	1	19	104	0.1	575
CAT 2+00W 14+25S 201		54	1	38	68	0.1	360
CAT L3+50W 0+25S 201		25	1	18	51	0.1	180
CAT L3+50W 0+75S 201		22	1	16	85	0.1	495
CAT L3+50W 2+25S 201		19	1	9	58	0.1	205
CAT L3+50W 2+75S 201		24	1	5	46	0.1	200
CAT L3+50W 3+75S 201		89	8	10	48	0.2	290
CAT L3+50W 4+25S 201		86	7	8	66	0.1	740
CAT L3+50W 5+25S 201		123	7	14	72	0.1	590
CAT L3+50W 5+75S 201		116	5	7	45	0.1	255
CAT L3+50W 6+25S 201		210	6	5	50	0.2	255
CAT L3+50W 6+75S 201		89	2	3	39	0.4	175
CAT L3+50W 7+25S 201		113	2	4	32	0.1	165
CAT L3+50W 7+75S 201		96	2	2	36	0.5	205
CAT L3+50W 8+25S 201		265	7	6	30	0.5	156
CAT L3+50W 9+25S 201		245	11	9	38	0.3	270
CATL3+50W 10+25S 201		215	73	13	37	0.5	155
CATL3+50W 10+75S 201		485	250	34	51	0.2	395
CATL3+50W 11+25S 201		88	9	3	29	0.2	155
CATL3+50W 11+75S 201		215	4	2	27	0.2	140
CATL3+50W 12+25S 201		128	2	9	30	0.2	160
CATL3+50W 12+75S 201		490	12	5	28	2.3	145
CATL3+50W 13+25S 201		129	2	3	24	0.4	130
CATL3+50W 13+75S 201		73	3	23	80	0.2	1050



Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
MINERALS STAFF
#901 - 355 BURRARD ST.
VANCOUVER, B.C.
V6C 2G8

CERT. # : A8213146-003-B
INVOICE # : I8213146
DATE : 14-SEP-82
P.O. # : NONE
M518

Soil samples

CC:R.U. BRUASET

Sample description	Prep code	W Au ppm	FA+AA ppb				
CAT 2+00W 09+75S 201		12	5	--	--	--	--
CAT 2+00W 10+25S 201		13	5	--	--	--	--
CAT 2+00W 10+75S 201		1	10	--	--	--	--
CAT 2+00W 11+25S 201		1	15	--	--	--	--
CAT 2+00W 11+75S 201		1	5	--	--	--	--
CAT 2+00W 12+25S 201		1	5	--	--	--	--
CAT 2+00W 12+75S 201		13	15	--	--	--	--
CAT 2+00W 13+25S 201		1	20	--	--	--	--
CAT 2+00W 13+75S 201		1	10	--	--	--	--
CAT 2+00W 14+25S 201		1	10	--	--	--	--
CAT L3+50W 0+25S 201		1	5	--	--	--	--
CAT L3+50W 0+75S 201		1	5	--	--	--	--
CAT L3+50W 2+25S 201		1	5	--	--	--	--
CAT L3+50W 2+75S 201		1	30	--	--	--	--
CAT L3+50W 3+75S 201		4	10	--	--	--	--
CAT L3+50W 4+25S 201		7	10	--	--	--	--
CAT L3+50W 5+25S 201		7	15	--	--	--	--
CAT L3+50W 5+75S 201		8	10	--	--	--	--
CAT L3+50W 6+25S 201		7	25	--	--	--	--
CAT L3+50W 6+75S 201		11	5	--	--	--	--
CAT L3+50W 7+25S 201		4	10	--	--	--	--
CAT L3+50W 7+75S 201		2	5	--	--	--	--
CAT L3+50W 8+25S 201		8	10	--	--	--	--
CAT L3+50W 9+25S 201		9	10	--	--	--	--
CATL3+50W 10+25S 201		11	<5	--	--	--	--
CATL3+50W 10+75S 201		27	<5	--	--	--	--
CATL3+50W 11+25S 201		6	<5	--	--	--	--
CATL3+50W 11+75S 201		6	<5	--	--	--	--
CATL3+50W 12+25S 201		15	10	--	--	--	--
CATL3+50W 12+75S 201		2	25	--	--	--	--
CATL3+50W 13+25S 201		2	10	--	--	--	--
CATL3+50W 13+75S 201		3	20	--	--	--	--



Certified by *Heath Richler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
MINERALS STAFF
#901 - 355 BARRARD ST.
VANCOUVER, B.C.
V6C 2G8

CERT. # : A8213146-002-A
INVOICE # : I8213146
DATE : 14-SEP-82
P.O. # : NONE
M518

CC:R.U. BRUASET

SOILS	Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Mn ppm
	CAT L0+00 06+25S	201	26	1	42	83	0.5	545
	CAT L0+00 06+75S	201	21	1	42	98	0.6	650
	CAT L0+00 07+25S	201	16	1	36	78	0.8	495
	CAT L0+00 07+75S	201	21	2	34	77	0.7	430
	CAT L0+00 08+25S	201	15	2	39	85	0.5	475
	CAT L0+00 08+75S	201	13	1	35	67	0.5	365
	CAT L0+00 09+25S	201	15	2	34	68	0.5	400
	CAT L0+00 09+75S	201	15	1	34	72	0.4	365
	CAT L0+00 10+25S	201	17	1	34	68	0.5	530
	CAT L0+00 10+75S	201	15	1	35	82	0.7	490
	CAT L0+00 11+25S	201	22	4	32	110	0.2	395
	CAT L0+00 11+75S	201	18	1	38	80	0.7	515
	CAT L0+00 12+25S	201	12	1	24	64	0.2	415
	CAT L0+00 12+75S	201	14	1	34	72	0.4	470
	CAT L0+00 13+25S	201	12	1	18	64	0.1	385
	CAT L0+00 14+25S	201	26	1	40	85	0.1	520
	CAT L0+00 14+75S	201	22	1	28	78	0.1	465
	CAT 2+00W 0+25N	201	46	8	14	86	0.2	230
	CAT 2+00W 0+75N	201	44	13	34	70	0.3	1800
	CAT 2+00W 1+25N	201	93	11	49	104	1.2	1650
	CAT 2+00W 1+75N	201	32	2	25	77	0.4	210
	CAT 2+00W 2+25N	201	10	1	49	1750	0.2	135
	CAT 2+00W 2+75N	201	530	5	>10000	>10000	4.3	3300
	CAT 2+00W 5+30N	201	30	1	355	415	0.9	660
	CAT 2+00W 6+75N	201	49	1	200	199	1.0	690
	CAT 2+00W 0+25S	201	27	1	16	53	0.1	178
	CAT 2+00W 0+75S	201	46	7	11	66	0.3	750
	CAT 2+00W 1+25S	201	12	1	12	24	0.2	66
	CAT 2+00W 1+75S	201	47	3	14	51	0.1	200
	CAT 2+00W 2+25S	201	66	5	16	41	0.1	190
	CAT 2+00W 2+75S	201	52	4	10	34	0.1	170
	CAT 2+00W 3+25S	201	38	2	12	34	0.1	200
	CAT 2+00W 3+75S	201	84	3	23	77	0.1	890
	CAT 2+00W 4+25S	201	52	4	13	61	0.1	350
	CAT 2+00W 4+75S	201	18	2	6	26	0.1	130
	CAT 2+00W 7+25S	201	187	3	7	27	0.1	125
	CAT 2+00W 7+75S	201	161	2	3	29	0.1	160
	CAT 2+00W 8+25S	201	176	9	9	32	0.2	170
	CAT 2+00W 8+75S	201	260	6	16	32	0.2	170
	CAT 2+00W 9+25S	201	305	4	5	34	0.2	185

40 soils

Certified by *Hart Bichler*





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
MINERALS STAFF
#901 - 355 BARRARD ST.
VANCOUVER, B.C.
V6C 2G8

CERT. # : A8213146-002-B
INVOICE # : 18213146
DATE : 14-SEP-82
P.O. # : NONE
M518

CC:R.U. BRUASET

gots

Sample description	Prep code	W ppm	Au ppm	FA+AA ppb				
CAT L0+00 06+25S	201	1		25	--	--	--	--
CAT L0+00 06+75S	201	1		50	--	--	--	--
CAT L0+00 07+25S	201	1		90	--	--	--	--
CAT L0+00 07+75S	201	1		65	--	--	--	--
CAT L0+00 08+25S	201	1		215	--	--	--	--
CAT L0+00 08+75S	201	1		20	--	--	--	--
CAT L0+00 09+25S	201	1		20	--	--	--	--
CAT L0+00 09+75S	201	1		40	--	--	--	--
CAT L0+00 10+25S	201	1		95	--	--	--	--
CAT L0+00 10+75S	201	1		35	--	--	--	--
CAT L0+00 11+25S	201	1		30	--	--	--	--
CAT L0+00 11+75S	201	1		5	--	--	--	--
CAT L0+00 12+25S	201	1		<5	--	--	--	--
CAT L0+00 12+75S	201	1		155	--	--	--	--
CAT L0+00 13+25S	201	1		<5	--	--	--	--
CAT L0+00 14+25S	201	1		5	--	--	--	--
CAT L0+00 14+75S	201	1		35	--	--	--	--
CAT 2+00W 0+25N	201	2		<5	--	--	--	--
CAT 2+00W 0+75N	201	3		<5	--	--	--	--
CAT 2+00W 1+25N	201	3		5	--	--	--	--
CAT 2+00W 1+75N	201	1		5	--	--	--	--
CAT 2+00W 2+25N	201	1		5	--	--	--	--
CAT 2+00W 2+75N	201	1		75	--	--	--	--
CAT 2+00W 5+30N	201	6		65	--	--	--	--
CAT 2+00W 6+75N	201	1		35	--	--	--	--
CAT 2+00W 0+25S	201	1		15	--	--	--	--
CAT 2+00W 0+75S	201	1		5	--	--	--	--
CAT 2+00W 1+25S	201	1		10	--	--	--	--
CAT 2+00W 1+75S	201	1		10	--	--	--	--
CAT 2+00W 2+25S	201	1		15	--	--	--	--
CAT 2+00W 2+75S	201	1		15	--	--	--	--
CAT 2+00W 3+25S	201	1		10	--	--	--	--
CAT 2+00W 3+75S	201	2		10	--	--	--	--
CAT 2+00W 4+25S	201	5		5	--	--	--	--
CAT 2+00W 4+75S	201	3		10	--	--	--	--
CAT 2+00W 7+25S	201	7		5	--	--	--	--
CAT 2+00W 7+75S	201	5		5	--	--	--	--
CAT 2+00W 8+25S	201	11		15	--	--	--	--
CAT 2+00W 8+75S	201	6		15	--	--	--	--
CAT 2+00W 9+25S	201	8		10	--	--	--	--

IntP

Certified by *Hart Biehler*



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
MINERALS STAFF
#901 - 355 BARRARD ST.
VANCOUVER, B.C.
V6C 2G8

CERT. # : A8213530-001-A
INVOICE # : I8213530
DATE : 27-SEP-82
P.O. # : NONE
CATARACT

CERT. # : A8213530-001-A
INVOICE # : I8213530
DATE : 4-OCT-82
P.O. # : NONE
CATARACT

ATTN: EARL D. DODSON

Sample description	Prep code	Pb ppm	Zn ppm	Ag ppm	Sample description	Prep code	Au FA g/tonne				
E.D.D. #1	207	1300	7200	7.5	E.D.D. #1	207	<0.1	--	--	--	--
E.D.D. #2	207	1900	2800	7.2	E.D.D. #2	207	0.2	--	--	--	--
E.D.D. #5	207	2300	5000	11.3	E.D.D. #5	207	0.2	--	--	--	--

*Ret Lloyd Tarants:
0.02 g/metric ton = 20 ppb*

→ Ragout



Certified by Hart Bichler

82



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
MINERALS STAFF
#901 - 355 BURRARD ST.
VANCOUVER, B.C.
V6C 2G8

CERT. # : A8213866-001-A
INVOICE # : I8213866
DATE : 21-OCT-82
P.O. # : NONE
M518 : CATARACT

ATTN: R.A. BRUASETT

page 1 of 3

Sample description	Prep code	Pb ppm	Zn ppm	Ag ppm	W ppm	Sn ppm	F ppm
RB 82 326	208	24	96	0.6	28	1	540
RB 82 328	208	17	90	0.4	7	1	450

Rock chip samples from island at S. End of Elton Lake.



Certified by Hart Bechler

82



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
MINERALS STAFF
#901 - 355 BURRARD ST.
VANCOUVER, B.C.
V6C 2G8

CERT. # : A8213866-001-B
INVOICE # : 18213866
DATE : 21-OCT-82
P.O. # : NONE
M518 CATAPACT

ATTN: R.A. BRUASETT

page 2 of 3

Sample description	Prep code	AU	FA+AA	ppb					
RB 82 326	208			<5	--	--	--	--	--
RB 82 328	208			<5	--	--	--	--	--

Rock chip samples from island at S. end of Selton lake.



MEMBER
CANADIAN TESTING
ASSOCIATION

Certified by *Hart Buchler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ASSAY

TO : CHEVRON STANDARD LIMITED
MINERALS STAFF
#901 - 355 BURRARD ST.
VANCOUVER, B.C.
V6C 2G8

CERT. # : A8213866-001-A
INVOICE # : I8213866
DATE : 21-OCT-82
P.O. # : NONE
M518 CATARACT

page 3 of 3

ATTN: R.A. BRUASETT

Sample description	Prep code	Cu %	Mo %				
RB 82 326	208	0.07	0.003	--	--	--	--
RB 82 328	208	0.04	0.005	--	--	--	--

Rock chip samples from island at S End of Elton Lake.

.....
Registered Assayer, Province of British Columbia



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
MINERALS STAFF
#901 - 355 BARRARD ST.
VANCOUVER, B.C.
V6C 2G8

CERT. # : A8213865-001-B
INVOICE # : I8213865
DATE : 21-OCT-82
P.O. # : NONE
M518

ATTN: R.A. BRUASETT

Sample description	Prep code	Sn ppm	F Au ppm	FA+AA ppb			
RB 82 317	205	8	300	5	--	--	--
RB 82 319	205	1	280	5	--	--	--
RB 82 320	205	1	300	<5	--	--	--



MEMBER
CANADIAN TESTING
ASSOCIATION

Certified by *Hart Bechler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
MINERALS STAFF
#901 - 355 BARRARD ST.
VANCOUVER, B.C.
V6C 2G8

CERT. # : A8213865-001-A
INVOICE # : 18213865
DATE : 21-OCT-82
P.O. # : NONE
M518

ATTN: R.A. BRUASETT

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	W ppm
RB 82 317	205	42	1	14	51	0.3	1
RB 82 319	205	19	1	5	64	0.1	1
RB 82 320	205	10	1	5	35	0.1	1



MEMBER
CANADIAN TESTING
ASSOCIATION

Certified by Hart Buchler

822



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

*** INVOICE ***

To : CHEVRON STANDARD LIMITED
MINERALS STAFF
#901 - 355 BARRARD ST.,
VANCOUVER, B.C.
V6C 2G8

Invoice # : 18214294

Date : 5-NOV-82
P.O. # : NONE
Project M 518

Invoice for analytical work reported on certificate(s) A8214294-001

Quantity	Analysed for code description	unit price	amount
Sample preparation and other charges :			
3	213 - Heavy min sep SG 2.96	14.00	42.00
			TOTAL \$ 42.00
Please pay this amount ---->			\$ 42.00

TERMS -- NET 30 DAYS
2.0 % per month (24 % per annum) charged on overdue accounts

Catura



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ASSAY

TO : CHEVRON STANDARD LIMITED
MINERALS STAFF
#901 - 355 BURRARD ST.
VANCOUVER, B.C.
V6C 2G8

CERT. # : A8214289-001-A
INVOICE # : I8214289
DATE : 8-NOV-82
P.C. # : NONE
M 518

ATTN: R. BRUASET

Sample description	Prep code	Pb %	Zn %				
1217J-A & B	214	--	1.11	--	--	--	--
RB8209-A & B	214	--	0.90	--	--	--	--
RB8210	214	0.56	0.90	--	--	--	--

.....
Registered Assayer, Province of British Columbia



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSTS

TO : CHEVRON STANDARD LIMITED
MINERALS STAFF
#901 - 355 BURRARD ST.
VANCOUVER, B.C.
V6C 2G8

CERT. # : A8214403-001-A
INVOICE # : I8214403
DATE : 19-NOV-82
P.O. # : NONE

ATTN: R. BRUASET

Sample description	Prep code	Sn ppm	F ppm				
81-B 1248	214	1	330	--	--	--	--
81-B 1249	214	1	190	--	--	--	--
81-B 1250	214	1	210	--	--	--	--
81-B 1252	214	1	500	--	--	--	--
81-B 1257	214	1	400	--	--	--	--
81-B 1258	214	1	300	--	--	--	--
81-B 1259	214	1	310	--	--	--	--



MEMBER
CANADIAN TESTING
ASSOCIATION

Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
MINERALS STAFF
#901 - 355 BURRARD ST.
VANCOUVER, B.C.
V6C 2G8

CERT. # : A8214402-001-A
INVOICE # : I8214402
DATE : 19-NOV-82
P.O. # : NONE
M 518

ATTN: R. BRUASET

Sample description	Prep code	Sn ppm	F ppm				
J 1678	214	1	320	--	--	--	--
B 1255	214	1	360	--	--	--	--
RB 8202	214	1	130	--	--	--	--
RB 8204	214	1	170	--	--	--	--
RB 8205	214	1	170	--	--	--	--
RB 8206	214	1	310	--	--	--	--
RB 8211	214	1	300	--	--	--	--
RB 8217	214	1	270	--	--	--	--
RB 8223	214	1	320	--	--	--	--
RB 8225	214	1	240	--	--	--	--
RB 8226	214	1	240	--	--	--	--
RB 8228	214	1	280	--	--	--	--
TL 8201	214	1	350	--	--	--	--
TL 8202	214	1	310	--	--	--	--
TL 8204	214	1	340	--	--	--	--
TL 8206	214	1	280	--	--	--	--
TL 8208	214	1	290	--	--	--	--
RB 8229	214	1	270	--	--	--	--
RB 8231	214	1	290	--	--	--	--
RB 8233	214	1	250	--	--	--	--
RB 8236	214	1	240	--	--	--	--
RB 8238	214	1	310	--	--	--	--
RB 8239	214	1	300	--	--	--	--
RB 8207-A	214	1	310	--	--	--	--
1217D-A	214	1	320	--	--	--	--
1217G	214	1	300	--	--	--	--
1217J-A	214	1	290	--	--	--	--
1217-M	214	1	280	--	--	--	--
1217-P	214	1	320	--	--	--	--
1217S-A	214	1	320	--	--	--	--
1217V-A	214	1	360	--	--	--	--
RB 8222 *	214	3	50	--	--	--	--
1217 RB	214	1	310	--	--	--	--
1217 TL	214	1	300	--	--	--	--
TL 8232	214	1	320	--	--	--	--
TL 8234	214	1	290	--	--	--	--
TL 8237	214	1	290	--	--	--	--
TL 8238	214	1	270	--	--	--	--
TL 8244	214	1	290	--	--	--	--
TL 8246	214	1	270	--	--	--	--

Certified by *Hart Bichler*





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
MINERALS STAFF
#901 - 355 BURRARD ST.
VANCOUVER, B.C.
V6C 2G8

CERT. # : A8214402-002-A
INVOICE # : I8214402
DATE : 19-NOV-82
P.O. # : NONE
M 518

ATTN: R. BRUASET

Sample description	Prep code	Sn ppm	F ppm				
RB 82126	214	1	220	--	--	--	--
RB 82128	214	1	260	--	--	--	--
RB 82129	214	1	240	--	--	--	--
RB 82131	214	1	200	--	--	--	--
CAT LO+00 0+75N	214	1	300	--	--	--	--
CAT LO+00 1+25N	214	1	240	--	--	--	--
CAT LO+00 1+75N	214	1	230	--	--	--	--
CAT LO+00 2+25N	214	1	210	--	--	--	--
CAT LO+00 3+75N	214	1	210	--	--	--	--
CAT LO+00 4+25N	214	1	250	--	--	--	--
CAT LO+00 4+75N	214	1	270	--	--	--	--
CAT LO+00 5+25N	214	1	170	--	--	--	--
CAT LO+00 5+75N	214	1	220	--	--	--	--
CAT LO+00 6+25N	214	1	170	--	--	--	--
CAT LO+00 6+75N	214	1	220	--	--	--	--
CAT LO+00 7+25N	214	1	150	--	--	--	--
CAT LO+00 7+75N	214	1	190	--	--	--	--
CAT LO+00 8+25N	214	1	160	--	--	--	--
CAT LO+00 0+25S	214	1	270	--	--	--	--
CAT LO+00 5+75S	214	1	250	--	--	--	--
CAT LO+00 6+25S	214	2	270	--	--	--	--
CAT LO+00 6+75S	214	1	270	--	--	--	--
CAT LO+00 7+25S	214	1	250	--	--	--	--
CAT LO+00 7+75S	214	1	270	--	--	--	--
CAT LO+00 8+25S	214	1	250	--	--	--	--
CAT LO+00 8+75S	214	1	270	--	--	--	--
CAT LO+00 9+25S	214	1	260	--	--	--	--
CAT LO+00 9+75S	214	1	260	--	--	--	--
CAT LO+00 10+25S	214	1	210	--	--	--	--
CAT LO+00 10+75S	214	1	310	--	--	--	--
CAT LO+00 11+25S	214	1	260	--	--	--	--
CAT LO+00 11+75S	214	1	280	--	--	--	--
CAT LO+00 12+25S	214	1	280	--	--	--	--
CAT LO+00 12+75S	214	1	270	--	--	--	--
CAT LO+00 13+25S	214	1	240	--	--	--	--
CAT LO+00 14+25S	214	1	270	--	--	--	--
CAT LO+00 14+75S	214	1	260	--	--	--	--



MEMBER
CANADIAN TESTING
ASSOCIATION

Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ASSAY

TO : CHEVRON STANDARD LIMITED
MINERALS STAFF
#901 - 355 BURRARD ST.
VANCOUVER, B.C.
V6C 2G8

CERT. # : A8214447-001-A
INVOICE # : I8214447
DATE : 20-DEC-82
P.C. # : NONE
M 518 CATARACT

PREFIX DDH 8201 ATTN: R.A. BRUASET

Sample description	Prep code	Fe acids %	K2O %	SiO2 fus %			
COMPO 60-110	214	5.50	3.00	66.56	--	--	--
COMPO 260-310	214	4.50	3.68	69.35	--	--	--
COMPO 460-510	214	3.50	4.03	71.64	--	--	--
COMPO 660-710	214	3.28	3.86	70.23	--	--	--

.....
Registered Assayer, Province of British Columbia





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ASSAY

TO : CHEVRON STANDARD LIMITED
MINERALS STAFF
#901 - 355 BARRARD ST.
VANCOUVER, B.C.
V6C 2G8

CERT. # : A8214448-001-A
INVOICE # : I8214448
DATE : 20-DEC-82
P.C. # : NONE
M 518

ATTN: R.A. BRAUSET

Sample description	Prep code	Fe acids %	K2O %	SiO2 %	fus %			
COMP8202	260-110	214	6.70	2.90	65.77	--	--	--
COMP8202	260-310	214	3.88	2.66	66.48	--	--	--

.....
Registered Assayer, Province of British Columbia





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ASSAY

TO : CHEVRON STANDARD LIMITED
MINERALS STAFF
#901 - 355 BARRARD ST.
VANCOUVER, B.C.
V6C 2G8

CERT. # : A8214449-001-A
INVOICE # : I8214449
DATE : 20-DEC-82
P.O. # : NONE
M 518

ATTN: R.A. BRUASET

Sample description	Prep code	Fe acidS %	K2O %	SiO2 fus %			
COMP8203 60-110	214	10.80	2.45	59.59	--	--	--
COMP8203 260-310	214	5.50	2.98	66.30	--	--	--
COMP8203 460-510	214	4.24	2.66	67.47	--	--	--
COMP8203 660-707	214	5.40	2.83	64.29	--	--	--

.....
Registered Assayer, Province of British Columbia



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CHEVRON STANDARD LIMITED
MINERALS STAFF
#901 - 355 BURRARD ST.
VANCOUVER, B.C.
V6C 2G8

East Zone Rocks & Soil

CERT. # : A8214869-001-A
INVOICE # : I8214869
DATE : 21-DEC-82
P.O. # : NONE
M518

ATTN: R. BRUASET * *Coordinate samples on soils*

Sample description	Prep code	Mn ppm	AS ppm	Hg ppb			
81-B 1248	214	560	11	120	--	--	--
81-B 1250	214	2300	48	130	--	--	--
81-B 1252	214	>10000	45	180	--	--	--
RB 8202	214	450	5	50	--	--	--
RB 8204	214	275	5	40	--	--	--
RB 8205	214	320	6	40	--	--	--
RB 8206	214	1650	330	50	--	--	--
RB 8211	214	9300	53	90	--	--	--
RB 8217	214	7400	59	50	--	--	--
RB 8225	214	7100	43	40	--	--	--
RB 8228	214	6200	10	90	--	--	--
TL 8201	214	3450	45	60	--	--	--
TL 8208	214	5700	7	50	--	--	--
RB 8231	214	>10000	245	50	--	--	--
RB 8236	214	8050	130	60	--	--	--
RB 8239	214	6300	17	50	--	--	--
1217V - A	214	6750	38	70	--	--	--
RB 8222	214	1250	15	750	--	--	--
TL 8232	214	9200	180	110	--	--	--
TL 8238	214	8700	19	120	--	--	--
TL 8246	214	4750	14	80	--	--	--
*CAT LO+00 0+75N	214	3900	33	170	--	--	--
CAT LO+00 1+25N	214	5550	73	150	--	--	--
CAT LO+00 1+75N	214	7600	140	170	--	--	--
CAT LO+00 2+25N	214	10000	85	90	--	--	--
CAT LO+00 4+25N	214	8800	79	100	--	--	--
CAT LO+00 4+75N	214	1550	38	110	--	--	--
CAT LO+00 5+75N	214	1100	15	140	--	--	--
*CAT LO+00 6+75N	214	2300	32	140	--	--	--



Certified by *Hart Buchler*

80