

842096

MARCUS  
ADIT / TRENCHES  
LEVELS

Station	HI	B.S.	F.S.	ROD	
5	1.70		5A	3.66	1
4	1.30	5A		1.200	2
4	0.60		4A	3.00	3
4B	1.50	4A		0.00	4
4B	1.00		4C	3.66	5
3	1.50	4C		0.30	6
3	.700		3A	3.00	7
2	1.60	3A		0.00	8
2	.700		2A	3.66	8
BD	1.100	2A		0.16	8
BD	1.10		2B	.220	8
2	1.40	2B		.850	8
2	1.70		10	0.00	8
10A	1.40	10		1.36	8
10A	.800		10B	.650	8
2	.700		2C	3.50	10
6	1.50	2C		0.53	11
6	1.00		6A	2.50	11
6B	1.50	6A		.30	11
6B	.850		6C	3.50	11
WH 339	1.300	6C		.980	11
WH 339	1.300		6D	3.65	11
6E	1.400	6D		1.28	11
6	0.800		6F	3.54	11
6G	1.60	6F		.230	12

BD Trench

'10B' trench

6E trench

Station	HI	B.S.	F.S.	ROD	
6G	.600		7	3.00	13
7A	1.400	7		.700	14
7A	.600		7B	3.500	15
7C	1.60	7B		0.00	16
7C	1.60		8	1.79	16
7C	1.10		9	3.50	16
8	1.70		8A	.63	18 - 1
8B	1.00	8A		3.06	19 - 1
8B	1.60		8C	0.00	20 - 1
8D	1.50	8C		3.00	21 - 1
8D	1.60		8E	0.16	22 - 1
8F	.900	8E		3.70	23 - 1
8F	1.500		8G	.590	24 - 1
6	1.00	8G		2.50	25 - 1
6	1.60		6H	.685	26 - 1
2	0.600	6H		3.53	27 - 1
2	1.500		2D	.390	28 - 1
3	0.600	2D		3.66	29 - 1
3	1.500		3B	0.23	30 - 1
3C	0.700	3B		3.66	31 - 1
3C	1.600		3D	0.00	32 - 1
4	1.600	3D		3.50	33 - 1
4	1.50		4D	.475	34 - 1
5	1.60	4D		3.60	35 - 1



# MARCUS ELEVATIONS

Station	elevation	corrected elevation	station	elevation	
5	1000	1000	6F	978.77	978.37
5A	998.04	998.00	6G	977.40	976.96
4	996.94	996.87	7	975.00	974.53
4A	994.54	994.43	7A	974.30	973.79
4B	993.04	992.89	7B	971.40	970.86
4C	990.38	990.20	7C	969.80	969.22
3	989.18	988.96	8	969.61	969.03
3A	986.88	986.63	9	967.40	966.82
2	985.28	984.99			
2A	982.32	982.03	8A	970.68	
BD	981.38	981.09	8B	972.74	
2B	982.26	981.97	8C	974.34	
1	981.71	981.42	8D	975.84	
10	983.41	983.12	8E	977.28	
10A	983.37	983.08	8F	980.08	
10B	983.52	983.23	8G	980.99	
2C	982.48	982.12	6	982.49	981.59
6	981.51	981.11	6H	983.41	
6A	980.01	979.61	2	986.34	985.37
6B	978.81	978.41	2D	987.45	
6C	976.16	975.76	3	990.51	989.46
WH 339	975.84	975.44	3B	991.78	
6D	973.49	973.09	3C	994.74	
6E	973.37	972.97	3D	996.34	



WAYSIDE M-577  
MARCUS ADIT AREA.

1:1000



6500 N

250E

MINE HUB  
PORTAL

DIOR  
QUARTZ  
CONCRET.

METERS