



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

TEL 842273

To: CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project: M578

Comments: CC: S. McALLISTER

Page No. : 1-A
Tot. Pages: 1
Date : 23-SEP-87
Invoice #: I-8722111
P.O. #:

PROJECT FILE

CERTIFICATE OF ANALYSIS A8722111

SAMPLE DESCRIPTION	PREP CODE		Au ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
			FA+AA	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm
SMT-177	205	238	< 5	1.73	< 0.2	25	50	< 0.5	< 2	5.30	0.5	33	93	178	6.32	< 10	< 1	0.10	< 10	1.35	1075
SMT-178	205	238	< 5	0.84	< 0.2	5	30	< 0.5	< 2	5.57	0.5	26	129	107	5.45	< 10	< 1	0.04	< 10	2.05	852
SMT-179	205	238	10	3.58	< 0.2	10	30	< 0.5	< 2	2.31	< 0.5	23	131	154	3.37	< 10	1	0.05	< 10	0.76	374
SMT-180	205	238	< 5	2.69	< 0.2	< 5	10	< 0.5	< 2	1.47	< 0.5	25	165	87	4.12	< 10	< 1	0.04	< 10	2.40	644
SMT-181	205	238	< 5	0.37	< 0.2	140	< 10	< 0.5	< 2	1.87	0.5	18	148	579	2.07	< 10	< 1	< 0.01	< 10	0.66	354
SMT-182	205	238	< 5	0.67	< 0.2	5	20	< 0.5	< 2	5.75	0.5	26	142	115	5.25	< 10	< 1	0.04	< 10	2.24	938

CERTIFICATION :



Chemex Labs Ltd.


Analytical Chemists * Geochemists * Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
 MINERALS STAFF
 1900 - 1055 W. HASTINGS ST.
 VANCOUVER, B.C.
 V6E 2E9
 Project: M578
 Comments: CC: S. McALLISTER

Page No.: 1-B
 Tot. Pages: 1
 Date: 23-SEP-87
 Invoice #: I-8722111
 P.O. #:

CERTIFICATE OF ANALYSIS A8722111

SAMPLE DESCRIPTION	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Se	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
SM7T-177	205	238	< 1	0.05	51	620	32	< 5	< 10	80	0.01	< 10	< 10	236	5	81
SM7T-178	205	238	< 1	0.01	48	380	4	< 5	< 10	151	< 0.01	< 10	< 10	195	5	53
SM7T-179	205	238	< 1	0.58	45	630	< 2	< 5	< 10	133	0.16	< 10	< 10	169	< 5	34
SM7T-180	205	238	< 1	0.08	54	450	6	< 5	< 10	27	0.69	< 10	< 10	154	5	39
SM7T-181	205	238	< 1	0.01	39	140	2	15	< 10	35	0.02	< 10	< 10	79	< 5	66
SM7T-182	205	238	< 1	< 0.01	58	350	6	< 5	< 10	114	< 0.01	< 10	< 10	171	10	61

CERTIFICATION : 



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project: M578
Comments: CC: S. McALLISTER

Page No. : 1-A
Tot. Pages: 2
Date : 23-SEP-87
Invoice #: I-8722110
P.O. #: 30601

CERTIFICATE OF ANALYSIS A8722110

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
IZ 7T-1016	201 238	< 5	2.90	< 0.2	< 5	30	< 0.5	< 2	0.41	0.5	7	30	46	2.85	< 10	< 1	0.02	< 10	0.32	365
IZ 7T-1017	201 238	< 5	4.55	< 0.2	25	40	< 0.5	< 2	0.66	< 0.5	18	68	123	4.07	< 10	< 1	0.03	< 10	0.72	411
IZ 7T-1018	201 238	5	2.66	< 0.2	10	40	< 0.5	< 2	0.56	< 0.5	11	30	98	2.93	< 10	< 1	0.03	< 10	0.43	273
IZ 7T-1019	201 238	< 5	1.81	< 0.2	< 5	30	< 0.5	2	0.51	< 0.5	8	17	56	1.99	< 10	< 1	0.02	< 10	0.29	332
IZ 7T-1020	201 238	< 5	2.54	< 0.2	15	30	< 0.5	< 2	0.52	< 0.5	10	25	86	2.82	< 10	< 1	0.02	< 10	0.32	194
IZ 7T-1021	201 238	< 5	2.16	< 0.2	5	50	< 0.5	< 2	0.42	< 0.5	7	15	53	2.39	< 10	< 1	0.03	< 10	0.26	301
IZ 7T-1022	201 238	< 5	3.31	< 0.2	15	70	< 0.5	< 2	0.31	< 0.5	10	17	93	2.61	< 10	< 1	0.04	< 10	0.24	1085
IZ 7T-1023	201 238	< 5	1.78	< 0.2	< 5	90	< 0.5	< 2	0.54	< 0.5	8	15	41	2.06	< 10	< 1	0.04	< 10	0.29	811
IZ 7T-1024	201 238	< 5	3.39	< 0.2	10	80	< 0.5	< 2	0.29	< 0.5	8	21	58	3.06	< 10	< 1	0.03	< 10	0.25	1375
IZ 7T-1025	201 238	< 5	2.83	< 0.2	< 5	120	< 0.5	< 2	0.48	1.0	9	17	52	2.77	< 10	< 1	0.04	< 10	0.28	778
IZ 7T-1026	201 238	< 5	1.95	< 0.2	< 5	90	< 0.5	< 2	0.43	0.5	8	15	33	2.44	< 10	< 1	0.03	< 10	0.24	497
IZ 7T-1027	201 238	< 5	1.28	< 0.2	< 5	20	< 0.5	< 2	1.11	< 0.5	5	8	31	0.81	< 10	< 1	0.01	< 10	0.15	97
IZ 7T-1028	201 238	< 5	1.30	< 0.2	< 5	180	< 0.5	< 2	0.89	1.0	12	10	56	1.59	< 10	< 1	0.03	< 10	0.19	3550
IZ 7T-1029	201 238	< 5	3.91	< 0.2	5	110	< 0.5	< 2	0.38	< 0.5	8	30	69	3.46	< 10	< 1	0.04	< 10	0.29	1020
IZ 7T-1030	201 238	< 5	2.91	< 0.2	20	70	< 0.5	< 2	0.42	< 0.5	8	25	48	2.75	< 10	< 1	0.02	< 10	0.31	762
IZ 7T-1031	201 238	< 5	3.47	< 0.2	< 5	80	< 0.5	< 2	0.35	< 0.5	9	24	64	2.84	< 10	< 1	0.03	< 10	0.32	669
IZ 7T-1032	201 238	< 5	3.56	< 0.2	< 5	40	< 0.5	< 2	0.37	0.5	10	32	101	3.32	< 10	< 1	0.02	< 10	0.42	247
IZ 7T-1033	201 238	< 5	2.77	< 0.2	< 5	60	< 0.5	< 2	0.40	< 0.5	9	24	76	2.80	< 10	< 1	0.02	< 10	0.31	783
IZ 7T-1034	201 238	< 5	1.92	< 0.2	20	90	< 0.5	< 2	0.32	0.5	20	56	56	4.99	< 10	< 1	0.03	< 10	0.21	1195
IZ 7T-1035	201 238	< 5	2.53	< 0.2	< 5	80	< 0.5	< 2	0.48	< 0.5	11	28	46	2.73	< 10	< 1	0.03	< 10	0.33	1590
IZ 7T-1036	201 238	< 5	1.69	< 0.2	15	100	< 0.5	< 2	0.52	< 0.5	9	25	18	2.02	< 10	< 1	0.03	< 10	0.28	1415
IZ 7T-1037	201 238	< 5	4.31	< 0.2	45	30	< 0.5	< 2	0.41	< 0.5	8	49	94	3.03	< 10	< 1	0.02	< 10	0.51	418
IZ 7T-1038	201 238	< 5	2.66	< 0.2	15	30	< 0.5	< 2	0.36	< 0.5	4	33	35	3.39	< 10	< 1	0.01	< 10	0.22	163
IZ 7T-1039	201 238	< 5	2.84	< 0.2	15	50	< 0.5	< 2	0.40	< 0.5	8	36	31	2.86	< 10	< 1	0.01	< 10	0.29	730
IZ 7T-1040	201 238	< 5	2.09	< 0.2	20	50	< 0.5	< 2	0.49	< 0.5	6	24	47	2.59	< 10	< 1	0.01	< 10	0.29	235
IZ 7T-1041	201 238	< 5	1.93	< 0.2	20	140	< 0.5	< 2	0.53	< 0.5	11	26	34	2.51	< 10	< 1	0.02	< 10	0.32	1295
IZ 7T-1042	201 238	< 5	1.28	< 0.2	5	40	< 0.5	< 2	0.43	< 0.5	3	13	18	1.61	< 10	< 1	0.01	< 10	0.20	545
IZ 7T-1043	201 238	< 5	4.06	< 0.2	5	60	< 0.5	< 2	0.41	< 0.5	6	30	52	3.07	< 10	< 1	0.02	< 10	0.31	622
IZ 7T-1044	201 238	< 5	2.54	< 0.2	5	60	< 0.5	< 2	0.64	< 0.5	18	52	60	3.69	< 10	< 1	0.02	< 10	0.46	398
IZ 7T-1045	201 238	< 5	3.93	0.2	5	60	< 0.5	< 2	0.95	< 0.5	20	66	85	4.12	< 10	< 1	0.02	< 10	0.99	753
IZ 7T-1046	201 238	< 5	2.81	< 0.2	< 5	110	< 0.5	< 2	0.34	< 0.5	7	21	25	2.61	< 10	< 1	0.02	< 10	0.27	939
IZ 7T-1047	201 238	< 5	1.08	< 0.2	5	30	< 0.5	< 2	0.35	< 0.5	11	11	14	1.69	< 10	< 1	< 0.01	< 10	0.20	323
IZ 7T-1048	201 238	< 5	1.35	0.2	< 5	80	< 0.5	< 2	0.34	0.5	3	11	27	1.50	< 10	< 1	0.02	< 10	0.15	206
IZ 7T-1049	201 238	< 5	2.33	< 0.2	10	140	< 0.5	< 2	0.41	< 0.5	15	16	35	2.30	< 10	< 1	0.03	10	0.20	1175
IZ 7T-1050	201 238	< 5	2.13	0.2	15	50	< 0.5	< 2	0.36	< 0.5	6	14	23	2.09	< 10	< 1	0.01	< 10	0.21	209
IZ 7T-1051	201 238	< 5	2.31	0.2	15	40	< 0.5	< 2	0.54	< 0.5	8	19	41	2.43	< 10	< 1	0.02	< 10	0.34	242
IZ 7T-1052	201 238	< 5	2.32	0.2	< 5	70	< 0.5	< 2	0.55	< 0.5	13	17	48	2.69	< 10	< 1	0.02	< 10	0.33	915
IZ 7T-1053	201 238	< 5	1.95	0.4	< 5	70	< 0.5	< 2	0.47	< 0.5	9	24	26	2.30	< 10	< 1	0.03	< 10	0.29	780
IZ 7T-1054	201 238	< 5	2.01	0.4	15	70	< 0.5	< 2	0.56	< 0.5	7	14	33	2.28	< 10	< 1	0.01	< 10	0.20	427
IZ 7T-1055	201 238	< 5	2.64	0.4	< 5	50	< 0.5	< 2	0.40	0.5	8	19	48	2.74	10	< 1	0.03	< 10	0.27	233

CERTIFICATION :

BCJ



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project: M578

Comments: CC: S. McALLISTER

Page No.: 1-B
Tot. Pages: 2
Date: 23-SEP-87
Invoice #: I-8722110
P.O. #: 30601

CERTIFICATE OF ANALYSIS A8722110

SAMPLE DESCRIPTION	PREP CODE		Mb	Na	Ni	P	Pb	Sb	Se	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
TZ 7T-1016	201	238	< 1	0.02	9	590	2	< 5	< 10	23	0.29	< 10	< 10	79	10	40
TZ 7T-1017	201	238	< 1	0.02	37	550	< 2	< 5	< 10	48	0.33	< 10	< 10	113	< 5	44
TZ 7T-1018	201	238	1	0.03	26	260	< 2	< 5	< 10	26	0.33	< 10	< 10	82	< 5	43
TZ 7T-1019	201	238	< 1	0.02	10	250	16	< 5	< 10	31	0.22	< 10	< 10	61	< 5	31
TZ 7T-1020	201	238	1	0.02	17	180	< 2	< 5	< 10	23	0.31	< 10	< 10	84	< 5	15
TZ 7T-1021	201	238	< 1	0.02	6	660	18	< 5	< 10	18	0.24	< 10	< 10	68	5	38
TZ 7T-1022	201	238	< 1	0.02	9	1330	< 2	< 5	< 10	19	0.13	< 10	< 10	51	5	29
TZ 7T-1023	201	238	< 1	0.02	9	400	24	5	< 10	37	0.21	< 10	< 10	61	< 5	37
TZ 7T-1024	201	238	< 1	0.02	9	2810	< 2	< 5	< 10	13	0.16	< 10	< 10	63	< 5	42
TZ 7T-1025	201	238	< 1	0.02	14	1010	16	< 5	< 10	21	0.25	< 10	< 10	69	5	83
TZ 7T-1026	201	238	< 1	0.02	13	400	28	5	< 10	22	0.24	< 10	< 10	68	< 5	44
TZ 7T-1027	201	238	1	0.01	5	360	16	5	< 10	40	0.13	< 10	< 10	27	< 5	9
TZ 7T-1028	201	238	< 1	0.02	8	570	38	< 5	< 10	46	0.21	< 10	< 10	51	5	76
TZ 7T-1029	201	238	< 1	0.02	10	1640	4	< 5	< 10	18	0.29	< 10	< 10	88	< 5	50
TZ 7T-1030	201	238	< 1	0.02	10	930	< 2	< 5	< 10	18	0.30	< 10	< 10	78	< 5	43
TZ 7T-1031	201	238	< 1	0.01	13	790	< 2	< 5	< 10	18	0.26	< 10	< 10	79	5	37
TZ 7T-1032	201	238	< 1	0.02	19	590	20	< 5	< 10	17	0.33	< 10	< 10	86	< 5	34
TZ 7T-1033	201	238	< 1	0.02	14	810	< 2	< 5	< 10	16	0.28	< 10	< 10	73	< 5	43
TZ 7T-1034	201	238	< 1	0.01	30	690	4	< 5	< 10	41	0.08	< 10	< 10	134	< 5	76
TZ 7T-1035	201	238	< 1	0.02	16	1120	12	< 5	< 10	19	0.24	< 10	< 10	75	< 5	80
TZ 7T-1036	201	238	< 1	0.01	18	440	4	< 5	< 10	23	0.21	< 10	< 10	64	< 5	81
TZ 7T-1037	201	238	< 1	0.02	19	880	< 2	5	< 10	19	0.34	< 10	< 10	94	< 5	34
TZ 7T-1038	201	238	< 1	0.01	10	520	< 2	< 5	< 10	17	0.30	< 10	< 10	101	< 5	33
TZ 7T-1039	201	238	< 1	0.01	19	390	< 2	5	< 10	18	0.32	< 10	< 10	86	< 5	64
TZ 7T-1040	201	238	1	0.02	13	230	< 2	< 5	< 10	22	0.31	< 10	< 10	79	< 5	27
TZ 7T-1041	201	238	< 1	0.02	19	800	12	< 5	< 10	24	0.24	< 10	< 10	75	< 5	82
TZ 7T-1042	201	238	< 1	0.02	11	280	< 2	< 5	< 10	16	0.33	< 10	< 10	61	< 5	26
TZ 7T-1043	201	238	< 1	0.02	15	630	< 2	< 5	< 10	19	0.29	< 10	< 10	90	< 5	35
TZ 7T-1044	201	238	< 1	0.02	27	260	< 2	< 5	< 10	26	0.26	< 10	< 10	117	< 5	51
TZ 7T-1045	201	238	< 1	0.06	35	660	< 2	< 5	< 10	33	0.48	< 10	< 10	123	< 5	50
TZ 7T-1046	201	238	< 1	0.01	14	520	< 2	< 5	< 10	19	0.23	< 10	< 10	75	< 5	57
TZ 7T-1047	201	238	< 1	0.01	7	120	< 2	< 5	< 10	20	0.18	< 10	< 10	62	< 5	15
TZ 7T-1048	201	238	< 1	0.01	9	480	20	< 5	< 10	19	0.15	< 10	< 10	44	< 5	26
TZ 7T-1049	201	238	< 1	0.01	8	860	22	< 5	< 10	26	0.16	< 10	< 10	54	< 5	52
TZ 7T-1050	201	238	< 1	0.01	8	410	< 2	< 5	< 10	20	0.22	< 10	< 10	67	< 5	28
TZ 7T-1051	201	238	< 1	0.02	13	470	< 2	< 5	< 10	25	0.21	< 10	< 10	73	< 5	22
TZ 7T-1052	201	238	< 1	0.02	11	950	< 2	< 5	< 10	30	0.20	< 10	< 10	73	< 5	48
TZ 7T-1053	201	238	< 1	0.02	15	500	34	< 5	< 10	20	0.26	< 10	< 10	74	< 5	56
TZ 7T-1054	201	238	< 1	0.02	8	700	< 2	< 5	< 10	30	0.20	< 10	< 10	68	< 5	35
TZ 7T-1055	201	238	< 1	0.01	16	990	< 2	< 5	< 10	18	0.24	< 10	< 10	70	< 5	48

CERTIFICATION :

BCG



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project: M578

Comments: CC: S. McALLISTER

Page No.: 2-A
Tot. Pages: 2
Date: 23-SEP-87
Invoice #: I-8722110
P.O. #: 30601

CERTIFICATE OF ANALYSIS A8722110

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
IZ 7T-1056	201 238	< 5	5.29	< 0.2	< 5	40	< 0.5	< 2	0.37	0.5	12	28	75	3.09	< 10	1	0.03	< 10	0.36	295

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221


To: CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project: M578
Comments: CC: S. McALLISTER

Page No. : 2-B
Tot. Pages: 2
Date : 23-SEP-87
Invoice #: I-8722110
P.O. #: 30601

CERTIFICATE OF ANALYSIS A8722110

SAMPLE DESCRIPTION	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Se	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
IZ 7T-1056	201	238	< 1	0.02	17	730	6	< 5	< 10	16	0.28	< 10	< 10	90	< 5	33

CERTIFICATION : 

TEL m578

C.V.D.



Chemex Labs Ltd.

•Analytical Chemists •Geochemists •Registered Assayers

212 Brooksbank Ave.
North Vancouver, B.C.
Canada V7J 2C1
Telephone: (604) 984-0221
Telex: 043-52597

CERTIFICATE OF ANALYSIS

TO : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

CERT. # : AB619963-001-A
INVOICE # : 18619963
DATE : 3-NOV-86
P.O. # : NONE
M 543

ATTN: S. McALLISTER CC: C. DYSON

Sample description	Au ppb	Sb ppm	As ppm	Bi ppm	Cd ppm	Cu ppm	Ga ppm	Pb ppm	Mo ppm	Ag ppm	Tl ppm	Zn ppm												
	EA+AA	org ex	org ex	org ex	org ex	org ex	org ex	org ex	org ex	org ex	org ex	org ex	org ex	org ex	org ex	org ex	org ex	org ex	org ex	org ex	org ex	org ex	org ex	org ex
SM6L2-297	<5	0.1	1	0.1	0.1	51	16	2	1	0.1	0.1	42	--	--	--	--	--	--	--	--	--	--	--	--
SM6L2-298	<5	0.1	1	0.2	0.1	100	14	5	1	0.4	0.1	51	--	--	--	--	--	--	--	--	--	--	--	--
SM6L2-299	<5	0.1	3	0.1	0.1	83	14	2	1	0.3	0.1	37	--	--	--	--	--	--	--	--	--	--	--	--
SM6L2-300	<5	0.1	1	0.1	0.1	46	14	2	1	0.1	0.2	30	--	--	--	--	--	--	--	--	--	--	--	--
SM6L2-301	20	0.1	2	0.1	0.1	96	14	1	1	0.1	0.1	36	--	--	--	--	--	--	--	--	--	--	--	--
SM6L2-302	<5	0.1	1	0.1	0.1	68	12	1	1	0.1	0.1	36	--	--	--	--	--	--	--	--	--	--	--	--
SM6L2-303	80	0.1	2	0.2	0.1	48	13	9	1	0.3	0.1	66	--	--	--	--	--	--	--	--	--	--	--	--
SM6L2-304	<5	0.2	1	0.1	0.1	76	15	4	2	0.3	0.1	95	--	--	--	--	--	--	--	--	--	--	--	--
SM6L2-305	<5	0.3	9	0.2	0.2	47	14	30	1	0.1	0.1	133	--	--	--	--	--	--	--	--	--	--	--	--
SM6L2-306	<5	0.1	1	0.1	0.1	52	15	1	1	0.1	0.1	81	--	--	--	--	--	--	--	--	--	--	--	--
SM6L2-307	<5	0.2	1	0.1	0.1	123	14	6	1	0.2	0.1	49	--	--	--	--	--	--	--	--	--	--	--	--
SM6L2-308	5	0.2	2	0.1	0.1	83	15	5	2	0.3	0.1	149	--	--	--	--	--	--	--	--	--	--	--	--
SM6L2-309	<5	0.2	3	0.1	0.1	51	14	12	1	0.3	0.1	68	--	--	--	--	--	--	--	--	--	--	--	--
SM6L2-310	<5	0.2	4	0.1	0.1	101	15	14	1	0.2	0.1	99	--	--	--	--	--	--	--	--	--	--	--	--
SM6L2-311	<5	0.1	1	0.1	0.1	162	17	3	1	0.2	0.1	136	--	--	--	--	--	--	--	--	--	--	--	--
SM6L2-312	<5	0.1	1	0.1	0.1	60	15	4	1	0.1	0.1	104	--	--	--	--	--	--	--	--	--	--	--	--
SM6L2-313	<5	0.2	1	0.1	0.1	35	16	8	1	0.3	0.1	83	--	--	--	--	--	--	--	--	--	--	--	--
SM6L2-314	<5	0.2	1	0.1	0.1	141	14	10	1	0.3	0.1	91	--	--	--	--	--	--	--	--	--	--	--	--

TEL SOILS

Certified by ... *B. Coy* ...

SYSTEMS BUSINESS FORMS LIMITED VANCOUVER TR2010940



Chemex Labs Ltd.

•Analytical Chemists •Geochemists •Registered Assayers

212 Brooksbank Ave.
North Vancouver, B.C.
Canada V7J 2C1

Phone: (604) 984-0221
Telex: 043-52597

CERTIFICATE OF ANALYSIS

TO : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

CERT. # : A8620367-001-A
INVOICE # : I8620367
DATE : 17-NOV-86
P.O. # : NONE
M543

ATTN: LARRY DICK

Sample description	Hg ppb	Au ppb EA+AA	Sb ppm org ex	As ppm org ex	Bi ppm org ex	Cd ppm org ex	Cu ppm org ex	Ga ppm org ex	Pb ppm org ex	Mo ppm org ex	Ag ppm org ex	Tl ppm org ex	Zn ppm org ex						
WH6L1-1	50	<5	0.1	10	0.1	2.1	76	12	2	1	0.1	0.1	82	--	--	--	--	--	--

TEL

Certified by *B. C. [Signature]*



Chemex Labs Ltd.

•Analytical Chemists

•Geochemists

•Registered Assayers

212 Brooksbank Ave.
North Vancouver, B.C.
Canada V7J 2C1

Telephone: (604) 984-0221
Telex: 043-52597

SAME

RECEIVED
MINERALS STAFF
NOV 7 1986
RICHMOND

CERTIFICATE OF ANALYSIS

TO : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

CERT. # : A8619962-001-A
INVOICE # : I9619962
DATE : 7-NOV-86
P.O. # : NONE
H 548

ATTN: S. McALLISTER C. DYSON

Sample description	Au ppb	Sb ppm	As ppm	Bi ppm	Cd ppm	Cu ppm	Ga ppm	Pb ppm	Mo ppm	Ag ppm	Tl ppm	Zn ppm										
	FA+AA	org ex	org ex	org ex	org ex	org ex	org ex	org ex	org ex	org ex	org ex	org ex	org ex									
SM6L1-285	<5	0.1	3	0.1	0.1	74	11	1	1	0.1	0.1	73	--	--	--	--	--	--	--	--	--	--
SM6L1-286	<5	0.1	22	0.1	0.1	91	4	1	1	0.1	0.1	65	--	--	--	--	--	--	--	--	--	--
SM6L1-287	<5	0.1	1	0.1	0.1	69	11	1	1	0.1	0.1	71	--	--	--	--	--	--	--	--	--	--
SM6L4-288	<5	4.4	30	0.1	0.1	54	10	1	1	0.1	0.1	63	--	--	--	--	--	--	--	--	--	--
SM6L4-289	<5	15.0	90	0.1	0.1	150	6	1	1	0.1	0.1	55	--	--	--	--	--	--	--	--	--	--
SM6L4-290	<5	14.6	60	0.1	0.1	335	5	1	1	0.1	0.1	37	--	--	--	--	--	--	--	--	--	--
SM6L4-291	<5	37.0	100	0.1	0.1	660	7	1	1	0.1	0.1	74	--	--	--	--	--	--	--	--	--	--
SM6L4-292	<5	580.0	3900	0.1	8.0	>10000	5	1	1	2.0	0.1	1150	--	--	--	--	--	--	--	--	--	--
SM6L4-293	<5	450.0	2800	0.1	3.6	7200	4	1	1	2.3	0.1	560	--	--	--	--	--	--	--	--	--	--
SM6L4-294	<5	350.0	2500	0.1	3.2	>10000	8	1	1	2.7	0.1	580	--	--	--	--	--	--	--	--	--	--
SM6L1-295	<5	50.0	250	0.1	0.6	790	9	1	1	0.1	0.1	101	--	--	--	--	--	--	--	--	--	--
SM6L1-296	<5	13.4	60	0.1	0.1	279	5	1	1	0.1	0.1	34	--	--	--	--	--	--	--	--	--	--

TEL CLAIMS ROCK SAMPLES

Certified by *[Signature]*