



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A8712117

To: CHEVRON CANADA RESOURCES LTD.
 MINERALS STAFF
 1900 - 1055 W. HASTINGS ST.
 VANCOUVER, B.C.
 V6E 2E9

842391

Page No. : 1
 Tot. Pages: 1
 Date : 17-MAR-87
 Invoice # : I-8712117
 P.O. # : 36805

Project : M586 GOATFELL
 Comments: ATTN: S. MCALLISTER

PROJECT FILE

SAMPLE DESCRIPTION	PREP CODE		Au ppb	Sb ppm	As ppm	Bi ppm	Cd ppm	Cu ppm	Ga ppm	Pb ppm	Mb ppm	Ag ppm	Tl ppm	Zn ppm		
			FAtAA	org ex	org ex	org ex	org ex	org ex	org ex	org ex	org ex	org ex	org ex	org ex		
ED-1	205	—	10	470	160	5.9	>200	268	1	>10000	1	25.0	1.8	>10000		
ED-2	205	—	15	91.0	41	30.0	>200	335	1	>10000	1	20.0	0.7	>10000		
ED-3	205	—	25	>1000	150	3.3	>200	252	1	>10000	1	22.0	2.3	>10000		

CERTIFICATION :

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project: M586

Comments: ATTN: M. W. HITZMAR

PROJECT

Page No. : 1
Tot. Pages: 1
Date : 27-OCT-88
Invoice #: I-8826007
P.O. #: 27065

CERTIFICATE OF ANALYSIS A8826007

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Cu ppm	Pb ppm	Zn ppm	Ag ppm Aqua R	As ppm	Hg ppb			
116351	205	100	1180	>10000	>10000	43.0	210	-----			
116352	205	430	1050	>10000	>10000	>100.0	420	-----			
116353	205	1400	198	>10000	>10000	90.0	>10000	-----			
116354	205	60	740	3750	3050	8.0	2500	-----			
116355	205	450	3050	>10000	2400	>100.0	8200	-----			
116356	205	5	81	250	88	1.0	50	-----			
116357	205	10	70	146	195	0.7	25	20			

NOTE * SAMPLES OF THIS NATURE SHOULD BE ASSAYED.

NOT GEOCHEM. *

CERTIFICATION :

Haut Bichler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
 MINERALS STAFF
 1900 - 1055 W. HASTINGS ST.
 VANCOUVER, B.C.
 V6E 2E9

Page No. 1
 Tot. Pages: 5
 Date: 28-JUN-89
 Invoice #: I-8918353
 P.O. #: 30632

Project: M586
 Comments: ATTN: D. YUSEP CC: M. HITZMAN

CERTIFICATE OF ANALYSIS A8918353

SAMPLE DESCRIPTION	PREP CODE	Ag ppm	Co ppm	Cu ppm	Fe %	Mn ppm	Mo ppm	Ni ppm	Pb ppm	Zn ppm
1A 0W	217 298	< 0.5		10	20	2.33	825	< 1	17	10
1A 50W	217 298	< 0.5		10	22	2.28	490	< 1	16	20
1A 100W	217 298	< 0.5		15	34	2.72	730	< 1	19	20
1A 200W	217 298	< 0.5		10	19	2.29	520	< 1	15	15
1A 250W	217 298	< 0.5		9	16	2.23	1270	< 1	17	15
1A 300W	217 298	< 0.5		13	39	3.55	275	< 1	39	30
1A 350W	217 298	< 0.5		9	10	2.39	1330	< 1	13	15
1A 400W	217 298	< 0.5		14	10	2.63	1535	< 1	15	15
1B 00W	217 298	< 0.5		12	17	2.34	960	< 1	19	15
1B 50W	217 298	< 0.5		10	17	2.31	990	< 1	21	10
1B 100W	217 298	< 0.5		10	10	2.40	1005	< 1	19	10
1B 150W	217 298	< 0.5		12	11	2.54	3250	< 1	19	20
1B 200W	217 298	< 0.5		17	36	2.80	1700	< 2	27	30
1B 250W	217 298	< 0.5		12	12	2.41	2020	< 1	25	15
1B 300W	217 298	1.0		22	72	4.70	1110	1	43	55
1B 350W	217 298	< 0.5		20	49	4.42	930	< 2	36	50
1B 400W	217 298	< 0.5		10	14	2.36	400	< 1	18	15
1B 450W	217 298	< 0.5		7	12	1.75	440	< 1	13	15
1B 500W	217 298	< 0.5		9	17	2.09	390	< 1	18	15
1B 550W	217 298	< 0.5		7	20	2.31	315	< 1	18	15
1B 600W	217 298	< 0.5		14	16	2.61	2950	< 1	21	15
1B 650W	217 298	< 0.5		15	24	3.06	825	< 1	26	20
1C 0W	217 298	< 0.5		13	12	2.22	3770	< 1	25	20
1C 50W	217 298	< 0.5		12	9	2.61	2120	< 1	29	15
1C 100W	217 298	< 0.5		14	15	2.85	1525	< 1	35	25
1C 150W	217 298	1.0		17	16	2.55	6750	< 1	26	20
1C 200W	217 298	< 0.5		13	14	2.50	1955	< 1	34	20
1C 250W	217 298	< 0.5		11	11	2.88	1005	< 1	28	15
1C 300W	217 298	< 0.5		13	10	2.72	4050	< 1	20	20
1C 350W	217 298	< 0.5		13	22	2.90	1215	< 1	26	20
1C 400W	217 298	< 0.5		16	21	2.98	2220	< 1	31	25
1C 450W	217 298	< 0.5		13	19	2.76	1405	< 1	26	35
1C 500W	217 298	< 0.5		24	48	4.16	815	< 2	55	40
1C 600W	217 298	< 0.5		12	15	2.72	875	< 1	25	15
1C 650W	217 298	< 0.5		15	21	3.02	1625	< 1	26	20
1C 700W	217 298	< 0.5		17	22	3.46	1175	< 1	37	25
1C 750W	217 298	1.0		27	94	6.36	2310	< 3	56	75
1C 800W	217 298	< 0.5		15	28	3.18	1490	< 1	28	25
1C 850W	217 298	< 0.5		11	17	2.34	1905	< 1	18	15
1C 1200W	217 298	< 0.5		15	28	3.50	1095	< 1	29	20

CERTIFICATION : B. Coughlin



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project: M586

Comments: ATTN: D YUSEP CC: M HITZMAN

Page No. : 2
Tot. Pages: 5
Date : 28-JUN-89
Invoice #: I-8918353
P.O. # : 30632

CERTIFICATE OF ANALYSIS A8918353

SAMPLE DESCRIPTION	PREP CODE	Ag ppm	Co ppm	Cu ppm	Fe %	Mn ppm	Mo ppm	Ni ppm	Pb ppm	Zn ppm	
1C 1250W	217 298	1.0		16	29	3.30	1030	1	31	30	192
1C 1300W	217 298	1.0		18	31	3.53	1260	1	30	25	166
1C 1350W	217 298	0.5		16	25	3.14	965	< 1	25	20	130
1D 650W	217 298	0.5		13	15	2.78	1555	< 1	24	15	246
1D 750W	217 298	0.5		15	12	2.44	2550	< 1	30	25	182
1D 800W	217 298	< 0.5		14	14	2.82	1330	< 1	20	15	112
1D 850W	217 298	0.5		12	27	2.54	1140	< 1	31	20	202
1D 900W	217 298	1.5		18	14	2.86	8110	< 1	33	35	270
1D 1000W	217 298	0.5		13	27	2.82	1295	< 1	24	25	158
1E 700W	217 298	1.0		14	20	1.94	3210	< 1	22	20	336
1E 750W	217 298	0.5		13	12	2.33	1800	< 1	20	15	140
1E 800W	217 298	1.0		16	33	3.21	865	< 1	33	35	190
1E 850W	217 298	0.5		13	10	2.17	3670	< 1	18	25	174
1E 900W	217 298	1.0		17	16	2.81	3840	< 1	35	30	186
1E 950W	217 298	0.5		13	24	2.70	1160	< 1	27	15	208
1E 1000W	217 298	0.5		13	17	2.64	1405	< 1	32	20	200
1E 1050W	217 298	1.0		11	9	2.34	1455	< 1	17	10	118
1E 1100W	217 298	0.5		10	26	2.57	1155	< 1	22	20	180
1E 1200W	217 298	0.5		12	26	2.75	625	< 1	23	25	96
1E 1250W	217 298	0.5		15	23	2.91	990	< 1	25	20	140
1E 1300W	217 298	< 0.5		14	23	2.90	1315	< 1	25	20	160
1F 750W	217 298	< 0.5		7	32	1.12	1035	< 1	8	70	274
1F 850W	217 298	0.5		12	13	2.23	1035	< 1	21	15	128
1F 900W	217 298	0.5		10	13	2.43	680	< 1	18	10	102
1F 950W	217 298	1.0		13	11	2.15	4600	< 1	22	20	316
1F 1000W	217 298	0.5		11	13	2.36	525	< 1	20	10	100
1F 1050W	217 298	1.0		13	15	2.62	3450	< 1	25	15	302
1F 1100W	217 298	0.5		12	17	2.74	985	< 1	22	15	130
1F 1150W	217 298	0.5		11	16	2.52	1290	< 1	19	15	160
1F 1200W	217 298	0.5		12	16	2.76	910	< 1	29	20	156
1F 1250W	217 298	1.0		12	37	2.60	490	< 1	31	20	174
1F 1400W	217 298	0.5		14	22	3.15	1705	< 1	27	25	190
1F 1450W	217 298	0.5		13	20	2.86	1585	< 1	24	25	180
1F 1500W	217 298	0.5		15	29	3.26	1355	< 1	27	25	164
1F 1550W	217 298	0.5		12	12	2.50	1890	< 1	19	15	170
1G 700W	217 298	1.0		17	23	3.31	1835	< 1	31	35	176
1G 750W	217 298	0.5		14	17	2.87	2560	< 1	32	20	222
1G 800W	217 298	1.0		13	37	2.50	655	< 1	32	20	136
1G 900W	217 298	0.5		12	14	2.80	765	< 1	25	15	136
1G 950W	217 298	< 0.5		9	13	2.68	705	< 1	18	10	110

CERTIFICATION :

B. Coughlin



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
 MINERALS STAFF
 1900 - 1055 W. HASTINGS ST.
 VANCOUVER, B.C.
 V6E 2E9

Project: M586
 Comments: ATTN: D YUSEP CC: M HITZMAN

Page No. 3
 Tot. Pages: 5
 Date: 28-JUN-89
 Invoice #: I-8918353
 P.O. #: 30632

CERTIFICATE OF ANALYSIS A8918353

SAMPLE DESCRIPTION	PREP CODE	Ag ppm	Co ppm	Cu ppm	Fe %	Mn ppm	Mo ppm	Ni ppm	Pb ppm	Zn ppm
1G 1000W	217 298	0.5	12	21	2.39	910	< 1	23	20	138
1G 1050W	217 298	0.5	13	12	2.62	1690	< 1	26	35	186
1G 1200W	217 298	0.5	10	16	2.39	970	< 1	19	20	116
1G 1250W	217 298	0.5	10	21	2.59	500	< 1	19	15	102
1G 1300W	217 298	0.5	13	14	2.56	3220	< 1	23	25	286
1G 1350W	217 298	0.5	13	16	2.56	1935	< 1	19	20	160
1G 1400W	217 298	0.5	10	19	2.63	430	< 1	18	15	102
1G 1450W	217 298	0.5	11	16	2.58	1535	< 1	25	15	170
1G 1500W	217 298	0.5	11	19	2.80	665	< 1	24	20	178
1G 1550W	217 298	0.5	11	27	2.71	880	< 1	17	15	78
1G 1600W	217 298	< 0.5	10	24	2.81	475	< 1	20	15	96
1G 1650W	217 298	0.5	11	26	2.78	415	< 1	19	10	88
1G 1700W	217 298	0.5	10	14	2.52	2090	< 1	14	10	154
1H 650W	217 298	1.0	12	22	2.83	630	1	21	25	106
1H 700W	217 298	0.5	15	21	2.96	885	1	22	25	110
1H 750W	217 298	1.0	16	25	3.32	835	< 1	32	25	132
1H 800W	217 298	1.0	25	37	3.99	1050	1	36	55	190
1H 850W	217 298	1.0	29	31	3.82	1540	1	36	50	198
1H 900W	217 298	0.5	15	20	3.13	1635	< 1	35	25	260
1H 950W	217 298	1.0	25	38	3.67	850	1	42	35	200
1H 1000W	217 298	1.0	13	25	2.49	895	< 1	29	25	154
1H 1050W	217 298	0.5	11	21	2.65	785	< 1	19	30	118
1H 1100W	217 298	0.5	10	17	2.56	1075	< 1	20	30	106
1H 1150W	217 298	1.0	14	13	2.47	4270	< 1	23	25	326
1H 1200W	217 298	0.5	13	22	3.05	1095	1	22	20	124
1H 1250W	217 298	0.5	12	17	2.99	755	< 1	17	10	102
1H 1300W	217 298	0.5	10	14	2.55	890	< 1	17	15	86
1H 1350W	217 298	0.5	12	21	2.76	910	< 1	24	15	128
1H 1400W	217 298	0.5	10	19	2.43	435	< 1	18	10	96
1H 1450W	217 298	0.5	12	14	2.55	3120	< 1	19	15	170
1H 1600W	217 298	0.5	11	25	2.69	745	< 1	21	15	138
1H 1650W	217 298	0.5	12	21	2.73	710	< 1	21	10	136
1H 1700W	217 298	0.5	10	17	2.64	695	< 1	19	10	96
1H 1750W	217 298	< 0.5	10	17	2.71	550	< 1	18	10	92
1H 1800W	217 298	0.5	16	21	2.86	1750	< 1	17	15	110
1H 1850W	217 298	< 0.5	14	38	3.14	540	< 1	21	10	104
1H 1900W	217 298	< 0.5	12	14	2.58	1280	< 1	13	20	108
1H 1950W	217 298	< 0.5	13	29	2.82	770	< 1	17	15	76
1H 2000W	217 298	< 0.5	11	27	2.70	465	< 1	15	15	74
1I OW	217 298	0.5	15	17	2.56	1235	< 1	27	15	190

CERTIFICATION :

B. Coughlin



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
 MINERALS STAFF
 1900 - 1055 W. HASTINGS ST.
 VANCOUVER, B.C.
 V6E 2E9

Project: M586

Comments: ATTN: D YUSEP CC: M HITZMAN

Page No. : 4
 Tot. Pages: 5
 Date : 28-JUN-89
 Invoice #: I-89-8353
 P.O. #: 30632

CERTIFICATE OF ANALYSIS A8918353

SAMPLE DESCRIPTION	PREP CODE	Ag ppm	Co ppm	Cu ppm	Fe %	Mn ppm	Mo ppm	Ni ppm	Pb ppm	Zn ppm
1I 50W	217 298	0.5	13	17	2.68	2010	< 1	31	15	254
1I 100W	217 298	1.5	116	54	3.65	1640	< 1	88	45	312
1I 150W	217 298	0.5	16	25	3.35	835	< 1	26	20	138
1I 200W	217 298	< 0.5	19	31	3.97	800	< 1	31	25	156
1I 250W	217 298	0.5	20	26	3.06	820	1	20	40	136
1I 300W	217 298	0.5	13	17	2.94	840	< 1	25	20	120
1I 350W	217 298	2.0	50	57	3.98	1250	< 1	59	45	190
1I 400W	217 298	0.5	21	29	3.56	1090	< 1	27	25	180
1I 450W	217 298	0.5	12	16	2.92	680	< 1	23	20	130
1I 500W	217 298	0.5	13	18	3.33	1970	< 1	23	20	156
1I 600W	217 298	0.5	10	15	2.47	1325	< 1	20	10	96
1I 650W	217 298	0.5	14	30	2.90	750	< 1	25	25	114
1I 700W	217 298	0.5	11	15	2.35	1465	< 1	22	20	164
1I 750W	217 298	0.5	10	12	2.46	820	< 1	21	10	112
1I 800W	217 298	0.5	11	11	2.55	1330	< 1	19	15	134
1I 850W	217 298	0.5	12	12	2.60	2810	< 1	23	20	242
1I 900W	217 298	1.0	48	53	4.80	1160	1	43	30	232
1I 950W	217 298	1.5	37	68	5.34	745	< 1	55	75	198
1I 1000W	217 298	1.0	35	33	4.12	810	< 1	32	40	212
1I 1100W	217 298	0.5	10	13	2.36	1530	< 1	19	25	138
1I 1150W	217 298	< 0.5	11	14	2.36	460	< 1	13	15	76
1I 1200W	217 298	0.5	10	17	2.32	550	< 1	18	15	102
1I 1250W	217 298	<< 0.5	8	14	2.24	475	< 1	12	10	66
1I 1300W	217 298	<< 0.5	11	17	2.47	860	< 1	13	10	74
1I 1350W	217 298	0.5	13	12	2.50	2010	< 1	20	15	148
1I 1400W	217 298	<< 0.5	13	15	2.47	2360	< 1	23	5	174
1I 1450W	217 298	<< 0.5	12	21	2.62	720	< 1	19	10	98
1I 1500W	217 298	<< 0.5	15	22	2.82	2130	< 1	38	15	254
1I 1550W	217 298	<< 0.5	14	33	3.08	1315	< 1	33	20	162
1I 1600W	217 298	<< 0.5	16	33	3.11	505	< 1	35	20	154
1I 1750W	217 298	<<< 0.5	10	15	2.54	1180	< 1	15	10	94
1I 1800W	217 298	<<< 0.5	10	21	2.40	1425	< 1	11	15	74
1I 1850W	217 298	<<< 0.5	17	31	2.76	945	< 1	21	10	110
1I 1900W	217 298	<<< 0.5	14	20	2.86	975	< 1	19	15	108
1I 1950W	217 298	<< 0.5	15	31	2.82	565	< 1	19	15	74
1I 2000W	217 298	< 0.5	11	25	2.53	490	< 1	16	15	70
1J 0W	217 298	0.5	19	12	2.35	1935	< 1	29	15	170
1J 50W	217 298	1.0	18	15	2.71	5360	< 1	32	10	242
1J 100W	217 298	< 0.5	10	20	2.74	755	< 1	18	10	104
1J 150W	217 298	0.5	13	22	2.56	2630	1	21	25	192

CERTIFICATION :

B. Coughlin



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project : M586

Comments: ATTN: D YUSEP CC: M HITZMAN

Page No. : 5
Tot. Pages: 5
Date : 28-JUN-89
Invoice # : I-8918353
P.O. # : 30632

CERTIFICATE OF ANALYSIS A8918353

SAMPLE DESCRIPTION	PREP CODE	Ag ppm	Co ppm	Cu ppm	Fe %	Mn ppm	Mo ppm	Ni ppm	Pb ppm	Zn ppm
1J 200W	217 298	<< 0.5	21	36	3.28	1080	< 1	35	20	148
1J 250W	217 298	<< 0.5	19	23	3.08	2000	<< 1	35	20	214
1J 300W	217 298	<< 0.5	12	18	2.97	1330	<< 1	22	15	162
1J 350W	217 298	<< 0.5	21	20	2.61	2600	<< 1	34	15	324
1J 400W	217 298	<< 0.5	14	14	2.55	2170	< 1	27	15	252
1J 450W	217 298	<< 0.5	16	23	3.09	1780	< 1	30	25	180
1J 500W	217 298	<< 0.5	19	34	3.91	640	< 1	35	15	174
1J 550W	217 298	<< 0.5	46	31	4.50	1000	< 1	28	35	190
1J 600W	217 298	<< 0.5	15	15	2.88	1215	< 1	27	10	156
1J 650W	217 298	<< 0.5	14	25	3.61	1355	< 1	22	15	146
1J 700W	217 298	<< 0.5	10	10	2.72	1040	< 1	18	5	102
1J 750W	217 298	<< 0.5	10	16	2.77	705	<< 1	18	10	72
1J 800W	217 298	<< 0.5	12	10	2.47	640	<< 1	23	10	82
1J 850W	217 298	<< 0.5	10	11	2.46	770	<< 1	19	10	118
1J 900W	217 298	<< 1.0	19	40	3.00	1595	< 1	30	25	136
1J 950W	217 298	<< 0.5	10	11	2.53	885	< 1	22	15	136
1J 1000W	217 298	<< 0.5	13	15	3.01	1100	< 1	29	15	130
1J 1050W	217 298	<< 0.5	13	25	2.86	500	<< 1	26	30	114
1J 1100W	217 298	<< 0.5	11	20	2.52	960	<< 1	26	20	154
1J 1150W	217 298	<< 0.5	12	11	2.34	1325	< 1	18	20	112
1J 1200W	217 298	<< 0.5	11	15	2.37	1290	< 1	20	10	106
1J 1250W	217 298	<< 0.5	13	27	2.69	830	<< 1	21	15	104
1J 1300W	217 298	<< 0.5	10	15	2.48	895	<< 1	15	20	118
1J 1350W	217 298	<< 0.5	11	17	2.73	935	<< 1	16	15	128
1J 1400W	217 298	<< 0.5	12	14	2.39	1965	< 1	19	10	158
1J 1450W	217 298	<< 0.5	11	22	2.57	870	< 1	18	10	110
1J 1500W	217 298	<< 0.5	11	55	2.60	355	< 1	24	15	104
1J 1550W	217 298	<< 0.5	9	25	2.23	355	< 1	16	10	74
1J 1600W	217 298	<< 0.5	11	32	2.75	2460	<< 1	21	10	174
1J 1650W	217 298	<< 0.5	9	16	2.56	840	< 1	20	5	104
1J 1700W	217 298	<< 0.5	10	15	2.79	1700	< 1	23	15	210
1J 1750W	217 298	<< 0.5	10	25	3.01	1075	< 1	19	10	122
1J 1800W	217 298	<< 0.5	7	29	2.64	340	< 1	13	5	60
1K 0W	217 298	<< 0.5	13	13	2.68	2190	< 1	24	15	210
1K 50W	217 298	<< 0.5	12	18	2.93	3310	< 1	26	15	228
1K 100W	217 298	<< 0.5	11	15	3.03	980	< 1	24	5	112
1K 150W	217 298	<< 0.5	39	49	3.66	2410	< 1	20	15	218
1K 200W	217 298	<< 0.5	34	45	2.96	755	< 1	27	15	134

CERTIFICATION :

B. Coughlin



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE. NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project: M586

Comments: ATTN: D YUSEP CC: M HITZMAN

Page No. 1
Tot. Pages: 5
Date: 28-JUN-89
Invoice #: I-8918356
P.O. #: 30632

CERTIFICATE OF ANALYSIS A8918356

SAMPLE DESCRIPTION	PREP CODE	Ag ppm	Co ppm	Cu ppm	Fe %	Mn ppm	Mo ppm	Ni ppm	Pb ppm	Zn ppm
1K 250W	217 298	< 0.5	19	27	1.96	4860	< 1	33	25	886
1K 300W	217 298	< 0.5	10	18	2.52	1160	< 1	22	15	156
1K 350W	217 298	< 0.5	14	22	2.72	740	< 1	21	10	114
1K 400W	217 298	< 0.5	12	16	2.87	2230	< 1	23	20	118
1K 450W	217 298	< 0.5	14	34	3.02	870	< 1	33	30	156
1K 500W	217 298	< 0.5	49	35	2.86	1465	< 1	29	35	144
1K 550W	217 298	< 0.5	23	28	3.53	1875	< 1	36	50	196
1K 600W	217 298	< 0.5	11	10	2.13	4280	< 1	18	20	290
1K 650W	217 298	< 0.5	7	18	2.53	1665	< 1	16	15	128
1K 700W	217 298	< 0.5	18	18	2.87	3800	< 1	33	20	234
1K 750W	217 298	< 0.5	12	16	2.47	595	< 1	15	15	76
1K 800W	217 298	< 0.5	6	15	2.67	500	< 1	12	15	80
1K 850W	217 298	< 0.5	9	13	2.67	1375	< 1	20	15	134
1K 900W	217 298	< 0.5	10	17	2.41	585	< 1	21	10	136
1K 950W	217 298	< 0.5	10	10	2.49	1770	< 1	17	15	124
1K 1000W	217 298	< 0.5	7	12	2.10	1715	< 1	14	15	122
1K 1050W	217 298	< 0.5	7	16	2.36	450	< 1	18	20	98
1K 1100W	217 298	< 0.5	9	13	2.61	1120	< 1	34	20	194
1K 1150W	217 298	< 0.5	8	20	2.26	675	< 1	18	10	86
1K 1200W	217 298	< 0.5	9	43	2.53	640	< 1	26	15	106
1K 1250W	217 298	< 0.5	10	15	2.53	795	< 1	18	10	120
1K 1300W	217 298	< 0.5	16	17	2.65	1445	< 1	23	5	216
1K 1350W	217 298	< 0.5	13	19	2.93	965	< 1	17	10	108
1K 1400W	217 298	< 0.5	10	16	2.67	1025	< 1	17	15	116
1K 1450W	217 298	< 0.5	8	16	2.13	705	< 1	19	5	116
1K 1500W	217 298	< 0.5	8	19	2.30	340	< 2	13	10	64
1K 1550W	217 298	< 0.5	7	16	2.25	325	< 1	12	10	70
1K 1600W	217 298	< 0.5	9	15	2.51	1340	< 1	19	10	144
1K 1650W	217 298	< 0.5	9	14	2.35	1815	< 1	20	5	128
1K 1700W	217 298	< 0.5	10	24	2.43	515	< 1	16	5	74
1K 1750W	217 298	< 0.5	7	33	2.63	315	< 1	13	10	58
1K 1800W	217 298	< 0.5	8	31	2.99	400	< 1	13	10	64
1K 1850W	217 298	< 0.5	9	38	2.82	315	< 1	14	10	62
1K 1900W	217 298	< 0.5	8	37	2.50	320	< 3	15	10	68
1K 1950W	217 298	< 0.5	8	23	2.38	315	< 1	13	10	54
1K 2000W	217 298	< 0.5	12	25	2.80	1535	< 1	18	10	138
1K 2100W	217 298	< 0.5	8	24	2.32	970	< 1	12	15	86
1K 2150W	217 298	< 0.5	9	21	2.90	650	< 1	17	5	90
1L 0W	217 298	< 0.5	12	22	3.01	2340	< 1	16	40	192
1L 50W	217 298	< 0.5	15	19	3.27	1470	< 1	19	15	154

CERTIFICATION :

B. Coughlin



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project: M586

Comments: ATTN: D YUSEP CC: M HITZMAN

Page No. : 2
Tot. Pages: 5
Date : 28-JUN-89
Invoice #: I-8918356
P.O. #: 30632

CERTIFICATE OF ANALYSIS A8918356

SAMPLE DESCRIPTION	PREP CODE	Ag ppm	Co ppm	Cu ppm	Fe %	Mn ppm	Mo ppm	Ni ppm	Pb ppm	Zn ppm	
1L 100W	217 298	< 0.5		11	20	2.59	1000	< 1	20	10	100
1L 150W	217 298	< 0.5		15	32	2.79	1280	< 1	23	15	150
1L 200W	217 298	< 0.5		16	29	2.10	3530	< 3	18	20	722
1L 250W	217 298	< 0.5		13	24	2.62	1305	< 1	21	10	194
1L 300W	217 298	< 0.5		14	21	2.91	895	< 1	26	10	158
1L 350W	217 298	< 0.5		10	21	2.61	665	< 1	27	10	144
1L 400W	217 298	< 0.5		12	21	2.84	730	< 1	27	10	144
1L 450W	217 298	< 0.5		17	30	3.11	555	< 1	34	25	158
1L 500W	217 298	< 0.5		34	33	4.00	1645	< 1	30	40	188
1L 550W	217 298	< 0.5		13	26	2.35	740	< 1	28	10	148
1L 600W	217 298	< 0.5		11	13	2.18	2540	< 1	11	20	286
1L 650W	217 298	< 0.5		11	20	2.64	1130	< 1	23	15	242
1L 700W	217 298	< 0.5		6	12	2.48	875	< 1	15	5	84
1L 750W	217 298	< 0.5		8	10	2.28	2120	< 1	16	10	126
1L 800W	217 298	< 0.5		13	14	2.56	4320	< 1	23	15	248
1L 850W	217 298	< 0.5		12	30	2.36	1275	< 1	21	10	126
1L 900W	217 298	< 0.5		7	13	2.11	585	< 1	11	20	96
1L 950W	217 298	< 0.5		6	13	2.08	270	< 1	14	15	72
1L 1000W	217 298	< 0.5		8	21	2.25	305	< 1	15	15	86
1L 1050W	217 298	< 0.5		8	14	2.37	1200	< 1	17	15	134
1L 1100W	217 298	< 0.5		8	13	2.15	2450	< 1	18	20	134
1L 1150W	217 298	< 0.5		9	17	2.75	1295	< 1	19	20	144
1L 1200W	217 298	< 0.5		8	30	2.61	295	< 3	14	15	74
1L 1250W	217 298	< 0.5		14	27	2.62	900	< 1	20	20	128
1L 1300W	217 298	< 0.5		13	24	2.88	1210	< 1	20	20	134
1L 1350W	217 298	< 0.5		8	17	2.33	515	< 1	20	15	104
1L 1400W	217 298	< 0.5		8	17	2.65	840	< 1	17	20	122
1L 1450W	217 298	< 0.5		7	16	2.46	495	< 1	13	20	68
1L 1500W	217 298	< 0.5		5	22	2.31	220	< 2	10	20	52
1L 1550W	217 298	< 0.5		9	15	2.62	1005	< 1	18	15	110
1L 1600W	217 298	< 0.5		10	19	2.73	1520	< 1	30	20	122
1L 1650W	217 298	< 0.5		9	18	2.51	1030	< 1	21	15	100
1L 1700W	217 298	< 0.5		7	24	2.47	790	< 1	14	15	96
1L 1750W	217 298	< 0.5		7	29	2.51	275	< 2	12	10	56
1L 1800W	217 298	< 0.5		7	28	2.52	325	< 3	15	10	62
1L 1850W	217 298	< 0.5		8	23	2.49	275	< 2	14	10	56
1L 1900W	217 298	< 0.5		10	14	2.18	1200	< 1	13	10	82
1L 1950W	217 298	< 0.5		7	23	2.17	370	< 1	14	15	56
1L 2000W	217 298	< 0.5		7	12	2.36	2530	< 1	10	20	88
1L 2050W	217 298	< 0.5		9	28	2.43	1060	< 1	17	20	104

CERTIFICATION :

B. Coughlin



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
 MINERALS STAFF
 1900 - 1055 W. HASTINGS ST.
 VANCOUVER, B.C.
 V6E 2E9

Project: M586
 Comments: ATTN: D YUSEP CC: M HITZMAN

Page No. : 3
 Tot. Pages: 5
 Date : 28-JUN-89
 Invoice #: I-8918356
 P.O. #: 30632

CERTIFICATE OF ANALYSIS A8918356

SAMPLE DESCRIPTION	PREP CODE	Ag ppm	Co ppm	Cu ppm	Fe %	Mn ppm	Mo ppm	Ni ppm	Pb ppm	Zn ppm
1L 2100W	217 298	< 0.5	9	18	2.48	2070	< 1	16	10	130
1L 2150W	217 298	< 0.5	7	26	2.52	880	< 1	14	15	100
IM 0W	217 298	< 0.5	14	22	2.95	1010	< 1	34	15	208
IM 50W	217 298	< 0.5	21	24	3.01	1460	< 1	41	20	228
IM 100W	217 298	< 0.5	10	22	2.79	930	< 1	18	15	114
IM 150W	217 298	< 0.5	11	20	2.63	2030	< 1	19	20	124
IM 200W	217 298	< 0.5	14	26	2.92	1520	< 1	22	15	134
IM 250W	217 298	< 0.5	13	23	2.73	1555	< 1	20	25	146
IM 300W	217 298	< 0.5	13	24	2.97	1190	< 1	25	20	174
IM 350W	217 298	< 0.5	41	34	2.67	1340	< 1	36	35	278
IM 400W	217 298	< 0.5	23	29	3.18	1025	< 1	37	20	264
IM 450W	217 298	< 0.5	12	22	2.71	810	< 1	21	20	122
IM 500W	217 298	< 0.5	18	25	3.03	930	< 1	25	30	158
IM 550W	217 298	< 0.5	14	23	3.09	1695	< 1	24	25	190
IM 600W	217 298	< 0.5	10	24	1.87	2740	< 1	12	35	172
IM 650W	217 298	< 0.5	10	14	1.68	1660	< 1	11	20	200
IM 700W	217 298	< 0.5	11	18	2.51	2670	< 1	20	20	174
IM 750W	217 298	< 0.5	36	36	3.33	1115	< 1	33	45	168
IM 800W	217 298	< 0.5	25	34	3.50	1235	< 1	35	50	176
IM 850W	217 298	< 0.5	10	22	2.71	1335	< 1	21	20	184
IM 900W	217 298	< 0.5	15	10	2.16	1825	< 1	20	20	238
IM 950W	217 298	< 0.5	9	12	2.37	2260	< 1	20	15	144
IM 1000W	217 298	< 0.5	13	10	2.35	2740	< 1	23	30	186
IM 1050W	217 298	< 0.5	10	16	2.29	1610	< 1	18	25	142
IM 1100W	217 298	< 0.5	11	20	3.01	1165	< 1	23	35	138
IM 1150W	217 298	< 0.5	13	12	2.45	2100	< 1	23	15	162
IM 1200W	217 298	< 0.5	10	10	2.32	2440	3	16	25	142
IM 1250W	217 298	< 0.5	11	16	2.80	1675	< 1	20	25	154
IM 1300W	217 298	< 0.5	12	15	2.87	1295	< 1	15	10	124
IM 1350W	217 298	< 0.5	17	23	3.89	1045	< 1	15	10	110
IM 1400W	217 298	< 0.5	12	22	2.54	830	< 1	30	10	106
IM 1450W	217 298	< 0.5	9	16	2.56	695	< 1	18	15	104
IM 1500W	217 298	< 0.5	8	16	2.42	805	< 1	23	15	158
IM 1550W	217 298	< 0.5	13	15	2.42	1330	< 1	27	15	134
IM 1600W	217 298	< 0.5	9	16	2.49	830	< 1	16	10	120
IM 1650W	217 298	< 0.5	9	39	2.86	370	< 1	16	10	62
IM 1700W	217 298	< 0.5	10	37	3.08	320	< 1	16	10	64
IM 1750W	217 298	< 0.5	8	38	2.78	285	< 1	15	5	58
IM 1800W	217 298	< 0.5	8	33	2.84	310	< 1	14	10	58
IM 1850W	217 298	< 0.5	7	22	2.28	295	1	11	10	60

CERTIFICATION : B. Coughlin



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
 MINERALS STAFF
 1900 - 1055 W. HASTINGS ST.
 VANCOUVER, B.C.
 V6E 2E9

Project: M586
 Comments: ATTN: D YUSEP CC: M HITZMAN

Page No. : 4
 Tot. Pages: 5
 Date : 28-JUN-89
 Invoice # : I-8918356
 P.O. # : 30632

CERTIFICATE OF ANALYSIS A8918356

SAMPLE DESCRIPTION	PREP CODE	Ag ppm	Co ppm	Cu ppm	Fe %	Mn ppm	Mo ppm	Ni ppm	Pb ppm	Zn ppm	
IM 1900W	217 298	< 0.5		8	20	2.43	420	< 1	12	5	62
IM 1950W	217 298	< 0.5		9	29	2.30	425	< 1	17	15	90
IM 2000W	217 298	< 0.5		9	17	2.15	810	< 1	14	10	62
IM 2050W	217 298	< 0.5		7	16	2.38	665	< 1	16	5	94
IM 2100W	217 298	< 0.5		9	20	2.80	780	< 1	15	10	104
IM 2150W	217 298	< 0.5		8	12	2.44	885	< 3	15	5	64
2A OW	217 298	< 0.5		12	14	2.17	4130	< 1	17	20	108
2A 50W	217 298	< 0.5		8	15	2.16	740	< 1	14	10	112
2A 100W	217 298	< 0.5		11	11	2.31	1025	< 1	22	10	150
2A 150W	217 298	< 0.5		8	12	2.43	360	< 1	18	15	128
2A 200W	217 298	< 0.5		10	11	2.33	890	< 1	18	15	174
2A 250W	217 298	< 0.5		15	18	2.36	2900	< 1	20	30	128
2A 300W	217 298	< 0.5		11	12	2.26	2310	< 1	22	10	198
2A 350W	217 298	< 0.5		11	18	2.50	1240	< 1	24	10	182
2A 400W	217 298	< 0.5		9	14	2.62	975	< 1	18	15	142
2A 450W	217 298	< 0.5		10	10	2.47	1040	< 1	20	10	138
2A 500W	217 298	< 0.5		10	10	2.34	1080	< 1	19	15	134
2A 550W	217 298	< 0.5		12	14	2.36	1690	< 1	23	10	116
2A 600W	217 298	< 0.5		8	14	2.29	750	< 4	17	15	90
2A 650W	217 298	< 0.5		10	9	2.21	1270	< 1	18	10	144
2A 700W	217 298	< 0.5		31	36	3.63	>10000	< 3	46	65	234
2A 750W	217 298	< 0.5		9	13	2.30	480	< 1	20	5	100
2A 800W	217 298	< 0.5		6	16	2.39	235	< 1	13	10	64
2A 850W	217 298	< 0.5		8	14	2.12	765	< 1	23	10	188
2A 900W	217 298	< 0.5		9	21	2.43	915	< 1	17	15	82
2A 950W	217 298	< 0.5		10	14	2.67	330	< 1	24	20	128
2A 1000W	217 298	< 0.5		11	16	2.56	955	< 1	23	30	94
2A 1050W	217 298	< 0.5		8	13	2.18	780	< 1	16	15	108
2A 1100W	217 298	< 0.5		6	9	2.66	400	< 1	12	10	116
2A 1150W	217 298	< 0.5		7	17	2.22	385	< 3	14	10	64
2A 1200W	217 298	< 0.5		6	14	2.15	615	< 1	12	10	74
2A 1250W	217 298	< 0.5		7	14	2.06	335	< 2	14	5	64
2A 1300W	217 298	< 0.5		10	22	2.88	820	< 1	23	20	110
2A 1350W	217 298	< 0.5		3	5	1.48	155	< 1	7	5	38
2A 1400W	217 298	< 0.5		8	15	2.34	625	< 3	13	15	60
2B OW	217 298	< 0.5		8	21	2.38	595	< 1	19	10	90
2B 50W	217 298	< 0.5		9	15	2.50	500	< 1	20	10	112
2B 100W	217 298	< 0.5		10	14	2.63	705	< 1	19	10	138
2B 150W	217 298	< 0.5		11	12	2.31	1950	< 1	16	10	118
2B 200W	217 298	< 0.5		9	12	2.38	715	< 1	18	10	164

CERTIFICATION :

B. Coughlin



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE. NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project: M586

Comments: ATTN: D YUSEP CC: M HITZMAN

Page No. : 5
Tot. Pages: 5
Date : 28-JUN-89
Invoice #: I-8918356
P.O. #: 30632

CERTIFICATE OF ANALYSIS A8918356

SAMPLE DESCRIPTION	PREP CODE	Ag ppm	Co ppm	Cu ppm	Fe %	Mn ppm	Mo ppm	Ni ppm	Pb ppm	Zn ppm	
2B 250W	217 298	< 0.5		8	13	2.28	770	< 1	19	10	154
2B 300W	217 298	< 0.5		14	19	2.73	1160	< 1	40	15	202
2B 350W	217 298	< 0.5		8	13	2.32	885	< 1	16	15	108
2B 400W	217 298	< 0.5		8	16	2.50	395	< 1	23	15	110
2B 450W	217 298	< 0.5		6	18	2.21	335	< 1	14	10	64
2B 500W	217 298	< 0.5		7	14	2.32	445	< 4	15	10	76
2B 550W	217 298	< 0.5		9	13	2.39	1025	< 1	17	20	118
2B 600W	217 298	< 0.5		16	42	3.59	540	< 2	62	45	150
2B 650W	217 298	< 0.5		6	11	2.07	240	< 1	13	20	62
2B 700W	217 298	< 0.5		9	10	2.03	1605	< 1	16	10	118
2B 750W	217 298	< 0.5		9	11	2.51	805	< 1	18	20	114
2B 800W	217 298	< 0.5		9	13	2.45	950	< 1	22	10	148
2B 850W	217 298	< 0.5		10	14	2.36	1045	< 1	23	20	154
2B 900W	217 298	< 0.5		8	15	2.31	880	< 3	17	10	104
2B 950W	217 298	< 0.5		8	14	2.13	790	< 1	15	10	104
2B 1000W	217 298	< 0.5		18	36	2.82	1630	< 1	24	50	82
2B 1050W	217 298	< 0.5		6	21	2.12	265	< 1	15	10	54
2B 1100W	217 298	< 0.5		9	12	2.32	1665	< 1	17	15	112
2B 1150W	217 298	< 0.5		8	8	2.07	2960	< 1	14	10	100
2B 1200W	217 298	< 0.5		9	10	2.67	1070	< 1	14	15	110
2B 1250W	217 298	< 0.5		6	8	2.17	925	< 1	11	5	82
2B 1300W	217 298	< 0.5		5	10	1.86	300	< 1	9	< 10	40
2B 1350W	217 298	< 0.5		8	9	2.20	945	< 1	17	< 5	100
2B 1400W	217 298	< 0.5		8	10	2.32	665	< 1	15	< 10	82
2C 0W	217 298	< 0.5		11	17	2.83	410	< 3	20	< 5	122
2C 50W	217 298	< 0.5		10	16	2.41	1850	< 3	17	< 5	158
2C 100W	217 298	< 0.5		13	16	2.74	830	< 3	25	< 5	152
2C 150W	217 298	< 0.5		14	18	2.79	555	< 1	28	< 5	180
2C 200W	217 298	< 0.5		14	20.5	2.77	2860	< 1	32	< 5	200
2C 250W	217 298	< 0.5		13	9	2.31	5940	< 1	22	< 10	248
2C 300W	217 298	< 0.5		10	11	2.25	915	< 1	20	< 5	134
2C 350W	217 298	< 0.5		10	14	2.11	1680	< 1	21	< 5	126
2C 400W	217 298	< 0.5		12	9	2.43	2150	< 1	21	< 5	166
2C 450W	217 298	< 0.5		12	13	2.54	1865	< 4	22	< 5	154
2C 500W	217 298	< 0.5		15	15	2.55	2520	< 1	24	< 5	248
2C 550W	217 298	< 0.5		12	15	2.59	360	< 1	21	< 15	110
2C 600W	217 298	< 0.5		14	15	2.96	1775	< 4	31	< 10	214
2C 650W	217 298	< 0.5		9	10	2.44	525	< 2	19	< 5	118
2C 700W	217 298	< 0.5		11	10	2.32	2690	< 3	18	< 5	138
2C 750W	217 298	< 0.5		11	16	2.56	1165	< 1	22	< 5	164

CERTIFICATION :

B. Coughlin



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
 MINERALS STAFF
 1900 - 1055 W. HASTINGS ST.
 VANCOUVER, B.C.
 V6E 2E9

Project: M586
 Comments: ATTN: D YUSEP CC: M HITZMAN

Page No. : 1
 Tot. Pages: 6
 Date : 28-JUN-89
 Invoice #: I-8918363
 P.O. # : 30632

CERTIFICATE OF ANALYSIS A8918363

SAMPLE DESCRIPTION	PREP CODE	Ag ppm	Co ppm	Cu ppm	Fe %	Mn ppm	Mo ppm	Ni ppm	Pb ppm	Zn ppm
2C 800W	217 298	< 0.5	10	12	2.32	720	< 1	19	20	134
2C 850W	217 298	< 0.5	14	16	2.24	2230	< 1	21	20	74
2C 900W	217 298	< 0.5	10	12	2.36	505	< 1	19	15	120
2C 950W	217 298	< 0.5	7	12	2.09	565	< 1	11	15	66
2C 1000W	217 298	< 0.5	17	28	2.51	720	4	28	15	134
2C 1050W	217 298	< 0.5	10	17	2.14	600	3	17	10	126
2C 1100W	217 298	< 0.5	9	10	2.51	520	< 1	15	20	104
2C 1150W	217 298	< 0.5	10	14	2.88	305	< 1	18	10	132
2C 1200W	217 298	< 0.5	8	17	2.24	405	< 1	13	15	50
2C 1250W	217 298	< 0.5	7	10	2.20	260	< 1	14	10	86
2C 1300W	217 298	< 0.5	8	13	2.30	1430	4	13	10	116
2C 1350W	217 298	< 0.5	9	16	2.57	1285	< 1	18	15	88
2C 1400W	217 298	< 0.5	9	8	2.27	890	< 1	14	5	102
2D 0W	217 298	< 0.5	9	13	2.44	1460	4	14	20	118
2D 50W	217 298	< 0.5	11	14	2.51	2680	< 1	17	15	166
2D 100W	217 298	< 0.5	17	26	3.26	2800	6	32	25	150
2D 150W	217 298	< 0.5	11	18	2.52	1150	< 1	25	20	144
2D 200W	217 298	< 0.5	9	15	2.38	225	< 1	17	10	108
2D 250W	217 298	< 0.5	11	16	2.24	1420	< 1	23	25	174
2D 300W	217 298	< 0.5	9	11	2.27	385	1	23	10	122
2D 350W	217 298	< 0.5	9	12	2.91	740	< 1	19	15	142
2D 400W	217 298	< 0.5	11	13	2.41	2380	4	19	10	240
2D 450W	217 298	< 0.5	8	12	2.20	1200	1	11	15	116
2D 500W	217 298	< 0.5	13	16	2.71	1005	< 1	24	15	170
2D 550W	217 298	< 0.5	9	11	2.61	715	< 1	16	10	128
2D 600W	217 298	< 0.5	9	14	2.33	760	< 1	18	10	116
2D 650W	217 298	< 0.5	8	8	2.42	1375	< 1	17	5	134
2D 700W	217 298	< 0.5	9	13	2.57	845	1	19	15	166
2D 750W	217 298	< 0.5	11	11	2.32	620	3	18	20	170
2D 800W	217 298	< 0.5	8	15	2.39	380	< 1	21	15	96
2D 850W	217 298	< 0.5	9	13	2.52	485	4	19	15	102
2D 900W	217 298	< 0.5	9	13	2.51	490	< 1	18	35	88
2D 950W	217 298	< 0.5	8	8	2.41	1360	< 1	16	15	106
2D 1000W	217 298	< 0.5	6	13	3.00	115	5	17	25	74
2D 1050W	217 298	< 0.5	8	12	2.21	2840	< 1	15	20	116
2D 1100W	217 298	< 0.5	6	8	2.16	825	< 1	12	15	98
2D 1150W	217 298	< 0.5	10	15	2.55	745	4	20	20	124
2D 1200W	217 298	< 0.5	9	9	2.36	1455	3	16	20	134
2D 1250W	217 298	< 0.5	10	12	2.23	1965	3	12	20	118
2D 1300W	217 298	< 0.5	8	15	2.11	825	3	15	10	102

CERTIFICATION : B. Coughlin



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project: M586

Comments: ATTN: D YUSEP CC: M HITZMAN

Page No. 2
Tot. Pages: 6
Date: 28-JUN-89
Invoice #: I-8918363
P.O. #: 30632

CERTIFICATE OF ANALYSIS A8918363

SAMPLE DESCRIPTION	PREP CODE	Ag ppm	Co ppm	Cu ppm	Fe %	Mn ppm	Mo ppm	Ni ppm	Pb ppm	Zn ppm
2D 1350W	217 298	<< 0.5	9	11	2.32	905	<< 1	17	10	116
2D 1400W	217 298	<< 0.5	9	12	2.25	1395	<< 1	18	10	114
2E OW	217 298	<< 0.5	14	22	2.58	640	<< 1	32	10	150
2E 50W	217 298	<< 0.5	13	15	2.66	965	<< 1	32	15	164
2E 100W	217 298	<< 0.5	15	14	2.66	2110	<< 1	31	15	144
2E 150W	217 298	<< 0.5	18	12	2.38	285	<< 1	25	20	118
2E 200W	217 298	<< 0.5	6	10	1.98	255	<< 1	11	5	32
2E 250W	217 298	<< 0.5	5	8	1.22	65	<< 1	11	10	22
2E 300W	217 298	<< 0.5	2	8	0.78	55	<< 1	7	5	16
2E 450W	217 298	<< 0.5	9	9	2.23	195	<< 1	15	15	74
2E 500W	217 298	<< 0.5	6	14	1.96	185	< 1	13	5	42
2E 550W	217 298	<< 0.5	9	14	2.50	540	< 1	16	10	94
2E 600W	217 298	<< 0.5	9	8	2.24	1195	< 1	9	10	102
2E 650W	217 298	<< 0.5	12	18	2.94	275	< 4	34	25	100
2E 700W	217 298	<< 0.5	5	9	1.91	230	< 1	12	10	58
2E 750W	217 298	<< 0.5	14	23	3.15	1050	<< 1	29	35	134
2E 800W	217 298	<< 0.5	8	9	2.30	485	<< 1	11	20	80
2E 850W	217 298	<< 0.5	13	16	2.43	645	<< 1	18	20	78
2E 900W	217 298	<< 0.5	7	9	2.62	235	<< 1	16	20	84
2E 950W	217 298	<< 0.5	10	13	2.11	785	<< 1	17	20	104
2E 1000W	217 298	<< 0.5	9	15	2.39	395	<< 1	18	5	68
2E 1050W	217 298	<< 0.5	9	12	2.48	780	<< 1	17	15	90
2E 1100W	217 298	<< 0.5	11	10	2.55	1060	<< 1	15	15	84
2E 1150W	217 298	<< 0.5	10	9	2.31	1290	<< 1	11	15	90
2E 1200W	217 298	<< 0.5	9	9	2.40	890	<< 1	12	20	80
2E 1250W	217 298	<< 0.5	10	11	2.55	1330	<< 1	19	10	110
2E 1300W	217 298	<< 0.5	11	11	2.42	3330	<< 1	19	10	128
2E 1350W	217 298	<< 0.5	11	10	2.58	2520	< 4	14	30	128
2E 1400W	217 298	<< 0.5	11	16	2.45	2860	< 4	17	10	114
2F OW	217 298	<< 0.5	12	13	2.28	3980	< 4	24	15	182
2F 50W	217 298	<< 0.5	14	17	2.71	455	< 1	23	20	164
2F 100W	217 298	<< 0.5	13	10	2.84	1140	< 2	23	20	168
2F 150W	217 298	<< 0.5	17	12	2.38	2650	< 4	24	15	188
2F 200W	217 298	<< 0.5	12	8	2.01	4680	< 1	11	20	124
2F 250W	217 298	<< 0.5	16	10	2.60	1415	< 2	15	30	286
2F 300W	217 298	<< 0.5	13	23	7.90	365	<< 1	23	60	68
2F 350W	217 298	<< 0.5	8	14	2.06	395	<< 1	14	10	76
2F 400W	217 298	<< 0.5	7	13	2.07	370	<< 1	10	20	56
2F 450W	217 298	<< 0.5	10	13	2.23	3760	<< 1	15	20	158
2F 500W	217 298	<< 0.5	10	10	2.50	1825	< 4	17	15	148

CERTIFICATION :

B. Coughlin



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project : M586

Comments: ATTN: D YUSEP CC: M HITZMAN

Page No. : 3
Tot. Pages: 6
Date : 28-JUN-89
Invoice # : I-8918363
P.O. # : 30632

CERTIFICATE OF ANALYSIS A8918363

SAMPLE DESCRIPTION	PREP CODE	Ag ppm	Co ppm	Cu ppm	Fe %	Mn ppm	Mo ppm	Ni ppm	Pb ppm	Zn ppm	
2F 550W	217 298	< 0.5		11	15	2.90	645	< 1	18	25	104
2F 600W	217 298	< 0.5		8	10	2.77	585	< 1	14	10	124
2F 650W	217 298	< 0.5		11	12	2.66	320	< 1	17	10	84
2F 700W	217 298	< 0.5		5	7	1.94	895	< 1	11	15	72
2F 750W	217 298	< 0.5		41	69	2.92	2760	< 1	32	75	76
2F 800W	217 298	< 0.5		9	11	2.44	840	< 1	17	10	132
2F 850W	217 298	< 0.5		9	12	2.67	610	< 1	19	10	150
2F 900W	217 298	< 0.5		11	14	2.60	460	< 1	21	20	120
2F 950W	217 298	< 0.5		10	11	2.57	350	< 4	16	10	184
2F 1000W	217 298	< 0.5		8	7	2.19	620	< 1	14	10	158
2F 1050W	217 298	< 0.5		9	10	2.13	320	< 1	15	< 15	106
2F 1100W	217 298	< 0.5		8	8	1.98	805	< 1	13	< 5	106
2F 1150W	217 298	< 0.5		9	16	2.52	1280	< 1	16	15	104
2F 1200W	217 298	< 0.5		7	8	2.52	1235	< 1	14	15	122
2F 1250W	217 298	< 0.5		9	24	2.51	715	< 1	18	20	102
2F 1300W	217 298	< 0.5		7	10	2.34	1905	< 1	12	10	124
2F 1350W	217 298	< 0.5		10	18	2.63	810	< 1	17	5	120
2F 1400W	217 298	< 0.5		11	21	2.90	1055	< 1	17	10	94
2G 0W	217 298	< 0.5		11	12	2.67	1740	< 1	20	10	168
2G 50W	217 298	< 0.5		11	13	2.53	2790	< 1	17	20	182
2G 100W	217 298	< 0.5		13	8	2.00	915	< 1	15	5	138
2G 150W	217 298	< 0.5		13	11	2.45	1150	< 1	20	10	122
2G 200W	217 298	< 0.5		14	14	2.37	785	< 1	26	10	174
2G 250W	217 298	< 0.5		64	74	8.02	3970	< 3	72	75	242
2G 300W	217 298	< 0.5		10	11	2.21	3240	< 1	16	10	182
2G 350W	217 298	< 0.5		10	12	2.26	1480	< 1	18	10	128
2G 400W	217 298	< 0.5		10	11	2.65	435	< 1	18	15	96
2G 450W	217 298	< 0.5		10	7	2.77	620	< 1	14	10	130
2G 500W	217 298	< 0.5		8	19	2.32	445	< 1	19	5	114
2G 550W	217 298	< 0.5		8	15	2.38	780	< 1	16	15	96
2G 600W	217 298	< 0.5		8	8	2.26	625	< 1	11	10	140
2G 650W	217 298	< 0.5		8	11	2.64	375	< 1	10	10	110
2G 700W	217 298	< 0.5		12	64	3.92	915	< 3	42	40	96
2G 750W	217 298	< 0.5		7	14	2.38	345	< 1	16	15	116
2G 800W	217 298	< 0.5		5	11	2.11	190	< 2	11	10	46
2G 850W	217 298	< 0.5		8	11	2.52	960	< 1	12	5	102
2G 900W	217 298	< 0.5		9	11	2.37	615	< 1	15	15	142
2G 950W	217 298	< 0.5		9	12	2.17	1555	< 1	16	5	130
2G 1000W	217 298	< 0.5		10	14	2.44	920	< 1	16	10	94
2G 1050W	217 298	< 0.5		8	18	2.36	450	< 1	17	10	88

CERTIFICATION :

B. Coughlin



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project: M586

Comments: ATTN: D YUSEP CC: M HITZMAN

Page No. 4
Tot. Pages: 6
Date: 28-JUN-89
Invoice #: I-8918363
P.O. #: 30632

CERTIFICATE OF ANALYSIS A8918363

SAMPLE DESCRIPTION	PREP CODE	Ag ppm	Co ppm	Cu ppm	Fe %	Mn ppm	Mo ppm	Ni ppm	Pb ppm	Zn ppm	
2G 1100W	217 298	< 0.5		11	15	2.66	755	2	23	15	126
2G 1150W	217 298	< 0.5		8	14	2.15	2530	1	13	20	172
2G 1200W	217 298	< 0.5		10	13	2.29	3070	< 1	14	5	160
2G 1250W	217 298	< 0.5		10	9	2.45	6570	1	12	20	218
2G 1300W	217 298	< 0.5		7	9	2.51	420	1	13	10	92
2G 1350W	217 298	< 0.5		6	9	2.15	2410	< 1	9	15	106
2G 1400W	217 298	< 0.5		9	17	2.65	1575	1	16	10	116
2H 0W	217 298	< 0.5		14	16	2.95	965	1	27	15	192
2H 50W	217 298	< 0.5		11	11	2.32	2230	< 1	18	10	158
2H 100W	217 298	< 0.5		10	12	2.64	995	< 1	18	15	242
2H 150W	217 298	< 0.5		10	12	2.44	1570	1	27	15	192
2H 200W	217 298	< 0.5		8	15	2.71	915	< 1	16	15	126
2H 250W	217 298	< 0.5		9	17	2.61	1255	1	19	20	154
2H 300W	217 298	< 0.5		9	17	2.65	725	1	21	15	156
2H 350W	217 298	< 0.5		3	15	2.48	775	< 1	16	15	150
2H 400W	217 298	< 0.5		9	9	2.08	5840	1	14	10	212
2H 450W	217 298	< 0.5		5	13	1.95	1435	1	13	15	92
2H 500W	217 298	< 0.5		7	29	2.97	405	1	28	20	80
2H 550W	217 298	< 0.5		5	10	2.49	440	1	12	10	88
2H 600W	217 298	< 0.5		7	9	2.40	2080	1	12	10	112
2H 650W	217 298	< 0.5		7	12	2.43	740	1	14	5	120
2H 700W	217 298	< 0.5		9	12	2.41	3090	1	15	15	142
2H 750W	217 298	< 0.5		7	10	2.88	1415	1	15	15	100
2H 800W	217 298	< 0.5		8	13	2.71	2320	1	16	10	138
2H 850W	217 298	< 0.5		9	19	2.67	2710	1	11	10	170
2H 900W	217 298	< 0.5		8	11	2.29	1755	1	15	10	128
2H 950W	217 298	< 0.5		8	8	2.30	1325	1	14	5	132
2H 1000W	217 298	< 0.5		7	6	2.24	3270	1	12	15	124
2H 1050W	217 298	< 0.5		8	17	2.51	635	1	19	15	106
2H 1100W	217 298	< 0.5		7	10	2.58	1340	1	13	10	124
2H 1150W	217 298	< 0.5		8	9	2.79	1265	1	15	10	156
2H 1200W	217 298	< 0.5		10	20	3.12	435	2	17	20	128
2H 1250W	217 298	< 0.5		11	8	2.70	8790	2	15	15	218
2H 1300W	217 298	< 0.5		9	25	2.49	1125	2	17	15	112
2H 1350W	217 298	< 0.5		6	11	2.48	900	< 1	10	10	102
2H 1400W	217 298	< 0.5		6	16	2.48	830	< 1	12	< 10	78
2I 0W	217 298	< 0.5		7	8	2.51	1485	< 1	16	< 5	150
2I 50W	217 298	< 0.5		12	10	3.13	1050	< 1	25	15	196
2I 100W	217 298	< 0.5		7	9	2.42	455	< 1	14	10	114
2I 150W	217 298	< 0.5		22	51	4.54	2390	1	53	35	220

CERTIFICATION :

B. Coughlin



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9


Project: M586

Comments: ATTN: D YUSEP CC: M HITZMAN

Page No. : 5
Tot. Pages: 6
Date : 28-JUL-89
Invoice # : I-8918363
P.O. # : 30632

CERTIFICATE OF ANALYSIS A8918363

SAMPLE DESCRIPTION	PREP CODE	Ag ppm	Co ppm	Cu ppm	Fe %	Mn ppm	Mo ppm	Ni ppm	Pb ppm	Zn ppm
2I 200W	217 298	< 0.5	10	12	2.61	1755	< 1	18	15	136
2I 250W	217 298	< 0.5	8	14	2.47	920	< 1	21	10	108
2I 300W	217 298	< 0.5	8	9	2.18	1010	< 1	17	15	120
2I 350W	217 298	< 0.5	8	12	2.38	1485	< 1	18	10	112
2I 400W	217 298	< 0.5	8	16	2.41	375	< 1	15	10	68
2I 450W	217 298	< 0.5	4	12	2.22	225	< 2	9	10	56
2I 500W	217 298	< 0.5	7	13	2.17	1820	< 1	13	15	78
2I 550W	217 298	< 0.5	8	10	2.27	3320	1	15	10	132
2I 600W	217 298	< 0.5	9	15	2.47	1045	1	18	5	114
2I 650W	217 298	< 0.5	8	10	2.43	1260	1	18	10	100
2I 700W	217 298	< 0.5	9	8	2.73	1450	< 1	16	10	108
2I 750W	217 298	< 0.5	5	8	2.11	1630	< 1	11	10	78
2I 800W	217 298	< 0.5	9	19	2.77	605	1	19	10	78
2I 850W	217 298	< 0.5	13	26	3.31	670	1	19	15	96
2I 900W	217 298	< 0.5	9	14	2.28	2080	< 1	12	15	142
2I 950W	217 298	< 0.5	6	8	1.95	2460	< 1	8	15	118
2I 1000W	217 298	< 0.5	8	15	2.45	905	1	19	5	76
2I 1050W	217 298	< 0.5	9	19	2.43	1035	< 1	18	10	98
2I 1100W	217 298	< 0.5	9	14	2.66	935	< 1	20	15	134
2I 1150W	217 298	< 0.5	8	10	2.31	995	< 1	17	10	112
2I 1200W	217 298	< 0.5	15	22	3.11	965	< 1	25	25	146
2I 1250W	217 298	< 0.5	7	11	2.45	420	< 1	15	15	118
2I 1300W	217 298	< 0.5	8	16	2.70	275	< 1	14	15	78
2I 1350W	217 298	< 0.5	9	13	2.56	1700	1	17	10	170
2I 1400W	217 298	< 0.5	7	14	2.44	610	1	12	10	122
2J 0W	217 298	< 0.5	10	8	2.62	925	1	20	10	156
2J 50W	217 298	< 0.5	7	14	2.50	315	< 1	14	15	52
2J 100W	217 298	< 0.5	10	16	2.56	920	2	19	10	102
2J 150W	217 298	< 0.5	8	15	2.51	300	3	12	10	58
2J 200W	217 298	< 0.5	9	13	2.44	1210	1	18	5	100
2J 250W	217 298	< 0.5	9	10	2.18	1335	< 1	17	10	112
2J 300W	217 298	< 0.5	9	12	2.57	985	1	23	20	110
2J 350W	217 298	< 0.5	9	18	2.52	2540	1	19	10	128
2J 400W	217 298	< 0.5	9	12	2.32	1010	2	19	5	120
2J 450W	217 298	< 0.5	9	8	2.24	1560	1	13	5	144
2J 500W	217 298	< 0.5	8	9	2.41	610	< 1	17	10	96
2J 550W	217 298	< 0.5	9	11	2.36	1075	1	20	10	164
2J 600W	217 298	< 0.5	9	11	2.39	1675	< 1	21	10	128
2J 650W	217 298	< 0.5	8	13	2.30	895	1	19	5	96
2J 700W	217 298	< 0.5	9	10	2.47	930	< 1	18	10	92

CERTIFICATION : 



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
 MINERALS STAFF
 1900 - 1055 W. HASTINGS ST.
 VANCOUVER, B.C.
 V6E 2E9

Project: M586
 Comments: ATTN: D YUSEP CC: M HITZMAN

Page No. : 6
 Tot. Pages: 6
 Date : 28-JUN-89
 Invoice # : I-8918363
 P.O. # : 30632

CERTIFICATE OF ANALYSIS A8918363

SAMPLE DESCRIPTION	PREP CODE	Ag ppm	Co ppm	Cu ppm	Fe %	Mn ppm	Mo ppm	Ni ppm	Pb ppm	Zn ppm
2J 750W	217 298	< 0.5	7	9	2.23	835	1	14	5	138
2J 800W	217 298	< 0.5	8	11	2.46	715	1	17	10	100
2J 850W	217 298	< 0.5	11	10	2.49	2600	1	15	10	142
2J 900W	217 298	< 0.5	10	15	2.43	940	<	23	10	124
2J 950W	217 298	< 0.5	12	16	1.99	6370	1	15	10	318
2J 1000W	217 298	< 0.5	9	14	2.40	605	1	19	10	86
2J 1050W	217 298	< 0.5	9	11	2.56	1030	1	19	10	98
2J 1100W	217 298	< 0.5	12	14	2.79	1235	1	22	10	148
2J 1150W	217 298	< 0.5	10	16	2.58	665	1	24	5	148
2J 1200W	217 298	< 0.5	11	15	2.45	1890	1	17	15	98
2J 1250W	217 298	< 0.5	13	32	2.82	1205	1	21	25	78
2J 1300W	217 298	< 0.5	8	19	2.66	315	1	18	5	64
2J 1350W	217 298	< 0.5	9	11	2.56	635	1	16	5	92
2J 1400W	217 298	< 0.5	7	12	2.69	370	1	18	5	82

CERTIFICATION :

B. Coughlin



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 BROOKSBANK AVE. NORTH VANCOUVER.
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To CHEVRON CANADA RESOURCES LTD.
 MINERALS STAFF
 1900 - 1055 W. HASTINGS ST.
 VANCOUVER, B.C.
 V6E 2E9

Project : M586
 Comments: ATTN: D YUSEP CC: M HITZMAN

Page No. : 1
 Tot. Pages: 6
 Date : 16-JUL-89
 Invoice # : I-8919880
 P.O. # : 30631

CERTIFICATE OF ANALYSIS A8919880

SAMPLE DESCRIPTION	PREP CODE		Ag ppm	Co ppm	Cu ppm	Fe %	Mn ppm	Mo ppm	Ni ppm	Pb ppm	Zn ppm
2K 0000W	217	298	1.0	27	35	4.10	2800	1	42	45	166
2K 0050W	217	298	0.5	13	25	2.29	620	<	32	10	168
2K 0100W	217	298	<	11	22	2.49	505	<	17	10	78
2K 0150W	217	298	<	10	13	2.81	830	<	16	15	114
2K 0200W	217	298	0.5	12	14	2.82	1715	1	19	20	142
2K 0250W	217	298	<	10	10	2.32	1165	<	19	20	102
2K 0300W	217	298	0.5	9	11	2.22	1890	<	16	15	114
2K 0350W	217	298	0.5	9	9	2.04	1345	<	13	15	108
2K 0400W	217	298	0.5	11	9	2.06	3290	<	15	20	146
2K 0450W	217	298	0.5	9	12	2.40	755	1	20	10	124
2K 0500W	217	298	0.5	11	12	2.42	865	<	22	10	100
2K 0550W	217	298	0.5	9	10	2.10	2030	<	13	15	110
2K 0600W	217	298	0.5	11	12	2.37	930	<	20	10	156
2K 0650W	217	298	0.5	10	10	2.24	1335	1	18	15	88
2K 0700W	217	298	0.5	9	11	2.28	1270	<	17	10	90
2K 0750W	217	298	0.5	11	10	2.21	3110	1	12	20	150
2K 0800W	217	298	<	11	11	2.39	1330	<	18	15	140
2K 0850W	217	298	0.5	13	13	2.76	745	<	21	5	170
2K 0900W	217	298	<	20	19	3.54	1260	1	30	25	278
2K 0950W	217	298	<	12	32	2.91	455	<	24	20	82
2K 1000W	217	298	0.5	13	17	2.55	795	<	18	20	72
2K 1050W	217	298	0.5	13	17	2.42	415	<	18	20	70
2K 1100W	217	298	0.5	14	24	2.69	960	2	22	25	86
2K 1150W	217	298	0.5	10	13	2.46	1210	<	16	15	126
2K 1200W	217	298	0.5	11	11	2.69	575	1	14	15	100
2K 1250W	217	298	0.5	10	17	2.34	345	<	18	10	70
2K 1300W	217	298	0.5	10	14	2.45	280	1	16	10	68
2K 1350W	217	298	0.5	9	27	2.60	295	1	10	10	94
2K 1400W	217	298	0.5	11	15	2.39	930	<	16	10	114
2L 0000W	217	298	0.5	11	12	2.50	545	<	20	10	114
2L 0050W	217	298	0.5	12	26	3.07	1120	<	23	15	70
2L 0100W	217	298	0.5	10	11	2.44	700	<	18	10	108
2L 0150W	217	298	0.5	10	8	2.46	1025	<	18	10	126
2L 0200W	217	298	0.5	11	18	2.45	620	<	18	15	84
2L 0250W	217	298	0.5	10	16	2.33	600	1	17	10	80
2L 0300W	217	298	0.5	10	14	2.55	605	<	16	10	74
2L 0350W	217	298	0.5	12	12	2.34	2640	1	19	10	152
2L 0400W	217	298	0.5	8	8	2.06	1610	<	13	10	118
2L 0450W	217	298	0.5	9	11	2.50	965	1	16	10	146
2L 0500W	217	298	0.5	12	12	2.68	940	1	19	15	132

CERTIFICATION :

B. Coughlin



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project: M586

Comments: ATTN: D YUSEP CC: M HITZMAN

Page No. : 2
Tot. Pages: 6
Date : 16-JUL-89
Invoice #: I-8919880
P.O. #: 30631

CERTIFICATE OF ANALYSIS A8919880

SAMPLE DESCRIPTION	PREP CODE	Ag ppm	Co ppm	Cu ppm	Fe %	Mn ppm	Mo ppm	Ni ppm	Pb ppm	Zn ppm
2L 0550W	217 298	< 0.5	10	17	2.31	640	< 1	20	10	126
2L 0600W	217 298	< 0.5	11	13	2.34	1505	< 1	18	10	90
2L 0650W	217 298	< 0.5	11	23	2.40	700	< 1	17	15	88
2L 0700W	217 298	0.5	10	10	2.45	1005	1	16	10	134
2L 0750W	217 298	0.5	11	8	2.35	2580	1	16	15	156
2L 0800W	217 298	0.5	11	15	2.56	675	< 1	21	5	124
2L 0850W	217 298	0.5	13	19	2.81	675	< 1	25	15	134
2L 0900W	217 298	< 0.5	10	10	2.31	740	< 1	18	10	116
2L 0950W	217 298	< 0.5	8	7	2.45	420	< 1	12	10	148
2L 1000W	217 298	< 0.5	10	8	2.27	700	1	14	15	106
2L 1050W	217 298	< 0.5	10	9	2.41	1160	< 1	18	10	108
2L 1100W	217 298	< 0.5	6	7	1.52	495	< 1	11	5	66
2L 1150W	217 298	0.5	11	13	2.64	810	< 1	20	10	106
2L 1200W	217 298	0.5	12	10	2.42	860	< 1	16	10	120
2L 1250W	217 298	< 0.5	12	14	3.70	350	1	13	15	170
2L 1300W	217 298	< 0.5	10	24	2.10	1385	< 1	7	15	132
2L 1350W	217 298	< 0.5	20	74	4.03	2060	< 1	23	15	108
2L 1400W	217 298	< 0.5	14	30	3.04	635	< 1	22	10	88
2M 0000W	217 298	0.5	11	13	2.44	840	< 1	20	10	124
2M 0050W	217 298	< 0.5	10	13	2.42	1010	< 1	21	10	110
2M 0100W	217 298	0.5	9	8	2.01	2800	< 1	15	5	108
2M 0150W	217 298	0.5	11	9	2.59	2260	< 1	18	5	124
2M 0200W	217 298	< 0.5	8	7	2.09	940	< 1	11	5	92
2M 0250W	217 298	< 0.5	11	12	2.39	1845	< 1	20	5	136
2M 0300W	217 298	< 0.5	10	13	2.25	1895	< 1	18	< 5	130
2M 0350W	217 298	< 0.5	11	18	2.39	625	< 1	21	5	96
2M 0400W	217 298	0.5	11	11	2.35	1130	< 1	18	5	104
2M 0450W	217 298	0.5	10	12	2.25	815	1	17	< 5	72
2M 0500W	217 298	< 0.5	10	12	2.37	780	< 1	16	5	82
2M 0550W	217 298	< 0.5	11	9	2.42	1970	1	18	15	120
2M 0600W	217 298	< 0.5	11	17	2.55	995	1	22	5	126
2M 0650W	217 298	0.5	11	15	2.58	715	1	24	5	130
2M 0700W	217 298	< 0.5	10	15	2.59	660	< 1	18	5	82
2M 0750W	217 298	0.5	10	11	2.64	1160	1	15	5	104
2M 0800W	217 298	< 0.5	10	8	2.85	360	< 1	17	5	122
2M 0850W	217 298	< 0.5	9	9	2.36	1300	< 1	14	< 5	114
2M 0900W	217 298	0.5	12	10	2.52	1170	1	17	< 5	146
2M 0950W	217 298	0.5	11	10	2.64	1020	< 1	20	< 5	142
2M 1000W	217 298	1.0	10	9	2.21	3540	< 1	14	5	140
2M 1050W	217 298	0.5	11	10	2.39	2410	1	20	5	162

CERTIFICATION :

B. Coughlin



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project: M586

Comments: ATTN: D YUSEP CC: M. HITZMAN

Page No. : 3
Tot. Pages: 6
Date : 16-JUL-89
Invoice #: I-8919880
P.O. #: 30631

CERTIFICATE OF ANALYSIS A8919880

SAMPLE DESCRIPTION	PREP CODE	Ag ppm	Co ppm	Cu ppm	Fe %	Mn ppm	Mo ppm	Ni ppm	Pb ppm	Zn ppm
2M 1100W	217 298	0.5	9	10	2.16	2480	< 1	20	5	110
2M 1150W	217 298	1.5	11	12	2.32	5640	< 1	21	5	172
2M 1200W	217 298	< 0.5	11	11	2.53	1370	< 1	19	5	104
2M 1250W	217 298	< 0.5	25	62	6.26	900	< 1	11	< 5	126
2M 1300W	217 298	< 0.5	26	32	7.04	875	< 1	7	< 5	124
2M 1350W	217 298	< 0.5	18	72	4.04	820	1	24	< 5	136
2M 1400W	217 298	< 0.5	9	13	2.64	730	1	17	< 5	128
2N 0000W	217 298	0.5	11	12	2.54	1035	1	20	< 5	128
2N 0050W	217 298	0.5	7	9	1.93	2200	< 1	12	10	80
2N 0100W	217 298	0.5	9	8	2.27	2200	< 1	16	< 5	120
2N 0150W	217 298	1.0	11	9	2.07	4460	< 1	21	5	180
2N 0200W	217 298	0.5	9	9	2.03	1710	< 1	17	< 5	132
2N 0250W	217 298	1.0	10	12	2.23	4070	< 1	15	< 5	110
2N 0300W	217 298	< 0.5	9	15	2.18	270	< 1	13	< 5	48
2N 0350W	217 298	1.5	13	11	2.27	6010	< 1	18	20	176
2N 0400W	217 298	1.0	11	11	2.39	2770	1	17	5	186
2N 0450W	217 298	0.5	11	13	2.37	1120	< 1	22	5	114
2N 0500W	217 298	0.5	9	7	2.09	1670	< 1	14	5	84
2N 0550W	217 298	1.0	13	18	2.70	2580	1	23	10	144
2N 0600W	217 298	0.5	10	10	2.22	1700	1	23	5	128
2N 0650W	217 298	1.0	8	9	1.75	3780	1	12	5	138
2N 0700W	217 298	0.5	10	16	2.39	2130	< 1	23	5	100
2N 0750W	217 298	1.0	12	11	2.33	3330	1	18	< 5	160
2N 0800W	217 298	0.5	8	7	2.13	895	< 1	13	5	122
2N 0850W	217 298	0.5	8	10	1.94	1380	< 1	14	5	92
2N 0900W	217 298	< 0.5	9	11	2.11	345	< 1	17	< 5	98
2N 0950W	217 298	0.5	8	9	2.52	630	1	15	< 5	140
2N 1000W	217 298	0.5	9	10	2.40	1650	< 1	16	< 5	146
2N 1050W	217 298	1.5	14	16	2.29	9150	< 1	13	10	230
2N 1100W	217 298	0.5	9	9	2.13	1955	< 1	13	5	126
2N 1150W	217 298	1.0	9	8	2.22	3540	1	14	5	122
2N 1200W	217 298	< 0.5	10	13	2.51	1145	< 1	18	10	94
2N 1250W	217 298	0.5	9	12	2.31	1325	< 1	19	< 30	156
2N 1300W	217 298	0.5	15	22	5.26	2590	1	8	< 5	168
2N 1350W	217 298	0.5	11	19	2.73	1085	< 1	16	5	82
2N 1400W	217 298	< 0.5	11	15	2.47	2690	< 1	18	< 5	158
2O 0000W	217 298	0.5	9	15	2.19	490	< 1	15	< 5	64
2O 0050W	217 298	1.5	10	7	1.67	8280	1	10	10	158
2O 0100W	217 298	1.0	9	10	2.26	1280	< 1	22	5	102
2O 0150W	217 298	0.5	9	14	2.38	360	1	17	5	68

CERTIFICATION :

B. Coughlin



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project: M586
Comments: ATTN: D YUSEP CC: M HITZMAN

Page No.: 4
Tot. Pages: 6
Date: 16-JUL-89
Invoice #: I-8919880
P.O. #: 30631

CERTIFICATE OF ANALYSIS A8919880

SAMPLE DESCRIPTION	PREP CODE	Ag ppm	Co ppm	Cu ppm	Fe %	Mn ppm	Mo ppm	Ni ppm	Pb ppm	Zn ppm
2O 0200W	217 298	1.0	9	12	2.37	780	< 1	15	5	110
2O 0250W	217 298	0.5	9	12	2.29	1440	< 1	19	5	106
2O 0300W	217 298	0.5	10	13	2.48	1020	< 1	19	5	98
2O 0350W	217 298	1.5	12	15	2.47	2850	< 1	22	5	144
2O 0400W	217 298	1.0	11	11	2.62	1050	< 1	22	5	162
2O 0450W	217 298	0.5	11	17	2.53	445	< 1	23	5	100
2O 0500W	217 298	0.5	9	12	2.52	720	< 1	21	< 5	122
2O 0550W	217 298	0.5	10	13	2.55	1160	1	25	< 5	164
2O 0600W	217 298	1.0	10	14	2.43	1610	1	26	< 5	124
2O 0650W	217 298	0.5	10	14	2.54	475	< 1	20	5	92
2O 0700W	217 298	1.0	10	13	2.60	500	< 1	24	< 5	120
2O 0750W	217 298	0.5	11	14	2.50	1640	< 1	21	10	132
2O 0800W	217 298	0.5	11	14	2.50	1140	< 1	19	10	108
2O 0850W	217 298	< 0.5	11	13	2.57	830	< 1	17	15	224
2O 0900W	217 298	< 0.5	7	10	2.36	285	< 1	13	5	84
2O 0950W	217 298	< 0.5	15	32	3.21	570	< 1	21	20	78
2O 1000W	217 298	0.5	10	20	2.40	440	< 1	15	5	62
2O 1050W	217 298	0.5	9	23	2.31	475	< 1	17	45	512
2O 1100W	217 298	< 0.5	12	25	2.65	455	< 1	20	185	264
2O 1150W	217 298	< 0.5	11	20	2.47	480	< 1	15	10	60
2O 1200W	217 298	< 0.5	7	13	2.37	235	1	14	5	50
2O 1250W	217 298	0.5	14	62	3.86	315	1	28	10	140
2O 1300W	217 298	0.5	20	65	5.30	1275	< 1	17	< 5	110
2O 1350W	217 298	0.5	11	31	2.78	600	< 1	15	5	70
2O 1400W	217 298	0.5	14	40	2.97	885	< 1	21	< 5	138
2P 0000W	217 298	0.5	9	7	2.11	1880	< 1	15	5	124
2P 0050W	217 298	1.0	9	11	2.26	2040	< 1	23	5	140
2P 0100W	217 298	1.0	9	8	2.03	2680	< 1	19	5	104
2P 0150W	217 298	1.0	9	5	2.03	4020	1	10	5	84
2P 0200W	217 298	0.5	10	7	2.13	2430	1	18	5	126
2P 0250W	217 298	0.5	11	11	2.30	2020	< 1	18	< 5	98
2P 0300W	217 298	0.5	11	15	2.49	945	< 1	20	< 5	80
2P 0350W	217 298	0.5	10	12	2.25	1840	< 1	18	5	94
2P 0400W	217 298	0.5	10	15	2.39	845	< 1	20	5	102
2P 0450W	217 298	0.5	10	16	2.27	1910	2	19	5	100
2P 0500W	217 298	0.5	11	19	2.53	890	< 1	24	< 5	122
2P 0550W	217 298	0.5	10	7	2.18	2480	< 1	20	5	130
2P 0600W	217 298	0.5	9	8	2.37	1520	< 1	18	5	120
2P 0650W	217 298	0.5	9	10	2.29	1660	< 1	19	15	98
2P 0700W	217 298	0.5	10	8	2.32	2200	< 1	18	10	144

CERTIFICATION :

B. Coughlin



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project: M586

Comments: ATTN: D YUSEP CC: M. HITZMAN

Page No.: 5
Tot. Pages: 6
Date: 16-JUL-89
Invoice #: I-8919880
P.O. #: 30631

CERTIFICATE OF ANALYSIS A8919880

SAMPLE DESCRIPTION	PREP CODE	Ag ppm	Co ppm	Cu ppm	Fe %	Mn ppm	Mo ppm	Ni ppm	Pb ppm	Zn ppm	
2P 0750W	217 298	< 0.5		7	9	2.23	1915	< 1	18	20	130
2P 0800W	217 298	< 0.5		10	18	2.58	895	< 1	22	25	122
2P 0850W	217 298	< 0.5		11	23	2.70	720	< 1	27	15	186
2P 0900W	217 298	< 0.5		10	22	2.66	530	< 1	23	10	110
2P 0950W	217 298	< 0.5		10	21	2.70	965	< 1	23	15	208
2P 1000W	217 298	< 0.5		10	15	2.45	1570	< 1	19	15	182
2P 1050W	217 298	< 0.5		9	21	2.38	265	< 1	17	15	90
2P 1100W	217 298	< 0.5		11	28	2.92	615	< 1	18	25	136
2P 1150W	217 298	< 0.5		7	27	2.61	345	< 1	13	30	178
2P 1200W	217 298	< 0.5		13	15	2.65	1885	< 1	18	20	196
2P 1250W	217 298	0.5		15	34	3.69	1125	< 1	19	20	124
2P 1300W	217 298	0.5		15	41	3.91	1105	< 1	20	15	118
2P 1350W	217 298	0.5		9	17	2.33	545	< 1	15	10	86
2P 1400W	217 298	0.5		9	19	2.23	1145	< 1	12	5	126
2Q 0000W	217 298	< 0.5		8	19	2.08	405	< 1	13	25	206
2Q 0050W	217 298	< 0.5		9	20	2.08	410	< 1	13	20	68
2Q 0100W	217 298	1.0		9	9	1.87	3370	< 1	13	15	122
2Q 0150W	217 298	1.0		10	11	2.13	3010	< 1	15	10	136
2Q 0200W	217 298	0.5		10	11	2.41	2020	< 1	16	10	106
2Q 0250W	217 298	0.5		9	11	2.53	755	< 1	20	10	120
2Q 0300W	217 298	1.0		8	11	2.06	1515	< 1	17	15	106
2Q 0350W	217 298	0.5		9	12	2.31	1090	< 1	18	10	112
2Q 0400W	217 298	0.5		8	10	2.17	1465	< 1	16	10	126
2Q 0450W	217 298	0.5		8	10	2.23	1515	< 1	12	10	120
2Q 0500W	217 298	0.5		9	17	2.32	490	< 1	18	5	120
2Q 0550W	217 298	0.5		8	9	2.32	1415	< 1	11	10	120
2Q 0600W	217 298	1.0		9	15	2.32	845	< 1	19	10	78
2Q 0650W	217 298	1.0		7	12	2.31	1005	< 1	15	10	126
2Q 0700W	217 298	0.5		8	7	2.20	1800	< 1	16	10	122
2Q 0750W	217 298	0.5		9	8	2.39	2530	< 1	26	15	110
2Q 0800W	217 298	< 0.5		13	25	3.26	420	< 1	22	40	84
2Q 0850W	217 298	0.5		17	34	3.43	635	< 1	23	30	138
2Q 0900W	217 298	0.5		11	15	2.48	1185	< 1	28	20	152
2Q 0950W	217 298	0.5		11	11	2.47	1125	< 1	16	15	104
2Q 1000W	217 298	0.5		11	13	2.33	325	< 1	16	15	68
2Q 1050W	217 298	< 0.5		11	13	2.53	2020	< 1	16	15	96
2Q 1100W	217 298	0.5		9	23	2.58	380	< 1	15	20	78
2Q 1150W	217 298	0.5		9	11	2.25	1205	< 1	15	15	128
2Q 1200W	217 298	0.5		10	10	2.67	1275	< 1	17	15	104
2Q 1250W	217 298	0.5		9	11	2.73	485	< 1	14	10	90

CERTIFICATION :

B. Coughlin



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project: M586

Comments: ATTN: D YUSEP CC: M HITZMAN

Page No. : 6
Tot. Pages: 6
Date : 16-JUL-89
Invoice #: I-8919880
P.O. #: 30631

CERTIFICATE OF ANALYSIS A891988c

SAMPLE DESCRIPTION	PREP CODE		Ag	Co	Cu	Fe	Mn	Mo	Ni	Pb	Zn
			ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
2Q 1300W	217	298	< 0.5	13	32	3.21	790	< 1	15	10	76
2Q 1350W	217	298	0.5	13	68	4.13	895	1	19	15	144

CERTIFICATION :

B. Cough



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project: M586

Comments: ATTN: D YUSEP CC: M HITZMAN

PROJECT.

Page No. : 1
Tot. Pages: 5
Date : 17-JUL-89
Invoice #: I-8919881
P.O. #: 30631

CERTIFICATE OF ANALYSIS A8919881

SAMPLE DESCRIPTION	PREP CODE	Ag ppm	Co ppm	Cu ppm	Fe %	Mn ppm	Mo ppm	Ni ppm	Pb ppm	Zn ppm
2R 0000W	217 298	< 0.5	8	12	2.16	950	< 1	18	10	120
2R 0050W	217 298	< 0.5	9	9	2.50	1040	< 1	20	15	128
2R 0100W	217 298	< 0.5	8	5	1.83	1475	< 1	12	15	130
2R 0150W	217 298	< 0.5	9	13	2.10	315	< 1	15	10	52
2R 0200W	217 298	1.0	8	16	2.00	585	< 1	13	25	144
2R 0250W	217 298	0.5	7	11	1.93	1020	< 1	14	15	130
2R 0300W	217 298	0.5	8	12	2.21	320	< 1	15	15	62
2R 0350W	217 298	1.0	6	4	1.70	655	< 1	9	10	96
2R 0400W	217 298	0.5	7	8	2.06	2070	< 1	13	10	128
2R 0450W	217 298	0.5	8	7	2.05	1320	< 1	13	10	118
2R 0500W	217 298	0.5	8	6	2.32	1105	< 1	12	10	130
2R 0550W	217 298	0.5	8	11	2.14	630	< 1	17	10	88
2R 0600W	217 298	0.5	8	7	2.23	1430	< 1	12	15	120
2R 0650W	217 298	<< 0.5	8	8	2.11	1115	<< 1	13	15	78
2R 0700W	217 298	<< 0.5	7	9	2.01	460	<< 1	12	10	80
2R 0750W	217 298	0.5	8	10	1.99	1555	< 1	23	20	162
2R 0800W	217 298	0.5	12	16	2.39	570	<< 1	19	20	88
2R 0850W	217 298	0.5	11	36	2.70	500	< 1	26	15	70
2R 0900W	217 298	0.5	9	13	2.02	745	<< 1	16	15	130
2R 0950W	217 298	0.5	15	17	2.86	1250	<< 1	19	15	218
2R 1000W	217 298	0.5	10	10	2.19	455	< 1	11	15	174
2R 1050W	217 298	0.5	10	12	2.25	905	<< 1	16	20	122
2R 1100W	217 298	0.5	10	15	2.37	710	<< 1	17	15	78
2R 1150W	217 298	< 0.5	9	12	2.38	405	<< 1	16	10	72
2R 1200W	217 298	0.5	10	9	2.19	1325	<< 1	13	10	86
2R 1250W	217 298	0.5	11	12	2.35	1905	< 1	21	15	106
2R 1300W	217 298	0.5	10	9	2.32	1495	< 1	15	15	146
2R 1350W	217 298	0.5	19	29	4.20	1795	< 1	8	10	170
2S 0000W	217 298	1.0	12	10	2.32	1950	< 1	21	15	166
2S 0050W	217 298	1.0	10	10	2.05	4260	< 1	16	10	190
2S 0100W	217 298	1.0	10	8	2.22	3390	< 1	21	10	136
2S 0150W	217 298	1.0	10	9	2.13	2780	< 1	23	20	146
2S 0200W	217 298	0.5	11	18	2.65	375	< 1	22	10	132
2S 0250W	217 298	< 0.5	11	20	2.55	405	< 1	18	20	64
2S 0300W	217 298	0.5	10	16	2.27	695	< 2	19	15	128
2S 0350W	217 298	1.0	9	10	2.25	1265	< 1	19	10	116
2S 0400W	217 298	0.5	10	11	2.36	805	< 1	23	15	108
2S 0450W	217 298	0.5	10	10	2.31	1055	< 1	22	10	108
2S 0500W	217 298	< 0.5	10	13	2.36	655	< 1	16	10	84
2S 0550W	217 298	1.0	11	9	2.01	4260	< 1	16	10	126

CERTIFICATION :

Hart Bichler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 BROOKSBANK AVE. NORTH VANCOUVER
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
 MINERALS STAFF
 1900 - 1055 W. HASTINGS ST.
 VANCOUVER, B.C.
 V6E 2E9

Project: M586
 Comments: ATTN: D YUSEP CC: M HITZMAN

Page No.: 2
 Tot. Pages: 5
 Date: 17-JUL-89
 Invoice #: I-8919881
 P.O. #: 30631

CERTIFICATE OF ANALYSIS A8919881

SAMPLE DESCRIPTION	PREP CODE	Ag ppm	Co ppm	Cu ppm	Fe %	Mn ppm	Mo ppm	Ni ppm	Pb ppm	Zn ppm	
2S 0600W	217 298	0.5		8	7	1.97	1590	1	13	10	98
2S 0650W	217 298	0.5		10	6	2.05	2330	<< 1	19	15	142
2S 0700W	217 298	1.0		10	8	1.97	3720	<<< 1	21	10	170
2S 0750W	217 298	1.0		10	11	2.18	2080	<<< 1	21	15	204
2S 0800W	217 298	0.5		15	21	2.91	665	<< 1	24	15	112
2S 0850W	217 298	0.5		19	52	4.09	690	1	35	20	122
2S 0900W	217 298	0.5		14	19	2.37	725	<< 1	21	20	168
2S 0950W	217 298	1.0		15	14	2.17	3030	<< 1	16	25	208
2S 1000W	217 298	0.5		14	24	3.51	445	<< 1	24	20	200
2S 1050W	217 298	1.0		12	12	2.29	2390	1	19	15	260
2S 1100W	217 298	0.5		11	11	2.38	1520	1	17	15	140
2S 1150W	217 298	0.5		10	10	2.27	660	<< 1	8	20	134
2S 1200W	217 298	1.0		8	9	1.58	2260	<< 1	11	10	100
2S 1250W	217 298	0.5		12	16	2.50	520	<< 1	19	10	78
2S 1300W	217 298	0.5		12	17	2.38	1130	1	19	10	126
2S 1350W	217 298	<< 0.5		26	124	5.42	950	<< 1	8	< 5	94
2T 0000W	217 298	<< 0.5		10	16	2.16	545	<<< 1	15	10	74
2T 0050W	217 298	0.5		10	9	1.97	1730	<<< 1	14	15	156
2T 0100W	217 298	1.0		9	10	1.82	3720	<<< 1	13	20	154
2T 0150W	217 298	0.5		9	10	2.11	585	<< 1	16	10	70
2T 0200W	217 298	0.5		8	10	1.85	275	<< 1	13	10	52
2T 0250W	217 298	0.5		6	9	1.33	505	<<< 1	9	25	124
2T 0300W	217 298	1.0		10	13	2.08	900	<<< 1	20	15	130
2T 0350W	217 298	< 0.5		9	17	2.15	535	<< 1	13	15	64
2T 0400W	217 298	0.5		9	6	2.20	1675	<< 1	14	15	106
2T 0450W	217 298	< 0.5		8	6	2.08	1295	< 1	14	15	98
2T 0500W	217 298	< 0.5		8	15	2.14	330	1	12	40	124
2T 0550W	217 298	0.5		8	9	1.91	1780	<< 1	14	20	118
2T 0600W	217 298	0.5		8	7	2.08	970	<< 1	17	10	112
2T 0650W	217 298	0.5		8	9	1.90	1585	<< 1	15	10	136
2T 0700W	217 298	0.5		9	8	1.93	2290	< 1	20	5	154
2T 0750W	217 298	0.5		10	11	2.14	2070	1	19	15	144
2T 0800W	217 298	< 0.5		6	5	1.41	885	< 1	9	10	102
2T 0850W	217 298	1.0		21	53	4.23	2330	1	28	45	208
2T 0900W	217 298	0.5		13	33	2.87	400	< 1	16	85	118
2T 0950W	217 298	< 0.5		11	15	2.64	1245	1	23	25	184
2T 1000W	217 298	0.5		9	18	2.08	450	<< 1	13	20	68
2T 1050W	217 298	0.5		14	15	2.46	580	<< 1	19	15	92
2T 1100W	217 298	1.0		12	18	2.52	570	<< 1	20	10	100
2T 1150W	217 298	0.5		13	14	2.69	760	1	20	20	124

CERTIFICATION :

Jant Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project : M586

Comments: ATTN: D YUSEP CC: M HITZMAN

Page No. : 3
Tot. Pages: 5
Date : 17-JUL-89
Invoice #: I-8919881
P.O. # : 30631

CERTIFICATE OF ANALYSIS A8919881

SAMPLE DESCRIPTION	PREP CODE	Ag ppm	Co ppm	Cu ppm	Fe %	Mn ppm	Mo ppm	Ni ppm	Pb ppm	Zn ppm	
2T 1200W	217 298	0.5	11	11	2.57	1905		1	17	15	136
2T 1250W	217 298	<< 0.5	10	26	2.75	380		<< 1	17	30	82
2T 1300W	217 298	<< 0.5	8	31	3.25	385		<< 1	14	75	208
2T 1350W	217 298	0.5	16	34	2.95	1535		<< 1	25	15	170
2T 1400W	217 298	< 0.5	8	24	1.70	1415		< 1	15	75	270
2U 0000W	217 298	0.5	9	14	2.35	665		1	18	15	128
2U 0050W	217 298	0.5	9	10	2.47	530		1	22	15	120
2U 0100W	217 298	1.0	9	11	2.38	820		1	19	10	118
2U 0150W	217 298	0.5	12	10	2.59	845		1	18	10	112
2U 0200W	217 298	1.0	11	17	2.66	800		1	24	15	120
2U 0250W	217 298	1.0	10	11	2.32	1005		1	19	10	138
2U 0300W	217 298	1.0	10	8	2.04	3690	< 1	1	14	10	120
2U 0350W	217 298	0.5	10	10	2.27	885	< 1	1	20	10	136
2U 0400W	217 298	1.0	10	12	2.45	725	< 1	1	20	10	126
2U 0450W	217 298	0.5	10	10	2.62	760	< 1	1	19	15	134
2U 0500W	217 298	0.5	9	9	2.44	970	< 1	1	18	15	146
2U 0550W	217 298	1.0	9	10	1.91	995		1	12	35	182
2U 0600W	217 298	0.5	9	17	2.31	545		1	14	15	76
2U 0650W	217 298	0.5	9	9	2.08	1205	< 1	1	23	15	168
2U 0700W	217 298	1.0	10	11	2.26	1890		2	20	10	128
2U 0750W	217 298	0.5	9	12	2.35	565	< 1	1	16	10	82
2U 0800W	217 298	0.5	9	10	2.38	1475		1	16	10	122
2U 0850W	217 298	1.0	8	10	1.95	560	<< 1	1	15	20	82
2U 0900W	217 298	1.0	12	13	2.53	1840	<< 1	1	20	20	176
2U 0950W	217 298	0.5	12	13	2.68	1680	<< 1	1	21	50	164
2U 1000W	217 298	0.5	15	23	2.96	1035	<< 1	1	26	20	124
2U 1050W	217 298	0.5	6	20	1.84	330	<< 1	1	10	20	110
2U 1100W	217 298	0.5	12	15	2.77	860	<< 1	1	22	25	122
2U 1150W	217 298	0.5	11	12	2.70	670	<< 1	1	18	10	134
2U 1200W	217 298	0.5	9	9	2.44	450	< 1	1	16	10	116
2U 1250W	217 298	0.5	10	11	2.62	1395		1	9	20	128
2U 1300W	217 298	0.5	13	17	2.45	1255		1	17	10	138
2U 1350W	217 298	1.0	11	28	2.02	2390	<< 1	1	9	15	128
2U 1400W	217 298	0.5	17	68	4.30	620	<< 1	1	18	35	136
2V 0000W	217 298	0.5	10	15	2.44	440	<< 1	1	20	15	108
2V 0050W	217 298	0.5	9	10	2.29	670	<< 1	1	18	10	118
2V 0100W	217 298	0.5	10	9	2.41	1015	<< 1	1	18	10	116
2V 0200W	217 298	0.5	8	9	2.14	480	<< 1	1	11	15	104
2V 0250W	217 298	0.5	9	14	2.34	630	<< 1	1	14	15	84
2V 0300W	217 298	0.5	10	14	2.37	305	<< 1	1	14	15	64

Hart Buchler

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE. NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project: M586

Comments: ATTN: D YUSEP CC: M HITZMAN

Page No. 4
Tot. Pages: 5
Date: 17-JUL-89
Invoice #: I-8919881
P.O. #: 30631

CERTIFICATE OF ANALYSIS A8919881

SAMPLE DESCRIPTION	PREP CODE	Ag ppm	Co ppm	Cu ppm	Fe %	Mn ppm	Mo ppm	Ni ppm	Pb ppm	Zn ppm
2V 0350W	217 298	0.5	8	11	2.00	1010		1	13	90
2V 0400W	217 298	1.0	9	19	2.30	1045		1	18	98
2V 0450W	217 298	1.0	9	11	2.25	1120		1	17	118
2V 0500W	217 298	0.5	9	19	2.27	375		1	14	64
2V 0550W	217 298	< 0.5	10	21	2.51	450		1	15	64
2V 0600W	217 298	0.5	10	10	2.12	1445		1	17	156
2V 0650W	217 298	0.5	8	7	1.99	1280		1	11	128
2V 0700W	217 298	0.5	8	12	2.22	655		1	16	116
2V 0750W	217 298	1.0	9	6	2.21	2810		1	12	132
2V 0800W	217 298	1.0	9	6	2.11	3620		1	17	172
2V 0850W	217 298	0.5	10	8	2.45	1335		1	21	30
2V 0900W	217 298	1.0	8	14	1.89	970		1	12	35
2V 0950W	217 298	1.0	10	9	2.02	2510		1	22	15
2V 1000W	217 298	0.5	10	13	2.22	810		1	15	10
2V 1100W	217 298	0.5	7	7	2.33	705		1	13	25
2V 1150W	217 298	1.0	11	11	2.60	1600		1	23	10
2V 1200W	217 298	0.5	11	14	2.41	1020		1	19	15
2V 1250W	217 298	1.0	14	64	3.74	1005		1	30	25
2V 1300W	217 298	1.5	17	132	5.82	1660		3	27	50
2V 1350W	217 298	0.5	3	19	0.67	3280		1	7	60
2V 1400W	217 298	< 0.5	10	26	2.66	340		1	16	25
ZW 0000W	217 298	1.0	9	11	2.33	470		1	18	15
ZW 0050W	217 298	0.5	10	10	2.34	605		1	20	10
ZW 0100W	217 298	0.5	8	13	1.92	385		1	16	20
ZW 0250W	217 298	0.5	7	10	1.98	200		1	15	10
ZW 0300W	217 298	1.0	8	10	2.17	545		1	15	5
ZW 0350W	217 298	0.5	9	9	2.23	820		1	18	10
ZW 0400W	217 298	1.0	10	15	2.28	1640		1	18	15
ZW 0450W	217 298	2.0	16	21	3.17	6010		3	22	25
ZW 0500W	217 298	1.0	10	11	2.52	695		1	17	10
ZW 0550W	217 298	0.5	9	14	2.47	325		1	18	10
ZW 0600W	217 298	1.0	8	9	2.20	995		1	16	15
ZW 0650W	217 298	1.0	12	13	2.35	3310		1	18	20
ZW 0700W	217 298	0.5	8	10	2.05	765		1	14	15
ZW 0750W	217 298	0.5	8	11	2.17	465		1	19	5
ZW 0800W	217 298	0.5	9	9	2.24	1190		1	19	20
ZW 0850W	217 298	0.5	14	9	2.68	2060		1	19	10
ZW 0900W	217 298	0.5	9	15	2.36	750		1	17	20
ZW 0950W	217 298	0.5	10	10	2.23	1360		1	22	15
ZW 1000W	217 298	0.5	14	31	2.54	285		1	23	25

CERTIFICATION :

Jan Buehler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
 MINERALS STAFF
 1900 - 1055 W. HASTINGS ST.
 VANCOUVER, B.C.
 V6E-2E9

Project: M586

Comments: ATTN: D. YUSEP CC: M. HITZMAN

Page No. 5
 Tot. Pages: 5
 Date: 17-JUL-89
 Invoice #: I-8919881
 P.O. #: 30631

CERTIFICATE OF ANALYSIS A8919881

SAMPLE DESCRIPTION	PREP CODE	Ag ppm	Co ppm	Cu ppm	Fe %	Mn ppm	Mo ppm	Ni ppm	Pb ppm	Zn ppm
ZW 1050W	217 298	0.5	13	9	2.66	810	1	17	30	254
ZW 1100W	217 298	0.5	9	9	2.35	685	1	19	20	146
ZW 1150W	217 298	1.0	12	12	2.47	3670	< 1	16	20	134
ZW 1200W	217 298	0.5	9	13	2.36	700	1	15	15	106
ZW 1250W	217 298	0.5	12	20	2.72	1045	< 1	19	15	180
ZW 1300W	217 298	0.5	21	64	4.46	1695	2	24	40	122
ZW 1350W	217 298	0.5	12	12	2.06	2440	< 1	11	15	218
ZW 1400W	217 298	<<<	11	70	2.62	410	1	15	45	74
2X 0250W	217 298	<<<	6	8	2.09	185	< 1	13	10	86
2X 0300W	217 298	<<<	6	6	2.10	1240	< 1	11	15	88
2X 0350W	217 298	0.5	9	8	2.36	1305	< 1	19	10	136
2X 0400W	217 298	0.5	9	8	2.41	1340	1	18	15	130
2X 0450W	217 298	1.5	12	8	2.16	7650	1	15	15	200
2X 0500W	217 298	0.5	8	13	2.18	655	< 1	16	10	122
2X 0550W	217 298	0.5	9	13	2.25	1275	1	18	10	142
2X 0600W	217 298	0.5	5	4	1.66	810	< 1	7	5	90
2X 0650W	217 298	0.5	7	8	1.91	660	< 1	12	15	112
2X 0700W	217 298	0.5	19	19	2.55	995	1	16	20	62
2X 0750W	217 298	0.5	10	15	2.55	435	< 1	17	15	76
2X 0800W	217 298	0.5	9	12	2.29	810	1	17	15	128
2X 0850W	217 298	0.5	11	10	2.35	675	1	26	5	168
2X 0900W	217 298	0.5	9	9	2.46	780	1	19	5	158
2X 0950W	217 298	0.5	9	9	2.45	925	1	17	5	142
2X 1000W	217 298	0.5	14	12	2.93	705	1	17	10	170
2X 1050W	217 298	0.5	11	11	2.59	955	1	18	15	140
2X 1100W	217 298	0.5	11	12	2.52	1130	< 1	27	10	168
2X 1150W	217 298	0.5	15	17	3.13	680	2	29	10	140
2X 1200W	217 298	0.5	17	26	3.81	425	1	35	25	192
2X 1250W	217 298	0.5	13	54	3.01	455	1	21	20	92
2X 1300W	217 298	0.5	10	12	2.09	1125	< 1	11	20	146
2X 1350W	217 298	0.5	9	9	2.75	885	2	13	15	166
2X 1400W	217 298	0.5	11	14	2.66	675	< 1	23	10	122

CERTIFICATION :

Hart Bichler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE. NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project: M586

Comments: ATTN: MS. M. HENRY CC: M.W. HITZMAN CC: Z. REBIC

PROJECT.

Page No. : 1-A
Tot. Pages: 1
Date : 14-AUG-89
Invoice # : I-8922405
P.O. # : 27066

CERTIFICATE OF ANALYSIS A8922405

SAMPLE DESCRIPTION	PREP CODE	Au oz/T	Zn %	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %
116403	208 238	< 0.002	—	0.62	0.2	10	20	< 0.5	< 2	0.78	< 0.5	3	145	11	0.76	10	< 1	0.11	10	0.15
116404	208 238	< 0.002	—	0.47	< 0.2	15	10	< 0.5	< 2	11.20	2.5	17	91	71	1.65	< 10	< 1	0.04	< 10	0.37
116405	208 238	< 0.002	—	1.13	0.4	< 5	80	0.5	< 2	0.95	< 0.5	8	104	14	1.96	10	< 1	0.49	30	0.42
116406	208 238	< 0.002	0.06	1.27	0.8	5	100	0.5	< 2	0.24	2.5	7	105	22	2.02	10	< 1	0.49	30	0.33
16407	208 238	< 0.002	—	0.64	0.4	10	10	< 0.5	< 2	0.24	< 0.5	14	103	17	1.79	< 10	< 1	0.03	10	0.45
116408	208 238	< 0.002	—	0.64	1.0	65	20	0.5	< 2	0.39	0.5	40	93	426	4.43	10	< 1	0.04	10	0.26
116409	208 238	< 0.002	—	1.23	1.0	10	30	< 0.5	< 2	0.30	< 0.5	31	85	37	4.62	10	< 1	0.13	30	0.68
116410	208 238	< 0.002	—	0.12	< 0.2	15	10	< 0.5	2	1.57	< 0.5	10	272	123	1.52	< 10	< 1	< 0.01	10	0.06

CERTIFICATION :

B. Coughlin



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project : M586

Comments: ATTN: MS M HENRY CC: M W HITZMAN CC: Z REBIC

Page No. : 1-B
Tot. Pages: 1
Date : 14-AUG-89
Invoice # : I-8922405
P.O. # : 27066

CERTIFICATE OF ANALYSIS A8922405

SAMPLE DESCRIPTION	PREP CODE	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
116403	208 238	255	< 1	0.03	7	60	48	< 5	1	23	0.06	< 10	< 10	7	< 10	86
116404	208 238	955	< 1	< 0.01	67	80	172	< 5	2	46	0.02	< 10	< 10	11	< 10	1795
116405	208 238	330	< 1	0.02	13	110	58	< 5	2	22	0.08	< 10	< 10	15	< 10	140
5406	208 238	290	< 1	0.02	15	140	78	< 5	1	10	0.01	< 10	< 10	10	< 10	774
5407	208 238	235	< 1	0.03	10	80	26	< 5	1	10	< 0.01	< 10	< 10	9	< 10	66
116408	208 238	300	< 1	0.01	23	80	64	< 5	1	9	< 0.01	< 10	< 10	9	< 10	82
116409	208 238	400	< 1	0.05	20	260	54	< 5	3	9	0.06	< 10	< 10	23	< 10	74
116410	208 238	350	< 1	0.01	15	< 10	24	< 5	< 1	30	< 0.01	< 10	< 10	4	< 10	26

CERTIFICATION : B. Coughlin



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
 MINERALS STAFF
 1900 - 1055 W. HASTINGS ST.
 VANCOUVER, B.C.
 V6E 2E9

Project: M586
 Comments: ATTN: MURRAY HITZMAN CC: Z REBIC

PROJECT

Page No. 1-A
 Tot. Pages: 1
 Date: 28-SEP-89
 Invoice #: I-8925694
 P.O. #: 30637

CERTIFICATE OF ANALYSIS A8925694

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
400119	205 238	20	0.27	2.2	215	< 10	< 0.5	4	0.22	< 0.5	89	98	4680	7.79	< 10	< 1	0.03	< 10	0.20	280
400120	205 238	195	1.33	0.6	45	30	< 0.5	30	0.16	< 0.5	43	88	2120	5.15	< 10	< 1	0.26	10	0.61	295
400121	205 238	< 5	0.75	0.4	155	60	< 0.5	4	0.18	< 0.5	17	47	212	2.40	< 10	< 1	0.38	30	0.16	180
400122	205 238	< 5	0.45	0.2	5	40	< 0.5	2	0.12	< 0.5	3	114	35	1.06	< 10	< 1	0.21	30	0.13	100
400123	205 238	< 5	1.50	< 0.2	5	60	< 0.5	4	0.47	< 0.5	9	51	2	2.88	10	< 1	0.70	50	0.62	325
400125	205 238	< 5	1.31	< 0.2	35	30	< 0.5	6	4.76	1.0	7	124	22	2.09	< 10	< 1	0.17	< 10	0.72	560
400126	205 238	< 5	1.30	< 0.2	20	60	< 0.5	2	1.57	1.5	5	129	29	1.83	< 10	< 1	0.29	20	0.55	335
400127	205 238	< 5	0.26	0.2	50	20	< 0.5	2	0.87	< 0.5	11	168	173	1.69	< 10	< 1	0.15	10	0.23	295
400128	205 238	< 5	0.63	0.2	15	60	< 0.5	4	0.74	< 0.5	5	146	17	1.68	< 10	< 1	0.27	20	0.32	320
400129	205 238	< 5	0.30	0.2	15	20	< 0.5	2	0.71	< 0.5	9	130	98	1.46	< 10	< 1	0.09	20	0.21	255
400130	205 238	< 5	0.33	< 0.2	95	40	< 0.5	6	4.27	< 0.5	6	51	2	3.49	< 10	< 1	0.28	< 10	1.10	960
400131	205 238	< 5	1.39	< 0.2	35	120	< 0.5	6	0.69	< 0.5	7	99	< 1	3.12	< 10	< 1	0.92	20	0.68	510
400132	205 238	< 5	0.73	< 0.2	70	60	< 0.5	4	1.41	< 0.5	18	44	30	3.75	< 10	< 1	0.43	40	0.66	635
400133	205 238	< 5	0.33	< 0.2	95	40	< 0.5	4	0.12	< 0.5	6	75	75	2.43	< 10	< 1	0.22	10	0.12	130
400134	205 238	< 5	0.73	< 0.2	95	80	< 0.5	6	0.50	< 0.5	9	86	38	2.48	< 10	< 1	0.46	30	0.41	290
400135	205 238	< 5	0.69	0.2	80	80	< 0.5	8	0.45	< 0.5	10	65	47	2.59	< 10	< 1	0.47	20	0.35	230
400136	205 238	< 5	0.97	< 0.2	20	100	< 0.5	2	0.35	< 0.5	8	120	37	2.24	< 10	< 1	0.51	30	0.38	210
400137	205 238	< 5	4.52	< 0.2	65	250	< 0.5	6	1.49	< 0.5	36	48	341	8.79	< 10	< 1	1.56	10	2.29	535
400138	205 238	10	0.46	3.6	95	70	< 0.5	20	12.60	< 0.5	4	39	12	>15.00	140	< 1	0.03	< 10	0.10	1565
400139	205 238	15	0.50	9.8	120	590	< 0.5	294	12.60	< 0.5	8	35	8	>15.00	140	< 1	0.13	< 10	0.24	7410
400140	205 238	< 5	2.11	0.4	40	60	< 0.5	10	0.71	< 0.5	8	76	3	4.00	20	< 1	0.36	60	0.96	575
400141	205 238	< 5	0.56	0.4	55	50	< 0.5	4	0.21	< 0.5	3	131	34	1.20	< 10	< 1	0.26	30	0.12	140
400142	205 238	< 5	1.03	0.2	25	30	< 0.5	2	0.59	< 0.5	17	136	78	2.33	10	< 1	0.20	40	0.31	715
400143	205 238	< 5	1.03	0.6	40	50	< 0.5	6	0.44	< 0.5	6	193	14	1.92	10	< 1	0.22	40	0.32	290
400144	205 238	< 5	0.91	< 0.2	45	50	< 0.5	4	0.04	< 0.5	2	191	7	2.02	< 10	< 1	0.45	10	0.35	190
400145	205 238	< 5	1.08	< 0.2	35	90	< 0.5	6	0.04	< 0.5	13	138	27	2.68	< 10	< 1	0.69	< 10	0.44	195
400146	205 238	< 5	0.80	< 0.2	60	100	< 0.5	6	0.13	< 0.5	38	235	100	5.05	< 10	< 1	0.31	10	0.23	180
400147	205 238	< 5	0.76	0.2	35	60	< 0.5	6	0.20	< 0.5	15	140	41	2.92	< 10	< 1	0.22	10	0.28	195
400148	205 238	< 5	1.70	< 0.2	50	130	< 0.5	< 2	0.07	< 0.5	7	116	17	3.32	< 10	< 1	1.05	< 10	0.89	385
400149	205 238	< 5	0.80	< 0.2	10	60	< 0.5	< 2	0.09	< 0.5	3	172	10	1.57	< 10	< 1	0.32	10	0.33	205
400150	205 238	< 5	0.73	< 0.2	15	50	< 0.5	2	0.07	< 0.5	7	89	14	1.63	< 10	< 1	0.48	10	0.31	260

CERTIFICATION :

B. Coughlin



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project : M586

Comments: ATTN: MURRAY HITZMAN CC: Z REBIC

Page No. : 1-B
Tot. Pages: 1
Date : 28-SEP-89
Invoice #: I-8925694
P.O. # : 30637

CERTIFICATE OF ANALYSIS A8925694

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
400119	205 238	< 1	< 0.01	41	40	56	10	< 1	4	< 0.01	< 10	< 10	< 1	< 10	242
400120	205 238	< 1	0.02	21	380	32	< 5	5	4	0.02	< 10	< 10	20	< 10	224
400121	205 238	< 1	0.02	30	210	40	< 5	2	7	< 0.01	< 10	< 10	3	< 10	50
400122	205 238	< 1	0.03	7	110	6	< 5	1	4	0.04	< 10	< 10	5	< 10	20
400123	205 238	< 1	0.02	14	190	20	< 5	3	12	0.07	< 10	< 10	20	< 10	74
400125	205 238	< 1	0.01	10	130	580	5	5	41	0.03	< 10	< 10	25	< 10	392
400126	205 238	< 1	0.02	6	140	168	< 5	3	19	0.03	< 10	< 10	11	< 10	454
400127	205 238	< 1	0.04	18	90	10	< 5	1	31	< 0.01	< 10	< 10	1	< 10	190
400128	205 238	< 1	0.04	8	110	4	< 5	2	25	0.04	< 10	< 10	9	< 10	50
400129	205 238	< 1	0.03	10	90	10	< 5	1	20	< 0.01	< 10	< 10	7	< 10	36
400130	205 238	< 1	0.02	11	110	2	< 5	1	165	< 0.01	< 10	< 10	2	< 10	18
400131	205 238	< 1	0.02	13	110	6	5	4	27	0.14	< 10	< 10	20	< 10	78
400132	205 238	< 1	0.03	30	340	6	5	3	45	< 0.01	< 10	< 10	6	< 10	104
400133	205 238	< 1	0.01	11	120	8	< 5	< 1	4	< 0.01	< 10	< 10	1	< 10	12
400134	205 238	< 1	0.02	17	200	8	< 5	2	21	< 0.01	< 10	< 10	4	< 10	30
400135	205 238	< 1	0.01	17	260	12	< 5	2	18	< 0.01	< 10	< 10	4	< 10	38
400136	205 238	< 1	0.02	16	190	30	< 5	1	10	< 0.01	< 10	< 10	6	< 10	102
400137	205 238	< 1	0.12	42	490	24	< 5	15	33	0.51	< 10	< 10	293	< 10	104
400138	205 238	< 1	0.04	5	>10000	612	< 5	40	5670	0.03	< 10	< 10	196	< 10	3920
400139	205 238	< 1	0.06	8	>10000	6320	< 5	21	6510	0.02	< 10	< 10	94	< 10	2250
400140	205 238	< 1	0.02	17	1490	40	< 5	6	93	0.12	< 10	< 10	41	< 10	138
400141	205 238	< 1	0.02	3	460	58	< 5	1	39	0.02	< 10	< 10	6	< 10	34
400142	205 238	< 1	0.03	14	400	20	< 5	4	22	0.09	< 10	< 10	20	< 10	60
400143	205 238	< 1	0.04	10	1320	60	< 5	3	18	0.07	< 10	< 10	18	< 10	50
400144	205 238	< 1	0.05	4	170	12	< 5	3	8	0.09	< 10	< 10	20	< 10	34
400145	205 238	< 1	0.02	23	190	6	< 5	1	3	0.11	< 10	< 10	14	< 10	40
400146	205 238	< 1	0.04	14	170	20	< 5	3	9	0.10	< 10	< 10	20	< 10	42
400147	205 238	< 1	0.04	7	160	18	< 5	3	9	0.08	< 10	< 10	17	< 10	52
400148	205 238	< 1	0.04	8	170	26	< 5	6	5	0.17	< 10	< 10	33	< 10	82
400149	205 238	< 1	0.04	8	170	34	< 5	2	6	0.06	< 10	< 10	14	< 10	62
400150	205 238	< 1	0.02	10	270	16	< 5	1	3	0.07	< 10	< 10	6	< 10	46

CERTIFICATION :

B. Coughlin



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
WestEnd Industrial Park, Pasadena,
Newfoundland, Canada A0I 1K0
PHONE: 709-686-2119

To: CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

PROJECT

Page Number : 1
Total Pages : 1
Invoice Date: 26-SEP-89
Invoice No. : I-8925695
P.O. Number : 30637

Project : M586
Comments: ATTN: MURRAY HITZMAN CC: Z. REBIC

CERTIFICATE OF ANALYSIS

A8925695

SAMPLE DESCRIPTION	PREP CODE	SiO2 %	Al2O3 %	Fe2O3 %	MgO %	CaO %	Na2O %	K2O %	TiO2 %	P2O5 %	MnO %	BaO %	LOI %	TOTAL %	FeO %
400124	205 200	58.01	17.55	4.16	1.24	3.37	1.99	5.80	0.78	1.84	0.04	0.19	3.93	98.90	2.76

CERTIFICATION :

B. Coughlin



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project : M586

Comments: CC: M. HITZMAN CC: Z. REBIC

PROJECT

Page No. : 1-A
Tot. Pages: 1
Date : 5-SEP-89
Invoice #: I-8925041
P.O. #: 30636

CERTIFICATE OF ANALYSIS A8925041

SAMPLE DESCRIPTION	PREP CODE	Au ppb RUSH	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
400113	255 238	10	1.05	0.4	1035	30	< 0.5	< 2	0.02	< 0.5	7	35	179	5.84	10	< 1	0.74	30	0.38	305
400114	255 238	145	0.52	0.8	>10000	30	< 0.5	12	0.03	>100.0	110	24	900	>15.00	10	< 1	0.19	20	0.04	35
00115	255 238	30	0.66	0.4	>10000	30	< 0.5	2	0.01	3.5	17	33	75	4.30	< 10	< 1	0.47	20	0.20	145
400116	255 238	75	0.70	0.8	>10000	40	< 0.5	8	0.01	5.0	19	30	552	6.19	10	< 1	0.59	20	0.23	160
400117	255 238	< 5	0.99	0.2	190	30	< 0.5	< 2	0.02	< 0.5	< 1	51	38	3.63	10	< 1	0.64	30	0.32	220
400118	255 238	< 5	1.19	0.4	2000	40	< 0.5	< 2	0.09	3.0	3	59	82	4.13	10	< 1	0.51	30	0.44	330

CERTIFICATION : B. Coughlin



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project: M586

Comments: CC: M. HITZMAN CC: Z. REBIC

Page No. : 1-B
Tot. Pages: 1
Date : 5-SEP-89
Invoice #: I-8925041
P.O. #: 30636

CERTIFICATE OF ANALYSIS A8925041

SAMPLE DESCRIPTION	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
400113	255	238	< 1	0.01	18	180	22	5	6	2	0.15	< 10	< 10	32	< 10	244
400114	255	238	< 1	0.01	68	130	30	330	3	5	0.03	< 10	< 10	6	< 10	126
400115	255	238	< 1	0.01	6	110	38	50	2	3	0.11	< 10	< 10	13	< 10	16
400116	255	238	< 1	0.01	9	200	62	90	4	3	0.11	< 10	< 10	15	< 10	22
400117	255	238	< 1	0.01	4	160	16	< 5	4	3	0.16	< 10	< 10	27	< 10	22
400118	255	238	< 1	0.01	7	320	< 2	5	3	4	0.13	< 10	< 10	17	< 10	346

CERTIFICATION : B. Coughlin



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.

MINERALS STAFF

1900 - 1055 W. HASTINGS ST.

VANCOUVER, B.C.

V6E 2E9

Comments: CC: MURRAY HITZMAN * CC: ZIATO REBIC

PROJECT

A8926329

CERTIFICATE A8926329

CHEVRON CANADA RESOURCES LTD.

PROJECT : M586

P.O.# : 30619

Samples submitted to our lab in Vancouver, BC.
is report was printed on 9-OCT-89.

SAMPLE PREPARATION

CHEMEX NUMBER

CODE SAMPLES

DESCRIPTION

205 8 Rock Geochem: Crush,split,ring

238 8 ICP: Aqua regia digestion

* NOTE 1:

The 32 element ICP package is suitable for trace metals in soil and rock samples. Elements for which the nitric-aqua regia digestion is possibly incomplete are: Al, Ba, Be, Ca, Cr, Ga, K, La, Mg, Na, Sr, Ti, Tl, W.

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
100	8	Au ppb: Fuse 10 g sample	FA-AAS	5	10000
921	8	Al %: 32 element. soil & rock	ICP-AES	0.01	15.00
922	8	Ag ppm: 32 element. soil & rock	ICP-AES	0.2	200
923	8	As ppm: 32 element. soil & rock	ICP-AES	5	10000
924	8	Ba ppm: 32 element. soil & rock	ICP-AES	10	10000
925	8	Be ppm: 32 element. soil & rock	ICP-AES	0.5	100.0
926	8	Bi ppm: 32 element. soil & rock	ICP-AES	2	10000
927	8	Ca %: 32 element. soil & rock	ICP-AES	0.01	15.00
928	8	Cd ppm: 32 element. soil & rock	ICP-AES	0.5	100.0
929	8	Co ppm: 32 element. soil & rock	ICP-AES	1	10000
930	8	Cr ppm: 32 element. soil & rock	ICP-AES	1	10000
931	8	Cu ppm: 32 element. soil & rock	ICP-AES	1	10000
932	8	Fe %: 32 element. soil & rock	ICP-AES	0.01	15.00
933	8	Ga ppm: 32 element. soil & rock	ICP-AES	10	10000
951	8	Hg ppm: 32 element. soil & rock	ICP-AES	1	10000
934	8	K %: 32 element. soil & rock	ICP-AES	0.01	10.00
935	8	La ppm: 32 element. soil & rock	ICP-AES	10	10000
936	8	Mg %: 32 element. soil & rock	ICP-AES	0.01	15.00
937	8	Mn ppm: 32 element. soil & rock	ICP-AES	5	10000
938	8	Mo ppm: 32 element. soil & rock	ICP-AES	1	10000
939	8	Na %: 32 element. soil & rock	ICP-AES	0.01	5.00
940	8	Ni ppm: 32 element. soil & rock	ICP-AES	1	10000
941	8	P ppm: 32 element. soil & rock	ICP-AES	10	10000
942	8	Pb ppm: 32 element. soil & rock	ICP-AES	2	10000
943	8	Sb ppm: 32 element. soil & rock	ICP-AES	5	10000
958	8	Sc ppm: 32 elements. soil & rock	ICP-AES	1	100000
944	8	Sr ppm: 32 element. soil & rock	ICP-AES	1	10000
945	8	Ti %: 32 element. soil & rock	ICP-AES	0.01	5.00
946	8	Tl ppm: 32 element. soil & rock	ICP-AES	10	10000
947	8	U ppm: 32 element. soil & rock	ICP-AES	10	10000
948	8	V ppm: 32 element. soil & rock	ICP-AES	1	10000
949	8	W ppm: 32 element. soil & rock	ICP-AES	10	10000
950	8	Zn ppm: 32 element. soil & rock	ICP-AES	2	10000



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project: M586

Comments: CC: MURRAY HITZMAN CC: ZLATO REBIC

Page No.: 1-A
Tot. Pages: 1
Date: 9-OCT-89
Invoice #: I-8926329
P.O. #: 30639

CERTIFICATE OF ANALYSIS A8926329

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
400151	205 238	< 5	0.69	< 0.2	>10000	50	2.5	16	0.04	< 0.5	8	122	103	4.87	< 10	< 1	0.20	10	0.10	205
400152	205 238	40	0.67	0.8	>10000	50	3.0	20	0.03	< 0.5	10	108	56	4.40	< 10	< 1	0.24	10	0.08	125
400153	205 238	210	1.11	< 0.2	>10000	30	9.5	68	0.05	< 0.5	81	98	909	>15.00	< 10	< 1	0.58	20	0.25	220
400154	205 238	290	0.82	1.0	>10000	30	3.5	88	0.04	< 0.5	74	125	151	6.53	< 10	< 1	0.32	30	0.24	180
400155	205 238	50	0.47	1.2	>10000	50	3.0	26	0.02	< 0.5	7	117	180	4.51	< 10	< 1	0.20	10	0.04	70
400156	205 238	15	0.04	0.4	160	< 10	1.0	12	0.03	0.5	8	312	170	1.58	< 10	< 1	< 0.01	< 10	0.01	95
400157	205 238	10	0.18	0.4	40	< 10	0.5	2	0.13	< 0.5	1	310	7	0.65	< 10	< 1	< 0.01	< 10	0.02	660
400158	205 238	5	0.37	0.4	65	20	1.0	4	0.28	< 0.5	2	306	24	1.07	< 10	< 1	0.02	< 10	0.03	185

CERTIFICATION :

B. Coughlin



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
 MINERALS STAFF
 1900 - 1055 W. HASTINGS ST.
 VANCOUVER, B.C.
 V6E 2E9

Project: M586
 Comments: CC: MURRAY HITZMAN CC: ZIATO REBIC

Page No.: 1-B
 Tot. Pages: 1
 Date: 9-OCT-89
 Invoice #: I-8926329
 P.O. #: 30639

CERTIFICATE OF ANALYSIS A8926329

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
400151	205 238	< 1	0.01	12	100	58	25	1	3	0.01	10	< 10	< 1	< 10	32
400152	205 238	< 1	0.02	13	140	128	25	2	3	0.02	20	10	< 1	< 10	28
400153	205 238	< 1	0.04	50	50	40	170	2	17	0.07	20	10	< 1	< 10	790
400154	205 238	< 1	0.01	17	240	158	210	3	5	0.07	20	< 10	2	< 10	44
400155	205 238	< 1	0.03	14	130	254	25	1	5	0.02	20	10	< 1	< 10	18
400156	205 238	< 1	< 0.01	6	10	40	< 5	< 1	< 1	< 0.01	20	10	1	< 10	10
400157	205 238	< 1	< 0.01	4	20	12	< 5	1	1	< 0.01	30	30	11	< 10	12
400158	205 238	< 1	0.01	6	40	8	< 5	4	18	0.03	< 10	< 10	21	< 10	14

CERTIFICATION :

B. Coughlin



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
 MINERALS STAFF
 1900 - 1055 W. HASTINGS ST.
 VANCOUVER, B.C.
 V6E 2E9

PROJECT

A8926330

Comments: CC: MURRAY HITZMAN CC: ZIATO REBIC

CERTIFICATE A8926330

CHEVRON CANADA RESOURCES LTD
 PROJECT : M586
 P.O.# : 3063A

Samples submitted to our lab in Vancouver, BC.
 This report was printed on 9-OCT-89.

SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
205	5	Rock Geochem: Crush, split, ring
238	5	ICP: Aqua regia digestion

* NOTE 1:

The 32 element ICP package is suitable for trace metals in soil and rock samples. Elements for which the nitric-aqua regia digestion is possibly incomplete are: Al, Ba, Be, Ca, Cr, Ga, K, La, Mg, Na, Sr, Ti, Tl, W.

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
100	5	Au ppb: Fuse 10 g sample	FA-AAS	5	10000
921	5	Al %: 32 element, soil & rock	ICP-AES	0.01	15.00
922	5	Ag ppm: 32 element, soil & rock	ICP-AES	0.2	200
923	5	As ppm: 32 element, soil & rock	ICP-AES	5	10000
924	5	Ba ppm: 32 element, soil & rock	ICP-AES	10	10000
925	5	Be ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
926	5	Bi ppm: 32 element, soil & rock	ICP-AES	2	10000
927	5	Ca %: 32 element, soil & rock	ICP-AES	0.01	15.00
928	5	Cd ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
929	5	Co ppm: 32 element, soil & rock	ICP-AES	1	10000
930	5	Cr ppm: 32 element, soil & rock	ICP-AES	1	10000
931	5	Cu ppm: 32 element, soil & rock	ICP-AES	1	10000
932	5	Fe %: 32 element, soil & rock	ICP-AES	0.01	15.00
933	5	Ga ppm: 32 element, soil & rock	ICP-AES	10	10000
951	5	Hg ppm: 32 element, soil & rock	ICP-AES	1	10000
934	5	K %: 32 element, soil & rock	ICP-AES	0.01	10.00
935	5	La ppm: 32 element, soil & rock	ICP-AES	10	10000
936	5	Mg %: 32 element, soil & rock	ICP-AES	0.01	15.00
937	5	Mn ppm: 32 element, soil & rock	ICP-AES	5	10000
938	5	Mo ppm: 32 element, soil & rock	ICP-AES	1	10000
939	5	Na %: 32 element, soil & rock	ICP-AES	0.01	5.00
940	5	Ni ppm: 32 element, soil & rock	ICP-AES	1	10000
941	5	P ppm: 32 element, soil & rock	ICP-AES	10	10000
942	5	Pb ppm: 32 element, soil & rock	ICP-AES	2	10000
943	5	Sb ppm: 32 element, soil & rock	ICP-AES	5	10000
958	5	Sc ppm: 32 elements, soil & rock	ICP-AES	1	100000
944	5	Sr ppm: 32 element, soil & rock	ICP-AES	1	10000
945	5	Ti %: 32 element, soil & rock	ICP-AES	0.01	5.00
946	5	Tl ppm: 32 element, soil & rock	ICP-AES	10	10000
947	5	U ppm: 32 element, soil & rock	ICP-AES	10	10000
948	5	V ppm: 32 element, soil & rock	ICP-AES	1	10000
949	5	W ppm: 32 element, soil & rock	ICP-AES	10	10000
950	5	Zn ppm: 32 element, soil & rock	ICP-AES	2	10000



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project: M586

Comments: CC: MURRAY HITZMAN CC: ZIATO REBIC

Page No. : 1-A
Tot. Pages: 1
Date : 9-OCT-89
Invoice # : I-8926330
P.O. # : 30638

CERTIFICATE OF ANALYSIS A8926330

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
ZR-06	205 238	< 5	1.10	1.6	15	80	0.5	2	0.15	1.5	1	17	246	1.21	10	1	0.44	40	0.19	50
ZR-07	205 238	< 5	1.91	5.8	20	110	0.5	8	0.10	12.0	9	101	2550	4.58	10	2	0.83	30	0.71	1200
ZR-08	205 238	< 5	1.35	1.0	20	120	0.5	2	0.07	36.0	11	71	152	2.60	10	< 1	0.86	40	0.43	495
ZR-09	205 238	< 5	3.24	2.8	10	140	1.0	< 2	0.07	4.5	7	49	414	6.59	20	< 1	1.21	20	1.33	540
ZR-10	205 238	< 5	1.64	0.6	10	200	0.5	2	0.07	6.5	10	47	15	2.72	10	2	1.15	40	0.55	245

CERTIFICATION : B. Coughlin



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project: M586

Comments: CC: MURRAY HITZMAN CC: ZIATO REBIC

Page No. : 1-B
Tot. Pages: 1
Date : 9-OCT-89
Invoice #: I-8926330
P.O. #: 30638

CERTIFICATE OF ANALYSIS A8926330

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
ZR-06	205 238	1	< 0.01	5	1000	2760	< 5	2	6	0.03	< 10	< 10	7	< 10	480
ZR-07	205 238	1	0.01	14	230	2710	< 5	3	4	0.09	< 10	< 10	11	< 10	3640
ZR-08	205 238	< 1	0.02	15	280	316	< 5	2	4	0.10	20	< 10	10	< 10	5490
ZR-09	205 238	< 1	0.01	19	230	2600	5	3	3	0.13	< 10	< 10	16	< 10	662
ZR-10	205 238	< 1	0.02	19	260	68	< 5	2	4	0.14	< 10	< 10	11	< 10	610

CERTIFICATION :

B. Coughlin