





# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
 NORTH VANCOUVER, B.C.  
 CANADA V7J 2C1  
 TELEPHONE: (604)984-0221  
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS
-------------------------

TO : JMT SERVICES CORP;  
 8827 HUDSON ST;  
 VANCOUVER, B.C.  
 V6B 4N1

CERT. # : A8011372-001-A  
 INVOICE # : 41176  
 DATE : 11-DEC-80  
 P.O. # : NONE

IRON MTN

M-491

Sample description	Prep code	Cu ppm	Pb ppm	Zn ppm	Ba ppm		
49N 52+00E	201	28	4	84	1040	--	--
49N 52+50E	201	64	4	88	1160	--	--
49N 53+00E	201	26	2	46	880	--	--
49N 53+50E	201	20	2	40	840	--	--
49N 54+00E	201	28	2	78	1000	--	--
49N 54+50E	201	26	2	80	960	--	--
49N 55+00E	201	22	2	54	800	--	--
49N 55+50E	201	22	2	42	840	--	--
49N 56+00E	201	38	2	68	780	--	--
49N 56+50E	201	30	2	72	860	--	--
49N 57+00E	201	28	2	34	1000	--	--
49N 57+50E	201	26	2	50	940	--	--
49N 58+00E	201	62	1	32	920	--	--
49N 58+50E	201	18	1	40	920	--	--
49N 59+00E	201	26	2	70	900	--	--
49N 59+50E	201	22	1	50	960	--	--
49N 60+00E	201	28	2	64	1000	--	--
49N 60+50E	201	24	1	42	860	--	--
49N 61+00E	201	54	1	36	760	--	--
49N 61+50E	201	26	1	62	820	--	--
49N 62+00E	201	30	1	32	900	--	--
49N 62+50E	201	20	1	38	880	--	--
49N 63+00E	201	22	2	52	860	--	--
50N 51+50E	201	26	4	166	1100	--	--
50N 52+00E	201	22	2	94	1100	--	--
50N 52+50E	201	26	6	56	880	--	--
50N 52+89E	201	24	1	52	940	--	--
50N 53+72E	201	30	2	52	1040	--	--
50N 54+00E	201	30	1	46	920	--	--
50N 54+50E	201	26	1	38	780	--	--
50N 55+00E	201	22	2	50	900	--	--
50N 55+50E	201	22	1	82	920	--	--
50N 56+00E	201	18	1	68	880	--	--
50N 56+50E	201	18	1	36	920	--	--
50N 57+00E	201	26	1	48	940	--	--
50N 57+50E	201	24	2	36	880	--	--
50N 58+00E	201	30	1	36	880	--	--
50N 58+50E	201	14	2	112	540	--	--
50N 59+00E	201	16	2	62	820	--	--
50N 59+50E	201	28	1	46	660	--	--



MEMBER  
 CANADIAN TESTING  
 ASSOCIATION

Certified by Hart Bichler



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
 NORTH VANCOUVER, B.C.  
 CANADA V7J 2C1  
 TELEPHONE: (604)984-0221  
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS
-------------------------

TO : JMT SERVICES CORP;  
 8827 HUDSON ST;  
 VANCOUVER, B.C.  
 V6B 4N1

CERT. # : A8011372-002-A  
 INVOICE # : 41176  
 DATE : 11-DEC-80  
 P.O. # : NONE  
 M-491

Sample description	Prep code	Cu ppm	Pb ppm	Zn ppm	Ba ppm		
50N 60+00E	201	16	2	52	720	--	--
50N 60+50E	201	28	2	42	700	--	--
50N 61+00E	201	38	8	90	920	--	--
50N 61+50E	201	34	2	58	740	--	--
50N 62+00E	201	24	1	90	660	--	--
50N 62+50E	201	18	1	50	740	--	--
50N 62+90E	201	22	1	58	700	--	--
51N 51+50E	201	22	2	142	780	--	--
51N 52+00E	201	40	4	174	980	--	--
51N 52+50E	201	34	2	82	800	--	--
51N 53+00E	201	28	2	56	820	--	--
51N 54+00E	201	30	2	64	840	--	--
51N 54+50E	201	24	1	36	740	--	--
51N 55+00E	201	20	2	74	800	--	--
51N 55+50E	201	12	2	48	740	--	--
51N 56+00E	201	24	2	104	760	--	--
51N 56+50E	201	58	4	58	840	--	--
51N 57+00E	201	28	4	84	780	--	--
51N 57+50E	201	20	2	42	740	--	--
51N 58+00E	201	24	2	100	600	--	--
51N 58+50E	201	28	2	92	680	--	--
51N 59+00E	201	24	4	96	760	--	--
51N 59+50E	201	20	1	72	740	--	--
51N 60+00E	201	16	1	56	720	--	--
52N 55+00E	201	22	2	114	820	--	--
52N 55+50E	201	16	2	80	760	--	--
52N 56+00E	201	38	2	122	740	--	--
52N 56+50E	201	26	1	98	700	--	--
52N 57+00E	201	22	2	132	780	--	--
52N 57+50E	201	14	1	64	640	--	--
52N 58+00E	201	22	2	100	680	--	--
52N 58+50E	201	28	2	34	700	--	--
52N 59+00E	201	22	2	40	700	--	--
52N 59+50E	201	20	2	60	660	--	--
52N 60+00E	201	24	1	68	740	--	--
52N 60+50E	201	20	2	66	720	--	--
52N 61+00E	201	16	2	58	680	--	--
52N 61+50E	201	22	2	50	720	--	--
52N 62+00E	201	22	6	250	660	--	--
52N 63+00E A	201	24	1	58	660	--	--

*Hart Bichler*

Certified by .....





# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
 NORTH VANCOUVER, B.C.  
 CANADA V7J 2C1  
 TELEPHONE: (604)984-0221  
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS
-------------------------

TO : JMT SERVICES CORP;  
 8827 HUDSON ST;  
 VANCOUVER, B.C.  
 V6B 4N1

CERT. # : A8011372-003-A  
 INVOICE # : 41176  
 DATE : 11-DEC-80  
 P.O. # : NONE  
 M-491

Sample description	Prep code	Cu ppm	Pb ppm	Zn ppm	Ba ppm		
52N 63+00E B	201	20	1	44	640	--	--
53N 55+00E	201	40	4	124	1320	--	--
53N 55+50E	201	24	2	158	860	--	--
53N 56+00E	201	24	2	104	840	--	--
53N 56+50E	201	58	1	72	800	--	--
53N 57+00E	201	24	2	78	780	--	--
53N 57+50E	201	56	1	38	1000	--	--
53N 58+00E	201	20	2	30	620	--	--
53N 58+50E	201	20	1	40	740	--	--
53N 59+00E	201	18	1	24	780	--	--
53N 59+50E	201	18	1	24	720	--	--
53N 60+00E	201	14	2	38	740	--	--
53N 60+50E	201	108	1	32	820	--	--
53N 61+00E	201	64	1	32	760	--	--
53N 61+50E	201	30	1	24	820	--	--
53N 62+00E	201	22	1	56	760	--	--
53N 62+50E	201	16	1	42	700	--	--
53N 63+00E	201	26	2	82	720	--	--
54N 55+00E	201	26	1	112	900	--	--
54N 55+50E	201	32	1	30	880	--	--
54N 56+00E	201	28	1	106	920	--	--
54N 56+50E	201	66	2	114	1260	--	--
54N 57+00E (1)	201	26	1	56	880	--	--
54N 57+00E (2)	201	54	1	32	1100	--	--
54N 57+50E	201	22	1	40	840	--	--
54N 58+00E	201	20	1	40	860	--	--
54N 58+50E	201	20	2	34	860	--	--
54N 59+00E	201	16	2	64	820	--	--
54N 59+50E	201	26	1	34	840	--	--
54N 60+00E	201	16	1	24	860	--	--
54N 60+50E	201	18	1	42	640	--	--
54N 61+00E	201	30	2	38	660	--	--
54N 62+00E	201	22	2	68	620	--	--
54N 62+50E	201	18	2	82	600	--	--
54N 63+00E	201	30	1	108	720	--	--
55N 55+00E	201	20	2	60	720	--	--
55N 55+62E	201	30	1	66	1060	--	--
55N 56+00E	201	56	2	60	1040	--	--
55N 56+50E	201	40	1	68	1000	--	--
55N 57+00E	201	34	1	10	460	--	--

*Hart Bickler*

Certified by .....



MEMBER  
 CANADIAN TESTING  
 ASSOCIATION



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
 NORTH VANCOUVER, B.C.  
 CANADA V7J 2C1  
 TELEPHONE: (604)984-0221  
 TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : JMT SERVICES CORP;  
 8827 HUDSON ST;  
 VANCOUVER, B.C.  
 V6B 4N1

CERT. # : A8011372-004-A  
 INVOICE # : 41176  
 DATE : 11-DEC-80  
 P.O. # : NONE  
 M-491

Sample description	Prep code	Cu ppm	Pb ppm	Zn ppm	Ba ppm		
55N 58+00E	201	24	1	32	800	--	--
55N 58+50E	201	26	1	32	720	--	--
55N 59+00E	201	22	2	40	680	--	--
55N 59+50E	201	28	1	48	700	--	--
55N 60+00E	201	18	1	62	700	--	--
55N 60+50E	201	16	1	38	760	--	--
55N 61+00E	201	24	1	56	680	--	--
55N 61+50E	201	18	1	46	700	--	--
55N 62+00E	201	26	1	96	580	--	--
55N 62+50E	201	22	2	108	700	--	--
55N 63+00E	201	22	2	168	720	--	--
56N 55+00E	201	20	1	30	800	--	--
56N 55+50E	201	24	1	76	680	--	--
56N 56+00E	201	22	1	44	740	--	--
56N 56+50E	201	28	1	48	800	--	--
56N 56+90E	201	74	2	38	1040	--	--
56N 57+50E	201	18	1	56	700	--	--
56N 58+00E	201	34	4	46	900	--	--
56N 58+50E	201	20	2	52	680	--	--
56N 59+00E	201	18	1	64	740	--	--
56N 59+50E	201	22	1	60	900	--	--
56N 60+00E	201	22	1	36	760	--	--
56N 60+50E	201	34	8	76	760	--	--
56N 61+00E	201	24	2	44	840	--	--
56N 61+50E	201	58	2	62	1060	--	--
56N 62+00E	201	30	1	44	780	--	--
56N 62+50E	201	24	1	64	720	--	--
56N 63+00E	201	40	1	68	780	--	--
57N 52+50E	201	48	2	44	580	--	--
57N 55+00E	201	24	1	40	700	--	--
57N 55+50E	201	44	2	54	860	--	--
57N 56+00E	201	18	2	52	780	--	--
57N 56+50E	201	18	1	62	660	--	--
57N 57+00E	201	24	1	28	840	--	--
57N 57+50E	201	24	1	46	800	--	--
57N 58+00E	201	18	1	34	780	--	--
57N 58+50E	201	34	2	68	800	--	--
57N 59+00E	201	18	2	40	800	--	--
57N 59+50E	201	20	1	54	820	--	--
57N 60+00E	201	18	1	46	820	--	--



MEMBER  
 CANADIAN TESTING  
 ASSOCIATION

Certified by *Hart Richler*



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
 NORTH VANCOUVER, B.C.  
 CANADA V7J 2C1  
 TELEPHONE: (604)984-0221  
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS
-------------------------

TO : JMT SERVICES CORP;  
 8827 HUDSON ST;  
 VANCOUVER, B.C.  
 V6B 4N1

CERT. # : A8011372-005-A  
 INVOICE # : 41176  
 DATE : 11-DEC-80  
 P.O. # : NONE  
 M-491

Sample description	Prep code	Cu ppm	Pb ppm	Zn ppm	Ba ppm		
57N 61+00E	201	20	2	48	720	--	--
57N 61+50E	201	42	4	100	660	--	--
57N 62+00E	201	28	4	74	540	--	--
57N 63+00E	201	30	4	70	720	--	--
58N 55+00E	201	44	2	84	800	--	--
58N 55+50E	201	16	2	56	740	--	--
58N 56+00E	201	20	1	80	700	--	--
58N 56+50E	201	24	2	46	760	--	--
58N 57+00E	201	24	1	34	760	--	--
58N 57+50E	201	26	2	82	780	--	--
58N 58+00E	201	12	1	164	700	--	--
58N 58+50E	201	38	2	76	880	--	--
58N 59+00E	201	28	4	108	960	--	--
58N 59+50E	201	16	1	46	740	--	--
58N 60+00E	201	22	1	60	680	--	--
58N 60+50E	201	36	1	36	760	--	--
58N 61+00E	201	22	1	42	740	--	--
58N 61+50E	201	16	1	60	680	--	--
58N 62+20E	201	24	1	36	700	--	--
58N 62+50E	201	22	1	62	740	--	--
58N 63+00E	201	20	2	68	760	--	--
59N 55+00E	201	50	2	74	540	--	--
59N 55+50E	201	24	2	70	760	--	--
59N 56+00E	201	32	1	48	740	--	--
59N 56+50E	201	70	6	230	820	--	--
59N 57+00E	201	24	1	42	710	--	--
59N 57+50E	201	32	2	32	670	--	--
59N 58+00E	201	26	2	68	650	--	--
59N 58+50E	201	26	1	72	700	--	--
59N 59+05E	201	32	4	108	670	--	--
59N 59+49E	201	32	2	58	640	--	--
59N 59+99E	201	50	2	106	580	--	--
59N 60+50E	201	22	2	98	660	--	--
59N 60+55E	201	28	1	52	630	--	--
59N 61+00E	201	26	2	54	620	--	--
59N 61+48E	201	26	2	48	700	--	--
59N 62+00E	201	24	1	50	680	--	--
59N 62+50E	201	28	2	80	660	--	--
59N 63+00E	201	28	2	88	650	--	--
60N 55+00E	201	22	2	48	720	--	--



Certified by *Hart Bichler*.....



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1  
TELEPHONE: (604)984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : JMT SERVICES CORP;  
8827 HUDSON ST;  
VANCOUVER, B.C.  
V6B 4N1

CERT. # : A8011372-006-A  
INVOICE # : 41176  
DATE : 11-DEC-80  
P.O. # : NONE  
M-491

Sample description	Prep code	Cu ppm	Pb ppm	Zn ppm	Ba ppm		
60N 55+50E	201	26	1	168	1000	--	--
60N 56+00E	201	20	1	42	800	--	--
60N 56+50E	201	20	1	44	750	--	--
60N 57+00E	201	28	2	52	800	--	--
60N 57+50E	201	10	1	92	740	--	--
60N 58+00E	201	12	1	46	720	--	--
60N 58+50E	201	24	1	40	700	--	--
60N 59+00E	201	20	1	110	860	--	--
60N 59+50E	201	26	1	50	900	--	--
60N 60+00E	201	28	1	68	740	--	--
60N 60+50E	201	18	1	66	580	--	--
60N 61+00E	201	26	1	62	720	--	--
60N 61+50E	201	30	2	48	730	--	--
60N 62+00E	201	22	2	44	760	--	--
60N 62+50E	201	34	4	122	730	--	--
60N 63+00E	201	14	2	50	740	--	--
NO NUMBER SAMPLE	201	20	2	28	1000	--	--

*Hart Bichler*

Certified by .....

