
CANADIAN-UNITED MINERALS, INC.

B.C.'s Newest Mineral Discovery Fireweed Property

Canadian-United Minerals' Fireweed project is an exciting new discovery with excellent potential to host significant silver-gold-base metal reserves. The property consists of 249 claim units (15,380 acres) located 34 miles northeast of Smithers, B.C., and is easily accessible by road. Canadian-United holds a 100% interest in the property subject to future property payments and N.S.R. royalty. Work to date has delineated a 3 mile long zone of anomalous I.P. containing at least two separate and distinct mineralized zones. Economic grades have been interestect in drilling at both the zones and mineralization is of the nature to suggest larger tonnage potentials. Management is extremely optimistic that a sizable ore body will be delineated.



The above diagram shows the central portion of the claim group, with drill hole locations, mineralized zones, and more prominent I.P. conductors indicated. Work to date has included extensive induced polarization (I.P.) and magnetic surveys, as well as a 32 hole–19,000 foot diamond drill program, all designed to evaluate the extensive strike length of the property.


At least five significant I.P. anomalies were identified by the above work. Diamond drilling has tested portions of four of these anomalies and has resulted in the discovery of two significant areas of sulphide mineralization — the West and East Zones. These zones occur within the same rock sequence and are similar in nature and origin. Future diamond drilling will focus on these zones.

West Zone

Drilling on the West Zone encountered important silver-base metal values over substantial widths.

Twenty drill holes in the vicinity have encountered widespread alteration and mineralization. Ten of these holes have intersected a specific high grade silver horizon, over a known strike length of at least 1300 feet, and to a vertical depth of 500 feet. Within this horizon, an 800 foot long section yielded an average silver grade of about 14 oz/ton, with roughly 3% lead-zinc, in eight intersections averaging 16.4 feet in width. This represents an approximate gold grade equivalent of .37 oz/ton. Assayable widths ranged up to 62 feet with individual assays to 41.08 oz/ton silver. This zone is open both along strike and to depth.

In addition, at least 6 massive sulfide horizons, ranging from 2.8 to 12.9 feet in width, were interesected in hole FW88-29. Grades up to 21.78% zinc, to 6.33% lead, to 7.27 oz/ton silver, to 0.86% copper and to .068 oz/ton gold were encountered. Some of the more significant assay results from the West Zone are shown opposite.



Hole #	Interval (ft)	Width (ft)	Ag 0%/T	Z n %	Рь %	Au 0%/T
FW88-7	242.7-249.3	6.6	2.08		_	_
FW88-8	308.4-321.5	13.1	18.89	2.11	1.00	_
FW88-22	182.0-224.7	42.7	17.17	3.07	1.79	_
FW88-24	218.8-257.2	38.4	12.95	1.93	0.97	_
FW88-25	86.6-148.9	62.3	6.04	0.77	0.52	_
incl.	99.7-109.6	9.9	16.33	1.98	1.50	_
FW88-26	406.8-432.2	16.4	1.69	3.83	4.02	_
FW88-28	230.0-233.3	3.3	3.76	10.15	4.24	
FW88-28	391.4-398.0	6.6	9.26	1.75	0.46	_
FW88-29	79.1- 95.5	16.4	1.96	11.13	1.17	0.009
FW88-29	108.9-119.7	10.8	4.41	15.50	4.72	0.032
FW88-29	132.9-136.2	3.3	4.40	21.78	4.36	0.024
FW88-29	145.6-152.2	6.6	1.55	5.05	1.24	0.030
FW88-29	185.4-198.5	13.1	4.53	18.82	5.37	0.055
FW88-29	210.9-214.2	3.3	1.48	2.75	3.26	0.004
FW88-31	371.4-404.2	32.8	3.75	_	-	_
incl.	391.1-400.9	9.8	6.49	1.19	_	_
FW88-31	456.7-492.8	36.1	6.00	_		_
incl.	456.7-463.2	6.6	15.79	1.87	2.07	_

East Zone

Located 1.5 miles east of the West Zone, this zone consists of a coincidental I.P. Mag anomaly over three quarters of a mile long. Three holes drilled over a 1,000 foot section of the anomaly intersected variable widths of near massive iron sulphide containing significant base and precious metal values. A 150 foot interval near the top of hole 19 contained sulphide concentrations of between 10% and 100% and gold values ranging between 0.02 and 0.20 ounces per ton.

Some of the better mineralized intersections from Fireweed East are indicated opposite.

Hole #	Depth (ft)	Width (ft)	Au (oz/t)	Cu %	Ag (oz/t)	Z n %
FW88-12	130-139.8	9.8	.003	.62	.63	_
FW88-19	209-265	56	.02	.31	.57	_
	278-288	10	.045	.10	.11	_
	308-321	13	.111	.41	.47	_
including	311-318	8	.197	.58	.60	_
_	337-351	20	.027	.35	.65	_
FW88-21	153-165	12	_	.09	.92	8.87

For further information contact:
Robert Holland of CUN Management
#325 - 1130 W. Pender St.
Vancouver, B.C. V6E 4A4
Tel (604) 689-3308
Fax (604) 682-6275