

860257

Burns Claims

72-11

This hole generally
fresh and unaltered
except for very little veining
274-335 ~ sheared

fractured and
gouged "

on the hole not ✓
alt

72-10

— 137 monzon

138-147 pink fels alt

256-274 occas good Mos.
assoc. pink fels.
minor py sp

274

grey green pink
qtz eye alaskite

274

436 Alaskite

marker nearly as impressive

as

#

72-7

72-1 first part alt sil monzon
lower part fresh syenite
- diorite
- most fractures vertically

72-6 fresh monzonite
130-143 gougey fault
↓
then alt frac
occas down-the-holes
fels gtz str w M_2S_2

Over the whole VVW margin
mostly monzon w much frac
& faulting & little M_2S_2
but best near pink feldspathization
worst near epidotization
Would not have given rise to Δ
or gneiss

72-7 good alt m
 - much faulting
 should have gone deeper


72-7

75-90 ore grade due to
 poss Mosy veins and slugs
 to 130' // core
 poss to 200' (Best hole so far)

about 300 greyish green
 talcy - sericite alt m
 stars

after 375 - more intense
 after 445 - extreme

poss
 major
 faults.



softly alt m
 yellowish w blue
 Qtz eyes & decomposed
 locally pretty good Mosy
 with or without QV

to 477

509 - sl. more mafic
 wavy yellow green
 alt m Qtz veins w Mosy

591 end
 hole should have gone deeper

72-11 Trench

Other end

" 196 N, 165 E "
 20' E of
 TSL

