




TOPOGRAPHY



RESISTIVITY (ohm-m)




chargeability (mvpervolt)



METAL FACTOR (ip/res \* 1000)

### Line 1500 N

Dipole-Pole Array



Filtered Profiles

- Resistivity ----- \*
  - Polarization ===== \*\*
  - Metal Factor ----- \*\*\*
- filter  
\*  
\*\*  
\*\*\*  
\*\*\*\*
- Logarithmic Contours 1, 1.5, 2, 3, 5, 7.5, 10, ...

Instrument: Rx. Huntec Mk IV. Tx. Huntec 2.5 kW  
Operator: R.S

### INTERPRETATION

- Well defined, strong increase in polarization with or without marked decrease in resistivity.
- Fairly well defined moderate increase in polarization.
- Poorly defined polarization increase.
- Resistivity feature.

PACIFIC RIM MINING CORP.

### INDUCED POLARIZATION SURVEY



Snow Claim  
Omineca M.D., B.C.

Date: 89/11/19 N.T.S.: 93L/12  
Scale: 1 : 2500


PETER E WALCOTT & ASSOC. LTD.

860501


093L297




TOPOGRAPHY



RESISTIVITY  
(ohm-m)




chargeability  
(mV/V)



INTERPRETATION  
METAL FACTOR  
(ip/res \* 1000)

### Line 1600 N

Dipole-Pole Array



Filtered Profiles

	filter
Resistivity	----- *
Polarization	===== **
Metal Factor	----- ***
	*****
Logarithmic Contours	1, 1.5, 2, 3, 5, 7.5, 10, ...

Instrument: Rx. Huntec Mk IV, Tx. Huntec 2.5 Kw

Operator: R.S.

### INTERPRETATION

- Well defined; strong increase in polarization with or without marked decrease in resistivity.
- Fairly well defined moderate increase in polarization.
- Poorly defined polarization increase.
- Resistivity feature.

PACIFIC RIM MINING CORP.



### INDUCED POLARIZATION SURVEY

Snow Claim  
Omineca M.D., B.C.


Date: 89/11/19 N.T.S.: 93L/12

Scale: 1 : 2500


PETER E WALCOTT & ASSOC. LTD.



TOPOGRAPHY




RESISTIVITY (ohm-m)



chargeability (miv/volt)


INTERPRETATION



METAL FACTOR (ip/res \* 1000)

### Line 1650 N

Dipole-Pole Array



Filtered Profiles

- |                      |       |        |                               |
|----------------------|-------|--------|-------------------------------|
| Resistivity          | ----- | filter | *                             |
| Polarization         | ===== |        | **                            |
| Metal Factor         | ----- |        | ***                           |
|                      |       |        | ****                          |
| Logarithmic Contours |       |        | 1, 1.5, 2, 3, 5, 7.5, 10, ... |

Instrument: Rx. Hunted Mk IV, Tx. Hunted 2.5 Kw  
Operator: R.S.

### INTERPRETATION

- Well defined, strong increase in polarization with or without marked decrease in resistivity.
- Fairly well defined moderate increase in polarization.
- Poorly defined polarization increase.
- Resistivity feature.

PACIFIC RIM MINING CORP.






INDUCED POLARIZATION SURVEY

Snow Claim  
Omineca M.D., B.C.

Date: 89/11/19 N.T.S.: 93L/12

Scale: 1 : 2500

PETER E WALCOTT & ASSOC. LTD.



TOPOGRAPHY

RESISTIVITY  
(ohm-m)


chargeability  
(mvpervolt)

INTERPRETATION

METAL FACTOR  
(ip/res \* 1000)

Line 1700 N

Dipole-Pole Array



Filtered Profiles

- Resistivity ——— filter \*
- Polarization ——— \*\*
- Metal Factor - - - - - \*\*\*
- Logarithmic Contours 1, 1.5, 2, 3, 5, 7.5, 10, ...

Instrument: Rx. Huntec Mk IV, Tx. Huntec 2.5 Kw

Operator: R.S

INTERPRETATION

- Well defined, strong increase in polarization with or without marked decrease in resistivity.
- Fairly well defined moderate increase in polarization.
- Poorly defined polarization increase.
- Resistivity feature.

PACIFIC RIM MINING CORP.



INDUCED POLARIZATION SURVEY

Snow Claim  
Omineca M.D., B.C.

Date: 89/11/19 N.T.S.: 93L/12


Scale: 1 : 2500

PETER E WALCOTT & ASSOC. LTD.



FILTERED PROFILES

**Line 1800 N**



Filtered Profiles

Resistivity: ———— \*  
 Polarization: = = = = \* \* \*  
 Metal Factor: - - - - \* \* \* \*


Logarithmic Contours: 1, 1.5, 2, 3, 5, 7.5, 10, ...

Instrument: Rx. Huntex M-1W, Tx. Huntex 2.5 Kw


Operator: R.S

INTERPRETATION

- ▬ Well defined, strong increase in polarization with or without marked decrease in resistivity.
- ▬▬▬▬ Fairly well defined moderate increase in polarization.
- - - - Poorly defined polarization increase.
- — — — Resistivity feature.




RESISTIVITY  
(ohm-m)



chargeability  
(mvp/volt)

INTERPRETATION



METAL FACTOR  
(ip/res \* 1000)

PACIFIC RIM MINING CORP.



INDUCED POLARIZATION SURVEY

Snow Claim  
Omineca M.D., B.C.

Date: 89/11/19 N.T.S.: 93L/12

Scale: 1 : 2500


PETER E WALCOTT & ASSOC. LTD.



FILTERED PROFILES

### Line 1900 N

Dipole-Pole Array



### Filtered Profiles


Resistivity	-----	filter	*
Polarization	=====		**
Metal Factor	-----*		***
			****

Logarithmic Contours 1, 1.5, 2, 3, 5, 7.5, 10, ...

Instrument: Rx. Huntec Mk IV, Tx. Huntec 2.5 Kw  
Operator: R.S.


### INTERPRETATION

- Well defined, strong increase in polarization with or without marked decrease in resistivity.
- Fairly well defined moderate increase in polarization.
- Poorly defined polarization increase.
- Resistivity feature.




TOPOGRAPHY

RESISTIVITY (ohm-m)



chargeability (mVpervolt)

INTERPRETATION



METAL FACTOR (ip/res. \* 1000)

PACIFIC RIM MINING CORP.







### INDUCED POLARIZATION SURVEY

Snow Claim  
Omineca M.D., B.C.

Date: 89/11/19 N.T.S.: 93L/12

Scale: 1 : 2500

PETER E WALCOTT & ASSOC. LTD.



Filtered Profiles

Resistivity ----- filter \*

Polarization ----- \*\*

Metal Factor ----- \*\*\*

Logarithmic Contours 1, 1.5, 2, 3, 5, 7.5, 10, ...

Instrument: Rx. Huntec Mk IV, Tx. Huntec 2.5 Kw

Operator: R.S

INTERPRETATION

Well defined, strong increase in polarization with or without marked decrease in resistivity.

Fairly well defined moderate increase in polarization.

Poorly defined polarization increase.

Resistivity feature.

PACIFIC RIM MINING CORP.



INDUCED POLARIZATION SURVEY

Snow Claim  
 Omineca M.D., B.C.

Date: 89/11/19 N.T.S.: 93L/12

Scale: 1 : 2500


PETER E WALCOTT & ASSOC. LTD.



FILTERED PROFILES

### Line 8300 E

Dipole-Pole Array




### Filtered Profiles

- Resistivity ----- \*
  - Polarization ----- \*\*
  - Metal Factor ----- \*\*\*
- filter  
\*  
\*\*  
\*\*\*  
\*\*\*\*
- Logarithmic  
Contours 1, 1.5, 2, 3, 5, 7.5, 10, ...


Instrument: Rx. Huntec Mk. IV, Tx. Huntec 2.5 Kw  
Operator: R.S

### INTERPRETATION

- Well defined, strong increase in polarization with or without marked decrease in resistivity.
- Fairly well defined moderate increase in polarization.
- Poorly defined polarization increase.
- Resistivity: feature.




RESISTIVITY  
(ohm-m)



chargeability  
(mV/Volt)

### INTERPRETATION



METAL FACTOR  
(ip/res \* 1000)

PACIFIC RIM MINING CORP.

INDUCED POLARIZATION SURVEY

Snow Claim  
Omineca M.D., B.C.

Date: 89/11/19 N.T.S.: 93L/12

Scale: 1 : 2500

PETER E. WALCOTT & ASSOC. LTD.



