

→ ROB PEASE  
PLACER DOME:

Allin Property  
093L 293

MAY 3 1993  
Box 2059  
PRINCE GEORGE BC  
V2N 2J6  
564-2204

RE: CAPITAL CLAIMS WORK, 1992  
EQUITY SILVER AREA.

860515

ENCLOSED PLEASE FIND:

- (1) Location map 1:50,000 showing work area in relation to Equity Silver, and also showing logging roads & blocks (from air photos).
- (2) Float sample location map (on a 1:15000 air photos), showing all float samples to date.

NOTE: the probable ice direction indicated on the air photos - yet to be confirmed by till direction analysis.

NOTE: the ULF conductor at the North end of the sampled area. This conductor, which could ??? be the source of the mineralized boulders, is open on both ends, as it is as far as I got before being chased out by a snow storm last fall. This conductor is nearly East-West, almost parallel to and between the East-West oriented lines on which geochem, mag, resistivity and IP  $\rho$  were done previously.

- (3) Assays for samples (not previously submitted to Equity).

Gary Klein.



10543

10541

10542

10545

10544

10540

10539

10538

10537

10549

10550

10536

10548

10547

10535

10552  
10553

10554  
10558

10557  
10556

10534

10546

10533

10532

10526

10525

10527

10555

10560

10559

10528

10529

10530

10524

10522

10531

10523

10521

APPROX 1:15000

60,000  
30,000



- 5 1 0 0 - 5

2 7 2 - 6 2

4 0 0

1 0 0 0 4 0 -

30 BCB 91178 No. 174



10543

VLF CONDUCTOR

10541

10569

10542

10570, 71, 72

10545

10540

10544

10539

10538

10537, 10549, 10550

10536, 10548

10547

10535

10552

10553

10554

10555

10556

10557

10558

PROBABLE ICE DIRECTION

10534, 10546

10533, 10548

10526, 10527

10525, 10528

10529

10530

10565, 66

10557

10558

10560

10559

10524

10522

10531

10523

ALLIN CREEK

0 0 0 0 0 0

*7th - Dipole  
564-2204  
28 m. S.W.*

APPROX 1:15000

EQUITY AREA FLOAT SAMPLE LOCATIONS

SAMPLE LOCATIONS NOT UP TO DATE July 12/93 GK

A

10521

691 ON 82116 BCB 02

- 0 4 0 0 0 1

0 0 4

2 9 - 2 1 2

5

- 0 0 1 5 -





## GEOCHEMICAL ANALYSIS CERTIFICATE

Equity Silver Mines Limited File # 92-2758 Page 1

P.O. Box 1450, Houston BC V0J 1Z0 Submitted by: GERALD KLEIM

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	M	Au*
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppb
10551	4	15	16	47	4	49	16	168	5.18	193	5	ND	3	25	.2	2	2	9	.04	.038	6	11	.02	27	.01	7	.27	.02	.16	1	7
10552	8	60	15	29	.1	39	16	67	6.21	63	5	ND	1	49	.2	8	3	3	.01	.021	4	3	.01	17	.01	4	.05	.01	.05	1	2
10553	2	11515	329	387	79.1	148	19	165	14.89	3653	5	ND	1	13	9.9	349	7	18	.04	.024	4	20	.03	11	.01	7	1.16	.02	.19	120	505
10554	3	52	14	88	.3	71	17	1013	5.93	17	5	ND	4	45	.2	2	2	91	.84	.212	13	45	2.14	32	.27	3	2.40	.07	.14	1	4
10555	8	13	14	13	.5	39	86	48	7.57	42	5	ND	1	5	.2	2	11	5	.01	.005	9	8	.02	15	.01	3	.08	.01	.06	1	24
10556	1	6255	400	14755	136.0	85	15	381	7.85	592	5	ND	2	57	236.9	136	145	19	.20	.100	4	21	.83	18	.01	6	1.73	.02	.26	2	1562
10557	1	157	14	127	1.3	62	17	290	5.21	120	5	ND	2	110	.8	2	2	47	.60	.203	18	45	2.01	39	.01	2	1.75	.05	.16	1	8
RE 10555	8	14	11	14	.4	38	87	43	7.61	42	5	ND	1	6	.2	2	12	5	.01	.006	9	7	.02	15	.01	2	.08	.01	.05	1	23
10558	1	57	10	136	1.1	43	12	870	5.23	26	5	ND	7	108	.4	2	2	114	1.00	.276	18	25	2.53	111	.14	2	2.57	.06	.11	1	5
10559	3	41	7	84	.1	51	18	453	4.36	40	5	ND	6	141	.2	2	4	59	.93	.177	16	33	1.64	44	.21	2	1.74	.09	.06	1	3
10560	2	205	34	313	1.9	78	20	1352	6.17	20	5	ND	3	61	2.5	4	2	72	.77	.225	11	25	1.94	27	.16	3	2.05	.08	.12	3	17
STANDARD C/AU-R	19	61	39	134	7.4	77	31	1089	3.96	43	18	7	40	53	18.7	15	21	60	.49	.086	41	61	.93	184	.09	34	1.94	.08	.16	11	510

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER. THIS LEACH IS PARTIAL FOR MN FE SR CA P LA CR MG BA TI B W AND LIMITED FOR NA K AND AL. AU DETECTION LIMIT BY ICP IS 3 PPM. ASSAY RECOMMENDED FOR ROCK AND CORE SAMPLES IF CU PB ZN AS > 1%, AG > 30 PPM & AU > 1000 PPB  
 - SAMPLE TYPE: P1 ROCK P2 SOIL AU\* ANALYSIS BY ACID LEACH/AA FROM 10 GM SAMPLE.  
 Samples beginning 'RE' are duplicate samples.

DATE RECEIVED: AUG 25 1992 DATE REPORT MAILED: Aug 28/92 SIGNED BY: C. Leung, J. D. TOYE, C. LEONG, J. WANG; CERTIFIED B.C. ASSAYER

10553 m-dk gy brecc-congl? shang-sbord clasts to lam common thru.  
 2 1/2 - 3% mass CP in large patches to 1/2 cm & stringers. about interstitial.  
 magnetite - sample is subrounded - discovered in recent washout since logging.

10556 similar to 10553, generally. however lacks clasts. - silicified sediment/volc?  
 sample is rounded to subrounded & pitted.





AUG-28-1992 0:53 FROM ACME ANALYTICAL

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Dd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	U ppm	Au <sup>g</sup> ppb
12W 8+75W	1	32	16	92	4	24	13	443	3.84	17	5	ND	1	81	2	2	2	72	.68	.148	25	34	.65	255	.09	2	2.11	.02	.08	1	3
RE 12N 7+25W	2	49	22	103	9	28	14	734	3.80	13	5	ND	1	104	2	2	2	73	.70	.126	32	38	.68	418	.07	2	2.17	.02	.09	1	10
12W 8+50W	1	55	23	114	1.2	28	14	641	3.66	18	5	ND	1	109	3	2	2	70	.60	.092	29	34	.59	338	.06	2	2.37	.02	.07	1	5
12W 8+25W	2	36	30	155	.7	28	17	506	4.92	21	5	ND	1	80	2	2	2	85	.64	.229	28	37	.62	253	.07	2	2.58	.02	.08	1	4
12W 8+00W	1	50	32	142	1.6	34	16	458	4.56	44	6	ND	1	97	3	4	2	76	.64	.155	26	36	.78	333	.07	5	2.96	.02	.09	1	6
12W 7+75W	1	43	21	96	.5	27	15	637	4.11	17	5	ND	4	94	2	4	2	81	.65	.123	33	45	.62	406	.16	2	1.92	.03	.09	1	6
12W 7+50W	2	89	25	108	1.7	30	18	979	4.07	26	5	ND	1	128	5	4	2	70	.65	.086	43	35	.66	564	.05	2	2.74	.02	.10	1	5
12W 7+25W	1	49	23	100	1.2	30	15	728	3.66	16	5	ND	1	101	2	4	2	71	.67	.117	31	36	.66	416	.07	2	2.12	.02	.09	1	7
12W 7+00W	2	79	27	122	1.6	38	19	885	4.42	20	5	ND	1	117	2	4	3	79	.70	.115	38	40	.70	458	.07	2	2.73	.02	.10	1	10
12W 6+75W	2	59	22	100	.7	32	17	768	4.07	25	5	ND	1	90	2	2	2	76	.62	.113	31	40	.59	372	.10	2	2.02	.03	.09	1	5
10W 7+25W	1	30	21	98	.3	34	20	463	4.56	19	5	ND	3	79	2	2	2	90	.59	.176	25	40	.63	305	.13	4	2.80	.03	.07	1	4
10W 7+00W	1	23	21	111	.4	27	14	341	3.76	17	5	ND	1	121	2	2	4	70	.74	.136	24	36	.60	297	.09	2	2.34	.02	.07	1	8
10W 6+75W	1	30	24	104	.3	36	16	576	4.19	15	5	ND	1	125	2	2	2	79	.78	.140	25	42	.70	333	.12	2	2.46	.03	.09	1	6
10W 6+50W	2	42	31	113	.4	35	18	901	4.27	17	5	ND	1	135	2	2	2	79	.84	.130	30	41	.75	317	.09	2	2.40	.02	.09	1	4
10W 6+25W	1	40	23	132	.4	40	19	545	4.50	25	5	ND	1	94	3	2	2	80	.67	.173	27	40	.80	347	.07	5	2.85	.02	.10	1	4
STANDARD C/AU-S	18	62	38	131	6.6	69	31	1054	3.96	38	17	7	36	52	18.0	14	20	56	.49	.067	37	60	.91	185	.08	34	1.96	.06	.14	13	48

Sample type: SOIL. Samples beginning 'RE' are duplicate samples.

TD 1-562-7045

P.003/003





## GEOCHEMICAL ANALYSIS CERTIFICATE



Equity Silver Mines Limited File # 92-2601R2

SAMPLE#	No ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Au* ppb
10547	26	99999	59	13175	505.1	44	16	353	39.65	575	5	ND	1	31	111.8	261	296	9	.23	101	2	7	.32	47	.01	19	1.00	.02	.01	550	5090

10547

505.1

575

111.8

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO<sub>3</sub>-H<sub>2</sub>O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER. THIS LEACH IS PARTIAL FOR NI FE SR CA P LA CR MG BA TI B W AND LIMITED FOR NA K AND AL. AU DETECTION LIMIT BY ICP IS 3 PPM. ASSAY RECOMMENDED FOR ROCK AND CORE SAMPLES IF CU PB ZN AS > 1%, AG > 30 PPM & AU > 1000 PPB  
 - SAMPLE TYPE: ROCK AU\* ANALYSIS BY ACID LEACH/AA FROM 10 GM SAMPLE.

DATE RECEIVED: AUG 28 1992 DATE REPORT MAILED: *Sept 1/92* SIGNED BY: *C. Leung* D. TOYE, C. LEONG, J. WANG; CERTIFIED B.C. ASSAYERS

*Attn: Gerald*

*1-562-7045 fax.*

*DARYL: THIS SAMPLE RE SUBMITTED AS IT WAS OBVIOUS ORIGINAL ANALYSIS WAS NOT FROM THIS SAMPLE - LAB FOUL UP -*

*OK.*

*massive CP + MG. in unknown host. - Sample size originally 130 grams. (the size of a plum).*





## GEOCHEMICAL ANALYSIS CERTIFICATE



G.H. Klein &amp; Associates File # 93-0966

Box 2059, Prince George BC V2N 2J6

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Au*
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppb
10573	4	74	47	92	.4	55	21	1240	5.44	12	16	<2	8	98	.4	<2	<2	119	1.39	.323	45	21	1.80	19	.14	5	2.00	.06	.17	<1	5
10574	3	183	9	131	.7	90	20	492	14.45	95	<5	<2	2	77	.3	6	<2	88	.16	.055	6	84	.69	16	.01	7	1.69	.01	.20	<1	85
10575	6	38	67	18	2.7	12	6	28	3.89	261	8	<2	3	62	<.2	8	6	8	.06	.005	13	3	.03	14	<.01	6	.54	.02	.34	<1	190
10576	2	8	26	78	.4	5	5	<2	7.04	180	<5	<2	<2	77	.2	4	<2	8	.10	.026	<2	3	.03	4	<.01	6	.32	.01	.19	<1	10
10577	2	23549	179	30136	118.6	33	11	<2	9.83	1657	24	<2	2	41	170.4	245	21	11	.04	.038	<2	32	.02	3	<.01	2	.79	<.01	.13	3	2040
RE 10577	3	23630	181	29685	120.6	32	10	<2	9.78	1656	19	2	2	40	175.0	256	22	11	.04	.037	<2	29	.02	3	<.01	2	.79	<.01	.14	2	2060
10578	2	48	191	502	1.1	6	17	7	5.41	16	<5	<2	4	36	3.0	2	2	2	.10	.035	2	2	.02	5	<.01	6	.29	.03	.17	1	8
10579	1	79	5	204	.1	89	19	705	4.08	31	<5	<2	2	222	1.0	<2	<2	58	3.37	.139	16	56	2.12	120	<.01	2	1.15	.03	.12	<1	4
10580	2	70	22	173	.6	53	9	771	5.55	16	8	<2	11	143	.7	<2	8	71	.74	.287	28	36	3.11	42	.01	4	2.61	.03	.23	<1	4
STANDARD C/AU-R	18	60	38	128	7.4	71	32	1017	3.96	40	21	7	36	53	19.0	18	20	55	.49	.088	38	58	.92	189	.09	34	1.88	.07	.15	12	490

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.

THIS LEACH IS PARTIAL FOR MN FE SR CA P LA CR MG BA TI B W AND LIMITED FOR NA K AND AL.

ASSAY RECOMMENDED FOR ROCK AND CORE SAMPLES IF CU PB ZN AS &gt; 1%, AG &gt; 30 PPM &amp; AU &gt; 1000 PPB

- SAMPLE TYPE: ROCK AU\* ANALYSIS BY ACID LEACH/AA FROM 10 GM SAMPLE. Samples beginning 'RE' are duplicate samples.DATE RECEIVED: MAY 27 1993 DATE REPORT MAILED: *Jan 1, 93* SIGNED BY: *[Signature]* D. TOYE, C. LEONG, J. WANG; CERTIFIED B.C. ASSAYERS





GEOCHEMICAL ANALYSIS CERTIFICATE



G.H. Klein & Associates File # 92-3770  
 Box 2059, Prince George BC V2N 2J6 Submitted by: Gerald Klein

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Au* ppb
10569	3	229	11751	45276	27.0	27	16	217	11.31	1021	5	ND	1	42	378.1	15	2	28	.13	.054	3	12	.11	19	.01	5	2.22	.01	.22	1	170
10570	3	586	173	380	7.6	60	17	303	7.48	148	5	ND	4	57	3.2	17	2	15	.15	.062	23	8	.19	64	.01	5	.94	.03	.30	2	89
10572	1	4825	48	137	23.3	57	24	185	10.77	510	5	ND	2	109	.8	17	56	16	.15	.067	5	28	.09	22	.01	2	.79	.01	.23	762	1240
K92 GISI	1	2407	24	93	1.3	217	272	286	16.63	16	8	ND	22	171	1.6	2	156	9	2.07	.286	282	15	.06	23	.13	2	1.83	.54	.09	31	1110
RE 10569	1	218	11460	44261	26.2	25	16	233	11.31	999	5	ND	2	39	369.7	15	2	27	.10	.055	4	12	.10	17	.01	6	2.12	.01	.21	1	170
STANDARD C/AU-R	17	58	39	129	7.1	68	31	1036	3.96	40	22	7	36	52	18.5	15	19	55	.49	.086	39	59	.92	182	.09	34	1.88	.06	.14	11	520

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER. THIS LEACH IS PARTIAL FOR MN FE SR CA P LA CR MG BA TI B W AND LIMITED FOR NA K AND AL. AU DETECTION LIMIT BY ICP IS 3 PPM. ASSAY RECOMMENDED FOR ROCK AND CORE SAMPLES IF CU PB ZN AS > 1%, AG > 30 PPM & AU > 1000 PPB  
 - SAMPLE TYPE: ROCK AU\* ANALYSIS BY ACID LEACH/AA FROM 10 GM SAMPLE. Samples beginning 'RE' are duplicate samples.

DATE RECEIVED: OCT 26 1992 DATE REPORT MAILED: *Oct 29/92* SIGNED BY: *C. Leong* D. TOYE, C. LEONG, J. WANG; CERTIFIED B.C. ASSAYERS





SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Au* ppb
10565	2	77	6	48	.2	42	19	172	3.77	23	5	ND	5	173	.2	2	2	61	1.24	.249	27	24	1.09	92	.14	6	1.51	.18	.39	1	16
10566	1	12301	123	1137	53.8	60	17	298	12.95	571	5	ND	1	18	5.9	38	12	8	.05	.020	2	1	.25	8	.01	6	.92	.01	.19	484	480
10567	4	103	10	119	.4	50	13	1008	4.98	18	5	ND	7	169	.2	2	5	92	1.42	.390	24	28	1.80	51	.25	2	2.03	.04	.09	1	5
10568	2	12568	512	240	257.5	35	27	247	19.96	1200	5	ND	1	52	1.3	160	223	19	.11	.030	4	21	.14	9	.01	4	1.98	.02	.31	1	2610

Sample type: ROCK.

AU\* ANALYSIS BY ACID LEACH/AA FROM 10 GM SAMPLE.





GEOCHEMICAL ANALYSIS CERTIFICATE



Equity Silver Mines Limited File # 92-2758 Page 1

P.O. Box 1450, Houston BC V0J 1Z0 Submitted by: GERALD KLEIN

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Au* ppb
10551	4	15	16	47	.4	49	16	168	5.18	193	5	ND	3	25	.2	2	2	9	.04	.038	6	11	.02	27	.01	7	.27	.02	.16	1	7
10552	8	60	15	29	.1	39	16	67	6.21	63	5	ND	1	49	.2	8	3	3	.01	.021	4	3	.01	17	.01	4	.05	.01	.05	1	2
10553	2	11515	329	387	79.1	148	19	165	14.89	3653	5	ND	1	13	9.9	349	7	18	.04	.024	4	20	.03	11	.01	7	1.16	.02	.19	128	505
10554	3	52	14	88	.3	71	17	1013	5.93	17	5	ND	4	45	.2	2	2	91	.84	.212	13	45	2.14	32	.27	3	2.40	.07	.14	1	4
10555	8	13	14	13	.5	39	86	48	7.57	42	5	ND	1	5	.2	2	11	5	.01	.005	9	8	.02	15	.01	3	.08	.01	.06	1	24
10556	1	6255	400	14755	136.0	85	15	381	7.85	592	5	ND	2	57	236.9	136	145	19	.20	.100	4	21	.83	18	.01	6	1.73	.02	.26	2	1562
10557	1	157	14	127	1.3	62	17	290	5.21	120	5	ND	2	110	.8	2	2	47	.60	.203	18	45	2.01	39	.01	2	1.75	.05	.16	1	8
RE 10555	8	14	11	14	.4	38	87	43	7.61	42	5	ND	1	6	.2	2	12	5	.01	.006	9	7	.02	15	.01	2	.08	.01	.05	1	23
10558	1	57	10	136	.1	43	12	870	5.23	26	5	ND	7	108	.4	2	2	114	1.00	.276	18	25	2.53	111	.14	2	2.57	.06	.11	1	5
10559	3	41	7	84	.1	51	18	453	4.36	40	5	ND	6	141	.2	2	4	59	.93	.177	16	33	1.64	44	.21	2	1.74	.09	.06	1	3
10560	2	205	34	313	1.9	78	20	1352	6.17	20	5	ND	3	61	2.5	4	2	72	.77	.225	11	25	1.94	27	.16	3	2.05	.08	.12	3	17
STANDARD C/AU-R	19	61	39	134	7.4	77	31	1089	3.96	43	18	7	40	53	18.7	15	21	60	.49	.086	41	61	.93	184	.09	34	1.94	.08	.16	11	510

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER. THIS LEACH IS PARTIAL FOR MN FE SR CA P LA CR MG BA TI B W AND LIMITED FOR NA K AND AL. AU DETECTION LIMIT BY ICP IS 3 PPM. ASSAY RECOMMENDED FOR ROCK AND CORE SAMPLES IF CU PB ZN AS > 1%, AG > 30 PPM & AU > 1000 PPB  
 - SAMPLE TYPE: P1 ROCK P2 SOIL AU\* ANALYSIS BY ACID LEACH/AA FROM 10 GM SAMPLE.  
Samples beginning 'RE' are duplicate samples.

DATE RECEIVED: AUG 25 1992 DATE REPORT MAILED: *Aug 28/92* SIGNED BY: *C. Leong* D.TOYE, C.LEONG, J.WANG; CERTIFIED B.C. ASSAYERS





SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Au <sup>a</sup> ppb
12N 8+75W	1	32	16	92	.4	24	13	443	3.84	17	5	ND	1	81	.2	2	2	72	.68	.148	25	34	.65	255	.09	2	2.11	.02	.08	1	3
RE 12N 7+25W	2	49	22	103	.9	28	14	734	3.80	13	5	ND	1	104	.2	2	2	73	.70	.126	32	38	.68	418	.07	2	2.17	.02	.09	1	10
12N 8+50W	1	55	23	114	1.2	28	14	641	3.66	18	5	ND	1	109	.3	2	2	70	.60	.092	29	34	.59	338	.06	2	2.37	.02	.07	1	5
12N 8+25W	2	36	30	155	.7	28	17	506	4.92	21	5	ND	1	80	.2	2	2	85	.64	.229	28	37	.62	253	.07	2	2.58	.02	.08	1	4
12N 8+00W	1	50	32	142	1.6	34	16	458	4.56	44	6	ND	1	97	.3	4	2	76	.64	.155	26	36	.78	333	.07	5	2.96	.02	.09	1	6
12N 7+75W	1	43	21	96	.5	27	15	637	4.11	17	5	ND	4	94	.2	4	2	81	.65	.123	33	45	.62	406	.16	2	1.92	.03	.09	1	6
12N 7+50W	2	89	25	108	1.7	30	18	979	4.07	26	5	ND	1	128	.5	4	2	70	.65	.086	43	35	.66	564	.05	2	2.74	.02	.10	1	5
12N 7+25W	1	49	23	100	1.2	30	15	728	3.66	16	5	ND	1	101	.2	4	2	71	.67	.117	31	36	.66	416	.07	2	2.12	.02	.09	1	7
12N 7+00W	2	79	27	122	1.6	38	19	885	4.42	20	5	ND	1	117	.2	4	3	79	.70	.115	38	40	.70	458	.07	2	2.73	.02	.10	1	10
12N 6+75W	2	59	22	100	.7	32	17	768	4.07	25	5	ND	1	90	.2	2	2	76	.62	.113	31	40	.59	372	.10	2	2.02	.03	.09	1	5
10N 7+25W	1	30	21	98	.3	34	20	463	4.56	19	5	ND	3	79	.2	2	2	90	.59	.176	25	40	.63	305	.13	4	2.80	.03	.07	1	4
10N 7+00W	1	23	21	111	.4	27	14	341	3.76	17	5	ND	1	121	.2	2	4	70	.74	.136	24	36	.60	297	.09	2	2.34	.02	.07	1	8
10N 6+75W	1	30	24	104	.3	36	16	576	4.19	15	5	ND	1	125	.2	2	2	79	.78	.140	25	42	.70	333	.12	2	2.46	.03	.09	1	6
10N 6+50W	2	42	31	113	.4	35	18	901	4.27	17	5	ND	1	135	.2	2	2	79	.84	.130	30	41	.75	317	.09	2	2.40	.02	.09	1	4
10N 6+25W	1	40	23	132	.4	40	19	545	4.50	25	5	ND	1	94	.3	2	2	80	.67	.173	27	40	.80	347	.07	5	2.85	.02	.10	1	4
STANDARD C/AU-S	18	62	38	131	6.6	69	31	1054	3.96	38	17	7	36	52	18.0	14	20	56	.49	.087	37	60	.91	185	.08	34	1.96	.06	.14	11	48

Sample type: SOIL. Samples beginning 'RE' are duplicate samples.





## GEOCHEMICAL ANALYSIS CERTIFICATE



Equity Silver Mines Limited

File # 92-2601

Page 1

P.O. Box 1450, Houston BC V0J 1Z0

Submitted by: GERALD KLEIN

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Au* ppb
10547	5	58	27	96	.9	70	23	1064	4.67	20	5	ND	7	144	.8	7	4	85	2.26	.139	24	79	2.37	128	.25	2	1.96	.13	.08	1	13
10548	2	45	12	107	.2	83	28	1222	5.38	16	5	ND	8	152	.3	2	5	102	2.82	.177	29	67	3.18	104	.22	2	2.39	.08	.04	1	2
10549	5	7	184	151	1.5	19	22	171	8.33	858	5	ND	4	58	1.8	7	3	22	.20	.015	7	29	.27	40	.02	2	1.89	.02	.32	1	6
10550	1	125	85	281	1.2	70	150	5162	22.17	16297	5	ND	3	385	1.9	20	28	71	2.33	.829	6	17	1.16	15	.01	2	6.68	.01	.02	1	4
STANDARD C	20	64	40	137	7.5	73	31	1082	4.09	43	21	7	40	48	18.9	15	21	60	.51	.092	40	61	.93	190	.09	37	1.99	.07	.16	11	-

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER. THIS LEACH IS PARTIAL FOR MN FE SR CA P LA CR MG BA TI B W AND LIMITED FOR NA K AND AL. AU DETECTION LIMIT BY ICP IS 3 PPM. ASSAY RECOMMENDED FOR ROCK AND CORE SAMPLES IF CU PB ZN AS > 1%, AG > 30 PPM & AU > 1000 PPB  
 - SAMPLE TYPE: P1 ROCK P2 SOIL AU\* ANALYSIS BY ACID LEACH/AA FROM 10 GM SAMPLE.

DATE RECEIVED: AUG 18 1992

DATE REPORT MAILED: Aug 24/92

SIGNED BY: C. Leong, D. TOYE, C. LEONG, J. WANG; CERTIFIED B.C. ASSAYERS

See re assay of 10547 from portion saved as check sample

10547 - 130 gm sample - massive CP + MG. - Lab must have lost sample.

10550 - m-dk gy AT? w/ Abut PY + ASPY dism thru & filling vults & small blobs

## REFERENCES:

- 16032 - EQUITY SILVER MINES.  
 17680 - NORMAN RES. & WESTVIEW RESOURCES LTD.



Alin

26°45'00"  
54°45'00"

85078


71764M

FOXY DESIGNATED  
PLACER AREA  
OIC 1257 87-05-26

TRAK 3  
304676  
OIC 1257 (206313)



120	121	122	123	124	125	126	127	128	129	130
131	132	133	134	135	136	137	138	139	140	141
142	143	144	145	146	147	148	149	150	151	152
153	154	155	156	157	158	159	160	161	162	163
164	165	166	167	168	169	170	171	172	173	174
175	176	177	178	179	180	181	182	183	184	185
186	187	188	189	190	191	192	193	194	195	196
197	198	199	200	201	202	203	204	205	206	207
208	209	210	211	212	213	214	215	216	217	218
219	220	221	222	223	224	225	226	227	228	229
230	231	232	233	234	235	236	237	238	239	240
241	242	243	244	245	246	247	248	249	250	251
252	253	254	255	256	257	258	259	260	261	262
263	264	265	266	267	268	269	270	271	272	273
274	275	276	277	278	279	280	281	282	283	284
285	286	287	288	289	290	291	292	293	294	295
296	297	298	299	300	301	302	303	304	305	306
307	308	309	310	311	312	313	314	315	316	317
318	319	320	321	322	323	324	325	326	327	328
329	330	331	332	333	334	335	336	337	338	339
340	341	342	343	344	345	346	347	348	349	350
351	352	353	354	355	356	357	358	359	360	361
362	363	364	365	366	367	368	369	370	371	372
373	374	375	376	377	378	379	380	381	382	383
384	385	386	387	388	389	390	391	392	393	394
395	396	397	398	399	400	401	402	403	404	405
406	407	408	409	410	411	412	413	414	415	416
417	418	419	420	421	422	423	424	425	426	427
428	429	430	431	432	433	434	435	436	437	438
439	440	441	442	443	444	445	446	447	448	449
450	451	452	453	454	455	456	457	458	459	460
461	462	463	464	465	466	467	468	469	470	471
472	473	474	475	476	477	478	479	480	481	482
483	484	485	486	487	488	489	490	491	492	493
494	495	496	497	498	499	500	501	502	503	504
505	506	507	508	509	510	511	512	513	514	515
516	517	518	519	520	521	522	523	524	525	526
527	528	529	530	531	532	533	534	535	536	537
538	539	540	541	542	543	544	545	546	547	548
549	550	551	552	553	554	555	556	557	558	559
560	561	562	563	564	565	566	567	568	569	570
571	572	573	574	575	576	577	578	579	580	581
582	583	584	585	586	587	588	589	590	591	592
593	594	595	596	597	598	599	600	601	602	603
604	605	606	607	608	609	610	611	612	613	614
615	616	617	618	619	620	621	622	623	624	625
626	627	628	629	630	631	632	633	634	635	636
637	638	639	640	641	642	643	644	645	646	647
648	649	650	651	652	653	654	655	656	657	658
659	660	661	662	663	664	665	666	667	668	669
670	671	672	673	674	675	676	677	678	679	680
681	682	683	684	685	686	687	688	689	690	691
692	693	694	695	696	697	698	699	700	701	702
703	704	705	706	707	708	709	710	711	712	713
714	715	716	717	718	719	720	721	722	723	724
725	726	727	728	729	730	731	732	733	734	735
736	737	738	739	740	741	742	743	744	745	746
747	748	749	750	751	752	753	754	755	756	757
758	759	760	761	762	763	764	765	766	767	768
769	770	771	772	773	774	775	776	777	778	779
780	781	782	783	784	785	786	787	788	789	790
791	792	793	794	795	796	797	798	799	800	801
802	803	804	805	806	807	808	809	810	811	812
813	814	815	816	817	818	819	820	821	822	823
824	825	826	827	828	829	830	831	832	833	834
835	836	837	838	839	840	841	842	843	844	845
846	847	848	849	850	851	852	853	854	855	856
857	858	859	860	861	862	863	864	865	866	867
868	869	870	871	872	873	874	875	876	877	878
879	880	881	882	883	884	885	886	887	888	889
890	891	892	893	894	895	896	897	898	899	900
901	902	903	904	905	906	907	908	909	910	911
912	913	914	915	916	917	918	919	920	921	922
923	924	925	926	927	928	929	930	931	932	933
934	935	936	937	938	939	940	941	942	943	944
945	946	947	948	949	950	951	952	953	954	955
956	957	958	959	960	961	962	963	964	965	966
967	968	969	970	971	972	973	974	975	976	977
978	979	980	981	982	983	984	985	986	987	988
989	990	991	992	993	994	995	996	997	998	999
1000	1001	1002	1003	1004	1005	1006	1007	1008	1009	1010



**PROPOSED STAKING**

93 L/1E

**CLAIM MAP**

CAPITAL 7 & 8 CLAIMS

1:50,000

**CLEAR CUT**

DINA 1  
2481 (2)

DINA 2

2482 (2)

DEV 2  
7019 (5)  
5344  
238967

DEV 4  
7021 (5)  
5344  
238969

Alin