

1988 Heavy Mineral Samples.

860550

Sample no.	NTS	NUTM	EUTM.
3519	93L7	6,025,200	644,300
3520	93E14	5,978,150	623,000
3521	93E14	5,980,100	617,300
3522	93E14	5,977,800	609,400
3523	93E14	5,971,000	614,650
2076	93E14	5,977,200	619,900
2077	93E14	5,978,350	611,550
2078	93E14	5,971,450	609,800
2079	93E14	5,981,700	611,500

BARRINGER*Laboratories (Alberta) Ltd.*4200B - 10 STREET N.E., CALGARY, ALBERTA, CANADA T2E 6K3
PHONE: (403) 250-1901

AUTHORITY: R. MOWER

PLACER DOME INC.1600-1055 DUNSMUIR STREET
P.O. BOX 49330 BENTALL CENTER
VANCOUVER, B.C. V7X 1P1**BARRINGER***Laboratories (NWT) Ltd.*P.O. BOX 864, YELLOWKNIFE, NWT, CANADA X1A 2N6
PHONE: (403) 920-4500

21-FEB-89

PAGE: 1 OF 7

COPY: 1 OF 2

PROJECT: RESEARCH LAB

WORK ORDER: 6049D-89

*** FINAL REPORT ***

GEOCHEMICAL LABORATORY REPORT**SAMPLE TYPE: PULP**

SAMPLE NUMBER	AG PPM	CU PPM	F PPM	MO PPM
CIP: 2076	<0.02	32.0	408.0	2.0
CIP: 2077	<0.02	23.0	380.0	1.0
CIP: 2078	2.0	68.0	383.0	2.0
CIP: 2079	<0.2	62.0	291.0	2.0
CIP: 3519	<0.2	65.0	452.0	<1.0
CIP: 3520	<0.2	19.0	440.0	1.0
CIP: 3521	<0.2	30.0	365.0	<1.0
CIP: 3522	<0.2	26.0	339.0	1.0
CIP: 3523	0.2	122.0	488.0	2.0
CHP: 2076	<0.2	31.0	340.0	2.0
CHP: 2077	<0.2	27.0	332.0	2.0
CHP: 2078	<0.2	75.0	327.0	3.0
CHP: 2079	<0.2	67.0	261.0	2.0
CHP: 3519	<0.2	50.0	356.0	<1.0
CHP: 3520	<0.2	23.0	493.0	<1.0
CHP: 3521	<0.2	34.0	397.0	2.0
CHP: 3522	<0.2	20.0	351.0	<1.0
CHP: 3523	1.6	321.0	380.0	4.0
CIN: 2076	<0.2	21.0	348.0	1.0
CIN: 2077	<0.2	19.0	300.0	2.0
CIN: 2078	2.0	82.0	367.0	3.0
CIN: 2079	<0.2	81.0	300.0	2.0
CIN: 3519	<0.2	77.0	685.0	<1.0
CIN: 3520	<0.2	13.0	323.0	2.0
CIN: 3521	0.2	18.0	305.0	2.0
CIN: 3522	<0.2	19.0	364.0	1.0
CIN: 3523	0.8	278.0	500.0	3.0
CHN: 2076	<0.2	33.0	133.0	2.0
CHN: 2077	<0.2	47.0	309.0	3.0
CHN: 2078	2.1	252.0	207.0	4.0

BARRINGER*Laboratories (Alberta) Ltd.*4200B - 10 STREET N.E., CALGARY, ALBERTA, CANADA T2E 6K3
PHONE: (403) 250-1901**BARRINGER***Laboratories (NWT) Ltd.*P.O. BOX 864, YELLOWKNIFE, NWT, CANADA X1A 2N6
PHONE: (403) 920-4500

21-FEB-89

PAGE: 2 OF 7

COPY: 1 OF 2

AUTHORITY: R. MOWER

PLACER DOME INC.1600-1055 DUNSMUIR STREET
P.O. BOX 49330 BENTALL CENTER
VANCOUVER, B.C. V7X 1P1

PROJECT: RESEARCH LAB

WORK ORDER: 6049D-89

*** FINAL REPORT ***

GEOCHEMICAL LABORATORY REPORT**SAMPLE TYPE: PULP**

SAMPLE NUMBER	AG PPM	CU PPM	F PPM	MO PPM
CHN: 2079	1.4	152.0	301.0	2.0
CHN: 3519	1.5	106.0	344.0	2.0
CHN: 3520	1.2	90.0	380.0	3.0
CHN: 3521	<0.2	32.0	340.0	1.0
CHN: 3522	3.8	30.0	332.0	<1.0
CHN: 3523	15.2	538.0	188.0	2.0
CHM: 2076	0.2	28.0	349.0	<1.0
CHM: 2077	0.2	25.0	380.0	<1.0
CHM: 2078	<0.2	34.0	356.0	<1.0
CHM: 2079	<0.2	27.0	348.0	1.0
CHM: 3519	<0.2	29.0	333.0	<1.0
CHM: 3520	<0.2	17.0	293.0	1.0
CHM: 3521	<0.2	26.0	308.0	2.0
CHM: 3522	<0.2	22.0	347.0	2.0
CHM: 3523	<0.2	54.0	371.0	4.0
FIP: 2076	<0.2	37.0	384.0	2.0
FIP: 2077	<0.2	39.0	485.0	1.0
FIP: 2078	<0.2	70.0	337.0	3.0
FIP: 2079	<0.2	155.0	307.0	3.0
FIP: 3519	<0.2	77.0	488.0	2.0
FIP: 3520	<0.2	26.0	560.0	<1.0
FIP: 3521	<0.2	45.0	345.0	2.0
FIP: 3522	<0.2	44.0	381.0	1.0
FIP: 3523	0.2	135.0	384.0	2.0
FHP: 2076	<0.2	26.0	320.0	2.0
FHP: 2077	<0.2	31.0	322.0	1.0
FHP: 2078	0.7	94.0	251.0	21.0
FHP: 2079	0.8	168.0	219.0	6.0
FHP: 3519	0.3	57.0	363.0	3.0
FHP: 3520	<0.2	29.0	663.0	2.0

BARRINGER*Laboratories (Alberta) Ltd.*

4200B - 10 STREET N.E., CALGARY, ALBERTA, CANADA T2E 6K3
 PHONE: (403) 250-1901

BARRINGER*Laboratories (NWT) Ltd.*

P.O. BOX 864, YELLOWKNIFE, NWT, CANADA X1A 2N6
 PHONE: (403) 920-4500

21-FEB-89

PAGE: 3 OF 7

COPY: 1 OF 2

AUTHORITY: R. MOWER

PLACER DOME INC.

1600-1055 DUNSMUIR STREET
 P.O. BOX 49330 BENTALL CENTER
 VANCOUVER, B.C. V7X 1P1

PROJECT: RESEARCH LAB

WORK ORDER: 6049D-89

*** FINAL REPORT ***

GEOCHEMICAL LABORATORY REPORT**SAMPLE TYPE: PULP**

SAMPLE NUMBER	AG PPM	CU PPM	F PPM	MO PPM
FHP: 3521	<0.2	35.0	300.0	1.0
FHP: 3522	<0.2	33.0	265.0	1.0
FHP: 3523	2.1	319.0	332.0	4.0
FIN: 2076	<0.2	19.0	280.0	<1.0
FIN: 2077	<0.2	18.0	330.0	1.0
FIN: 2078	0.2	45.0	355.0	3.0
FIN: 2079	<0.2	40.0	287.0	2.0
FIN: 3519	<0.2	32.0	358.0	<1.0
FIN: 3520	<0.2	14.0	271.0	<1.0
FIN: 3521	<0.2	23.0	212.0	<1.0
FIN: 3522	<0.2	25.0	380.0	1.0
FIN: 3523	<0.2	60.0	390.0	2.0
EHN: 2076	2.5	42.0	381.0	2.0
EHN: 2077	1.6	38.0	500.0	2.0
EHN: 2078	9.0	93.0	597.0	3.0
EHN: 2079	0.7	117.0	639.0	1.0
EHN: 3519	4.6	81.0	472.0	1.0
EHN: 3520	<0.2	24.0	467.0	3.0
EHN: 3521	0.2	43.0	325.0	<1.0
EHN: 3522	<0.2	36.0	480.0	<1.0
EHN: 3523	3.7	753.0	556.0	2.0
EHM: 2076	<0.2	23.0	230.0	2.0
EHM: 2077	0.4	29.0	272.0	7.0
EHM: 2078	<0.2	46.0	297.0	9.0
EHM: 2079	<0.2	44.0	467.0	2.0
EHM: 3519	<0.2	30.0	268.0	<1.0
EHM: 3520	<0.2	33.0	380.0	3.0
EHM: 3521	<0.2	31.0	339.0	3.0
EHM: 3522	<0.2	40.0	345.0	4.0
EHM: 3523	<0.2	50.0	234.0	<1.0

BARRINGER*Laboratories (Alberta) Ltd.*

4200B - 10 STREET N.E., CALGARY, ALBERTA, CANADA T2E 6K3
 PHONE: (403) 250-1901

AUTHORITY: R. MOWER

PLACER DOME INC.

1600-1055 DUNSMUIR STREET
 P.O. BOX 49330 BENTALL CENTER
 VANCOUVER, B.C. V7X 1P1

BARRINGER*Laboratories (NWT) Ltd.*

P.O. BOX 864, YELLOWKNIFE, NWT, CANADA X1A 2N6
 PHONE: (403) 920-4500

21-FEB-89

PAGE: 4 OF 7

COPY: 1 OF 2

PROJECT: RESEARCH LAB

WORK ORDER: 6049D-89

*** FINAL REPORT ***

GEOCHEMICAL LABORATORY REPORT

SAMPLE TYPE: PULP

SAMPLE NUMBER	PB PPM	ZN PPM
CIP: 2076	10.0	99.0
CIP: 2077	13.0	108.0
CIP: 2078	13.0	195.0
CIP: 2079	12.0	187.0
CIP: 3519	14.0	328.0
CIP: 3520	22.0	98.0
CIP: 3521	19.0	108.0
CIP: 3522	20.0	127.0
CIP: 3523	24.0	204.0
CHP: 2076	30.0	80.0
CHP: 2077	41.0	89.0
CHP: 2078	38.0	185.0
CHP: 2079	33.0	197.0
CHP: 3519	30.0	249.0
CHP: 3520	29.0	136.0
CHP: 3521	35.0	145.0
CHP: 3522	53.0	131.0
CHP: 3523	71.0	186.0
CIN: 2076	16.0	88.0
CIN: 2077	17.0	91.0
CIN: 2078	21.0	201.0
CIN: 2079	18.0	231.0
CIN: 3519	24.0	268.0
CIN: 3520	20.0	67.0
CIN: 3521	19.0	73.0
CIN: 3522	23.0	115.0
CIN: 3523	51.0	278.0
CHN: 2076	32.0	67.0
CHN: 2077	38.0	98.0
CHN: 2078	17.0	234.0

BARRINGER*Laboratories (Alberta) Ltd.*4200B - 10 STREET N.E., CALGARY, ALBERTA, CANADA T2E 6K3
PHONE: (403) 250-1901**BARRINGER***Laboratories (NWT) Ltd.*P.O. BOX 864, YELLOWKNIFE, NWT, CANADA X1A 2N6
PHONE: (403) 920-4500

21-FEB-89

PAGE: 5 OF 7

COPY: 1 OF 2

AUTHORITY: R. MOWER

PLACER DOME INC.1600-1055 DUNSMUIR STREET
P.O. BOX 49330 BENTALL CENTER
VANCOUVER, B.C. V7X 1P1

PROJECT: RESEARCH LAB

WORK ORDER: 6049D-89

*** FINAL REPORT ***

GEOCHEMICAL LABORATORY REPORT**SAMPLE TYPE: PULP**

SAMPLE NUMBER	PB PPM	ZN PPM
CHN: 2079	13.0	931.0
CHN: 3519	30.0	287.0
CHN: 3520	26.0	309.0
CHN: 3521	37.0	102.0
CHN: 3522	30.0	181.0
CHN: 3523	214.0	1780.0
CHM: 2076	2.0	403.0
CHM: 2077	6.0	480.0
CHM: 2078	6.0	409.0
CHM: 2079	7.0	698.0
CHM: 3519	10.0	560.0
CHM: 3520	20.0	479.0
CHM: 3521	8.0	582.0
CHM: 3522	2.0	506.0
CHM: 3523	3.0	361.0
FIP: 2076	76.0	517.0
FIP: 2077	11.0	185.0
FIP: 2078	13.0	201.0
FIP: 2079	14.0	330.0
FIP: 3519	17.0	310.0
FIP: 3520	10.0	231.0
FIP: 3521	17.0	154.0
FIP: 3522	15.0	217.0
FIP: 3523	26.0	273.0
FHP: 2076	51.0	214.0
FHP: 2077	27.0	106.0
FHP: 2078	28.0	187.0
FHP: 2079	21.0	300.0
FHP: 3519	30.0	202.0
FHP: 3520	24.0	193.0

BARRINGER*Laboratories (Alberta) Ltd.*

4200B - 10 STREET N.E., CALGARY, ALBERTA, CANADA T2E 6K3
 PHONE: (403) 250-1901

AUTHORITY: R. MOWER

PLACER DOME INC.

1600-1055 DUNSMUIR STREET
 P.O. BOX 49330 BENTALL CENTER
 VANCOUVER, B.C. V7X 1P1

PROJECT: RESEARCH LAB

BARRINGER*Laboratories (NWT) Ltd.*

P.O. BOX 864, YELLOWKNIFE, NWT, CANADA X1A 2N6
 PHONE: (403) 920-4500

21-FEB-89

PAGE: 6 OF 7

COPY: 1 OF 2

WORK ORDER: 6049D-89

*** FINAL REPORT ***

GEOCHEMICAL LABORATORY REPORT**SAMPLE TYPE: PULP**

SAMPLE NUMBER	PB PPM	ZN PPM
EHP: 3521	25.0	105.0
EHP: 3522	37.0	137.0
EHP: 3523	63.0	218.0
FIN: 2076	4.0	57.0
FIN: 2077	3.0	81.0
FIN: 2078	8.0	107.0
FIN: 2079	4.0	79.0
FIN: 3519	7.0	89.0
FIN: 3520	5.0	78.0
FIN: 3521	10.0	67.0
FIN: 3522	11.0	130.0
FIN: 3523	10.0	93.0
EHN: 2076	15.0	78.0
EHN: 2077	10.0	96.0
EHN: 2078	21.0	264.0
EHN: 2079	13.0	360.0
EHN: 3519	2.0	219.0
EHN: 3520	8.0	104.0
EHN: 3521	14.0	173.0
EHN: 3522	20.0	129.0
EHN: 3523	7.0	426.0
EHM: 2076	2.0	300.0
EHM: 2077	5.0	384.0
EHM: 2078	7.0	549.0
EHM: 2079	4.0	627.0
EHM: 3519	8.0	600.0
EHM: 3520	7.0	613.0
EHM: 3521	5.0	436.0
EHM: 3522	3.0	761.0
EHM: 3523	4.0	435.0

BARRINGER

Laboratories (Alberta) Ltd.

4200B - 10 STREET N.E., CALGARY, ALBERTA, CANADA T2E 6K3
PHONE: (403) 250-1901

AUTHORITY: R. MOWER

PLACER DOME INC.

1600-1055 DUNSMUIR STREET
P.O. BOX 49330 BENTALL CENTER
VANCOUVER, B.C. V7X 1P1

BARRINGER

Laboratories (NWT) Ltd.

P.O. BOX 864, YELLOWKNIFE, NWT, CANADA X1A 2N6
PHONE: (403) 920-4500

21-FEB-89
PAGE: 7 OF 7
COPY: 1 OF 2

PROJECT: RESEARCH LAB

WORK ORDER: 6049D-89

*** FINAL REPORT ***

GEOCHEMICAL LABORATORY REPORT

SIGNED: _____

C. Douglas Read
C. Douglas Read,
LABORATORY MANAGER

FOOTNOTES:

P=QUESTIONABLE PRECISION; * = INTERFERENCE; TR=TRACE; ND=NOT DETECTED;
IS=INSUFFICIENT SAMPLE; NA=NOT ANALYZED; MS=MISSING SAMPLE

Activation Laboratories Ltd. Work Order: 732 Report: 722

Sample description	AU PFB	AG PPM	AS PPM	BA PPM	BR PPM	CA %	CO PPM	CR PPM	CS PPM	FE %	HF PPM	HG PPM	IR PFB	MO PPM	NA PPM	NI PPM	RB PPM	SB PPM	SC PPM	SE PPM	SR %	TA PPM
CIP 2076	<5	<5	13	180	40	8	19	180	<2	11.1	3	<1	<5	<5	11700	(50)	<30	2.8	44	<5	<0.05	<1
CIN 2076	<5	<5	15	190	36	9	13	180	<2	8.76	2	<1	<5	<5	10200	(50)	<30	3.2	36	<5	<0.07	<1
CHN 2076	15	<5	15	190	27	<2	38	510	<2	55.8	4	<1	<5	<5	2380	(50)	<30	1.6	19	<5	<0.05	<1
CHP 2076	<5	<5	40	100	36	6	20	370	<2	34.6	6	<1	<5	5	4300	(50)	<30	8.4	41	<5	<0.05	2
CHN 2076	<5	<5	41	<100	34	9	14	340	<2	23.5	19	<1	<5	<5	4810	(50)	<30	9.8	40	<5	<0.05	<1
FIP 2076	<5	<5	14	320	65	5	27	87	4	10.3	3	<1	<5	<5	17100	(50)	<30	1.6	39	<5	<0.05	<1
FIN 2076	<6	<5	14	<100	29	<5	43	1000	<2	63.6	9	<2	<5	8	5870	(83)	<30	1.8	18	<5	<0.05	<1
FHN 2076	5	<5	6	510	48	3	8	21	3	3.42	3	<1	<5	<5	26300	(50)	<30	1.5	16	<5	<0.05	<1
FHP 2076	8	<5	25	<100	37	5	23	500	<2	28.5	8	<1	<5	5	5050	(50)	<30	5.6	50	<5	<0.05	<1
FHN 2076	38200	<7	42	1700	110	9	17	260	6	9.33	(1100)	<3	<14	<5	50600	(78)	<30	12	81	<12	<0.06	(13)
CIP 2077	15	<5	15	<100	58	6	18	160	3	13.5	3	<1	<5	<5	13600	140	<30	3.4	40	<5	<0.05	<1
CIN 2077	7	<5	19	350	60	7	14	120	2	12.1	3	<1	<5	<5	12600	(50)	33	4.0	36	<5	<0.15	<1
CHN 2077	100	<5	14	220	68	<2	33	390	<2	51.3	5	<1	<5	<5	2400	(50)	<30	1.8	17	<5	<0.05	1
CHP 2077	<5	<5	45	320	60	4	16	290	<2	38.2	4	<1	<5	<5	6020	(50)	<30	11	35	<5	<0.05	<1
CHN 2077	343	<5	47	670	62	7	16	330	<2	34.1	20	<1	<5	<5	7340	(50)	<30	12	42	<5	<0.05	<1
FIP 2077	<5	<5	16	340	100	<1	23	67	4	10.6	3	<1	<5	<5	19900	160	<30	2.1	32	<5	<0.05	2
FIN 2077	38	<5	9	810	100	<1	9	30	6	4.35	5	<1	<5	<5	24600	(50)	<30	1.9	21	<5	<0.05	<1
FHP 2077	<5	<5	28	<100	44	4	25	360	<2	32.1	6	<1	<5	<5	5390	(50)	<30	7.3	43	<5	<0.05	<1
FHN 2077	700	<5	15	270	44	3	40	1400	3	53.5	9	<1	<5	8	3780	150	<30	2.8	20	<5	<0.05	<1
FHN 2077	5520	<5	10	850	68	<1	12	110	5	3.46	130	<1	<5	<5	15200	(50)	57	2.9	30	<5	<0.05	<1
CIP 2078	25	<5	25	400	220	3	29	190	3	20.0	3	<1	<5	<5	8970	(50)	<30	3.2	42	<5	<0.05	<1
CIN 2078	20	<5	46	470	300	4	33	120	3	18.7	4	<1	<5	8	5870	(50)	<30	4.1	39	<5	<0.05	<1
CHN 2078	8	<5	13	<100	25	<2	31	440	3	51.0	4	<1	<5	<5	2740	(50)	<30	2.6	19	<5	<0.05	2
CHP 2078	17	<5	61	440	160	3	34	470	6	45.3	7	<1	<5	<5	3870	(50)	86	12	37	<5	<0.05	1
CHN 2078	<5	<5	100	19000	180	5	42	220	<2	44.4	14	<1	<6	<5	2810	(50)	<30	16	37	<5	<0.05	<1
FIP 2078	<5	<5	18	<100	170	2	32	70	<2	12.9	3	<1	<5	<5	13200	(50)	<30	1.8	29	<5	<0.05	<1
FIN 2078	<5	<5	19	460	330	<1	13	49	6	5.65	4	<1	<5	<5	11900	(50)	36	1.3	21	<5	<0.05	<1
FHN 2078	28	<5	18	630	65	<2	43	1300	<2	43.6	7	<1	<5	<5	3810	190	<30	2.8	17	<5	<0.05	<1
FHP 2078	35	<5	38	<100	150	<2	39	490	<2	36.5	6	<1	<5	23	6300	(50)	<30	6.8	38	<5	<0.05	<1
FHN 2078	403	<5	35	7200	230	4	24	100	2	9.85	69	<1	<7	<5	8880	(50)	64	3.0	29	<5	<0.05	<1
CIP 2079	<5	<5	31	290	360	3	31	130	<2	18.8	3	<1	<5	<5	6600	(50)	40	2.6	38	<5	<0.05	<1
CIN 2079	<5	<5	46	<100	440	4	25	94	3	19.0	3	<1	<5	<5	6750	(50)	40	3.8	34	<5	<0.05	<1
CHN 2079	<5	<5	17	<100	34	<1	44	310	<2	51.7	8	<1	<5	<5	1530	(50)	<30	1.1	13	<5	<0.05	<1
CHP 2079	<5	<5	58	<100	230	<2	31	290	<2	30.9	6	<1	<5	<5	1520	(50)	<30	7.5	23	<5	<0.05	<1
CHN 2079	<5	<5	57	8000	130	5	25	180	<2	23.2	59	<1	<5	<5	2260	(50)	<30	12	31	<5	<0.05	3

Activation Laboratories Ltd. Work Order: 732 Report: 722

Sample description	AU PFB	AG PPM	AS PPM	BA PPM	BR PPM	CA %	CO PPM	CR PPM	CS PPM	FE %	HF PPM	HG PPM	IR PFB	MO PPM	NA PPM	NI PPM	RB PPM	SB PPM	SC PPM	SE PPM	SR %	TA PPM
FIP 2079	<5	<5	38	500	270	<2	44	110	4	19.6	3	<1	<5	<5	11800	(50)	<30	1.8	34	<5	<0.15	<1
FIN 2079	<5	<5	19	510	160	<1	13	55	7	4.09	5	<1	<5	<5	13500	(50)	62	1.8	19	<5	<0.05	<1
FHN 2079	15	<5	15	<100	34	<2	44	1900	<2	22.3	5	<1	<5	7	1880	(50)	<30	1.8	16	<5	<0.05	2
FHP 2079	6	<5	28	<100	200	<1	30	300	<1	30	3	<1	<5	<5	1240	(50)	<30	3.0	23	<5	<0.05	<1
FHN 2079	165	<5	27	2800	140	4	17	120	4	3.65	190	<1	<5	<5	10100	(50)	<30	6.6	31	<5	<0.05	<1
CIP 3519	<5	<5	30	500	280	3	38	120	<2	20.0	2	<1	<5	<5	7170	(50)	<30	4.2	38	<5	<0.05	<1
CIN 3519	5	<5	50	1000	220	4	29	110	5	17.5	3	<1	<5	<5	7530	(50)	<30	5.3	33	<5	<0.05	<1
CHN 3519	<5	<5	14	<100	28	<1	49	550	<2	51.4	4	<1	<5	5	1870	(50)	<30	2.3	19	<5	<0.05	1
CHP 3519	<5	<5	44	430	100	<2	49	250	<2	31.5	4	<1	<5	7	1920	(50)	<30	9.6	43	<5	<0.05	<1
CHN 3519	7020	<5	89	30000	70	4	30	270	<2	27.1	17	<1	<5	<5	3830	(50)	<30	14	29	<5	<0.05	<1
FIP 3519	5	<5	25	580	150	<1	39	76	4	14.7	3	<1	<5	<5	14900	(50)	<30	2.9	27	<5	<0.05	<1
FIN 3519	<5	<5	17	520	110	<1	12	39	6	4.07	3	<1	<5	<5	16900	(50)	52	1.7	14	<5	<0.05	<1
FHN 3519	<5	<5	17	450	20	<1	49	1300	<2	56.4	5	<1	<5	1	1980	(50)	<30	2.8	15	<5	<0.05	<1
FHP 3519	<5	<5	46	<100	83	<2	43	670	4	35.4	6	<1	<5	<5	3380	(50)	<30	8.5	34	<5	<0.05	3
FHN 3519	427	<5	39	15000	99	3	21	130	3	7.08	73	<1	<5	<5	13900	(50)	<30	4.9	23	<5	<0.05	<1
CIP 3520	13	<5	21	320	24	7	19	170	4	13.9	3	<1	<5	<5	8600	(50)	<30	4.9	42	<5	<0.11	<1
CIN 3520	<5	<5	15	920	30	10	12	130	2	8.96	2	<1	<5	<5	8850	(50)	39	3.8	35	<5	<0.05	<1
CHN 3520	<5	<5	12	<100	25	<3	70	520	<2	63.3	8	<1	<5	<5	1530	(50)	<30	2.1	19	<5	<0.05	4
CHP 3520	5	<5	28	220	29	6	42	300	<2	35.2	8	<1	<5	6	2840	(50)	<30	8.6	28	<5	<0.07	2
CHN 3520	1980	<5	35	570	57	13	19	290	<2	10.3	130	<1	<5	<5	4150	(50)	<30	7.1	34	<5	<0.05	3
FIP 3520	<5	<5	7	320	42	<1	22	83	<2	8.96	3	<1	<5	<5	16600	(50)	<30	1.6	23	<5	<0.05	<1
FIN 3520	<5	<5	7	590	55	<1	7	24	5	2.52	4	<1	<5	<5	25400	(50)	49	1.7	10	<5	<0.05	<1
FHN 3520	27	<5	22	<100	34	<3	55	1900	<2	60.3	6	<1	<5	<5	2630	(56)	<30	2.6	23	<5	<0.05	3
FHP 3520	29	<5	21	<100	43	3	38	530	3	29.9	9	<1	<5	<5	6600	(50)	<30	6.0	38	<5	<0.05	<1
FHN 3520	7170	<5	14	610	92	5	11	51	5	4.26	96	<1	<5	<5	72640	(50)	48	2.8	21	<5	<0.05	<1
CIP 3521	10	<5	19	<100	55	7	20	190	<2	13.5	4	<1	<5	<5	10600	(50)	<30	3.9	43	<5	<0.06	<1
CIN 3521	<5	<5	19	330	53	8	13	120	<2	10.6	3	<1	<5	<5	9340	(50)	<30	4.0	37	<5	<0.05	<1
CHN 3521	18																					