1234567890123456789012345678901234567890123456789012345678901234567890123456789012345678901234567890***SEQ.NO.01

# GMM

860566

* * * * * * SPERRY 1100 TIME/SHARING EXEC --- MULTI-PROCESSOR SYSTEM --- LEV. 39R3C/09A-03 SITE * PLACER * * * * * *

RUNID * GMM    USER ID * GMM    PART NUMBER * 00    INPUT DEVICE * TTY011    OUTPUT DEVICE * RMSP10
FILE NAME * PO327GMM    CREATED AT: 08:26:17 NOV 26,1986    PRINTED AT: 09:23:19 NOV 26,1986

1234567890123456789012345678901234567890123456789012345678901234567890123456789012345678901234567890***SEQ.NO.01

## P L A C E R   D E V E L O P M E N T   L T D   ( R E S E A R C H   C E N T R E )

GEOCHEMICAL DATA LISTING: EQUITY REGIONAL    DATE: 86-11-26

PDL LAB DATA FILE: P6272-1
AREA: REGIONAL
MAPSHEET NO: 93E11
VENTURE: EQUITY
GEOLOGIST: R PEASE
LAB PROJECT NO: 6272

PLEASE DISTRIBUTE RESULTS TO: R PEASE LAB ** LAB **

REMARKS:
>ALL SAMPLES PREPARED>

STANDARD ANALYSIS METHODS USED BY PDL GEOCHEM LAB ARE LISTED BELOW:
ALL RESULTS EXPRESSED AS INDICATED IN UNITS COLUMN BELOW
ANY EXCEPTIONS FOR THIS PROJECT ARE NOTED ABOVE

REMARKS: INTERNAL LAB STANDARDS HAVE BEEN INCLUDED FOR REFERENCE.
SAMPLE NUMBERS FOLLOWED BY * ARE DUPLICATE ANALYSES.

| | UNITS | WT.G | ATTACK USED | TIME | RANGE | METHOD |
|---|---|---|---|---|---|---|
| MO | PPM | 0.5 | C HCLO4/HNO3 | 4HRS | 1-1000 | ATOMIC ABSORPTION |
| CU | PPM | 0.5 | C HCLO4/HNO3 | 4HRS | 2-4000 | ATOMIC ABSORPTION |
| ZN | PPM | 0.5 | C HCLO4/HNO3 | 4HRS | 2-3000 | ATOMIC ABSORPTION |
| PB | PPM | 0.5 | C HCLO4/HNO3 | 4HRS | 2-3000 | A.A. BACKGROUND COR. |
| CD | PPM | 0.5 | C HCLO4/HNO3 | 4HRS | 0.2-200 | A.A. BACKGROUND COR. |
| NI | PPM | 0.5 | C HCLO4/HNO3 | 4HRS | 2-2000 | ATOMIC ABSORPTION |
| CO | PPM | 0.5 | C HCLO4/HNO3 | 4HRS | 2-2000 | ATOMIC ABSORPTION |
| AG1 | PPM | 0.5 | C HCLO4/HNO3 | 4HRS | 0.2-20 | A.A. BACKGROUND COR |
| AU | PPM | 10.0 | AQUA REGIA | 3HRS | 0.02-4.00 | A.A. SOLVENT EXTRACT. |
| U | PPM | 0.25 | DIL HNO3 | 2HRS | 1.0-1000 | FLOURIMETRY SOLV. EX. |
| V | PPM | 0.5 | C HF/HCLO4/HNO3/HCL | 6HRS | 5-1000 | ATOMIC ABSORPTION |
| W | PPM | 0.5 | C HCLO4/H3PO4 | 2HRS | 2-1000 | DC PLASMA. |
| F | PPM | 0.25 | NA2CO3/KNO3 FUSION | 30MIN | 40-4000 | SPECIFIC ION ELECTODE |
| AS | PPM | 0.5 | C HCLO4/HNO3 | 4HRS | 2-1000 | A.A. BACKGROUND COR. |
| SB | PPM | 0.5 | C HCL/HNO3 | 2HRS | 2-1000 | A.A. BACKGROUND COR. |
| BI | PPM | 0.5 | C HCLO4/HNO3 | 4HRS | 2-2000 | A.A. BACKGROUND COR. |
| MN | PPM | 0.5 | C HCLO4/HNO3 | 4HRS | 2-3000 | ATOMIC ABSORPTION |
| FE | % | 0.5 | C HF/HCLO4/HNO3/HCL | 6HRS | 0.02-20% | ATOMIC ABSORPTION |
| HG | PPB | 0.25 | DIL HNO3/HCL | 2HRS | 5-2000PPB | A.A. COLD VAPOR GEN. |
| BA | % | 0.25 | C HF/HI/OXALIC | 4HRS | 0.02-20% | ATOMIC ABSORPTION |
| NA | % | 0.5 | C HF/HCLO4/HNO3/HCL | 6HRS | 0.2 -20% | ATOMIC ABSORPTION |
| K | % | 0.5 | C HF/HCLO4/HNO3/HCL | 6HRS | 0.2 -20% | ATOMIC ABSORPTION |
| CA | % | 0.5 | C HF/HCLO4/HNO3/HCL | 6HRS | 0.02-20% | ATOMIC ABSORPTION |
| SR | PPM | 0.5 | C HF/HCLO4/HNO3/HCL | 6HRS | 10-2000 | ATOMIC ABSORPTION |
| MG | % | 0.5 | C HF/HCLO4/HNO3/HCL | 6HRS | 0.2-20% | ATOMIC ABSORPTION |
| SN | PPM | 1.0 | NH4I FUSION | 15MIN | 5-500 | A.A. SOLVENT EXTRACT. |
| LOI | % | 1.0 | ASH 600 DEG C | 2HRS | 0.02-99% | WEIGH RESDUE |

PLACER GEOCHEM ASSAY SYSTEM: DATA FROM EQUITY REGIONAL    DATE: 86-11-26    PAGE: 1

| GRID | SAMPLE | | PROJECT | MO | CU | ZN | PB | AG | AU | W | F | AS | SB |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 93E11 | CIP | 03651 | 6272 | <1 | 47 | 102 | 35 | 0.6 | 0.01 | <4 | 520 | 30 | 2.9 |
| 93E11 | CIP | 03652 | 6272 | <1 | 39 | 117 | 16 | <0.2 | <0.01 | <4 | 340 | 27 | 0.8 |
| 93E11 | CIP | 03653 | 6272 | <1 | 40 | 114 | 19 | <0.2 | 0.01 | <4 | 360 | 30 | 2.5 |
| 93E11 | CIP | 03654 | 6272 | <1 | 34 | 30 | 12 | <0.2 | <0.01 | <4 | 360 | 6 | 0.8 |
| 93E11 | CIP | 03655 | 6272 | <1 | 30 | 32 | 13 | <0.2 | <0.01 | <4 | 300 | 15 | 2.0 |
| 93E11 | CIP | 03656 | 6272 | <1 | 43 | 128 | 24 | 0.2 | 0.01 | <4 | 300 | 32 | 3.0 |
| 93E11 | CIP | 03657 | 6272 | <1 | 44 | 126 | 18 | 0.2 | <0.01 | <4 | 420 | 25 | 1.7 |
| 93E11 | CIP | 03658 | 6272 | <1 | 24 | 68 | 16 | <0.2 | <0.01 | <4 | 480 | 13 | 2.3 |
| 93E11 | CIP | 03659 | 6272 | <1 | 43 | 121 | 28 | <0.2 | <0.01 | <4 | 640 | 15 | 3.0 |
| TEST | STD P | | 6272 | 12 | 124 | 100 | 105 | 1.0 | | | | | |
| 93E11 | CIP | 03660 | 6272 | <1 | 23 | 70 | 30 | <0.2 | <0.01 | <4 | 320 | 17 | 4.3 |
| 93E11 | CIP | 03661 | 6272 | 3 | 31 | 113 | 28 | <0.2 | <0.01 | <4 | 1000 | 17 | 4.1 |
| 93E11 | CIP | 03662 | 6272 | 4 | 59 | 160 | 19 | <0.2 | <0.01 | <4 | 660 | 33 | 4.2 |
| 93E11 | CIP | 03663 | 6272 | 3 | 48 | 138 | 32 | <0.2 | 0.01 | <4 | 700 | 110 | 7.5 |
| 93E11 | CIP | 03664 | 6272 | 2 | 58 | 127 | 15 | <0.2 | <0.01 | <4 | 350 | 30 | 2.8 |
| 93E11 | CIP | 03665• | 6272 | 4 | 123 | 270 | 109 | 0.6 | 0.02 | <4 | 440 | 190 | 13 |
| 93E11 | CIP | 03666• | 6272 | 3 | 71 | 238 | 55 | 0.4 | <0.01 | 6 | 1200 | 22 | 3.3 |
| 93E11 | CIP | 03667 | 6272 | 4 | 78 | 227 | 42 | <0.2 | 0.01 | <4 | 480 | 74 | 7.9 |
| 93E11 | CIP | 03701 | 6272 | 2 | 70 | 108 | 11 | <0.2 | <0.01 | <4 | 480 | 7 | 0.8 |
| TEST | STD P | | 6272 | 12 | 119 | 38 | 98 | 1.2 | | | | | |
| 93E11 | CIP | 03702 | 6272 | <1 | 28 | 84 | 7 | 0.2 | 0.01 | <4 | 500 | 6 | 0.6 |
| 93E11 | CIP | 03703 | 6272 | <1 | 34 | 73 | 10 | <0.2 | 0.01 | <4 | 360 | 5 | 0.6 |
| 93E11 | CIP | 03704 | 6272 | <1 | 45 | 146 | 15 | <0.2 | 0.01 | <4 | 300 | 12 | 1.1 |
| 93E11 | CIP | 03705 | 6272 | 1 | 69 | 155 | 20 | <0.2 | 0.02 | <4 | 300 | 47 | 2.7 |
| 93E11 | CIP | 03706 | 6272 | 1 | 60 | 212 | 70 | <0.2 | <0.01 | <4 | 440 | 140 | 14 |
| 93E11 | CIP | 03707 | 6272 | 1 | 40 | 118 | 21 | <0.2 | <0.01 | <4 | 540 | 16 | 2.0 |
| 93E11 | CIP | 03708 | 6272 | 1 | 30 | 133 | 28 | <0.2 | <0.01 | <4 | 620 | 25 | 2.5 |
| 93E11 | CIP | 03709 | 6272 | 1 | 42 | 159 | 23 | <0.2 | 0.01 | 4 | 1080 | 11 | 2.4 |
| 93E11 | CIP | 03710 | 6272 | 2 | 33 | 93 | 13 | <0.2 | 0.01 | <4 | 520 | 33 | 0.9 |
| 93E11 | CIP | 03710* | 6272 | 2 | 32 | 88 | 11 | <0.2 | <0.01 | <4 | 460 | 32 | 0.9 |
| 93E11 | CIP | 03711 | 6272 | <1 | 35 | 146 | 9 | <0.2 | <0.01 | <4 | 500 | 5 | 0.6 |
| 93E11 | CIP | 03712 | 6272 | <1 | 41 | 105 | 25 | <0.2 | 0.01 | <4 | 540 | 26 | 2.6 |
| 93E11 | CIP | 03713 | 6272 | 1 | 44 | 126 | 26 | <0.2 | <0.01 | <4 | 620 | 49 | 6.8 |
| 93E11 | CIP | 03714 | 6272 | 1 | 40 | 106 | 19 | 0.6 | <0.01 | 4 | 1080 | 27 | 3.4 |
| 93E11 | CIP | 03715 | 6272 | <1 | 30 | 54 | 12 | <0.2 | <0.01 | <4 | 340 | 28 | 1.1 |
| 93E11 | CIP | 03716 | 6272 | <1 | 28 | 145 | 3 | <0.2 | <0.01 | 5 | 1500 | 14 | 2.9 |
| 93E11 | CIP | 03717 | 6272 | <1 | 37 | 136 | 24 | 0.2 | <0.01 | <4 | 1160 | 12 | 1.8 |
| 93E11 | CIP | 03718 | 6272 | 2 | 24 | 155 | 25 | 0.2 | <0.01 | 6 | 980 | 8 | 1.9 |
| 93E11 | CIP | 03719 | 6272 | 1 | 39 | 132 | 28 | <0.2 | <0.01 | <4 | 300 | 70 | 7.7 |
| 93E11 | CIP | 03719* | 6272 | 1 | 38 | 132 | 27 | <0.2 | <0.01 | <4 | 300 | 67 | 7.7 |
| 93E11 | CIP | 03720 | 6272 | 8 | 53 | 131 | 22 | <0.2 | <0.01 | <4 | 300 | 70 | 11 |
| 93E11 | CIN | 03651 | 6272 | 3 | 43 | 80 | 22 | <0.2 | <0.01 | 4 | 400 | 33 | 3.9 |
| 93E11 | CIN | 03652 | 6272 | 4 | 76 | 146 | 26 | <0.2 | <0.01 | <4 | 320 | 140 | 3.3 |
| 93E11 | CIN | 03653 | 6272 | 5 | 44 | 116 | 25 | <0.2 | 0.01 | <4 | 520 | 56 | 4.0 |
| 93E11 | CIN | 03654 | 6272 | 3 | 33 | 57 | 10 | <0.2 | <0.01 | <4 | 340 | 12 | 1.1 |
| 93E11 | CIN | 03655 | 6272 | 3 | 25 | 56 | 14 | <0.2 | <0.01 | <4 | 240 | 16 | 2.3 |
| 93E11 | CIN | 03656 | 6272 | 2 | 37 | 88 | 23 | <0.2 | 0.01 | <4 | 240 | 32 | 3.6 |
| 93E11 | CIN | 03657 | 6272 | 5 | 57 | 93 | 24 | <0.2 | <0.01 | <4 | 680 | 41 | 2.8 |
| 93E11 | CIN | 03658 | 6272 | 4 | 26 | 52 | 19 | <0.2 | <0.01 | <4 | 520 | 16 | 3.3 |
| TEST | STD P | | 6272 | 13 | 118 | 92 | 99 | 0.8 | 0.70 | 21 | | 83 | 46 |
| 93E11 | CIN | 03659 | 6272 | 3 | 28 | 75 | 31 | <0.2 | 0.01 | <4 | 420 | 20 | 4.6 |
| 93E11 | CIN | 03660 | 6272 | 3 | 20 | 59 | 31 | <0.2 | <0.01 | <4 | 320 | 18 | 4.4 |
| 93E11 | CIN | 03661 | 6272 | 4 | 21 | 76 | 30 | <0.2 | <0.01 | <4 | 1040 | 21 | 6.2 |
| 93E11 | CIN | 03662 | 6272 | 3 | 42 | 95 | 25 | <0.2 | <0.01 | <4 | 500 | 58 | 8.8 |
| 93E11 | CIN | 03663 | 6272 | 3 | 40 | 93 | 37 | <0.2 | 0.01 | <4 | 420 | 96 | 8.6 |
| 93E11 | CIN | 03664 | 6272 | 1 | 46 | 66 | 15 | <0.2 | <0.01 | <4 | 300 | 40 | 6.2 |
| 93E11 | CIN | 03665• | 6272 | 2 | 78 | 184 | 91 | <0.2 | 0.07 | <4 | 400 | 130 | 15 |
| 93E11 | CIN | 03666• | 6272 | 5 | 220 | 255 | 102 | 0.3 | <0.01 | 16 | 2600 | 49 | 6.8 |
| 93E11 | CIN | 03667 | 6272 | 5 | 57 | 139 | 40 | <0.2 | 0.01 | <4 | 560 | 69 | 8.9 |
| 93E11 | CIN | 03667* | 6272 | 5 | 56 | 143 | 40 | <0.2 | <0.01 | <4 | 500 | 66 | 8.4 |

PLACER GEOCHEM ASSAY SYSTEM: DATA FROM EQUITY REGIONAL    DATE: 86-11-26    PAGE: 2

| GRID | SAMPLE | | PROJECT | MO | CU | ZN | PB | AG | AU | W | F | AS | SB |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 93E11 | CIN | 03701 | 6272 | 2 | 31 | 59 | 15 | <0.2 | <0.01 | <4 | 400 | 9 | 1.2 |
| 93E11 | CIN | 03702 | 6272 | 2 | 33 | 62 | 8 | <0.2 | <0.01 | <4 | 320 | 10 | 0.5 |
| 93E11 | CIN | 03703 | 6272 | 1 | 38 | 58 | 12 | <0.2 | 0.01 | <4 | 400 | 11 | 1.0 |
| 93E11 | CIN | 03704 | 6272 | 2 | 37 | 112 | 16 | <0.2 | <0.01 | <4 | 260 | 23 | 2.3 |
| 93E11 | CIN | 03705 | 6272 | 3 | 49 | 141 | 26 | <0.2 | 0.01 | <4 | 240 | 66 | 4.0 |
| 93E11 | CIN | 03706• | 6272 | 3 | 47 | 152 | 58 | <0.2 | 0.01 | <4 | 340 | 110 | 12 |
| 93E11 | CIN | 03707 | 6272 | 3 | 24 | 65 | 17 | <0.2 | 0.01 | <4 | 320 | 16 | 2.7 |
| 93E11 | CIN | 03708 | 6272 | 7 | 32 | 35 | 25 | <0.2 | <0.01 | <4 | 560 | 26 | 3.2 |
| 93E11 | CIN | 03709 | 6272 | 5 | 23 | 97 | 26 | <0.2 | <0.01 | <4 | 1580 | 15 | 3.5 |
| TEST | STD P | | 6272 | 13 | 119 | 94 | 113 | 0.9 | | | | | |
| 93E11 | CIN | 03710 | 6272 | 7 | 41 | 72 | 20 | <0.2 | 0.01 | <4 | 860 | 36 | 1.8 |
| 93E11 | CIN | 03711 | 6272 | 3 | 28 | 78 | 13 | <0.2 | <0.01 | <4 | 520 | 11 | 0.8 |
| 93E11 | CIN | 03712 | 6272 | 2 | 42 | 70 | 25 | 0.3 | <0.01 | <4 | 600 | 34 | 4.4 |
| 93E11 | CIN | 03713 | 6272 | 3 | 38 | 81 | 23 | <0.2 | <0.01 | <4 | 380 | 38 | 5.9 |
| 93E11 | CIN | 03714 | 6272 | 3 | 30 | 73 | 20 | <0.2 | <0.01 | <4 | 400 | 30 | 3.6 |
| 93E11 | CIN | 03715 | 6272 | 2 | 25 | 40 | 13 | <0.2 | <0.01 | <4 | 250 | 49 | 1.5 |
| 93E11 | CIN | 03716• | 6272 | 4 | 21 | 102 | 34 | <0.2 | <0.01 | 4 | 1360 | 22 | 4.3 |
| 93E11 | CIN | 03717• | 6272 | 4 | 25 | 103 | 24 | <0.2 | <0.01 | <4 | 1040 | 22 | 2.7 |
| 93E11 | CIN | 03718• | 6272 | 4 | 20 | 98 | 20 | <0.2 | <0.01 | 5 | 1100 | 8 | 1.6 |
| 93E11 | CIN | 03718* | 6272 | 4 | 19 | 99 | 21 | <0.2 | <0.01 | 4 | 1000 | 8 | 1.6 |
| 93E11 | CIN | 03719 | 6272 | 2 | 34 | 95 | 25 | <0.2 | <0.01 | <4 | 240 | 53 | 5.5 |
| 93E11 | CIN | 03720 | 6272 | 3 | 39 | 103 | 21 | <0.2 | 0.01 | <4 | 220 | 66 | 10 |
| 93E11 | CHM | 03651 | 6272 | 1 | 32 | 800 | 20 | <0.2 | <0.01 | 4 | 480 | 11 | 1.2 |
| 93E11 | CHM | 03652 | 6272 | <1 | 44 | 670 | 10 | <0.2 | <0.01 | <4 | 360 | 11 | 0.6 |
| 93E11 | CHM | 03653 | 6272 | <1 | 33 | 490 | 18 | <0.2 | <0.01 | <4 | 400 | 10 | 1.5 |
| 93E11 | CHM | 03654 | 6272 | <1 | 35 | 460 | 9 | <0.2 | <0.01 | <4 | 420 | 4 | 0.6 |
| 93E11 | CHM | 03655 | 6272 | <1 | 29 | 330 | 14 | <0.2 | <0.01 | <4 | 360 | 8 | 1.2 |
| 93E11 | CHM | 03656 | 6272 | <1 | 33 | 340 | 21 | <0.2 | <0.01 | <4 | 220 | 11 | 1.9 |
| 93E11 | CHM | 03657 | 6272 | <1 | 25 | 234 | 20 | <0.2 | <0.01 | <4 | 400 | 9 | 0.8 |
| TEST | STD P | | 6272 | 12 | 118 | 106 | 106 | 0.8 | | | | | |
| 93E11 | CHM | 03658 | 6272 | 2 | 64 | 230 | 29 | <0.2 | 0.01 | 4 | 640 | 19 | 2.5 |
| 93E11 | CHM | 03659 | 6272 | 1 | 39 | 260 | 26 | <0.2 | 0.01 | 6 | 740 | 12 | 2.9 |
| 93E11 | CHM | 03660 | 6272 | 1 | 41 | 250 | 39 | <0.2 | <0.01 | 4 | 730 | 12 | 2.7 |
| 93E11 | CHM | 03661 | 6272 | <1 | 23 | 130 | 23 | <0.2 | <0.01 | <4 | 920 | 9 | 1.7 |
| 93E11 | CHM | 03662 | 6272 | <1 | 24 | 190 | 15 | <0.2 | <0.01 | <4 | 500 | 12 | 1.4 |
| 93E11 | CHM | 03663 | 6272 | 1 | 23 | 150 | 13 | <0.2 | <0.01 | <4 | 680 | 13 | 1.3 |
| 93E11 | CHM | 03664 | 6272 | <1 | 54 | 311 | 21 | <0.2 | <0.01 | <4 | 440 | 20 | 1.5 |
| 93E11 | CHM | 03665 | 6272 | 1 | 90 | 275 | 77 | <0.2 | 0.03 | <4 | 700 | 41 | 3.0 |
| 93E11 | CHM | 03666 | 6272 | 1 | 25 | 196 | 28 | <0.2 | <0.01 | 5 | 1000 | 12 | 2.2 |
| 93E11 | CHM | 03666* | 6272 | 1 | 23 | 190 | 26 | <0.2 | <0.01 | 5 | 1000 | 10 | 2.5 |
| 93E11 | CHM | 03667 | 6272 | <1 | 71 | 359 | 40 | 0.2 | <0.01 | <4 | 520 | 24 | 3.4 |
| 93E11 | CHM | 03701 | 6272 | <1 | 49 | 690 | 25 | 0.3 | <0.01 | <4 | 540 | 13 | 2.2 |
| 93E11 | CHM | 03702 | 6272 | <1 | 37 | 610 | 21 | <0.2 | <0.01 | 4 | 580 | 16 | 1.1 |
| 93E11 | CHM | 03703 | 6272 | <1 | 42 | 610 | 12 | <0.2 | 0.15 | <4 | 460 | 6 | 0.7 |
| 93E11 | CHM | 03704 | 6272 | <1 | 30 | 365 | 12 | <0.2 | <0.01 | <4 | 360 | 9 | 1.3 |
| 93E11 | CHM | 03705 | 6272 | <1 | 35 | 351 | 19 | <0.2 | <0.01 | <4 | 280 | 16 | 1.9 |
| 93E11 | CHM | 03706 | 6272 | <1 | 30 | 312 | 29 | <0.2 | <0.01 | <4 | 360 | 18 | 3.4 |
| 93E11 | CHM | 03707 | 6272 | <1 | 24 | 364 | 17 | <0.2 | <0.01 | <4 | 440 | 9 | 1.6 |
| 93E11 | CHM | 03708 | 6272 | <1 | 31 | 354 | 23 | <0.2 | <0.01 | 4 | 740 | 13 | 2.0 |
| 93E11 | CHM | 03708* | 6272 | <1 | 29 | 330 | 20 | <0.2 | <0.01 | <4 | 800 | 14 | 2.2 |
| 93E11 | CHM | 03709 | 6272 | <1 | 21 | 190 | 19 | <0.2 | <0.01 | <4 | 820 | 7 | 1.3 |
| 93E11 | CHM | 03710 | 6272 | <1 | 30 | 550 | 13 | <0.2 | <0.01 | <4 | 500 | 10 | 0.8 |
| 93E11 | CHM | 03711 | 6272 | <1 | 22 | 300 | 7 | <0.2 | <0.01 | <4 | 360 | 5 | 0.8 |
| 93E11 | CHM | 03712 | 6272 | <1 | 31 | 480 | 13 | <0.2 | <0.01 | <4 | 400 | 11 | 1.7 |
| 93E11 | CHM | 03713 | 6272 | 1 | 26 | 113 | 12 | <0.2 | <0.01 | 5 | 600 | 16 | 1.8 |
| 93E11 | CHM | 03714 | 6272 | 1 | 24 | 157 | 10 | <0.2 | <0.01 | 5 | 920 | 12 | 1.2 |
| 93E11 | CHM | 03715 | 6272 | 1 | 27 | 154 | 12 | <0.2 | <0.01 | <4 | 440 | 26 | 1.0 |
| 93E11 | CHM | 03716 | 6272 | 1 | 17 | 165 | 25 | <0.2 | <0.01 | <4 | 1180 | 7 | 1.3 |
| 93E11 | CHM | 03717 | 6272 | 1 | 20 | 136 | 16 | <0.2 | <0.01 | <4 | 880 | <1 | <0.2 |
| TEST | STD P | | 6272 | 12 | 118 | 98 | 108 | 1.0 | | | | 97 | 49 |

PLACER GEOCHEM ASSAY SYSTEM: DATA FROM EQUITY REGIONAL    DATE: 86-11-26    PAGE: 3

| GRID | SAMPLE | | PROJECT | MO | CU | ZN | PB | AG | AU | W | F | AS | SB |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 93E11 | CHM | 03718 | 6272 | 2 | 21 | 149 | 19 | 0.2 | <0.01 | 4 | 1040 | 7 | 1.4 |
| 93E11 | CHM | 03719 | 6272 | 3 | 25 | 261 | 28 | <0.2 | <0.01 | <4 | 540 | 1 | 0.3 |
| 93E11 | CHM | 03720 | 6272 | 2 | 24 | 235 | 21 | <0.2 | <0.01 | <4 | 600 | 20 | 7.0 |
| 93E11 | CHP | 03651 | 6272 | 4 | 45 | 39 | 26 | <0.2 | 0.01 | 4 | 400 | 69 | 6.7 |
| 93E11 | CHP | 03652 | 6272 | 3 | 38 | 52 | 15 | <0.2 | <0.01 | <4 | 240 | 3 | <0.2 |
| 93E11 | CHP | 03653 | 6272 | 3 | 29 | 56 | 20 | <0.2 | <0.01 | 11 | 300 | 38 | 4.0 |
| 93E11 | CHP | 03654 | 6272 | 2 | 19 | 35 | 7 | <0.2 | <0.01 | <4 | 560 | 7 | 1.0 |
| 93E11 | CHP | 03655 | 6272 | 3 | 25 | 40 | 17 | <0.2 | <0.01 | <4 | 340 | 17 | 3.2 |
| 93E11 | CHP | 03656 | 6272 | 4 | 29 | 60 | 25 | <0.2 | <0.01 | <4 | 260 | 33 | 6.0 |
| 93E11 | CHP | 03656* | 6272 | 4 | 27 | 59 | 24 | <0.2 | <0.01 | 4 | 220 | 36 | 6.4 |
| 93E11 | CHP | 03657 | 6272 | 4 | 44 | 56 | 20 | 0.2 | <0.01 | 5 | 580 | 42 | 3.1 |
| 93E11 | CHP | 03658 | 6272 | 5 | 33 | 43 | 25 | 0.2 | <0.01 | 5 | 380 | 50 | 4.3 |
| 93E11 | CHP | 03659 | 6272 | 5 | 30 | 53 | 38 | 0.2 | <0.01 | 8 | 420 | 33 | 6.9 |
| 93E11 | CHP | 03660 | 6272 | 3 | 26 | 41 | 38 | 0.2 | <0.01 | <4 | 280 | 33 | 6.3 |
| 93E11 | CHP | 03661 | 6272 | 4 | 40 | 107 | 57 | 0.2 | <0.01 | 13 | 1200 | 42 | 9.1 |
| 93E11 | CHP | 03662 | 6272 | 4 | 68 | 115 | 47 | 0.2 | 0.02 | 4 | 500 | 120 | 17 |
| 93E11 | CHP | 03663 | 6272 | 4 | 43 | 88 | 50 | 0.2 | <0.01 | 19 | 720 | 150 | 13 |
| 93E11 | CHP | 03664 | 6272 | 4 | 74 | 45 | 21 | <0.2 | <0.04 | 14 | 280 | 340 | 30 |
| 93E11 | CHP | 03665• | 6272 | 8 | 180 | 164 | 155 | 2.4 | 0.01 | 4 | 400 | 280 | 19 |
| TEST | STD P | | 6272 | 14 | 130 | 89 | 105 | 1.3 | | | | 90 | 48 |
| 93E11 | CHP | 03666• | 6272 | 2 | 108 | 155 | 84 | 0.9 | <0.01 | 21 | 1400 | 42 | 9.3 |
| 93E11 | CHP | 03667 | 6272 | 4 | 113 | 172 | 66 | 0.4 | 0.02 | 4 | 240 | 140 | 18 |
| 93E11 | CHP | 03701 | 6272 | 3 | 33 | 56 | 13 | <0.2 | 0.01 | <4 | 280 | 19 | 2.8 |
| 93E11 | CHP | 03702 | 6272 | 3 | 38 | 56 | 11 | <0.2 | <0.01 | <4 | 560 | 18 | 1.5 |
| 93E11 | CHP | 03703 | 6272 | 3 | 28 | 35 | 10 | <0.2 | <0.01 | <4 | 580 | 13 | 1.2 |
| 93E11 | CHP | 03704 | 6272 | 3 | 25 | 66 | 17 | <0.2 | <0.01 | <4 | 420 | 25 | 3.7 |
| 93E11 | CHP | 03705 | 6272 | 3 | 42 | 73 | 30 | 0.2 | <0.01 | 4 | 360 | 56 | 5.9 |
| 93E11 | CHP | 03706 | 6272 | 3 | 56 | 162 | 113 | 0.6 | <0.01 | 8 | 420 | 180 | 27 |
| 93E11 | CHP | 03707 | 6272 | 3 | 20 | 61 | 28 | 0.2 | <0.01 | 6 | 630 | 37 | 5.3 |
| TEST | STD P | | 6272 | 14 | 122 | 100 | 92 | 1.1 | | | | | |
| 93E11 | CHP | 03708 | 6272 | 7 | 40 | 34 | 47 | 0.4 | <0.01 | 9 | 640 | 87 | 5.0 |
| 93E11 | CHP | 03709 | 6272 | 2 | 38 | 107 | 51 | 0.4 | 0.01 | 18 | 1400 | 35 | 8.2 |
| 93E11 | CHP | 03710 | 6272 | 2 | 26 | 39 | 14 | 0.2 | <0.01 | <4 | 600 | 40 | 1.4 |
| 93E11 | CHP | 03711 | 6272 | 1 | 17 | 38 | 9 | <0.2 | <0.01 | <4 | 520 | 7 | 1.1 |
| 93E11 | CHP | 03712 | 6272 | 1 | 30 | 68 | 16 | 0.2 | <0.01 | 4 | 480 | 24 | 3.3 |
| 93E11 | CHP | 03713 | 6272 | 3 | 107 | 87 | 37 | 0.2 | <0.01 | 11 | 600 | 100 | 14 |
| 93E11 | CHP | 03714 | 6272 | 3 | 35 | 69 | 28 | 0.2 | <0.01 | 75 | 960 | 240 | 39 |
| 93E11 | CHP | 03715 | 6272 | 3 | 21 | 24 | 10 | <0.2 | <0.01 | <4 | 220 | 52 | 1.7 |
| 93E11 | CHP | 03716 | 6272 | 2 | 28 | 102 | 73 | 0.3 | <0.01 | 13 | 1600 | 52 | 9.6 |
| 93E11 | CHP | 03716* | 6272 | 2 | 29 | 104 | 79 | 0.5 | 0.02 | 16 | 1680 | 53 | 9.1 |
| 93E11 | CHP | 03717 | 6272 | 1 | 34 | 81 | 48 | 0.6 | 0.19 | 110 | 1040 | 160 | 40 |
| 93E11 | CHP | 03718 | 6272 | 1 | 36 | 137 | 59 | 0.8 | <0.01 | 7 | 1160 | 76 | 11 |
| 93E11 | CHP | 03719 | 6272 | <1 | 34 | 74 | 42 | 0.2 | 0.01 | 6 | 360 | 120 | 27 |
| 93E11 | CHP | 03720 | 6272 | 2 | 87 | 100 | 39 | 0.2 | NSS | NSS | 300 | NSS | NSS |
| 93E11 | CHN | 03651' | 6272 | 2 | 450 | 123 | 45 | 0.4 | <0.01 | <4 | 520 | 7 | 0.5 |
| 93E11 | CHN | 03652 | 6272 | NSS | NSS | NSS | NSS | NSS | 0.04 | <4 | 460 | 300 | 7.1 |
| 93E11 | CHN | 03653• | 6272 | 12 | 253 | 810 | 6 | 1.1 | <0.01 | 9 | 140 | 60 | 4.8 |
| 93E11 | CHN | 03654 | 6272 | 2 | 400 | 130 | 29 | <0.2 | 0.04 | <4 | 260 | 32 | 3.2 |
| 93E11 | CHN | 03655• | 6272 | <1 | 400 | 258 | 30 | 1.6 | 0.90 | 90 | 420 | 100 | 8.6 |
| 93E11 | CHN | 03655* | 6272 | NSS | NSS | NSS | NSS | NSS | 24.0 | 54 | 460 | 60 | 4.9 |
| 93E11 | CHN | 03656 | 6272 | NSS | NSS | NSS | NSS | NSS | 0.09 | 14 | 280 | 74 | 9.2 |
| 93E11 | CHN | 03657• | 6272 | 16 | 760 | 193 | 364 | 5.0 | 10.0 | 9 | 1400 | 330 | 13 |
| 93E11 | CHN | 03658 | 6272 | 3 | 190 | 138 | 77 | 0.6 | 0.02 | 11 | 660 | 58 | 4.1 |
| 93E11 | CHN | 03659 | 6272 | 7 | 59 | 57 | 45 | 0.8 | 0.03 | 16 | 320 | 11 | 2.7 |
| 93E11 | CHN | 03660 | 6272 | 14 | 78 | 79 | 89 | 3.8 | <0.01 | 19 | 320 | 23 | 5.2 |
| 93E11 | CHN | 03661• | 6272 | 5 | 73 | 68 | 85 | 1.2 | 2.30 | <4 | 1200 | 37 | 6.3 |
| 93E11 | CHN | 03662• | 6272 | 2 | 450 | 94 | 45 | 0.6 | 0.02 | 27 | 260 | 130 | 23 |
| 93E11 | CHN | 03663• | 6272 | 4 | 69 | 89 | 194 | 0.9 | 0.05 | 110 | 440 | 410 | 6.3 |
| 93E11 | CHN | 03664• | 6272 | 5 | 490 | 54 | 41 | <0.2 | 0.39 | <4 | 300 | 62 | 9.5 |
| TEST | STD P | | 6272 | 13 | 125 | 99 | 113 | 1.1 | | | | | |

PLACER GEOCHEM ASSAY SYSTEM: DATA FROM EQUITY REGIONAL    DATE: 86-11-26    PAGE: 4

| GRID | SAMPLE | | PROJECT | MO | CU | ZN | PB | AG | AU | W | F | AS | SB |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 93E11 | CHN | 03665• | 6272 | 12 | 1420 | 341 | 600 | 23.0 | 60.0 | 10 | 340 | 590 | 22 |
| 93E11 | CHN | 03666• | 6272 | NSS | NSS | NSS | NSS | NSS | 0.09 | 160 | 4000 | 76 | 7.4 |
| 93E11 | CHN | 03667 | 6272 | NSS | NSS | NSS | NSS | NSS | 0.04 | 43 | NSS | 130 | 15 |
| 93E11 | CHN | 03701 | 6272 | 6 | 76 | 60 | 18 | <0.2 | 0.02 | <4 | 340 | 17 | 2.3 |
| 93E11 | CHN | 03702 | 6272 | NSS | NSS | NSS | NSS | NSS | <0.01 | 9 | 340 | 24 | 2.7 |
| 93E11 | CHN | 03703 | 6272 | 4 | 248 | 189 | 42 | 0.6 | <0.02 | <4 | 680 | 45 | 3.6 |
| 93E11 | CHN | 03704• | 6272 | 6 | 218 | 156 | 114 | 6.0 | 35.0 | 6 | 300 | 97 | 7.1 |
| 93E11 | CHN | 03705 | 6272 | 5 | 237 | 242 | 71 | 1.5 | 0.09 | <4 | 340 | 150 | 13 |
| 93E11 | CHN | 03706• | 6272 | 2 | 450 | 480 | 255 | 5.0 | 4.40 | 15 | 420 | 450 | 19 |
| 93E11 | CHN | 03706* | 6272 | 2 | 430 | 440 | 260 | 4.0 | 2.30 | 17 | 420 | 750 | 35 |
| 93E11 | CHN | 03707 | 6272 | <1 | 45 | 68 | 40 | 0.6 | <0.01 | 30 | 680 | 62 | 6.2 |
| 93E11 | CHN | 03708 | 6272 | NSS | NSS | NSS | NSS | NSS | <0.01 | 17 | 840 | 34 | 3.5 |
| 93E11 | CHN | 03709• | 6272 | 4 | 140 | 133 | 114 | 1.8 | 4.10 | <4 | 960 | 170 | 7.3 |
| 93E11 | CHN | 03710• | 6272 | 6 | 259 | 36 | 248 | 1.4 | 11.0 | <4 | NSS | 44 | 5.1 |
| 93E11 | CHN | 03711 | 6272 | 3 | 730 | 39 | 70 | <0.2 | 0.06 | <4 | 700 | 16 | 2.1 |
| 93E11 | CHN | 03712 | 6272 | 3 | 149 | 355 | 20 | 0.4 | 0.67 | 15 | 840 | 60 | 5.6 |
| 93E11 | CHN | 03713• | 6272 | 3 | 530 | 126 | 46 | 0.5 | 0.02 | 170 | 460 | 170 | 5.9 |
| 93E11 | CHN | 03714 | 6272 | 4 | 37 | 35 | 50 | 1.0 | 0.12 | 190 | 500 | 27 | 4.5 |
| 93E11 | CHN | 03715 | 6272 | 2 | 231 | 40 | 38 | <0.2 | <0.01 | 18 | 260 | 50 | 4.5 |
| TEST | STD P | | 6272 | 13 | 126 | 110 | 109 | 1.2 | | | | 92 | 51 |
| 93E11 | CHN | 03716 | 6272 | 3 | 65 | 61 | 74 | 0.8 | 0.03 | 33 | NSS | 18 | 7.2 |
| 93E11 | CHN | 03717• | 6272 | 4 | 92 | 75 | 68 | 10.0 | 0.25 | 14 | 1360 | 43 | 5.0 |
| 93E11 | CHN | 03718 | 6272 | 1 | 63 | 365 | 99 | 1.8 | 0.01 | 63 | 1360 | 12 | 4.3 |
| 93E11 | CHN | 03719 | 6272 | 1 | 123 | 57 | 24 | 0.5 | <0.01 | 10 | 420 | 230 | 4.6 |
| 93E11 | CHN | 03720• | 6272 | <1 | 590 | 197 | 25 | 0.9 | 33.0 | 58 | 600 | 1200 | 22 |
| 93E11 | FIP | 03651 | 6272 | <1 | 64 | 126 | 17 | <0.2 | 0.01 | <4 | 320 | 19 | 1.7 |
| 93E11 | FIP | 03652 | 6272 | <1 | 67 | 113 | 14 | <0.2 | 0.02 | <4 | 220 | 46 | 1.0 |
| 93E11 | FIP | 03653 | 6272 | <1 | 72 | 120 | 20 | <0.2 | 0.02 | <4 | 420 | 28 | 1.8 |
| 93E11 | FIP | 03654 | 6272 | <1 | 58 | 86 | 13 | <0.2 | 0.21 | <4 | 280 | 7 | 0.5 |
| 93E11 | FIP | 03654* | 6272 | <1 | 59 | 86 | 11 | <0.2 | <0.01 | <4 | 240 | 7 | 0.4 |
| 93E11 | FIP | 03655 | 6272 | <1 | 77 | 90 | 14 | <0.2 | 0.01 | <4 | 260 | 17 | 1.3 |
| 93E11 | FIP | 03656 | 6272 | <1 | 70 | 148 | 22 | <0.2 | <0.01 | <4 | 240 | 36 | 2.7 |
| 93E11 | FIP | 03657 | 6272 | <1 | 75 | 134 | 18 | <0.2 | <0.01 | <4 | 420 | 15 | 0.9 |
| 93E11 | FIP | 03658 | 6272 | <1 | 33 | 30 | 10 | <0.2 | <0.01 | <4 | 400 | 9 | 1.5 |
| 93E11 | FIP | 03659 | 6272 | <1 | 54 | 130 | 30 | <0.2 | <0.01 | <4 | 440 | 18 | 3.1 |
| 93E11 | FIP | 03660 | 6272 | <1 | 47 | 139 | 36 | <0.2 | 0.01 | <4 | 300 | 12 | 3.3 |
| 93E11 | FIP | 03661 | 6272 | NSS | NSS | NSS | NSS | NSS | <0.01 | <4 | NSS | 20 | 3.3 |
| 93E11 | FIP | 03662 | 6272 | NSS | NSS | NSS | NSS | NSS | <0.01 | <4 | NSS | 48 | 4.8 |
| 93E11 | FIP | 03663 | 6272 | <1 | 74 | 148 | 38 | 0.2 | 0.01 | <4 | 360 | 110 | 5.3 |
| 93E11 | FIP | 03663* | 6272 | <1 | 73 | 147 | 37 | <0.2 | 0.01 | <4 | 460 | 130 | 6.1 |
| 93E11 | FIP | 03664 | 6272 | 2 | 110 | 174 | 24 | <0.2 | 0.01 | <4 | 220 | 58 | 4.0 |
| 93E11 | FIP | 03665• | 6272 | 6 | 199 | 510 | 154 | 0.8 | <0.01 | <4 | 400 | 250 | 8.2 |
| 93E11 | FIP | 03666 | 6272 | 2 | 91 | 307 | 71 | 0.3 | 0.02 | <4 | 840 | 13 | 1.0 |
| 93E11 | FIP | 03667 | 6272 | NSS | NSS | NSS | NSS | NSS | 0.01 | <4 | NSS | 76 | 7.3 |
| 93E11 | FIP | 03701 | 6272 | <1 | 52 | 39 | 13 | 0.2 | <0.01 | <4 | 180 | 7 | 0.8 |
| 93E11 | FIP | 03702 | 6272 | <1 | 51 | 69 | 13 | <0.2 | <0.01 | <4 | 400 | 5 | 0.3 |
| 93E11 | FIP | 03703 | 6272 | <1 | 58 | 34 | 12 | <0.2 | <0.01 | <4 | 230 | 7 | 0.5 |
| 93E11 | FIP | 03704 | 6272 | <1 | 73 | 165 | 20 | <0.2 | <0.01 | <4 | 200 | 17 | 1.4 |
| 93E11 | FIP | 03705 | 6272 | <1 | 100 | 213 | 37 | 0.2 | 0.01 | <4 | 190 | 73 | 3.7 |
| TEST | STD P | | 6272 | 12 | 122 | 97 | 103 | 1.2 | | | | | |
| 93E11 | FIP | 03706• | 6272 | <1 | 99 | 250 | 68 | 0.2 | 0.02 | <4 | 280 | 140 | 11 |
| 93E11 | FIP | 03707 | 6272 | <1 | 51 | 101 | 21 | <0.2 | <0.01 | <4 | 300 | 18 | 2.0 |
| 93E11 | FIP | 03708 | 6272 | <1 | 45 | 151 | 18 | <0.2 | 0.02 | <4 | 440 | 16 | 1.2 |
| 93E11 | FIP | 03709 | 6272 | <1 | 41 | 148 | 20 | <0.2 | <0.01 | <4 | 640 | 11 | 2.0 |
| 93E11 | FIP | 03710 | 6272 | <1 | 41 | 79 | 9 | <0.2 | 0.01 | <4 | 320 | 13 | 0.4 |
| 93E11 | FIP | 03711 | 6272 | NSS | NSS | NSS | NSS | NSS | 0.02 | <4 | NSS | 5 | 0.4 |
| 93E11 | FIP | 03712 | 6272 | <1 | 53 | 94 | 14 | <0.2 | 0.01 | <4 | NSS | 17 | 1.5 |
| 93E11 | FIP | 03713 | 6272 | <1 | 83 | 130 | 38 | <0.2 | 0.02 | <4 | 360 | 48 | 5.2 |
| 93E11 | FIP | 03714 | 6272 | NSS | NSS | NSS | NSS | NSS | <0.01 | <4 | NSS | 42 | 2.6 |
| TEST | STD P | | 6272 | 12 | 129 | 94 | 106 | 1.4 | | | | | |

PLACER GEOCHEM ASSAY SYSTEM: DATA FROM EQUITY REGIONAL    DATE: 86-11-26    PAGE: 5

| GRID | SAMPLE | | PROJECT | MO | CU | ZN | PB | AG | AU | W | F | AS | SB |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 93E11 | FIP | 03715 | 6272 | 1 | 42 | 61 | 7 | <0.2 | 0.02 | <4 | 130 | 27 | 0.6 |
| 93E11 | FIP | 03716• | 6272 | 2 | 46 | 206 | 31 | <0.2 | 0.01 | 20 | 670 | 10 | 1.6 |
| 93E11 | FIP | 03717 | 6272 | 2 | 51 | 166 | 22 | <0.2 | <0.01 | 8 | 560 | 9 | 1.6 |
| 93E11 | FIP | 03718 | 6272 | 1 | 49 | 227 | 20 | <0.2 | <0.01 | 9 | 760 | 5 | 1.3 |
| 93E11 | FIP | 03719 | 6272 | 1 | 70 | 172 | 28 | <0.2 | <0.01 | <4 | 320 | 67 | 4.6 |
| 93E11 | FIP | 03720 | 6272 | 2 | 84 | 196 | 28 | <0.2 | <0.01 | <4 | 280 | 87 | 9.7 |
| 93E11 | FIN | 03651 | 6272 | <1 | 34 | 49 | 8 | <0.2 | <0.01 | <4 | 260 | 6 | 0.6 |
| 93E11 | FIN | 03652 | 6272 | <1 | 51 | 82 | 8 | <0.2 | <0.01 | <4 | 260 | 30 | 1.0 |
| 93E11 | FIN | 03653 | 6272 | <1 | 47 | 64 | 8 | <0.2 | 0.01 | <4 | 280 | 6 | 0.7 |
| TEST | STD P | | 6272 | 12 | 119 | 97 | 95 | 0.8 | 0.41 | 16 | | 89 | 44 |
| 93E11 | FIN | 03654 | 6272 | <1 | 30 | 50 | 5 | <0.2 | 0.04 | <4 | 200 | 4 | 0.4 |
| 93E11 | FIN | 03655 | 6272 | <1 | 32 | 51 | 6 | <0.2 | <0.01 | <4 | 180 | 6 | 0.8 |
| 93E11 | FIN | 03656 | 6272 | <1 | 39 | 84 | 12 | <0.2 | <0.01 | <4 | 220 | 12 | 1.2 |
| 93E11 | FIN | 03657 | 6272 | <1 | 31 | 56 | 6 | <0.2 | <0.01 | <4 | 260 | 4 | 0.5 |
| 93E11 | FIN | 03658 | 6272 | <1 | 25 | 53 | 5 | <0.2 | <0.01 | <4 | 340 | 2 | 0.7 |
| 93E11 | FIN | 03659 | 6272 | <1 | 33 | 74 | 14 | <0.2 | <0.01 | <4 | 380 | 8 | 1.4 |
| 93E11 | FIN | 03660 | 6272 | <1 | 25 | 69 | 16 | <0.2 | <0.01 | <4 | 260 | 6 | 1.3 |
| 93E11 | FIN | 03661 | 6272 | <1 | 22 | 58 | 10 | <0.2 | <0.01 | <4 | 560 | 7 | 1.6 |
| 93E11 | FIN | 03662 | 6272 | <1 | 22 | 58 | 9 | <0.2 | <0.01 | <4 | 380 | 13 | 2.2 |
| TEST | STD P | | 6272 | 12 | 121 | 94 | 100 | 0.9 | | | | | |
| 93E11 | FIN | 03663 | 6272 | 1 | 35 | 69 | 11 | <0.2 | 0.02 | <4 | 300 | 29 | 1.6 |
| 93E11 | FIN | 03664 | 6272 | 1 | 34 | 62 | 8 | <0.2 | 0.01 | <4 | 400 | 19 | 4.1 |
| 93E11 | FIN | 03665 | 6272 | 1 | 72 | 163 | 54 | <0.2 | 0.07 | <4 | 340 | 47 | 4.0 |
| 93E11 | FIN | 03666 | 6272 | 1 | 34 | 72 | 23 | <0.2 | <0.01 | <4 | 820 | 5 | 0.9 |
| 93E11 | FIN | 03667 | 6272 | 1 | 46 | 116 | 18 | <0.2 | <0.01 | <4 | 340 | 23 | 2.8 |
| 93E11 | FIN | 03701 | 6272 | 1 | 31 | 60 | 4 | <0.2 | <0.01 | <4 | 260 | <1 | 0.5 |
| 93E11 | FIN | 03702 | 6272 | 1 | 35 | 56 | 3 | <0.2 | <0.01 | <4 | 360 | 5 | 0.4 |
| 93E11 | FIN | 03703 | 6272 | 1 | 40 | 52 | 4 | <0.2 | <0.01 | <4 | 320 | 3 | 0.5 |
| 93E11 | FIN | 03704 | 6272 | 1 | 45 | 100 | 6 | <0.2 | <0.01 | <4 | 220 | 7 | 1.1 |
| 93E11 | FIN | 03704* | 6272 | 1 | 45 | 96 | 7 | <0.2 | 0.02 | <4 | 220 | 6 | 0.8 |
| 93E11 | FIN | 03705 | 6272 | <1 | 41 | 104 | 10 | <0.2 | <0.01 | <4 | 220 | 16 | 1.2 |
| 93E11 | FIN | 03706 | 6272 | <1 | 40 | 88 | 19 | <0.2 | <0.01 | <4 | 280 | 31 | 3.1 |
| 93E11 | FIN | 03707 | 6272 | 1 | 27 | 56 | 8 | <0.2 | <0.01 | <4 | 240 | <3 | <0.6 |
| 93E11 | FIN | 03708 | 6272 | 1 | 27 | 76 | 9 | <0.2 | 0.02 | <4 | 360 | 9 | 1.4 |
| 93E11 | FIN | 03709 | 6272 | <1 | 13 | 29 | 4 | <0.2 | <0.01 | <4 | 540 | 2 | 0.5 |
| 93E11 | FIN | 03710 | 6272 | <1 | 29 | 49 | 7 | <0.2 | <0.01 | <4 | NSS | 4 | 0.5 |
| 93E11 | FIN | 03711 | 6272 | NSS | NSS | NSS | NSS | NSS | 0.03 | <4 | NSS | 3 | 0.4 |
| 93E11 | FIN | 03712 | 6272 | 1 | 30 | 50 | 7 | 0.2 | <0.01 | <4 | 260 | 11 | 2.1 |
| 93E11 | FIN | 03713 | 6272 | <1 | 34 | 50 | 7 | <0.2 | 0.02 | <4 | 230 | 10 | 1.5 |
| 93E11 | FIN | 03713* | 6272 | <1 | 34 | 60 | 7 | <0.2 | <0.01 | <4 | 260 | 12 | 1.6 |
| 93E11 | FIN | 03714 | 6272 | 1 | 43 | 64 | 11 | <0.2 | <0.01 | <4 | 260 | 16 | 1.4 |
| 93E11 | FIN | 03715 | 6272 | <1 | 30 | 43 | 10 | <0.2 | 0.01 | <4 | 200 | 20 | 0.7 |
| 93E11 | FIN | 03716 | 6272 | <1 | 17 | 33 | 7 | <0.2 | <0.01 | <4 | 380 | 2 | 0.6 |
| 93E11 | FIN | 03717 | 6272 | <1 | 18 | 24 | 8 | <0.2 | <0.01 | <4 | 340 | <1 | 0.6 |
| 93E11 | FIN | 03718 | 6272 | <1 | 14 | 26 | 3 | <0.2 | <0.01 | <4 | 420 | 1 | 0.3 |
| 93E11 | FIN | 03719 | 6272 | <1 | 35 | 73 | 12 | <0.2 | <0.01 | <4 | 220 | 18 | 1.5 |
| 93E11 | FIN | 03720 | 6272 | <1 | 29 | 71 | 9 | <0.2 | <0.01 | <4 | 220 | 19 | 2.6 |
| 93E11 | FHM | 03651 | 6272 | 1 | 43 | 620 | 15 | <0.2 | 0.01 | <4 | 320 | 10 | 1.2 |
| 93E11 | FHM | 03652 | 6272 | 1 | 64 | 700 | 7 | <0.2 | <0.01 | <4 | 300 | 14 | 0.7 |
| TEST | STD P | | 6272 | 12 | 118 | 90 | 89 | 0.8 | | | | | |
| 93E11 | FHM | 03653 | 6272 | 2 | 49 | 392 | 20 | <0.2 | <0.01 | <4 | 240 | 10 | 1.4 |
| 93E11 | FHM | 03654 | 6272 | <1 | 50 | 510 | 10 | <0.2 | 0.01 | <4 | 280 | 5 | 0.5 |
| 93E11 | FHM | 03655 | 6272 | <1 | 30 | 350 | 13 | <0.2 | <0.01 | 5 | 260 | 7 | 1.0 |
| 93E11 | FHM | 03656 | 6272 | 4 | 38 | 302 | 24 | <0.2 | 0.01 | <4 | 200 | 13 | 1.8 |
| 93E11 | FHM | 03657 | 6272 | 1 | 33 | 184 | 15 | <0.2 | 0.01 | <4 | 260 | 9 | 0.7 |
| 93E11 | FHM | 03658 | 6272 | 2 | 44 | 106 | 14 | <0.2 | <0.01 | <4 | 260 | 18 | 2.1 |
| 93E11 | FHM | 03659 | 6272 | 2 | 45 | 111 | 14 | <0.2 | <0.01 | <4 | 280 | 6 | 1.5 |
| 93E11 | FHM | 03660 | 6272 | 2 | 48 | 104 | 28 | <0.2 | <0.01 | <4 | 300 | 8 | 2.3 |
| 93E11 | FHM | 03661 | 6272 | 1 | 23 | 73 | 18 | <0.2 | <0.01 | <4 | 230 | 5 | 1.2 |
| 93E11 | FHM | 03661* | 6272 | 1 | 24 | 68 | 20 | <0.2 | 0.01 | <4 | 280 | 6 | 1.1 |

PLACER GEOCHEM ASSAY SYSTEM: DATA FROM EQUITY REGIONAL    DATE: 86-11-26    PAGE: 6

| GRID | SAMPLE | | PROJECT | MO | CU | ZN | PB | AG | AU | W | F | AS | SB |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 93E11 | FHM | 03662 | 6272 | 1 | 20 | 117 | 13 | <0.2 | <0.01 | <4 | 200 | 11 | 1.0 |
| 93E11 | FHM | 03663 | 6272 | 1 | 34 | 100 | 11 | <0.2 | 0.02 | <4 | 240 | 13 | 1.0 |
| 93E11 | FHM | 03664 | 6272 | 2 | 46 | 210 | 18 | <0.2 | <0.01 | <4 | 230 | 21 | 1.2 |
| 93E11 | FHM | 03665 | 6272 | 6 | 63 | 134 | 52 | <0.2 | <0.01 | <4 | 300 | 23 | 2.2 |
| 93E11 | FHM | 03666 | 6272 | 1 | 30 | 149 | 23 | <0.2 | <0.01 | <4 | 420 | 7 | 1.5 |
| 93E11 | FHM | 03667 | 6272 | NSS | NSS | NSS | NSS | NSS | 0.04 | <4 | NSS | 17 | 1.7 |
| 93E11 | FHM | 03701 | 6272 | <1 | 44 | 630 | 16 | <0.2 | <0.01 | <4 | 280 | 16 | 2.4 |
| 93E11 | FHM | 03702 | 6272 | <1 | 39 | 500 | 13 | <0.2 | <0.01 | <4 | 440 | 15 | 0.9 |
| 93E11 | FHM | 03703 | 6272 | <1 | 53 | 392 | 6 | <0.2 | 0.01 | <4 | 320 | 6 | 0.4 |
| TEST | STD P | | 6272 | 12 | 118 | 94 | 84 | 0.9 | | | | 96 | 93 |
| 93E11 | FHM | 03704 | 6272 | 2 | 35 | 343 | 9 | <0.2 | <0.01 | <4 | 240 | 6 | 0.4 |
| 93E11 | FHM | 03705 | 6272 | <1 | 37 | 260 | 12 | <0.2 | <0.01 | <4 | 220 | 14 | 1.4 |
| 93E11 | FHM | 03706• | 6272 | <1 | 36 | 250 | 25 | 1.4 | <0.01 | <4 | 220 | 23 | 3.4 |
| 93E11 | FHM | 03707 | 6272 | <1 | 32 | 196 | 12 | <0.2 | 0.01 | <4 | 280 | 7 | 1.0 |
| 93E11 | FHM | 03708 | 6272 | NSS | NSS | NSS | NSS | NSS | <0.01 | <4 | NSS | 14 | 1.7 |
| 93E11 | FHM | 03709 | 6272 | <1 | 26 | 106 | 12 | <0.2 | 0.01 | <4 | 280 | 4 | 1.1 |
| 93E11 | FHM | 03710 | 6272 | <1 | 39 | 500 | 13 | <0.2 | <0.01 | <4 | 380 | 13 | 0.8 |
| 93E11 | FHM | 03711 | 6272 | <1 | 58 | 750 | 4 | <0.2 | <0.01 | <4 | 300 | 3 | 0.4 |
| 93E11 | FHM | 03712 | 6272 | <1 | 41 | 340 | 12 | <0.2 | <0.01 | <4 | 240 | 10 | 1.4 |
| 93E11 | FHM | 03712* | 6272 | NSS | NSS | NSS | NSS | NSS | 0.01 | <4 | 240 | 10 | 1.6 |
| 93E11 | FHM | 03713 | 6272 | 2 | 37 | 57 | 11 | 0.2 | <0.01 | <4 | 220 | 10 | 1.2 |
| 93E11 | FHM | 03714 | 6272 | 2 | 32 | 63 | 12 | <0.2 | <0.01 | <4 | 280 | 7 | 0.8 |
| 93E11 | FHM | 03715 | 6272 | 1 | 30 | 122 | 10 | <0.2 | 0.01 | <4 | 220 | 21 | 0.8 |
| 93E11 | FHM | 03716 | 6272 | 2 | 28 | 107 | 27 | <0.2 | <0.01 | <4 | 360 | 9 | 1.3 |
| 93E11 | FHM | 03717 | 6272 | 1 | 33 | 32 | 14 | <0.2 | 0.01 | <4 | 280 | 2 | 0.6 |
| 93E11 | FHM | 03718 | 6272 | 1 | 22 | 34 | 13 | <0.2 | <0.01 | <4 | 320 | 3 | 1.1 |
| 93E11 | FHM | 03719 | 6272 | NSS | NSS | NSS | NSS | NSS | <0.01 | <4 | NSS | 18 | 4.7 |
| 93E11 | FHM | 03720 | 6272 | 1 | 24 | 169 | 14 | <0.2 | <0.01 | 4 | NSS | 15 | 3.7 |
| 93E11 | FHP | 03651 | 6272 | 2 | 51 | 93 | 22 | <0.2 | <0.01 | 5 | NSS | 49 | 4.3 |
| TEST | STD P | | 6272 | 13 | 120 | 92 | 99 | 1.2 | | | | | |
| 93E11 | FHP | 03652 | 6272 | 6 | 41 | 62 | 14 | <0.2 | <0.01 | <4 | 300 | 31 | 1.3 |
| 93E11 | FHP | 03653 | 6272 | 4 | 49 | 84 | 21 | <0.2 | <0.01 | <4 | 320 | 27 | 2.5 |
| 93E11 | FHP | 03654 | 6272 | 1 | 51 | 71 | 11 | <0.2 | 0.01 | <4 | 340 | 8 | 0.9 |
| 93E11 | FHP | 03655 | 6272 | 1 | 32 | 53 | 10 | <0.2 | <0.01 | 5 | 260 | 17 | 2.7 |
| 93E11 | FHP | 03656 | 6272 | 3 | 25 | 66 | 24 | <0.2 | <0.01 | <4 | 200 | 26 | 4.1 |
| 93E11 | FHP | 03657 | 6272 | 4 | 53 | 84 | 14 | <0.2 | <0.01 | 6 | 420 | 30 | 2.2 |
| 93E11 | FHP | 03658 | 6272 | 4 | 38 | 42 | 19 | <0.2 | <0.01 | 4 | 340 | 42 | 4.2 |
| 93E11 | FHP | 03659 | 6272 | 1 | 28 | 45 | 25 | <0.2 | <0.01 | 6 | 320 | 26 | 6.5 |
| 93E11 | FHP | 03660 | 6272 | <1 | 21 | 41 | 35 | <0.2 | <0.01 | <4 | 260 | 25 | 6.7 |
| 93E11 | FHP | 03660* | 6272 | <1 | 22 | 40 | 33 | <0.2 | <0.01 | <4 | 240 | 25 | 6.5 |
| 93E11 | FHP | 03661 | 6272 | 2 | 60 | 134 | 49 | <0.2 | <0.01 | 10 | 580 | 41 | 8.4 |
| 93E11 | FHP | 03662 | 6272 | 2 | 56 | 94 | 26 | <0.2 | <0.01 | 15 | NSS | 67 | 9.4 |
| 93E11 | FHP | 03663 | 6272 | <1 | 48 | 85 | 41 | <0.2 | 0.01 | 73 | 400 | 84 | 8.3 |
| 93E11 | FHP | 03664 | 6272 | 3 | 103 | 56 | 20 | <0.2 | 0.01 | 7 | 240 | 83 | 7.5 |
| 93E11 | FHP | 03665• | 6272 | 10 | 164 | 198 | 152 | 1.9 | 0.02 | <4 | 320 | 270 | 15 |
| 93E11 | FHP | 03666• | 6272 | 5 | 82 | 214 | 74 | 0.6 | <0.01 | 9 | 800 | 37 | 5.8 |
| 93E11 | FHP | 03667 | 6272 | NSS | NSS | NSS | NSS | NSS | 0.01 | <4 | NSS | 78 | 9.4 |
| 93E11 | FHP | 03701 | 6272 | <1 | 28 | 36 | 9 | <0.2 | <0.01 | <4 | 320 | 11 | 2.3 |
| 93E11 | FHP | 03702 | 6272 | 1 | 31 | 33 | 10 | <0.2 | <0.01 | <4 | 460 | 12 | 1.0 |
| 93E11 | FHP | 03702* | 6272 | 1 | 37 | 37 | 10 | <0.2 | <0.01 | <4 | 440 | 15 | 0.9 |
| 93E11 | FHP | 03703 | 6272 | 2 | 40 | 35 | 5 | 0.2 | 0.01 | <4 | 320 | 9 | 0.9 |
| 93E11 | FHP | 03704 | 6272 | 1 | 35 | 71 | 12 | 0.3 | <0.01 | <4 | 240 | 21 | 2.8 |
| 93E11 | FHP | 03705 | 6272 | 1 | 35 | 74 | 18 | 0.4 | 0.01 | 4 | 260 | 42 | 4.9 |
| 93E11 | FHP | 03706• | 6272 | 1 | 67 | 122 | 75 | 0.5 | <0.01 | 7 | 340 | 130 | 17 |
| 93E11 | FHP | 03707 | 6272 | 1 | 21 | 47 | 36 | <0.2 | <0.01 | 7 | 200 | 24 | 4.7 |
| 93E11 | FHP | 03708 | 6272 | 5 | 37 | 74 | 46 | 0.2 | <0.01 | 6 | NSS | 61 | 4.1 |
| 93E11 | FHP | 03709 | 6272 | 2 | 55 | 110 | 51 | 0.4 | <0.01 | 16 | 520 | 38 | 9.0 |
| 93E11 | FHP | 03710 | 6272 | 2 | 31 | 39 | 7 | <0.2 | <0.01 | <4 | 320 | 20 | 0.8 |
| 93E11 | FHP | 03711 | 6272 | 1 | 31 | 30 | 5 | 0.2 | <0.01 | <4 | 280 | 7 | 0.7 |
| TEST | STD P | | 6272 | 15 | 124 | 89 | 96 | 1.2 | | | | | |

PLACER GEOCHEM ASSAY SYSTEM: DATA FROM EQUITY REGIONAL    DATE: 86-11-26    PAGE: 7

| GRID | SAMPLE | | PROJECT | MO | CU | ZN | PB | AG | AU | W | F | AS | SB |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 93E11 | FHP | 03712 | 6272 | 1 | 30 | 60 | 16 | <0.2 | 0.01 | <4 | 440 | 25 | 3.3 |
| 93E11 | FHP | 03713 | 6272 | 2 | 75 | 128 | 39 | <0.2 | 0.06 | 11 | 530 | 71 | 8.8 |
| 93E11 | FHP | 03714 | 6272 | 2 | 54 | 91 | 29 | <0.2 | <0.01 | 11 | NSS | 37 | 4.8 |
| 93E11 | FHP | 03715 | 6272 | 1 | 28 | 23 | 12 | <0.2 | <0.01 | <4 | 220 | 53 | 1.8 |
| 93E11 | FHP | 03716 | 6272 | 2 | 46 | 113 | 31 | <0.2 | <0.01 | 9 | 800 | 45 | 9.3 |
| 93E11 | FHP | 03717 | 6272 | 2 | 43 | 78 | 49 | 1.3 | 0.02 | 13 | 760 | 26 | 5.5 |
| 93E11 | FHP | 03718 | 6272 | 3 | 32 | 132 | 56 | 0.8 | 0.01 | 13 | 720 | 27 | 6.9 |
| 93E11 | FHP | 03719 | 6272 | 1 | 30 | 57 | 30 | <0.2 | 0.01 | <4 | 320 | 3 | 0.5 |
| 93E11 | FHP | 03720 | 6272 | 1 | 43 | 93 | 34 | <0.2 | <0.01 | 8 | 300 | 92 | 19 |
| 93E11 | FHP | 03720* | 6272 | NSS | NSS | NSS | NSS | NSS | 0.07 | 9 | NSS | 86 | 18 |
| 93E11 | FHN | 03651 | 6272 | 1 | 56 | 63 | 7 | 0.4 | 0.24 | 8 | 420 | 24 | 2.9 |
| 93E11 | FHN | 03652 | 6272 | 2 | 93 | 149 | 20 | 0.3 | 0.11 | <4 | 320 | 120 | 2.0 |
| 93E11 | FHN | 03653 | 6272 | 1 | 57 | 65 | 8 | 0.2 | 0.82 | <4 | 400 | 13 | 1.6 |
| 93E11 | FHN | 03654 | 6272 | 1 | 41 | 45 | 6 | <0.2 | <0.01 | <4 | 360 | 5 | 0.8 |
| 93E11 | FHN | 03655• | 6272 | 2 | 44 | 53 | 17 | 0.5 | 2.30 | 9 | 340 | 19 | 1.8 |
| 93E11 | FHN | 03656 | 6272 | NSS | NSS | NSS | NSS | NSS | 0.02 | 12 | NSS | 75 | 3.9 |
| 93E11 | FHN | 03657 | 6272 | 6 | 64 | 57 | 30 | 0.2 | 0.43 | <4 | 420 | 15 | 1.2 |
| 93E11 | FHN | 03658 | 6272 | 1 | 100 | 116 | 42 | 0.6 | 0.01 | 21 | NSS | 51 | 2.6 |
| 93E11 | FHN | 03659 | 6272 | 4 | 33 | 41 | 30 | 1.2 | <0.02 | 10 | 520 | 15 | 4.8 |
| TEST | STD P | | 6272 | 13 | 115 | 34 | 98 | 1.0 | | | | 83 | 47 |
| 93E11 | FHN | 03660• | 6272 | 14 | 32 | 57 | 113 | 1.5 | 0.01 | 30 | 620 | 16 | 2.8 |
| 93E11 | FHN | 03661 | 6272 | 4 | 44 | 44 | 21 | 0.7 | 0.12 | <4 | 840 | 17 | 3.5 |
| 93E11 | FHN | 03662• | 6272 | NSS | NSS | NSS | NSS | NSS | 2.70 | 29 | NSS | 57 | 9.0 |
| 93E11 | FHN | 03663 | 6272 | 1 | 35 | 56 | 13 | 0.5 | 0.57 | 11 | 500 | 25 | 2.6 |
| 93E11 | FHN | 03664• | 6272 | NSS | NSS | NSS | NSS | NSS | 3.30 | 30 | NSS | 84 | 8.8 |
| 93E11 | FHN | 03665• | 6272 | 7 | 141 | 127 | 125 | 2.0 | 3.70 | <4 | 400 | 140 | 11 |
| 93E11 | FHN | 03666• | 6272 | 25 | 105 | 31 | 131 | 1.4 | 0.25 | <4 | 1040 | 12 | 1.2 |
| 93E11 | FHN | 03667 | 6272 | NSS | NSS | NSS | NSS | NSS | 0.02 | 11 | NSS | 63 | 6.1 |
| 93E11 | FHN | 03701 | 6272 | 1 | 41 | 45 | 6 | 0.3 | <0.01 | <4 | NSS | 11 | 2.7 |
| TEST | STD P | | 6272 | 13 | 114 | 93 | 98 | 1.4 | | | | | |
| 93E11 | FHN | 03702 | 6272 | 1 | 39 | 45 | 8 | 0.3 | <0.02 | <4 | 420 | 14 | 1.4 |
| 93E11 | FHN | 03703 | 6272 | 1 | 65 | 40 | 15 | 0.4 | 0.05 | <4 | 400 | 12 | 1.2 |
| 93E11 | FHN | 03704 | 6272 | 1 | 56 | 98 | 16 | <0.2 | 0.55 | <4 | 230 | 11 | 1.2 |
| 93E11 | FHN | 03705 | 6272 | 1 | 90 | 149 | 25 | 1.7 | 0.79 | 9 | 300 | 110 | 6.3 |
| 93E11 | FHN | 03706• | 6272 | 1 | 103 | 158 | 95 | 9.0 | 17.0 | <4 | 800 | 270 | 9.2 |
| 93E11 | FHN | 03707 | 6272 | 2 | 21 | 32 | 20 | 0.5 | 0.70 | 21 | 480 | 16 | 3.0 |
| 93E11 | FHN | 03708 | 6272 | NSS | NSS | NSS | NSS | NSS | 0.01 | 10 | NSS | 30 | 2.3 |
| 93E11 | FHN | 03709 | 6272 | 1 | 30 | 32 | 14 | 0.8 | 0.02 | <4 | 800 | 31 | 1.9 |
| 93E11 | FHN | 03710 | 6272 | NSS | NSS | NSS | NSS | NSS | <0.01 | <4 | NSS | 21 | 0.8 |
| 93E11 | FHN | 03710* | 6272 | NSS | NSS | NSS | NSS | NSS | 0.02 | <4 | NSS | 27 | 1.0 |
| 93E11 | FHN | 03711 | 6272 | <1 | 58 | 84 | 22 | <0.2 | <0.01 | <4 | 340 | 5 | 1.3 |
| 93E11 | FHN | 03712 | 6272 | <1 | 71 | 276 | 9 | 0.2 | 0.02 | <4 | 260 | 25 | 4.4 |
| 93E11 | FHN | 03713 | 6272 | <1 | 57 | 52 | 8 | 0.3 | 0.32 | 24 | 300 | 23 | 2.3 |
| 93E11 | FHN | 03714 | 6272 | 4 | 47 | 65 | 29 | <0.2 | 0.06 | 22 | 360 | 14 | 2.2 |
| 93E11 | FHN | 03715 | 6272 | NSS | NSS | NSS | NSS | NSS | 0.55 | 13 | NSS | 43 | 2.0 |
| 93E11 | FHN | 03716 | 6272 | 1 | 20 | 4 | 10 | <0.2 | 0.22 | 5 | 300 | 12 | 1.9 |
| 93E11 | FHN | 03717 | 6272 | 1 | 23 | 24 | 8 | 2.6 | 0.50 | 5 | 760 | 7 | 1.4 |
| 93E11 | FHN | 03718 | 6272 | 1 | 37 | 39 | 23 | 1.1 | 0.01 | 22 | 600 | 8 | 2.0 |
| 93E11 | FHN | 03719• | 6272 | 2 | 130 | 72 | 16 | 0.6 | 5.00 | 13 | 740 | 140 | 4.3 |
| TEST | STD P | | 6272 | 13 | 127 | 109 | 96 | 1.2 | | | | | |
| 93E11 | FHN | 03720• | 6272 | NSS | NSS | NSS | NSS | NSS | 11.0 | 16 | 320 | 260 | 8.3 |
| 93E11 | FHN | 03720* | 6272 | NSS | NSS | NSS | NSS | NSS | 2.10 | 12 | NSS | 260 | 7.6 |
| TEST | STD F | | 6272 | | | | | | | | 630 | | |
| TEST | STD F | | 6272 | | | | | | | | 630 | | |
| TEST | STD F | | 6272 | | | | | | | | 700 | | |
| TEST | STD F | | 6272 | | | | | | | | 800 | | |
| TEST | STD F | | 6272 | | | | | | | | 680 | | |
| TEST | STD F | | 6272 | | | | | | | | 680 | | |
| TEST | STD F | | 6272 | | | | | | | | 720 | | |
| TEST | STD F | | 6272 | | | | | | | | 700 | | |

PLACER GEOCHEM ASSAY SYSTEM: DATA FROM EQUITY REGIONAL    DATE: 86-11-26    PAGE: 8

| GRID | SAMPLE | | PROJECT | MO | CU | ZN | PB | AG | AU | W | F | AS | SB |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TEST | STD F | | 6272 | | | | | | | | 680 | | |
| TEST | STD F | | 6272 | | | | | | | | 600 | | |
| TEST | STD F | | 6272 | | | | | | | | 600 | | |
| TEST | STD F | | 6272 | | | | | | | | 500 | | |
| TEST | STD F | | 6272 | | | | | | | | 600 | | |
| TEST | STD F | | 6272 | | | | | | | | 640 | | |
| TEST | STD F | | 6272 | | | | | | | | 660 | | |
| TEST | STD F | | 6272 | | | | | | | | 680 | | |
| TEST | STD F | | 6272 | | | | | | | | 700 | | |
| TEST | STD F | | 6272 | | | | | | | | 720 | | |
| TEST | STD F | | 6272 | | | | | | | | 700 | | |
| TEST | STD F | | 6272 | | | | | | | | 760 | | |
| TEST | STD F | | 6272 | | | | | | | | 600 | | |
| TEST | STD W | | 6272 | | | | | | | 43 | | | |
| TEST | STD W | | 6272 | | | | | | | 49 | | | |
| TEST | STD W | | 6272 | | | | | | | 40 | | | |
| TEST | STD W | | 6272 | | | | | | | 49 | | | |
| TEST | STD W | | 6272 | | | | | | | 54 | | | |
| TEST | STD W | | 6272 | | | | | | | 52 | | | |
| TEST | STD W | | 6272 | | | | | | | 43 | | | |
| TEST | STD AU | | 6272 | | | | | | 0.23 | | | | |
| TEST | STD AU | | 6272 | | | | | | 0.42 | | | | |
| TEST | STD AU | | 6272 | | | | | | 1.00 | | | | |
| TEST | STD AU | | 6272 | | | | | | 0.36 | | | | |
| TEST | STD AU | | 6272 | | | | | | 0.41 | | | | |
| TEST | STD AU | | 6272 | | | | | | 0.44 | | | | |
| TEST | STD AU | | 6272 | | | | | | 0.20 | | | | |

END OF LISTING - 447 RECORDS PRINTED
GCLIST RUN AT: 08:24:53

PLACER DEVELOPMENT LIMITED: GEOCHEM ASSAY SYSTEM

FOLLOWING ELEMENTS NEEDED SOME VALUES ADJUSTED:

| ELEMENT | NSS | LOW | HI | % | BLNK | NVAL |
|---|---|---|---|---|---|---|
| MO | 24 | 108 | 0 | 0 | 0 | 346 |
| CU | 24 | 0 | 0 | 0 | 0 | 346 |
| ZN | 24 | 0 | 0 | 0 | 0 | 346 |
| PB | 24 | 0 | 0 | 0 | 0 | 346 |
| AG | 24 | 238 | 0 | 0 | 0 | 346 |
| AU | 1 | 219 | 0 | 0 | 0 | 369 |
| W | 1 | 253 | 0 | 0 | 0 | 369 |
| F | 29 | 0 | 0 | 0 | 0 | 341 |
| AS | 1 | 4 | 0 | 0 | 0 | 369 |
| SB | 1 | 3 | 0 | 0 | 0 | 369 |

77 RECORDS SKIPPED: TESTS, DUPLICATE ANALYSES

SUMMARY OF GEOCHEM DATA: EQUITY REGIONAL

| ITEM | # VALUES | MISSING | MINIMUM | MAXIMUM | AVERAGE | STD. DEV. |
|---|---|---|---|---|---|---|
| GRID | 370 | 0 | 93E11 | 93E11 | | |
| SAMP | 370 | 0 | CHM | FIP | | |
| PROJ | 370 | 0 | 6272 | 6272 | | |
| AG | 346 | 24 | .10 | 23.00 | .43 | 1.54 |
| AS | 369 | 1 | .50 | 1200.00 | 46.40 | 90.05 |
| AU | 369 | 1 | .01 | 60.00 | .59 | 4.21 |
| CU | 346 | 24 | 13.00 | 1420.00 | 68.66 | 117.00 |
| F | 341 | 29 | 140.00 | 4000.00 | 488.65 | 353.26 |
| MO | 346 | 24 | .50 | 25.00 | 2.13 | 2.51 |
| PB | 346 | 24 | 3.00 | 600.00 | 32.09 | 47.88 |
| SB | 369 | 1 | .30 | 40.00 | 4.31 | 5.21 |
| W | 369 | 1 | 2.50 | 190.00 | 7.92 | 19.53 |
| ZN | 346 | 24 | 4.00 | 810.00 | 145.37 | 137.53 |

END OF GCHSCAN: DATE: 86-11-26 TIME: 08-24-53 370 RECORDS PROCESSED

1234567890123456789012345678901234567890123456789012345678901234567890123456789012345678901234567890***SEQ.NO.01

* * * * * * SPERRY 1100 TIME/SHARING EXEC --- MULTI-PROCESSOR SYSTEM --- LEV. 39R3C/09A-03 SITE * PLACER * * * * * *

1234567890123456789012345678901234567890123456789012345678901234567890123456789012345678901234567890***SEQ.NO.01