

PDI lab data file: P9350  
 AREA: OK CLAIMS  
 MAPSHEET NO: 92K2  
 VENTURE: BC GEN COAST  
 GEOLOGIST: R PINSENT  
 LAB PROJECT NO: 9350

PLEASE DISTRIBUTE RESULTS TO: R PINSENT  
 B. HODGSON M. GAREAU E. KIMURA L. REINERTSON

REMARKS:  
 "CUT AND SAVE HALF OF 9054 & 9055"

STANDARD ANALYSIS METHODS USED BY PDL GEOCHEM LAB ARE LISTED BELOW:  
 ALL RESULTS EXPRESSED AS INDICATED IN UNITS COLUMN BELOW  
 ANY EXCEPTIONS FOR THIS PROJECT ARE NOTED ABOVE

REMARKS: INTERNAL LAB STANDARDS HAVE BEEN INCLUDED FOR REFERENCE.  
 SAMPLE NUMBERS FOLLOWED BY \* ARE DUPLICATE ANALYSES.

UNITS	WT.G	ATTACK USED	TIME	RANGE	METHOD
AG PPM	0.5	HCL04/HNO3	4HRS	0.2-20	A.A. BACKGROUND CUR
AS PPM	0.5	AQUA REGIA	3HRS	2-2000	DC PLASMA
AU1 PPB	10.0	AQUA REGIA	3HRS	5-4000	A.A. SOLVENT EXTRACT.
CU PPM	0.5	HCL04/HNO3	4HRS	2-4000	ATOMIC ABSORPTION
MO PPM	0.5	HCL04/HNO3	4HRS	1-1000	ATOMIC ABSORPTION
PB PPM	0.5	HCL04/HNO3	4HRS	2-3000	A.A. BACKGROUND CUR.
ZN PPM	0.5	HCL04/HNO3	4HRS	2-3000	ATOMIC ABSORPTION

PDI GEOCHEM SYSTEM: Data From: BC GEN COAST OK CLAIMS

DATE: 89:09:01

PAGE: 1

GRID	SAMPLE	PROJECT	Ag PPM	As PPM	Au1 PPB	Cu PPM	Mo PPM	Pb PPM	Zn PPM
92K2		9051 9350	0.9	<2	10	2400	7	3	30
92K2		9052 9350	1.3	<2	15	0.56%	24	3	48
92K2		9053 9350	0.3	<2	10	1220	16	6	18
92K2		9054 9350	0.7	<2	<5	1460	420	5	19
92K2		9055 9350	18	<2	10	3.24%	11	5	440
92K2		9056 9350	0.3	<2	<5	640	150	4	22
92K2		9057 9350	14	<2	25	2.42%	13	6	163
92K2		9058 9350	0.3	<2	<5	920	800	6	32
92K2		9059 9350	0.2	<2	30	1000	38	7	24
test	STD P1	9350	0.2	16		23	55	52	122
test	STD AU5	9350			400				
test	STD CU	9350				0.41%			
test	STD AG	9350	40						

END OF LISTING - 13 RECURDS PRINTED Run on: 89:09:01 at 14:31:22

PLACER DOME INC: GEOCHEM ASSAY SYSTEM

Following elements needed some values adjusted:

ELEMENT	NSS	LOW	HI	% BLNK	NVAL
AS	0	9	0	0	9
AU1	0	3	0	0	9
CU	0	0	0	3	9

4 records skipped: tests, duplicate analyses

SUMMARY OF GEOCHEM DATA: BC GEN COAST OK CLAIMS

ITEM	# VALUES	MISSING	MINIMUM	MAXIMUM	AVERAGE	STD. DEV.
GRID	9	0	92K2	92K2		
SAMP	9	9				
PROJ	9	0	9350	9350		
AG	9	0	0.20	18.00	4.00	6.89
AS	9	0	1.00	1.00	1.00	0.00
AU1	9	0	2.50	30.00	11.94	9.90
CU	9	0	690.00	32400.00	7762.56	11914.95
MO	9	0	7.00	800.00	164.33	273.51
PB	9	0	3.00	7.00	5.00	1.41
ZN	9	0	18.00	440.00	88.44	139.53

END OF SCAN: DATE: 89:09:01 time: 14:31:22 9 RECORDS PROCESSED