

Knut

860836

ECO-TECH LABORATORIES LTD.

ASSAYING - ENVIRONMENTAL TESTING

10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

NOVEMBER 30, 1989

CERTIFICATE OF ANALYSIS ETK 89-929


Placer Dome Inc.
401, 1450 Pearson Place
KAMLOOPS, B.C.
V1S 1J9

=====

DATE RECEIVED:	NOVEMBER 15, 1989	REJECTS:	N/A
PROJECT:	250	PULPS:	STORE
NUMBER SAMPLES:	1471		
TYPE SAMPLES:	SOIL	NOTE : > = MORE THAN	

=====

ET#	Description	Au (ppb)	Ag (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	As (ppm)	Hg (ppb)
929 - 1	L 1100 N 1600 E	<5	.2	125	8	59	13	25
929 - 2	L 1100 N 1625 E	<5	.1	126	7	64	13	20
929 - 3	L 1100 N 1650 E	<5	.1	127	7	62	11	15
929 - 4	L 1100 N 1675 E	<5	.1	135	5	65	11	30
929 - 5	L 1100 N 1700 E	<5	.2	114	7	75	9	15
929 - 6	L 1100 N 1725 E	<5	.2	104	5	67	8	20
929 - 7	L 1100 N 1750 E	<5	.1	130	9	57	7	35
929 - 8	L 1100 N 1775 E	<5	.2	139	7	71	6	30
929 - 9	L 1100 N 1800 E	<5	<.1	112	8	61	5	30
929 - 10	L 1100 N 1825 E	<5	<.1	111	6	63	10	35
929 - 11	L 1100 N 1850 E	<5	<.1	103	7	62	11	20
929 - 12	L 1100 N 1875 E	<5	<.1	106	6	69	12	30
929 - 13	L 1100 N 1900 E	<5	<.1	115	6	72	10	25
929 - 14	L 1100 N 1925 E	<5	<.1	100	6	67	9	35
929 - 15	L 1100 N 1950 E	<5	.2	142	5	53	9	15
929 - 16	L 1100 N 1975 E	<5	.2	141	5	65	13	20
929 - 17	L 1100 N 2000 E	<5	<.1	163	4	64	13	5
929 - 18	L 1200 N 1600 E	<5	.1	159	5	57	14	10
929 - 19	L 1200 N 1625 E	<5	.1	131	4	66	13	30
929 - 20	L 1200 N 1650 E	<5	.1	138	6	63	13	25
929 - 21	L 1200 N 1675 E	<5	<.1	129	24	109	16	5
929 - 22	L 1200 N 1700 E	<5	<.1	142	9	69	14	10
929 - 23	L 1200 N 1725 E	<5	<.1	132	7	64	15	20
929 - 24	L 1200 N 1750 E	<5	<.1	124	10	71	14	15
929 - 25	L 1200 N 1775 E	<5	.1	116	8	72	16	30
929 - 26	L 1200 N 1800 E	10	<.1	118	9	71	13	35
929 - 27	L 1200 N 1825 E	<5	<.1	114	8	74	13	20
929 - 28	L 1200 N 1850 E	<5	<.1	112	7	73	14	10
929 - 29	L 1200 N 1875 E	<5	.1	161	7	64	15	5
929 - 30	L 1200 N 1900 E	<5	<.1	131	9	63	16	10



ECO-TECH LABORATORIES LTD.


ASSAYING - ENVIRONMENTAL TESTING

10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

Placer Dome Inc.

NOVEMBER 30, 1989

ET#	Description	Au (ppb)	Ag (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	As (ppm)	Hg (ppb)
929 - 31	L 1200 N 1925 E	<5	.1	117	9	73	13	10
929 - 32	L 1200 N 1950 E	<5	<.1	123	8	63	14	20
929 - 33	L 1200 N 1975 E	<5	<.1	112	8	67	12	30
929 - 34	L 1200 N 2000 E	<5	<.1	119	7	69	13	35
929 - 35	L 1200 N 2025 E	<5	.1	124	6	65	12	25
929 - 36	L 1200 N 2050 E	<5	.1	208	6	64	8	5
929 - 37	L 1200 N 2075 E	<5	.1	134	8	59	9	10
929 - 38	L 1200 N 2100 E	<5	<.1	127	6	62	15	20
929 - 39	L 1200 N 2125 E	<5	.1	149	7	64	16	40
929 - 40	L 1200 N 2150 E	<5	.1	188	8	67	14	15
929 - 41	L 1200 N 2175 E	<5	<.1	185	7	59	12	20
929 - 42	L 1200 N 2200 E	<5	<.1	160	7	60	12	10
929 - 43	L 1300 N 1600 E	<5	.1	126	9	77	13	15
929 - 44	L 1300 N 1625 E	<5	.1	134	7	67	13	10
929 - 45	L 1300 N 1650 E	<5	<.1	171	8	64	14	15
929 - 46	L 1300 N 1675 E	<5	<.1	124	7	69	12	10
929 - 47	L 1300 N 1700 E	<5	<.1	161	6	71	11	10
929 - 48	L 1300 N 1725 E	<5	<.1	178	7	67	16	5
929 - 49	L 1300 N 1750 E	<5	.1	143	8	71	14	15
929 - 50	L 1300 N 1775 E	<5	<.1	127	8	67	12	15
929 - 51	L 1300 N 1800 E	<5	<.1	139	6	61	12	20
929 - 52	L 1300 N 1825 E	<5	<.1	115	6	57	10	15
929 - 53	L 1300 N 1850 E	<5	<.1	97	6	55	9	20
929 - 54	L 1300 N 1875 E	<5	<.1	116	5	59	11	25
929 - 55	L 1300 N 1900 E	<5	.1	133	7	64	12	15
929 - 56	L 1300 N 1925 E	<5	.1	109	6	61	13	15
929 - 57	L 1300 N 1950 E	<5	.2	127	7	69	12	15
929 - 58	L 1300 N 1975 E	<5	<.1	111	7	60	11	15
929 - 59	L 1300 N 2000 E	<5	<.1	108	9	58	12	15
929 - 60	L 1300 N 2025 E	<5	<.1	116	8	48	11	15
929 - 61	L 1300 N 2050 E	<5	.1	117	8	57	13	15
929 - 62	L 1300 N 2075 E	<5	.1	141	7	51	11	20
929 - 63	L 1300 N 2100 E	<5	.1	234	8	70	13	25
929 - 64	L 1300 N 2125 E	<5	.1	255	5	37	9	30
929 - 65	L 1300 N 2150 E	<5	.1	576	8	49	10	30
929 - 66	L 1300 N 2175 E	<5	<.1	192	7	62	13	20
929 - 67	L 1300 N 2200 E	<5	<.1	134	9	52	11	15
929 - 68	L 1300 N 2225 E	<5	<.1	102	9	49	11	15
929 - 69	L 1300 N 2250 E	<5	<.1	161	7	52	11	20
929 - 70	L 1300 N 2275 E	<5	<.1	129	6	51	10	20
929 - 71	L 1300 N 2300 E	<5	<.1	154	11	63	14	20
929 - 72	L 1300 N 2325 E	<5	<.1	110	7	45	8	20
929 - 73	L 1300 N 2350 E	<5	<.1	159	8	61	14	35
929 - 74	L 1300 N 2875 E	<5	.1	144	9	67	14	20
929 - 75	L 1300 N 2400 E	<5	<.1	114	8	69	13	15



ECO-TECH LABORATORIES LTD.


ASSAYING - ENVIRONMENTAL TESTING

10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

Placer Dome Inc.

NOVEMBER 30, 1989

ET#	Description	Au (ppb)	Ag (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	As (ppm)	Hg (ppb)
929 - 76	L 1400 N 1600 E	<5	<.1	98	8	71	8	15
929 - 77	L 1400 N 1625 E	<5	<.1	95	8	56	9	30
929 - 78	L 1400 N 1650 E	<5	.1	116	7	62	12	25
929 - 79	L 1400 N 1675 E	<5	.1	120	8	49	12	40
929 - 80	L 1400 N 1700 E	<5	<.1	109	7	46	12	20
929 - 81	L 1400 N 1725 E	<5	<.1	112	7	42	11	25
929 - 82	L 1400 N 1750 E	<5	.1	101	8	51	10	30
929 - 83	L 1400 N 1775 E	<5	<.1	146	8	59	12	25
929 - 84	L 1400 N 1800 E	<5	<.1	156	10	53	13	25
929 - 85	L 1400 N 1825 E	<5	<.1	149	8	55	13	40
929 - 86	L 1400 N 1850 E	<5	<.1	179	8	49	13	30
929 - 87	L 1400 N 1875 E	<5	.1	136	9	52	14	20
929 - 88	L 1400 N 1900 E	<5	.1	138	8	56	12	20
929 - 89	L 1400 N 1925 E	<5	.1	140	6	51	12	25
929 - 90	L 1400 N 1950 E	<5	<.1	109	9	49	10	20
929 - 91	L 1400 N 1975 E	<5	.1	129	10	56	13	20
929 - 92	L 1400 N 2000 E	<5	<.1	127	9	61	12	20
929 - 93	L 1400 N 2025 E	<5	<.1	126	7	56	13	10
929 - 94	L 1400 N 2050 E	<5	.1	271	12	123	20	10
929 - 95	L 1400 N 2075 E	<5	.1	103	6	58	11	15
929 - 96	L 1400 N 2100 E	<5	<.1	96	6	57	8	15
929 - 97	L 1400 N 2125 E	<5	<.1	100	5	32	6	20
929 - 98	L 1400 N 2150 E	<5	.2	476	5	29	8	20
929 - 99	L 1400 N 2175 E	<5	.1	193	4	49	12	15
929 - 100	L 1400 N 2200 E	<5	<.1	120	5	69	11	20
929 - 101	L 1400 N 2225 E	<5	.1	152	9	79	11	40
929 - 102	L 1400 N 2250 E	<5	<.1	256	5	75	14	35
929 - 103	L 1400 N 2275 E	<5	<.1	141	5	61	10	30
929 - 104	L 1400 N 2300 E	<5	<.1	135	6	75	8	40
929 - 105	L 1400 N 2325 E	<5	<.1	126	5	60	10	20
929 - 106	L 1400 N 2350 E	<5	<.1	177	8	49	11	25
929 - 107	L 1400 N 2375 E	<5	<.1	245	7	83	12	20
929 - 108	L 1400 N 2400 E	<5	<.1	173	6	72	10	15
929 - 109	L 1500 N 1600 E	<5	.1	156	9	68	13	15
929 - 110	L 1500 N 1625 E	<5	<.1	129	7	61	11	30
929 - 111	L 1500 N 1650 E	<5	.1	155	6	58	12	40
929 - 112	L 1500 N 1675 E	<5	.1	122	6	64	9	10
929 - 113	L 1500 N 1700 E	<5	<.1	112	8	69	11	10
929 - 114	L 1500 N 1725 E	<5	.1	231	7	72	15	20
929 - 115	L 1500 N 1750 E	<5	.1	139	8	57	12	30
929 - 116	L 1500 N 1775 E	<5	<.1	199	8	63	15	35
929 - 117	L 1500 N 1800 E	<5	<.1	201	9	61	15	10
929 - 118	L 1500 N 1825 E	<5	<.1	144	5	59	13	20
929 - 119	L 1500 N 1850 E	<5	<.1	134	6	64	13	25
929 - 120	L 1500 N 1875 E	<5	<.1	170	7	65	15	20



ECO-TECH LABORATORIES LTD.


ASSAYING - ENVIRONMENTAL TESTING

10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

Placer Dome Inc.

NOVEMBER 30, 1989

ET#	Description	Au (ppb)	Ag (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	As (ppm)	Hg (ppb)
929 - 121	L 1500 N 1900 E	<5	<.1	154	6	67	11	15
929 - 122	L 1500 N 1925 E	<5	<.1	152	6	59	13	30
929 - 123	L 1500 N 1950 E	<5	.4	142	4	64	11	35
929 - 124	L 1500 N 1975 E	<5	.1	427	9	65	14	40
929 - 125	L 1500 N 2000 E	<5	<.1	776	5	57	9	20
929 - 126	L 1500 N 2025 E	<5	<.1	607	6	49	9	15
929 - 127	L 1500 N 2050 E	<5	<.1	178	8	52	13	10
929 - 128	L 1500 N 2075 E	<5	<.1	156	7	60	13	10
929 - 129	L 1500 N 2100 E	<5	<.1	146	9	68	12	5
929 - 130	L 1500 N 2125 E	<5	.1	119	7	62	12	10
929 - 131	L 1500 N 2150 E	<5	.1	134	6	55	13	20
929 - 132	L 1500 N 2175 E	<5	<.1	118	7	66	12	30
929 - 133	L 1500 N 2200 E	<5	<.1	137	6	65	13	25
929 - 134	L 1500 N 2225 E	<5	.1	132	8	72	12	20
929 - 135	L 1500 N 2250 E	<5	<.1	112	4	51	13	15
929 - 136	L 1500 N 2275 E	<5	<.1	108	8	54	14	10
929 - 137	L 1500 N 2300 E	<5	<.1	121	6	57	14	10
929 - 138	L 1500 N 2325 E	<5	.1	101	7	51	12	5
929 - 139	L 1500 N 2350 E	<5	.1	69	6	32	7	5
929 - 140	L 1500 N 2375 E	50	.1	127	8	64	13	30
929 - 141	L 1500 N 2400 E	<5	.1	98	7	62	12	35
929 - 142	L 1600 N 1600 E	<5	<.1	134	7	61	13	25
929 - 143	L 1600 N 1625 E	<5	<.1	123	6	55	14	20
929 - 144	L 1600 N 1650 E	<5	.1	119	8	58	13	20
929 - 145	L 1600 N 1675 E	<5	.1	133	7	73	12	10
929 - 146	L 1600 N 1700 E	<5	<.1	121	6	68	10	5
929 - 147	L 1600 N 1725 E	<5	.2	186	7	62	15	25
929 - 148	L 1600 N 1750 E	<5	.1	118	8	65	13	30
929 - 149	L 1600 N 1775 E	<5	<.1	129	7	60	14	40
929 - 150	L 1600 N 1800 E	<5	<.1	85	5	57	11	35
929 - 151	L 1600 N 1825 E	<5	<.1	103	6	61	12	30
929 - 152	L 1600 N 1850 E	<5	.1	184	8	56	18	25
929 - 153	L 1600 N 1875 E	5	<.1	83	8	58	12	30
929 - 154	L 1600 N 1900 E	5	.1	125	7	67	13	15
929 - 155	L 1600 N 1925 E	10	.1	134	10	77	12	25
929 - 156	L 1600 N 1950 E	<5	<.1	137	8	74	12	30
929 - 157	L 1600 N 1975 E	10	<.1	123	9	67	10	30
929 - 158	L 1600 N 2000 E	10	.1	165	8	81	11	25
929 - 159	L 1600 N 2025 E	5	<.1	82	7	57	13	15
929 - 160	L 1600 N 2050 E	5	.2	113	6	52	16	40
929 - 161	L 1600 N 2075 E	5	.1	81	6	59	14	25
929 - 162	L 1600 N 2100 E	5	<.1	99	8	54	16	75
929 - 163	L 1600 N 2125 E	10	.1	95	6	52	12	20
929 - 164	L 1600 N 2150 E	5	.1	85	7	49	14	15
929 - 165	L 1600 N 2175 E	5	<.1	79	6	49	12	20



ECO-TECH LABORATORIES LTD.


ASSAYING - ENVIRONMENTAL TESTING

10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

Placer Dome Inc.

NOVEMBER 30, 1989

ET#	Description	Au (ppb)	Ag (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	As (ppm)	Hg (ppb)
929 - 166	L 1600 N 2200 E	<5	.1	75	7	52	12	20
929 - 167	L 1600 N 2225 E	<5	<.1	74	6	51	11	10
929 - 168	L 1600 N 2250 E	5	.1	115	6	62	12	25
929 - 169	L 1600 N 2275 E	15	<.1	88	5	48	11	15
929 - 170	L 1600 N 2300 E	5	<.1	72	8	52	9	15
929 - 171	L 1600 N 2325 E	10	.1	74	10	60	11	10
929 - 172	L 1600 N 2350 E	5	<.1	106	7	79	7	20
929 - 173	L 1600 N 2375 E	<5	<.1	68	9	68	8	30
929 - 174	L 1600 N 2400 E	5	.2	102	8	74	8	25
929 - 175	L 1700 N 1600 E	<5	<.1	83	5	68	5	15
929 - 176	L 1700 N 1625 E	10	.2	86	5	71	8	15
929 - 177	L 1700 N 1650 E	5	.1	121	7	63	8	160
929 - 178	L 1700 N 1675 E	5	<.1	139	5	68	9	45
929 - 179	L 1700 N 1700 E	<5	<.1	110	3	62	9	20
929 - 180	L 1700 N 1725 E	5	<.1	104	5	67	9	15
929 - 181	L 1700 N 1750 E	10	.2	137	5	64	9	35
929 - 182	L 1700 N 1775 E	5	<.1	97	4	63	8	15
929 - 183	L 1700 N 1800 E	10	<.1	99	6	72	7	15
929 - 184	L 1700 N 1825 E	5	.1	84	7	67	8	20
929 - 185	L 1700 N 1850 E	5	<.1	104	3	64	8	10
929 - 186	L 1700 N 1875 E	5	.2	91	3	61	8	10
929 - 187	L 1700 N 1900 E	10	<.1	87	4	66	9	10
929 - 188	L 1700 N 1925 E	5	.1	122	7	69	8	15
929 - 189	L 1700 N 1950 E	5	<.1	155	5	67	8	10
929 - 190	L 1700 N 1975 E	5	<.1	104	15	68	7	15
929 - 191	L 1700 N 2000 E	<5	<.1	94	16	67	7	15
929 - 192	L 1700 N 2025 E	<5	.2	91	14	71	7	20
929 - 193	L 1700 N 2050 E	<5	.1	97	13	47	10	30
929 - 194	L 1700 N 2075 E	<5	.3	88	12	51	9	35
929 - 195	L 1700 N 2100 E	<5	.2	85	12	52	8	20
929 - 196	L 1700 N 2125 E	<5	<.1	86	13	56	8	25
929 - 197	L 1700 N 2150 E	<5	<.1	86	9	51	7	10
929 - 198	L 1700 N 2175 E	<5	.2	110	13	52	8	5
929 - 199	L 1700 N 2200 E	5	.1	98	11	49	7	10
929 - 200	L 1700 N 2225 E	5	<.1	86	13	60	8	20
929 - 201	L 1700 N 2250 E	10	<.1	88	11	51	8	30
929 - 202	L 1700 N 2275 E	10	.1	105	10	47	8	15
929 - 203	L 1700 N 2300 E	5	<.1	110	10	62	6	10
929 - 204	L 1700 N 2325 E	10	<.1	79	15	61	7	5
929 - 205	L 1700 N 2350 E	10	.1	91	11	63	8	20
929 - 206	L 1700 N 2375 E	15	.1	89	13	59	8	5
929 - 207	L 1700 N 2400 E	5	.1	93	12	64	7	25
929 - 208	L 1800 N 1600 E	<5	.1	108	11	74	10	30
929 - 209	L 1800 N 1625 E	20	.1	114	10	69	11	10
929 - 210	L 1800 N 1650 E	5	.1	113	7	63	9	15



ECO-TECH LABORATORIES LTD.


ASSAYING - ENVIRONMENTAL TESTING

10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

Placer Dome Inc.

NOVEMBER 30, 1989

ET#	Description	Au (ppb)	Ag (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	As (ppm)	Hg (ppb)
929 - 211	L 1800 N 1675 E	5	.1	112	8	61	8	10
929 - 212	L 1800 N 1700 E	10	.2	116	9	59	8	5
929 - 213	L 1800 N 1725 E	15	<.1	85	9	65	8	15
929 - 214	L 1800 N 1750 E	35	.2	97	10	58	9	20
929 - 215	L 1800 N 1775 E	10	.1	136	12	68	9	25
929 - 216	L 1800 N 1800 E	5	.1	78	11	69	7	5
929 - 217	L 1800 N 1825 E	10	.1	82	8	61	8	10
929 - 218	L 1800 N 1850 E	<5	.1	74	12	57	8	5
929 - 219	L 1800 N 1875 E	<5	.1	79	8	51	8	15
929 - 220	L 1800 N 1900 E	5	.2	64	9	43	6	30
929 - 221	L 1800 N 1925 E	10	.1	76	10	52	8	20
929 - 222	L 1800 N 1950 E	<5	.1	75	7	56	7	15
929 - 223	L 1800 N 1975 E	<5	<.1	85	11	51	9	5
929 - 224	L 1800 N 2000 E	<5	.1	80	9	61	8	15
929 - 225	L 1800 N 2025 E	5	.1	101	12	62	8	10
929 - 236	L 1800 N 2050 E	5	.1	89	10	66	8	20
929 - 227	L 1800 N 2075 E	<5	.1	79	9	62	8	30
929 - 238	L 1800 N 2100 E	<5	.2	72	12	60	8	25
929 - 229	L 1800 N 2125 E	5	.2	107	10	53	6	25
929 - 230	L 1800 N 2150 E	5	.1	103	16	64	6	10
929 - 231	L 1800 N 2175 E	5	.1	85	13	67	7	20
929 - 232	L 1800 N 2200 E	<5	.6	67	16	32	8	10
929 - 233	L 1800 N 2225 E	<5	.5	61	12	34	7	10
929 - 254	L 1800 N 2250 E	10	.2	102	10	61	8	10
929 - 235	L 1800 N 2275 E	5	.1	91	9	67	8	15
929 - 236	L 1800 N 2300 E	<5	.1	124	14	74	8	10
929 - 237	L 1800 N 2325 E	5	.1	138	13	77	9	15
929 - 238	L 1800 N 2350 E	15	.1	134	14	70	10	25
929 - 239	L 1800 N 2375 E	5	.1	110	12	77	9	10
929 - 240	L 1800 N 2400 E	5	.1	106	9	67	9	5
929 - 241	L 1900 N 1600 E	5	<.1	76	11	54	9	5
929 - 242	L 1900 N 1625 E	10	<.1	78	10	51	9	10
929 - 243	L 1900 N 1650 E	15	.1	107	12	54	9	15
929 - 244	L 1900 N 1675 E	10	.1	112	10	58	8	<5
929 - 245	L 1900 N 1700 E	5	.1	95	14	60	8	10
929 - 246	L 1900 N 1725 E	5	.2	93	14	61	9	15
929 - 247	L 1900 N 1750 E	5	.2	115	14	64	6	10
929 - 248	L 1900 N 1775 E	5	.1	113	11	59	7	5
929 - 249	L 1900 N 1800 E	5	.1	89	7	51	8	20
929 - 250	L 1900 N 1825 E	10	.1	81	7	46	7	30
929 - 251	L 1900 N 1850 E	10	.1	112	9	59	8	25
929 - 252	L 1900 N 1875 E	5	.1	109	11	55	8	10
929 - 253	L 1900 N 1900 E	10	.1	81	10	58	8	5
929 - 254	L 1900 N 1925 E	5	.2	72	9	56	8	10
929 - 255	L 1900 N 1950 E	5	.1	66	10	65	6	15



ECO-TECH LABORATORIES LTD.


ASSAYING - ENVIRONMENTAL TESTING

10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

Placer Dome Inc.

NOVEMBER 30, 1989

ET#	Description	Au (ppb)	Ag (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	As (ppm)	Hg (ppb)
929 - 256	L 1900 N 1975 E	5	.1	72	13	58	6	20
929 - 257	L 1900 N 2000 E	20	.1	76	8	61	7	25
929 - 258	L 1900 N 2025 E	5	.1	72	12	53	8	35
929 - 259	L 1900 N 2050 E	5	.2	173	9	55	6	20
929 - 260	L 1900 N 2075 E	5	.1	165	13	64	8	25
929 - 261	L 1900 N 2100 E	5	.3	83	12	49	8	30
929 - 262	L 1900 N 2125 E	<5	.2	169	11	78	9	20
929 - 263	L 1900 N 2150 E	10	.1	160	13	72	9	15
929 - 264	L 1900 N 2175 E	5	.2	129	15	73	9	10
929 - 265	L 1900 N 2200 E	10	.1	107	10	86	8	10
929 - 266	L 1900 N 2225 E	15	.1	122	13	79	7	5
929 - 267	L 1900 N 2250 E	<5	.2	111	12	69	8	40
929 - 268	L 1900 N 2275 E	10	.2	123	11	72	8	30
929 - 269	L 1900 N 2300 E	10	.1	127	10	76	10	20
929 - 270	L 1900 N 2325 E	10	.2	140	12	86	11	25
929 - 271	L 1900 N 2350 E	10	.2	143	13	77	19	15
929 - 272	L 1900 N 2375 E	5	.1	112	10	82	12	10
929 - 273	L 1900 N 2400 E	5	.1	126	8	78	8	10
929 - 274	L 2000 N 1300 E	20	.1	307	9	62	12	15
929 - 275	L 2000 N 1350 E	5	.1	159	11	59	10	5
929 - 276	L 2000 N 1400 E	5	<.1	84	9	52	7	20
929 - 277	L 2000 N 1450 E	5	.1	59	10	61	8	35
929 - 278	L 2000 N 1500 E	10	<.1	83	5	65	7	50
929 - 279	L 2000 N 1550 E	5	<.1	70	8	42	9	45
929 - 280	L 2000 N 1600 E	25	.1	75	9	57	8	20
929 - 281	L 2000 N 1650 E	5	.2	183	7	64	8	5
929 - 282	L 2000 N 1700 E	5	.1	120	9	74	9	30
929 - 283	L 2000 N 1750 E	<5	.1	112	5	59	8	45
929 - 284	L 2000 N 1800 E	<5	.1	86	11	48	10	20
929 - 285	L 2000 N 1850 E	5	.1	97	17	59	9	30
929 - 286	L 2000 N 1900 E	45	.2	90	13	58	8	20
929 - 287	L 2000 N 1950 E	10	.1	79	13	52	8	25
929 - 288	L 2000 N 2000 E	<5	.3	24	14	19	7	15
929 - 289	L 2000 N 2050 E	10	.1	164	17	72	9	10
929 - 290	L 2000 N 2100 E	5	.2	143	11	81	10	5
929 - 291	L 2000 N 2150 E	10	<.1	109	10	22	9	15
929 - 292	L 2000 N 2200 E	<5	<.1	90	12	75	8	30
929 - 293	L 2000 N 2250 E	5	.1	122	12	73	9	25
929 - 294	L 2000 N 2300 E	10	.1	83	18	79	7	40
929 - 295	L 2000 N 2350 E	10	<.1	135	19	72	10	30
929 - 296	L 2000 N 2400 E	5	.1	90	15	75	10	25
929 - 297	L 2000 N 2450 E	5	.1	119	14	70	9	15
929 - 298	L 2000 N 2500 E	5	<.1	176	14	81	9	5
929 - 299	L 2000 N 2550 E	<5	<.1	82	7	75	6	10
929 - 300	L 2000 N 2600 E	5	<.1	101	9	67	7	5



ECO-TECH LABORATORIES LTD.


ASSAYING - ENVIRONMENTAL TESTING

10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

Placer Dome Inc.

NOVEMBER 30, 1989

ET#	Description	Au (ppb)	Ag (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	As (ppm)	Hg (ppb)
929 - 301	L 2000 N 2650 E	5	<.1	83	7	64	13	30
929 - 302	L 2000 N 2700 E	5	.1	108	8	67	8	25
929 - 303	L 2000 N 2750 E	30	.6	116	14	71	7	30
929 - 304	L 2000 N 2800 E	10	.1	117	15	66	9	15
929 - 305	L 2000 N 2850 E	5	<.1	104	18	63	10	30
929 - 306	L 2000 N 2900 E	<5	.3	112	19	74	9	25
929 - 307	L 2000 N 2950 E	<5	.1	99	14	64	8	20
929 - 308	L 2000 N 3000 E	5	<.1	71	15	69	9	25
929 - 309	L 2000 N 3050 E	5	.1	67	17	59	6	20
929 - 310	L 2000 N 3100 E	5	.2	212	13	58	18	70
929 - 311	L 2000 N 3150 E	20	.4	158	20	69	11	40
929 - 312	L 2000 N 3200 E	10	.2	98	15	60	9	15
929 - 313	L 2000 N 3250 E	10	.1	107	17	62	10	20
929 - 314	L 2000 N 3300 E	<5	.2	74	15	57	8	15
929 - 315	L 2000 N 3350 E	<5	.3	96	16	55	10	20
929 - 316	L 2000 N 3400 E	10	.2	75	16	68	7	10
929 - 317	L 2000 N 3450 E	5	.2	78	13	64	8	40
929 - 318	L 2000 N 3500 E	5	.2	81	18	65	8	50
929 - 319	L 2000 N 3550 E	10	.2	74	17	68	7	30
929 - 320	L 2000 N 3600 E	15	.1	72	13	61	8	10
929 - 321	L 2100 N 1350 E	5	.1	102	8	48	6	15
929 - 322	L 2100 N 1400 E	10	.1	107	13	69	8	15
929 - 323	L 2100 N 1450 E	<5	.1	99	9	83	6	20
929 - 324	L 2100 N 1500 E	5	.1	86	12	90	6	10
929 - 325	L 2100 N 1550 E	5	.1	99	10	69	7	20
929 - 326	L 2100 N 1600 E	30	.1	91	10	61	8	35
929 - 327	L 2100 N 1650 E	5	.1	107	7	67	7	5
929 - 328	L 2100 N 1700 E	10	.1	102	8	69	7	10
929 - 329	L 2100 N 1750 E	10	.1	106	9	66	7	15
929 - 330	L 2100 N 1800 E	5	.1	88	12	72	7	15
929 - 331	L 2100 N 1850 E	<5	.1	57	12	51	3	15
929 - 332	L 2100 N 1900 E	10	.1	131	16	78	8	10
929 - 333	L 2100 N 1950 E	<5	.2	149	17	83	7	10
929 - 334	L 2100 N 2000 E	<5	.3	150	15	76	7	5
929 - 335	L 2100 N 2050 E	20	.1	124	16	81	8	15
929 - 336	L 2100 N 2100 E	15	.2	118	13	92	9	20
929 - 337	L 2100 N 2150 E	10	.1	108	14	88	8	25
929 - 338	L 2100 N 2200 E	5	.2	105	17	86	7	5
929 - 339	L 2100 N 2250 E	5	.1	90	16	79	7	10
929 - 340	L 2100 N 2300 E	5	.2	97	11	81	7	15
929 - 341	L 2100 N 2350 E	5	.2	97	11	79	7	20
929 - 342	L 2100 N 2400 E	5	.2	93	12	83	7	15
929 - 343	L 2100 N 2450 E	<5	.1	96	14	90	8	20
929 - 344	L 2100 N 2500 E	15	.2	130	9	81	9	25
929 - 345	L 2100 N 2550 E	5	.2	112	11	109	8	30



ECO-TECH LABORATORIES LTD.


ASSAYING - ENVIRONMENTAL TESTING

10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

Placer Dome Inc.

NOVEMBER 30, 1989

ET#	Description	Au (ppb)	Ag (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	As (ppm)	Hg (ppb)
929 - 346	L 2100 N 2600 E	10	.1	130	12	79	10	45
929 - 347	L 2100 N 2650 E	10	.1	104	9	68	5	30
929 - 348	L 2100 N 2700 E	10	.2	131	12	64	9	20
929 - 349	L 2100 N 2750 E	40	.2	168	13	61	15	15
929 - 350	L 2100 N 2800 E	10	.2	87	11	69	12	15
929 - 351	L 2100 N 2850 E	5	.1	99	12	68	10	30
929 - 352	L 2100 N 2900 E	5	.1	105	9	64	10	40
929 - 353	L 2100 N 2950 E	10	.1	103	12	69	9	5
929 - 354	L 2100 N 3000 E	15	.1	104	9	65	10	10
929 - 355	L 2100 N 3050 E	10	.2	109	10	62	10	15
929 - 356	L 2100 N 3100 E	5	.1	112	9	49	15	25
929 - 357	L 2100 N 3150 E	10	.2	132	12	66	9	50
929 - 358	L 2100 N 3200 E	10	.2	106	11	61	10	40
929 - 359	L 2100 N 3250 E	15	.1	92	10	48	12	30
929 - 360	L 2100 N 3300 E	10	.7	84	10	63	11	20
929 - 361	L 2100 N 3350 E	<5	.1	92	3	52	12	25
929 - 362	L 2100 N 3400 E	5	.3	79	7	66	10	30
929 - 363	L 2100 N 3450 E	10	.2	69	7	59	9	35
929 - 364	L 2100 N 3500 E	5	.1	81	10	63	8	20
929 - 365	L 2100 N 3550 E	<5	.1	95	9	66	10	25
929 - 366	L 2100 N 3600 E	5	.1	72	9	65	8	10
929 - 367	L 2200 N 1350 E	10	.2	81	6	57	7	15
929 - 368	L 2200 N 1400 E	10	.3	132	8	73	9	10
929 - 369	L 2200 N 1450 E	10	.1	102	14	71	10	40
929 - 370	L 2200 N 1500 E	5	.2	86	12	74	8	35
929 - 371	L 2200 N 1550 E	5	.2	98	9	67	7	40
929 - 372	L 2200 N 1600 E	<5	.2	89	10	65	5	50
929 - 373	L 2200 N 1650 E	<5	.1	84	9	72	6	45
929 - 374	L 2200 N 1700 E	5	.2	101	4	67	7	50
929 - 375	L 2200 N 1750 E	<5	.1	106	28	71	7	20
929 - 376	L 2200 N 1800 E	<5	.6	67	89	65	7	10
929 - 377	L 2200 N 1850 E	10	.3	124	21	79	6	20
929 - 378	L 2200 N 1900 E	5	.1	109	22	84	7	15
929 - 379	L 2200 N 1950 E	5	.2	116	14	89	9	5
929 - 380	L 2200 N 2000 E	<5	.2	133	9	79	8	10
929 - 381	L 2200 N 2050 E	5	.1	99	14	94	6	10
929 - 382	L 2200 N 2100 E	<5	.1	101	15	88	7	30
929 - 383	L 2200 N 2150 E	<5	.1	133	14	92	9	55
929 - 384	L 2200 N 2200 E	5	.1	142	12	97	10	35
929 - 385	L 2200 N 2250 E	5	.1	108	13	75	9	30
929 - 386	L 2200 N 2300 E	<5	.3	110	16	79	8	20
929 - 387	L 2200 N 2350 E	<5	.2	114	15	113	8	10
929 - 388	L 2200 N 2400 E	5	.1	150	13	109	11	40
929 - 389	L 2200 N 2450 E	10	.1	109	12	99	8	45
929 - 390	L 2200 N 2500 E	<5	.1	141	13	100	11	15



ECO-TECH LABORATORIES LTD.


ASSAYING - ENVIRONMENTAL TESTING

10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

Placer Dome Inc.

NOVEMBER 30, 1989

ET#	Description	Au (ppb)	Ag (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	As (ppm)	Hg (ppb)
929 - 391	L 2200 N 2550 E	5	.2	114	9	103	9	20
929 - 392	L 2200 N 2600 E	10	.1	101	5	115	8	30
929 - 393	L 2200 N 2650 E	5	.2	107	9	86	9	10
929 - 394	L 2200 N 2700 E	5	.1	100	3	70	10	50
929 - 395	L 2200 N 2750 E	5	.1	83	7	68	8	40
929 - 396	L 2200 N 2800 E	5	.1	85	5	71	9	35
929 - 397	L 2200 N 2850 E	5	.1	88	7	74	8	40
929 - 398	L 2200 N 2900 E	10	.2	72	12	68	9	15
929 - 399	L 2200 N 2950 E	5	.2	80	10	72	8	30
929 - 400	L 2200 N 3000 E	<5	.2	73	14	67	9	30
929 - 401	L 2200 N 3050 E	5	.1	76	12	69	6	35
929 - 402	L 2200 N 3100 E	5	.1	98	11	61	9	25
929 - 403	L 2200 N 3150 E	10	.2	105	13	60	10	15
929 - 404	L 2200 N 3200 E	10	.2	92	9	78	10	30
929 - 405	L 2200 N 3250 E	15	.1	94	10	74	11	40
929 - 406	L 2200 N 3300 E	10	.1	74	5	59	11	20
929 - 407	L 2200 N 3350 E	5	.1	79	12	68	10	30
929 - 408	L 2200 N 3400 E	5	.2	76	11	67	10	20
929 - 409	L 2200 N 3450 E	<5	.2	74	10	63	9	10
929 - 410	L 2200 N 3500 E	<5	.1	76	13	71	8	30
929 - 411	L 2200 N 3550 E	5	.2	74	10	72	8	25
929 - 412	L 2200 N 3600 E	5	.3	77	12	76	9	10
929 - 413	L 2300 N 1350 E	<5	.2	94	9	79	7	20
929 - 414	L 2300 N 1400 E	<5	.2	122	14	75	7	20
929 - 415	L 2300 N 1450 E	<5	.1	101	12	86	8	15
929 - 416	L 2300 N 1500 E	<5	.1	89	11	66	8	25
929 - 417	L 2300 N 1550 E	5	.1	92	13	59	9	5
929 - 418	L 2300 N 1600 E	15	.2	99	12	60	8	10
929 - 419	L 2300 N 1650 E	15	.1	101	10	64	7	20
929 - 420	L 2300 N 1700 E	<5	.2	67	10	46	5	15
929 - 421	L 2300 N 1750 E	<5	.2	121	14	64	7	15
929 - 422	L 2300 N 1800 E	10	.3	110	12	72	7	20
929 - 423	L 2300 N 1850 E	5	.1	108	13	70	8	20
929 - 424	L 2300 N 1900 E	5	.2	113	6	76	8	30
929 - 425	L 2300 N 1950 E	<5	.2	109	13	84	8	35
929 - 426	L 2300 N 2000 E	15	.2	108	14	92	8	25
929 - 427	L 2300 N 2050 E	10	.2	124	14	89	9	35
929 - 428	L 2300 N 2100 E	5	.1	98	12	92	7	30
929 - 429	L 2300 N 2150 E	10	.1	101	11	71	10	20
929 - 430	L 2300 N 2200 E	10	.2	125	12	67	9	20
929 - 431	L 2300 N 2250 E	5	.2	109	15	74	85	30
929 - 432	L 2300 N 2300 E	5	.2	119	15	90	10	40
929 - 433	L 2300 N 2350 E	5	.2	122	14	111	11	30
929 - 434	L 2300 N 2400 E	10	.2	128	18	144	13	20
929 - 435	L 2300 N 2450 E	5	.1	89	13	86	9	25



ECO-TECH LABORATORIES LTD.


ASSAYING - ENVIRONMENTAL TESTING

10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

Placer Dome Inc.

NOVEMBER 30, 1989

ET#	Description	Au (ppb)	Ag (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	As (ppm)	Hg (ppb)
929 - 436	L 2300 N 2500 E	5	.1	135	12	81	16	10
929 - 437	L 2300 N 2550 E	5	<.1	89	10	93	10	25
929 - 438	L 2300 N 2600 E	<5	.1	103	7	85	10	30
929 - 439	L 2300 N 2650 E	45	.2	109	8	77	11	20
929 - 440	L 2300 N 2700 E	<5	.4	61	13	42	10	20
929 - 441	L 2300 N 2750 E	5	.2	45	10	51	7	25
929 - 442	L 2300 N 2800 E	10	.2	48	10	47	7	15
929 - 443	L 2300 N 2850 E	10	.2	60	7	65	7	20
929 - 444	L 2300 N 2900 E	5	.1	73	5	83	9	20
929 - 445	L 2300 N 2950 E	5	.1	92	6	74	11	30
929 - 446	L 2300 N 3000 E	<5	.2	88	7	71	9	20
929 - 447	L 2300 N 3050 E	5	.2	104	3	66	11	20
929 - 448	L 2300 N 3100 E	10	.1	85	8	67	10	25
929 - 449	L 2300 N 3150 E	15	.1	104	4	64	10	10
929 - 450	L 2300 N 3200 E	5	.2	76	3	76	12	30
929 - 451	L 2300 N 3250 E	10	.1	81	4	69	10	45
929 - 452	L 2300 N 3300 E	5	.1	100	3	71	12	40
929 - 453	L 2300 N 3350 E	5	.2	70	5	74	13	20
929 - 454	L 2300 N 3400 E	5	.2	89	6	77	12	35
929 - 455	L 2300 N 3450 E	10	.2	84	5	75	10	15
929 - 456	L 2300 N 3500 E	5	.2	108	3	64	11	70
929 - 457	L 2300 N 3550 E	5	.1	85	5	66	8	70
929 - 458	L 2300 N 3600 E	10	.3	86	3	75	9	70
929 - 459	L 2400 N 1500 E	15	.2	114	4	63	6	42
929 - 460	L 2400 N 1550 E	10	.1	91	5	48	8	42
929 - 461	L 2400 N 1600 E	20	.2	126	4	61	9	66
929 - 462	L 2400 N 1650 E	15	.2	125	5	88	12	38
929 - 463	L 2400 N 1700 E	5	.1	125	8	72	9	74
929 - 464	L 2400 N 1750 E	15	.2	122	9	82	11	74
929 - 465	L 2400 N 1800 E	5	.3	148	10	79	12	18
929 - 466	L 2400 N 1850 E	10	.2	145	7	66	9	140
929 - 467	L 2400 N 1900 E	5	.2	132	5	72	10	81
929 - 468	L 2400 N 1950 E	5	.1	130	5	71	10	35
929 - 469	L 2400 N 2000 E	20	.1	135	6	69	9	105
929 - 470	L 2400 N 2050 E	10	.1	121	8	73	9	60
929 - 471	L 2400 N 2100 E	15	.1	112	7	69	10	77
929 - 472	L 2400 N 2150 E	5	.2	109	8	66	12	42
929 - 473	L 2400 N 2200 E	5	.1	107	7	76	8	24
929 - 474	L 2400 N 2250 E	5	.1	122	11	84	10	49
929 - 475	L 2400 N 2300 E	10	<.1	114	7	78	10	38
929 - 476	L 2400 N 2350 E	10	<.1	150	14	104	12	14
929 - 477	L 2400 N 2400 E	10	.1	138	15	111	13	7
929 - 478	L 2400 N 2450 E	10	.2	182	17	148	13	60
929 - 479	L 2400 N 2500 E	10	.1	131	14	76	13	24
929 - 480	L 2400 N 2550 E	5	.1	150	6	82	13	84



ECO-TECH LABORATORIES LTD.


ASSAYING - ENVIRONMENTAL TESTING

10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

Placer Dome Inc.

NOVEMBER 30, 1989

ET#	Description	Au (ppb)	Ag (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	As (ppm)	Hg (ppb)
929 - 481	L 2400 N 2600 E	5	.4	133	10	71	11	60
929 - 482	L 2400 N 2650 E	5	.2	114	19	78	9	77
929 - 483	L 2400 N 2700 E	5	.2	131	5	61	12	53
929 - 484	L 2400 N 2750 E	10	.1	84	7	63	8	21
929 - 485	L 2400 N 2800 E	10	.2	96	9	64	10	35
929 - 486	L 2400 N 2850 E	5	.1	101	8	73	14	42
929 - 487	L 2400 N 2900 E	5	.4	82	7	54	9	14
929 - 488	L 2400 N 2950 E	5	.1	119	8	67	7	60
929 - 489	L 2400 N 3000 E	5	.1	82	6	69	11	84
929 - 490	L 2400 N 3050 E	5	<.1	95	6	67	12	18
929 - 491	L 2400 N 3100 E	<5	.1	86	8	65	9	160
929 - 492	L 2400 N 3150 E	5	.1	80	7	69	8	53
929 - 493	L 2400 N 3200 E	5	.2	83	7	61	9	14
929 - 494	L 2400 N 3250 E	5	<.1	78	6	57	8	24
929 - 495	L 2400 N 3300 E	5	<.1	75	6	37	9	60
929 - 496	L 2400 N 3350 E	5	<.1	88	7	61	8	80
929 - 497	L 2400 N 3400 E	5	.2	86	8	59	9	20
929 - 498	L 2400 N 3450 E	10	<.1	91	10	64	7	30
929 - 499	L 2400 N 3500 E	5	.2	90	8	66	10	20
929 - 500	L 2400 N 3550 E	15	.1	101	8	51	9	60
929 - 501	L 2500 N 1650 E	5	.2	116	10	78	10	10
929 - 502	L 2500 N 1700 E	5	<.1	110	7	86	8	40
929 - 503	L 2500 N 1750 E	<5	.1	108	6	78	9	30
929 - 504	L 2500 N 1800 E	5	.2	89	7	69	11	25
929 - 505	L 2500 N 1850 E	5	.1	104	4	76	9	20
929 - 506	L 2500 N 1900 E	10	.1	139	5	62	8	30
929 - 507	L 2500 N 1950 E	10	.1	64	9	86	6	15
929 - 508	L 2500 N 2000 E	15	<.1	178	11	61	10	30
929 - 509	L 2500 N 2050 E	5	<.1	102	9	76	8	20
929 - 510	L 2500 N 2100 E	15	<.1	156	12	72	9	20
929 - 511	L 2500 N 2150 E	<5	<.1	125	11	78	10	20
929 - 512	L 2500 N 2200 E	5	.3	121	12	114	16	25
929 - 513	L 2500 N 2250 E	10	.3	107	8	111	16	20
929 - 514	L 2500 N 2300 E	5	.2	117	9	95	14	20
929 - 515	L 2500 N 2350 E	5	.2	101	7	115	13	20
929 - 516	L 2500 N 2400 E	5	.3	99	8	59	14	40
929 - 517	L 2500 N 2450 E	15	.2	151	8	86	15	40
929 - 518	L 2500 N 2500 E	5	.3	150	12	101	22	20
929 - 519	L 2500 N 2550 E	5	.2	161	7	78	38	50
929 - 520	L 2500 N 2600 E	10	.3	152	6	71	22	45
929 - 521	L 2500 N 2650 E	15	.2	113	8	94	17	15
929 - 522	L 2500 N 2700 E	10	.2	119	5	83	18	20
929 - 523	L 2500 N 2750 E	5	.1	102	5	87	15	15
929 - 524	L 2500 N 2800 E	5	.2	149	3	82	21	25
929 - 525	L 2500 N 2850 E	10	.3	123	6	58	26	70



ECO-TECH LABORATORIES LTD.


ASSAYING - ENVIRONMENTAL TESTING

10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

Placer Dome Inc.

NOVEMBER 30, 1989

ET#	Description	Au (ppb)	Ag (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	As (ppm)	Hg (ppb)
929 - 526	L 2500 N 2900 E	20	.2	97	8	67	20	15
929 - 527	L 2500 N 2950 E	10	.3	113	6	98	15	15
929 - 528	L 2500 N 3000 E	10	.2	102	9	73	22	30
929 - 529	L 2500 N 3050 E	5	.2	128	10	98	21	20
929 - 530	L 2500 N 3100 E	<5	.4	116	8	102	20	15
929 - 531	L 2500 N 3150 E	10	.2	114	6	95	22	20
929 - 532	L 2500 N 3200 E	10	.3	107	5	96	17	20
929 - 533	L 2500 N 3250 E	10	.2	112	8	103	15	20
929 - 534	L 2500 N 3300 E	5	.3	97	5	64	19	20
929 - 535	L 2500 N 3350 E	5	.2	81	2	58	18	10
929 - 536	L 2500 N 3400 E	5	.2	68	1	55	19	30
929 - 537	L 2500 N 3450 E	5	.1	91	4	74	15	40
929 - 538	L 2600 N 1500 E	15	.2	84	5	64	21	40
929 - 539	L 2600 N 1550 E	5	.2	149	2	75	16	10
929 - 540	L 2600 N 1600 E	10	.1	88	7	79	17	15
929 - 541	L 2600 N 1650 E	5	.1	104	5	78	15	20
929 - 542	L 2600 N 1700 E	5	.1	110	11	77	18	20
929 - 543	L 2600 N 1750 E	10	.1	104	8	68	14	40
929 - 544	L 2600 N 1800 E	5	.1	143	10	86	17	15
929 - 545	L 2600 N 1850 E	<5	.2	148	11	90	18	10
929 - 546	L 2600 N 1900 E	5	.2	115	9	66	19	80
929 - 547	L 2600 N 1950 E	20	.3	217	10	86	19	20
929 - 548	L 2600 N 2000 E	10	.3	175	11	70	21	50
929 - 549	L 2600 N 2050 E	5	.2	97	11	95	14	20
929 - 550	L 2600 N 2100 E	5	.2	76	8	57	8	30
929 - 551	L 2600 N 2150 E	5	.1	116	9	54	13	40
929 - 552	L 2600 N 2200 E	5	.1	169	16	122	17	50
929 - 553	L 2600 N 2250 E	20	.4	171	11	80	16	95
929 - 554	L 2600 N 2300 E	10	.2	98	11	77	12	20
929 - 555	L 2600 N 2400 E	5	.2	124	10	57	15	15
929 - 556	L 2600 N 2450 E	10	.2	195	12	73	18	30
929 - 557	L 2600 N 2500 E	20	.3	237	12	78	24	10
929 - 558	L 2600 N 2550 E	15	.3	143	10	66	18	20
929 - 559	L 2600 N 2600 E	5	.3	97	10	64	15	25
929 - 560	L 2600 N 2650 E	<5	.2	172	10	82	16	15
929 - 561	L 2600 N 2700 E	5	.1	89	9	49	14	30
929 - 562	L 2600 N 2750 E	40	.2	92	8	47	14	15
929 - 563	L 2600 N 2800 E	15	.2	99	9	43	15	70
929 - 564	L 2600 N 2850 E	5	.1	180	9	72	16	15
929 - 565	L 2600 N 2900 E	5	.2	167	10	65	19	35
929 - 566	L 2600 N 2950 E	35	.2	97	8	60	15	85
929 - 567	L 2600 N 3000 E	5	.3	160	12	63	19	55
929 - 568	L 2600 N 3050 E	<5	.2	121	10	61	11	30
929 - 569	L 2600 N 3100 E	5	.2	111	10	84	9	40
929 - 570	L 2600 N 3150 E	10	.1	112	8	41	16	30



ECO-TECH LABORATORIES LTD.


ASSAYING - ENVIRONMENTAL TESTING

10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

Placer Dome Inc.

NOVEMBER 30, 1989

ET#	Description	Au (ppb)	Ag (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	As (ppm)	Hg (ppb)
929 - 571	L 2600 N 3200 E	10	.1	82	8	40	17	35
929 - 572	L 2600 N 3250 E	10	.1	74	9	68	12	45
929 - 573	L 2600 N 3300 E	15	.2	106	12	74	14	15
929 - 574	L 2600 N 3350 E	5	.2	79	9	45	14	20
929 - 575	L 2600 N 3400 E	5	.1	65	9	50	10	30
929 - 576	L 2700 N 1700 E	10	.1	127	10	75	13	20
929 - 577	L 2700 N 1725 E	10	.2	136	8	68	15	15
929 - 578	L 2700 N 1750 E	55	.2	178	9	54	19	15
929 - 579	L 2700 N 1775 E	5	.1	114	10	52	16	30
929 - 580	L 2700 N 1800 E	5	.1	99	10	62	14	15
929 - 581	L 2700 N 1825 E	5	.2	107	9	67	14	10
929 - 582	L 2700 N 1850 E	10	.2	126	10	79	15	10
929 - 583	L 2700 N 1875 E	20	.3	184	11	74	18	5
929 - 584	L 2700 N 1900 E	15	.2	138	11	81	17	10
929 - 585	L 2700 N 1925 E	25	.2	163	11	84	14	15
929 - 586	L 2700 N 1950 E	20	.2	132	11	69	20	15
929 - 587	L 2700 N 1975 E	15	.2	156	10	79	14	10
929 - 588	L 2700 N 2000 E	10	1.4	93	7	67	8	10
929 - 589	L 2700 N 2025 E	10	.5	95	9	55	8	10
929 - 590	L 2700 N 2050 E	10	6.5	94	7	79	10	20
929 - 591	L 2700 N 2075 E	5	3.2	98	7	80	12	15
929 - 592	L 2700 N 2100 E	5	.9	134	10	69	15	15
929 - 593	L 2700 N 2125 E	5	.2	104	8	69	14	25
929 - 594	L 2700 N 2150 E	10	.2	100	8	68	14	15
929 - 595	L 2700 N 2175 E	10	.2	78	6	67	11	15
929 - 596	L 2700 N 2200 E	5	.3	104	9	58	13	15
929 - 597	L 2700 N 2225 E	10	.2	116	7	60	12	20
929 - 598	L 2700 N 2250 E	5	3.7	94	8	48	9	15
929 - 599	L 2700 N 2275 E	5	.1	95	7	49	13	60
929 - 600	L 2700 N 2300 E	10	.2	117	7	59	13	20
929 - 601	L 2700 N 2325 E	5	.1	135	10	63	18	20
929 - 602	L 2700 N 2350 E	10	.1	113	9	69	17	15
929 - 603	L 2700 N 2375 E	10	.1	149	10	61	24	25
929 - 604	L 2700 N 2400 E	5	.2	205	12	85	25	30
929 - 605	L 2700 N 2425 E	30	.3	200	12	54	34	100
929 - 606	L 2700 N 2450 E	5	.2	124	9	67	23	30
929 - 607	L 2700 N 2475 E	40	.1	127	9	68	22	25
929 - 608	L 2700 N 2500 E	30	.2	136	11	82	19	25
929 - 609	L 2700 N 2525 E	35	.3	167	9	70	28	10
929 - 610	L 2700 N 2550 E	25	.2	192	12	66	29	80
929 - 611	L 2700 N 2575 E	5	.2	105	8	73	17	30
929 - 612	L 2700 N 2600 E	10	.2	112	9	72	19	20
929 - 613	L 2700 N 2625 E	10	.2	115	9	68	19	20
929 - 614	L 2700 N 2650 E	10	.2	104	8	70	18	20
929 - 615	L 2700 N 2675 E	40	.1	108	9	73	20	20



ECO-TECH LABORATORIES LTD.


ASSAYING - ENVIRONMENTAL TESTING

10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

Placer Dome Inc.

NOVEMBER 30, 1989

ET#	Description	Au (ppb)	Ag (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	As (ppm)	Hg (ppb)
929 - 616	L 2700 N 2700 E	10	.1	100	9	83	19	40
929 - 617	L 2700 N 2725 E	20	.1	109	8	71	23	30
929 - 618	L 2700 N 2750 E	5	.1	81	8	42	23	50
929 - 619	L 2700 N 2775 E	5	.1	73	5	49	19	30
929 - 620	L 2700 N 2800 E	10	.2	72	6	50	17	30
929 - 621	L 2700 N 2825 E	10	.2	71	7	51	18	30
929 - 622	L 2700 N 2850 E	5	.9	81	8	47	19	30
929 - 623	L 2700 N 2875 E	10	.2	79	7	62	17	25
929 - 624	L 2700 N 2900 E	10	.3	118	8	66	16	30
929 - 625	L 2700 N 2925 E	5	.1	67	6	48	16	15
929 - 626	L 2700 N 2950 E	50	.2	75	7	60	17	20
929 - 627	L 2800 N 1500 E	5	.3	95	6	61	15	20
929 - 628	L 2800 N 1525 E	5	.3	137	8	74	14	30
929 - 639	L 2800 N 1550 E	10	.2	112	6	61	14	30
929 - 630	L 2800 N 1575 E	45	.3	145	7	74	17	45
929 - 631	L 2800 N 1600 E	10	.3	183	5	90	26	70
929 - 632	L 2800 N 1625 E	5	.2	106	5	53	16	30
929 - 633	L 2800 N 1650 E	10	.2	136	8	66	22	35
929 - 634	L 2800 N 1675 E	15	.2	168	7	70	21	50
929 - 635	L 2800 N 1700 E	10	.1	139	7	72	22	40
929 - 636	L 2800 N 1725 E	30	.2	138	10	66	18	30
929 - 637	L 2800 N 1750 E	15	.3	143	10	69	21	30
929 - 638	L 2800 N 1775 E	10	.1	120	11	75	18	30
929 - 639	L 2800 N 1800 E	30	.9	137	11	74	19	30
929 - 640	L 2800 N 1825 E	10	.4	212	13	98	23	40
929 - 641	L 2800 N 1850 E	5	.4	138	12	74	19	30
929 - 642	L 2800 N 1875 E	20	.6	291	14	76	34	80
929 - 643	L 2800 N 1900 E	10	.3	179	12	78	24	40
929 - 644	L 2800 N 1925 E	15	.3	233	7	100	23	40
929 - 645	L 2800 N 1950 E	5	.3	97	8	94	11	30
929 - 646	L 2800 N 1975 E	5	.1	138	8	72	17	30
929 - 647	L 2800 N 2000 E	10	.3	215	8	75	24	90
929 - 648	L 2800 N 2025 E	25	.4	231	9	81	25	50
929 - 649	L 2800 N 2050 E	10	.3	213	9	80	22	60
929 - 650	L 2800 N 2075 E	10	.4	229	8	74	25	105
929 - 651	L 2800 N 2100 E	15	.3	162	6	56	23	95
929 - 652	L 2800 N 2125 E	5	.3	138	7	51	24	45
929 - 653	L 2800 N 2150 E	10	.2	170	6	57	21	40
929 - 654	L 2800 N 2175 E	15	.3	180	6	62	26	45
929 - 655	L 2800 N 2200 E	30	.4	176	7	65	25	40
929 - 656	L 2800 N 2225 E	35	.3	286	9	94	29	45
929 - 657	L 2800 N 2250 E	10	.2	173	6	52	28	95
929 - 658	L 2800 N 2275 E	20	.4	175	7	56	26	65
929 - 659	L 2800 N 2300 E	25	.3	303	6	63	31	30
929 - 660	L 2800 N 2325 E	10	.2	168	6	93	24	25



ECO-TECH LABORATORIES LTD.


ASSAYING - ENVIRONMENTAL TESTING

10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

Placer Dome Inc.

NOVEMBER 30, 1989

ET#	Description	Au (ppb)	Ag (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	As (ppm)	Hg (ppb)
929 - 661	L 2800 N 2350 E	5	.3	145	5	80	21	20
929 - 662	L 2800 N 2375 E	35	.2	144	5	72	23	45
929 - 663	L 2800 N 2400 E	40	.2	133	5	79	20	30
929 - 664	L 2800 N 2425 E	10	.2	134	11	63	21	40
929 - 665	L 2800 N 2450 E	10	.2	132	7	60	17	35
929 - 666	L 2800 N 2475 E	15	.2	148	9	61	23	25
929 - 667	L 2800 N 2500 E	10	.1	149	8	81	18	40
929 - 668	L 2800 N 2525 E	55	.2	127	7	58	24	80
929 - 669	L 2800 N 2550 E	15	.1	122	10	49	23	75
929 - 670	L 2800 N 2575 E	30	.2	228	9	60	29	85
929 - 671	L 2800 N 2600 E	40	.2	302	13	78	31	50
929 - 672	L 2800 N 2625 E	15	.2	176	8	64	25	45
929 - 673	L 2800 N 2650 E	40	.2	169	11	73	23	35
929 - 674	L 2800 N 2675 E	15	.2	135	11	49	27	90
929 - 675	L 2800 N 2700 E	15	.1	91	9	46	23	15
929 - 676	L 2800 N 2725 E	10	.2	94	12	43	19	40
929 - 677	L 2800 N 2750 E	20	.2	109	11	46	22	65
929 - 678	L 2800 N 2775 E	10	.1	128	9	60	19	30
929 - 679	L 2800 N 2800 E	10	.1	159	9	65	21	25
929 - 680	L 2800 N 2825 E	5	.1	201	9	71	23	25
929 - 681	L 2800 N 2850 E	20	.2	244	14	72	27	65
929 - 682	L 2800 N 2875 E	60	.3	207	10	78	20	75
929 - 683	L 2800 N 2900 E	10	.3	193	11	74	20	40
929 - 684	L 2900 N 1500 E	50	.2	119	10	50	17	75
929 - 685	L 2900 N 1525 E	35	.1	79	10	46	12	25
929 - 686	L 2900 N 1550 E	40	<.1	85	9	48	14	28
929 - 687	L 2900 N 1575 E	20	<.1	76	8	42	14	32
929 - 688	L 2900 N 1600 E	30	.2	115	10	43	15	49
929 - 689	L 2900 N 1625 E	15	.2	148	9	58	17	49
929 - 690	L 2900 N 1650 E	35	.2	203	8	68	20	35
929 - 691	L 2900 N 1675 E	10	.2	134	9	67	18	21
929 - 692	L 2900 N 1700 E	20	.1	157	7	65	23	25
929 - 693	L 2900 N 1725 E	5	.1	131	11	83	18	18
929 - 694	L 2900 N 1750 E	<5	.2	135	11	84	17	28
929 - 695	L 2900 N 1775 E	<5	.1	124	10	78	19	21
929 - 696	L 2900 N 1800 E	25	.1	119	11	59	18	25
929 - 697	L 2900 N 1825 E	20	.1	145	9	76	28	18
929 - 698	L 2900 N 1850 E	20	.1	153	10	75	26	18
929 - 699	L 2900 N 1875 E	10	.1	144	9	82	33	11
929 - 700	L 2900 N 1900 E	<5	.1	136	10	88	27	11
929 - 701	L 2900 N 1925 E	15	.2	160	9	73	27	11
929 - 702	L 2900 N 1950 E	40	.2	143	10	76	21	11
929 - 703	L 2900 N 1975 E	5	.3	151	8	64	23	28
929 - 704	L 2900 N 2000 E	90	.1	121	7	66	19	18
929 - 705	L 2900 N 2025 E	15	.2	144	9	63	21	21



ECO-TECH LABORATORIES LTD.


ASSAYING - ENVIRONMENTAL TESTING

10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

Placer Dome Inc.

NOVEMBER 30, 1989

ET#	Description	Au (ppb)	Ag (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	As (ppm)	Hg (ppb)
929 - 706	L 2900 N 2050 E	5	.3	129	10	65	22	25
929 - 707	L 2900 N 2075 E	15	.3	142	12	68	21	21
929 - 708	L 2900 N 2100 E	15	.2	122	11	67	18	21
929 - 709	L 2900 N 2125 E	10	.1	138	10	66	19	28
929 - 710	L 2900 N 2150 E	40	.3	133	10	67	20	21
929 - 711	L 2900 N 2175 E	45	.2	125	9	72	19	25
929 - 712	L 2900 N 2200 E	10	.2	138	10	68	19	21
929 - 713	L 2900 N 2225 E	10	.2	145	11	73	20	21
929 - 714	L 2900 N 2250 E	5	.3	126	12	71	17	18
929 - 715	L 2900 N 2275 E	15	.2	126	10	73	17	14
929 - 716	L 2900 N 2300 E	45	.3	116	10	86	16	18
929 - 717	L 2900 N 2325 E	25	.2	163	11	77	20	11
929 - 718	L 2900 N 2350 E	45	.4	131	12	78	19	7
929 - 719	L 2900 N 2375 E	10	.2	123	9	70	18	11
929 - 720	L 2900 N 2400 E	5	.2	129	10	68	20	7
929 - 721	L 2900 N 2425 E	15	.3	121	10	74	18	18
929 - 722	L 2900 N 2450 E	20	.2	120	9	71	18	21
929 - 723	L 2900 N 2475 E	5	.2	118	9	67	19	25
929 - 724	L 2900 N 2500 E	75	.2	129	11	72	19	7
929 - 725	L 2900 N 2525 E	10	.1	120	9	69	18	7
929 - 726	L 2900 N 2550 E	10	.1	124	10	61	19	14
929 - 727	L 2900 N 2575 E	5	.3	139	12	62	20	32
929 - 728	L 2900 N 2600 E	5	.2	123	10	67	18	18
929 - 729	L 2900 N 2625 E	5	.3	122	10	64	20	11
929 - 730	L 2900 N 2650 E	10	.2	115	11	71	18	21
929 - 731	L 2900 N 2675 E	10	.2	115	9	78	19	14
929 - 732	L 2900 N 2700 E	10	.2	119	9	71	18	7
929 - 733	L 2900 N 2725 E	10	.4	151	12	70	20	18
929 - 734	L 2900 N 2750 E	5	.2	132	11	69	22	11
929 - 735	L 2900 N 2775 E	5	.1	100	11	74	20	7
929 - 736	L 2900 N 2800 E	5	.2	94	9	72	16	11
929 - 737	L 2900 N 2825 E	10	.3	126	11	75	19	7
929 - 738	L 2900 N 2850 E	5	.2	112	9	74	18	7
929 - 739	L 2900 N 2875 E	5	.2	100	14	71	17	25
929 - 740	L 2900 N 2900 E	10	.1	106	11	60	20	21
929 - 741	L 2900 N 2925 E	5	.1	101	9	63	18	25
929 - 742	L 2900 N 2950 E	10	.1	103	10	64	17	21
929 - 743	L 2900 N 2975 E	15	.2	101	9	65	17	11
929 - 744	L 2900 N 3000 E	5	.3	148	11	76	21	28
929 - 745	L 2900 N 3025 E	10	.2	95	9	62	19	11
929 - 746	L 2900 N 3050 E	5	.1	98	9	58	16	21
929 - 747	L 2900 N 3075 E	10	.1	82	10	55	16	14
929 - 748	L 2900 N 3100 E	5	.1	88	8	56	17	11
929 - 749	L 2900 N 3125 E	10	.1	80	10	44	20	25
929 - 750	L 2900 N 3150 E	20	.1	88	9	54	17	14



ECO-TECH LABORATORIES LTD.


ASSAYING - ENVIRONMENTAL TESTING

10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

Placer Dome Inc.

NOVEMBER 30, 1989

ET#	Description	Au (ppb)	Ag (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	As (ppm)	Hg (ppb)
929 - 751	L 2900 N 3175 E	5	.1	109	10	76	18	11
929 - 752	L 2900 N 3200 E	10	.2	116	7	84	19	11
929 - 753	L 2900 N 3225 E	10	.2	120	8	77	18	11
929 - 754	L 3000 N 1575 E	15	.3	141	12	87	18	21
929 - 755	L 3000 N 1600 E	10	.3	154	15	129	17	18
929 - 756	L 3000 N 1625 E	5	.2	133	11	63	17	25
929 - 757	L 3000 N 1650 E	5	.1	99	9	62	15	11
929 - 758	L 3000 N 1675 E	10	.2	101	9	71	16	14
929 - 759	L 3000 N 1700 E	5	.1	82	10	94	13	21
929 - 760	L 3000 N 1725 E	10	.1	78	9	78	12	11
929 - 761	L 3000 N 1750 E	10	<.1	98	10	79	15	14
929 - 762	L 3000 N 1775 E	10	.2	199	7	64	20	45
929 - 763	L 3000 N 1800 E	5	.2	166	10	65	27	100
929 - 764	L 3000 N 1825 E	5	.2	152	10	66	23	40
929 - 765	L 3000 N 1850 E	5	.2	158	11	71	24	50
929 - 766	L 3000 N 1875 E	5	.1	128	9	65	21	50
929 - 767	L 3000 N 1900 E	15	.1	101	10	102	18	30
929 - 768	L 3000 N 1925 E	10	.1	132	10	77	20	35
929 - 769	L 3000 N 1950 E	15	.1	172	11	78	22	50
929 - 770	L 3000 N 1975 E	15	.2	161	12	106	21	45
929 - 771	L 3000 N 2000 E	10	.2	156	12	82	21	30
929 - 772	L 3000 N 2025 E	10	.1	123	11	78	20	35
929 - 773	L 3000 N 2050 E	5	.2	96	10	62	17	30
929 - 774	L 3000 N 2075 E	5	.1	125	8	88	17	30
929 - 775	L 3000 N 2100 E	10	.2	156	11	68	22	45
929 - 776	L 3000 N 2125 E	15	.1	135	9	77	20	35
929 - 777	L 3000 N 2150 E	20	.2	140	9	85	18	30
929 - 778	L 3000 N 2175 E	15	.1	148	11	91	16	20
929 - 779	L 3000 N 2200 E	5	.1	141	12	93	14	20
929 - 780	L 3000 N 2225 E	10	.2	140	12	85	15	40
929 - 781	L 3000 N 2250 E	5	.1	140	11	86	17	40
929 - 782	L 3000 N 2275 E	5	.2	120	12	84	13	45
929 - 783	L 3000 N 2300 E	15	.2	123	12	80	14	35
929 - 784	L 3000 N 2325 E	5	.2	129	11	76	14	35
929 - 785	L 3000 N 2350 E	5	.2	144	10	74	15	30
929 - 786	L 3000 N 2375 E	10	.1	142	11	83	14	40
929 - 787	L 3000 N 2400 E	5	.1	76	12	74	23	90
929 - 788	L 3000 N 2425 E	15	.1	143	11	80	13	45
929 - 789	L 3000 N 2450 E	5	.1	142	9	83	16	30
929 - 790	L 3000 N 2475 E	10	.2	136	10	75	17	40
929 - 791	L 3000 N 2500 E	5	.1	145	9	72	23	50
929 - 792	L 3000 N 2525 E	10	.2	138	10	89	17	35
929 - 793	L 3000 N 2550 E	5	.5	132	9	96	18	40
929 - 794	L 3000 N 2575 E	5	.3	127	9	80	18	40
929 - 795	L 3000 N 2600 E	5	.3	136	10	914	20	35



ECO-TECH LABORATORIES LTD.


ASSAYING - ENVIRONMENTAL TESTING

10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

Placer Dome Inc.

NOVEMBER 30, 1989

ET#	Description	Au (ppb)	Ag (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	As (ppm)	Hg (ppb)
929 - 796	L 3000 N 2625 E	10	.2	144	8	76	19	35
929 - 797	L 3000 N 2650 E	5	.1	113	9	78	17	35
929 - 798	L 3000 N 2675 E	10	.3	122	10	75	18	25
929 - 799	L 3000 N 2700 E	10	.4	126	8	71	17	25
929 - 800	L 3000 N 2725 E	5	.2	117	10	88	17	30
929 - 801	L 3000 N 2750 E	<5	.2	145	11	76	17	35
929 - 802	L 3000 N 2775 E	25	.3	153	10	78	19	35
929 - 803	L 3000 N 2800 E	10	.3	176	11	72	23	80
929 - 804	L 3000 N 2825 E	5	.2	147	10	72	21	40
929 - 805	L 3000 N 2850 E	10	.2	132	9	70	18	40
929 - 806	L 3000 N 2875 E	<5	.2	150	9	80	18	40
929 - 807	L 3000 N 2900 E	10	.2	131	10	71	18	40
929 - 808	L 3000 N 2925 E	<5	.2	141	11	81	16	30
929 - 809	L 3000 N 2950 E	10	.2	126	9	87	14	35
929 - 810	L 3000 N 2975 E	<5	.1	127	9	82	16	40
929 - 811	L 3000 N 3000 E	20	.2	126	9	77	15	20
929 - 812	L 3000 N 3025 E	5	.1	123	10	75	15	30
929 - 813	L 3000 N 3075 E	10	.2	134	11	81	15	20
929 - 814	L 3000 N 3100 E	5	.2	127	11	63	14	90
929 - 815	L 3000 N 3125 E	35	.1	159	9	79	15	30
929 - 816	L 3000 N 3150 E	55	.1	160	9	72	18	35
929 - 817	L 3000 N 3175 E	15	.2	140	9	69	18	30
929 - 818	L 3100 N 1500 E	10	.2	138	10	82	14	35
929 - 819	L 3100 N 1525 E	5	.2	124	8	71	13	45
929 - 820	L 3100 N 1550 E	25	.2	154	12	85	14	45
929 - 821	L 3100 N 1575 E	30	.1	130	10	83	12	30
929 - 822	L 3100 N 1600 E	15	<.1	139	9	81	13	30
929 - 823	L 3100 N 1625 E	10	.2	158	12	101	16	35
929 - 824	L 3100 N 1650 E	5	.1	128	10	83	14	30
929 - 825	L 3100 N 1675 E	5	.1	131	9	90	13	25
929 - 836	L 3100 N 1700 E	5	.1	86	7	63	13	20
929 - 827	L 3100 N 1725 E	5	.1	103	8	84	13	25
929 - 828	L 3100 N 1750 E	5	.2	135	11	67	16	50
929 - 829	L 3100 N 1775 E	5	.2	157	8	71	15	35
929 - 830	L 3100 N 1800 E	5	.2	199	9	76	17	30
929 - 831	L 3100 N 1825 E	55	.1	253	11	76	24	40
929 - 832	L 3100 N 1850 E	15	.1	246	10	68	27	85
929 - 833	L 3100 N 1875 E	<5	.1	150	9	76	18	30
929 - 834	L 3100 N 1900 E	<5	.1	184	9	70	20	70
929 - 835	L 3100 N 1925 E	10	.2	170	9	68	21	65
929 - 836	L 3100 N 1950 E	15	.3	159	9	67	25	105
929 - 837	L 3100 N 1975 E	10	.2	182	10	68	18	30
929 - 838	L 3100 N 2000 E	15	.2	207	9	67	23	75
929 - 839	L 3100 N 2025 E	<5	.1	209	9	70	21	40
929 - 840	L 3100 N 2050 E	<5	.2	118	10	47	17	80



ECO-TECH LABORATORIES LTD.


ASSAYING - ENVIRONMENTAL TESTING

10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

Placer Dome Inc.

NOVEMBER 30, 1989

ET#	Description	Au (ppb)	Ag (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	As (ppm)	Hg (ppb)
929 - 841	L 3100 N 2075 E	5	.1	126	11	66	16	20
929 - 842	L 3100 N 2100 E	10	.1	128	8	82	15	25
929 - 843	L 3100 N 2125 E	35	.2	179	8	74	23	80
929 - 844	L 3100 N 2150 E	5	.2	137	10	90	14	20
929 - 845	L 3100 N 2175 E	10	.1	134	8	81	16	30
929 - 846	L 3100 N 2200 E	5	.1	144	9	70	17	20
929 - 847	L 3100 N 2225 E	5	.1	142	9	65	18	25
929 - 848	L 3100 N 2250 E	10	.1	152	7	66	17	25
929 - 849	L 3100 N 2275 E	5	.1	163	7	69	16	25
929 - 850	L 3100 N 2300 E	5	.1	151	9	61	18	35
929 - 851	L 3100 N 2325 E	10	.2	152	8	59	16	30
929 - 852	L 3100 N 2350 E	<5	.1	125	8	63	14	20
929 - 853	L 3100 N 2375 E	<5	.1	130	12	52	20	45
929 - 854	L 3100 N 2400 E	<5	.1	116	10	68	20	30
929 - 855	L 3100 N 2425 E	5	.1	114	11	70	20	25
929 - 856	L 3100 N 2450 E	10	.1	125	10	82	22	25
929 - 857	L 3100 N 2475 E	15	.2	123	10	80	23	30
929 - 858	L 3100 N 2500 E	20	.1	126	8	78	24	25
929 - 859	L 3100 N 2525 E	20	.1	131	9	71	25	65
929 - 860	L 3100 N 2550 E	10	.3	127	8	86	23	30
929 - 861	L 3100 N 2575 E	15	.1	126	9	80	21	28
929 - 862	L 3100 N 2600 E	15	.3	129	8	82	23	30
929 - 863	L 3100 N 2625 E	5	.3	131	10	76	23	25
929 - 864	L 3100 N 2650 E	5	.2	122	10	78	21	25
929 - 865	L 3100 N 2675 E	5	.2	126	9	78	20	20
929 - 866	L 3100 N 2700 E	15	.2	125	11	78	20	20
929 - 867	L 3100 N 2725 E	20	.2	142	10	81	22	45
929 - 868	L 3100 N 2750 E	30	.1	139	8	79	20	30
929 - 869	L 3100 N 2775 E	20	.2	134	9	76	24	30
929 - 870	L 3100 N 2800 E	30	.2	128	8	83	21	25
929 - 871	L 3100 N 2825 E	15	.1	137	9	76	18	25
929 - 872	L 3100 N 2950 E	25	.1	138	8	83	23	35
929 - 873	L 3100 N 2875 E	15	.2	128	9	77	22	20
929 - 874	L 3100 N 2900 E	20	.2	113	9	73	16	15
929 - 875	L 3100 N 2925 E	25	.2	129	11	66	18	95
929 - 876	L 3100 N 2950 E	10	.1	117	10	71	17	40
929 - 877	L 3100 N 2975 E	15	.2	106	8	74	15	45
929 - 878	L 3100 N 3000 E	15	.2	112	9	77	14	50
929 - 879	L 3100 N 3025 E	25	.2	139	8	87	22	45
929 - 880	L 3100 N 3050 E	30	.2	138	7	87	22	40
929 - 881	L 3100 N 3075 E	15	.2	124	10	61	23	90
929 - 882	L 3100 N 3100 E	20	.2	138	12	70	19	65
929 - 883	L 3100 N 3125 E	20	.1	125	9	76	20	35
929 - 884	L 3100 N 3150 E	15	.3	121	10	78	17	35
929 - 885	L 3100 N 3175 E	15	.2	119	10	72	17	40



ECO-TECH LABORATORIES LTD.


ASSAYING - ENVIRONMENTAL TESTING

10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

Placer Dome Inc.

NOVEMBER 30, 1989

ET#	Description	Au (ppb)	Ag (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	As (ppm)	Hg (ppb)
929 - 886	L 3100 N 3200 E	15	.1	98	11	60	15	45
929 - 887	L 3100 N 3225 E	15	.2	116	11	69	22	100
929 - 888	L 3200 N 1500 E	25	.2	129	12	86	18	50
929 - 889	L 3200 N 1525 E	15	.3	115	10	69	19	45
929 - 890	L 3200 N 1550 E	20	.1	121	11	70	18	50
929 - 891	L 3200 N 1575 E	10	.2	107	10	67	16	50
929 - 892	L 3200 N 1600 E	15	<.1	116	8	66	19	55
929 - 893	L 3200 N 1625 E	15	.1	114	9	56	17	30
929 - 894	L 3200 N 1650 E	5	<.1	148	8	70	18	70
929 - 895	L 3200 N 1675 E	15	<.1	164	10	71	23	40
929 - 896	L 3200 N 1700 E	5	<.1	157	10	80	17	45
929 - 897	L 3200 N 1725 E	<5	.1	143	9	73	21	40
929 - 898	L 3200 N 1750 E	15	.1	171	10	72	22	50
929 - 899	L 3200 N 1775 E	<5	.2	157	10	90	24	40
929 - 900	L 3200 N 1800 E	20	.4	173	11	78	28	70
929 - 901	L 3200 N 1825 E	25	.2	179	11	68	31	115
929 - 902	L 3200 N 1850 E	<5	.4	168	12	84	27	40
929 - 903	L 3200 N 1875 E	25	.2	154	12	83	30	40
929 - 904	L 3200 N 1900 E	<5	.4	153	11	86	27	40
929 - 905	L 3200 N 1925 E	<5	.3	145	11	77	24	30
929 - 906	L 3200 N 1950 E	<5	.1	140	10	90	21	30
929 - 907	L 3200 N 1975 E	15	.1	142	11	87	21	35
929 - 908	L 3200 N 2000 E	<5	.1	130	11	82	19	30
929 - 909	L 3200 N 2025 E	5	<.1	129	12	97	17	30
929 - 910	L 3200 N 2050 E	<5	.1	141	12	75	23	30
929 - 911	L 3200 N 2075 E	<5	.1	119	11	82	19	25
929 - 912	L 3200 N 2100 E	<5	.1	120	9	83	19	25
929 - 913	L 3200 N 2125 E	<5	.1	130	11	82	22	25
929 - 914	L 3200 N 2150 E	30	.1	126	10	74	23	40
929 - 915	L 3200 N 2175 E	10	.1	133	9	76	24	60
929 - 916	L 3200 N 2200 E	5	.2	119	9	63	28	90
929 - 917	L 3200 N 2225 E	<5	.1	117	10	76	23	40
929 - 918	L 3200 N 2250 E	<5	.2	133	10	71	25	80
929 - 919	L 3200 N 2275 E	<5	.2	121	10	76	23	40
929 - 920	L 3200 N 2300 E	10	.2	116	10	68	22	40
929 - 921	L 3200 N 2325 E	5	.1	123	11	67	24	45
929 - 922	L 3200 N 2350 E	<5	.1	126	9	66	24	50
929 - 923	L 3200 N 2375 E	5	.1	129	10	70	23	45
929 - 924	L 3200 N 2400 E	15	.1	126	10	82	22	40
929 - 925	L 3200 N 2425 E	<5	.2	131	8	80	24	40
929 - 926	L 3200 N 2450 E	5	.3	139	10	78	27	60
929 - 927	L 3200 N 2475 E	<5	.2	149	10	67	29	125
929 - 928	L 3200 N 2500 E	5	.2	126	10	72	25	30
929 - 929	L 3200 N 2525 E	<5	.1	134	11	78	24	45
929 - 930	L 3200 N 2550 E	5	.3	130	8	85	23	55



ECO-TECH LABORATORIES LTD.


ASSAYING - ENVIRONMENTAL TESTING

10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

Placer Dome Inc.

NOVEMBER 30, 1989

ET#	Description	Au (ppb)	Ag (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	As (ppm)	Hg (ppb)
929 - 931	L 3200 N 2575 E	10	.2	138	10	83	22	50
929 - 932	L 3200 N 2600 E	20	.2	136	9	88	23	60
929 - 933	L 3200 N 2625 E	5	.2	135	11	99	24	40
929 - 934	L 3200 N 2650 E	15	.2	136	12	91	22	40
929 - 935	L 3200 N 2675 E	45	.1	136	10	95	23	40
929 - 936	L 3200 N 2700 E	35	.2	134	10	96	20	40
929 - 937	L 3200 N 2725 E	10	.3	132	11	90	21	20
929 - 938	L 3200 N 2750 E	10	.1	133	11	87	18	50
929 - 939	L 3200 N 2775 E	40	.1	135	10	85	20	60
929 - 940	L 3200 N 2800 E	10	.1	139	11	85	23	75
929 - 941	L 3200 N 2825 E	10	.2	140	11	76	21	85
929 - 942	L 3200 N 2850 E	15	.2	136	9	75	21	60
929 - 943	L 3200 N 2875 E	10	.3	137	11	82	21	50
929 - 944	L 3200 N 2900 E	15	.2	135	8	87	23	60
929 - 945	L 3200 N 2925 E	15	.2	115	8	84	16	50
929 - 946	L 3200 N 2950 E	5	.2	116	9	98	20	40
929 - 947	L 3200 N 2975 E	5	.2	145	10	91	24	100
929 - 948	L 3200 N 3000 E	5	.2	161	11	72	19	50
929 - 949	L 3200 N 3025 E	5	.1	153	9	75	19	60
929 - 950	L 3200 N 3050 E	5	.2	170	12	80	20	70
929 - 951	L 3200 N 3075 E	5	.1	149	10	78	20	50
929 - 952	L 3200 N 3100 E	5	.2	146	11	89	19	21
929 - 953	L 3200 N 3125 E	5	.2	176	9	77	18	27
929 - 954	L 3200 N 3150 E	10	.1	159	10	83	20	42
929 - 955	L 3200 N 3175 E	5	.2	139	9	76	19	46
929 - 956	L 3200 N 3200 E	5	.3	112	11	59	17	65
929 - 957	L 3200 N 3225 E	5	.2	106	9	64	17	46
929 - 958	L 3200 N 3250 E	5	.2	105	12	63	16	29
929 - 959	L 3300 N 1500 E	10	.1	86	8	49	17	103
929 - 960	L 3300 N 1525 E	10	.2	92	10	62	19	71
929 - 961	L 3300 N 1550 E	5	.2	119	11	74	12	69
929 - 962	L 3300 N 1575 E	5	.1	153	12	75	25	76
929 - 963	L 3300 N 1600 E	55	.2	229	12	82	26	31
929 - 964	L 3300 N 1625 E	5	.3	221	9	87	25	90
929 - 965	L 3300 N 1650 E	10	.3	253	11	83	26	40
929 - 966	L 3300 N 1675 E	10	.2	290	9	72	30	84
929 - 967	L 3300 N 1700 E	10	.2	240	12	77	28	69
929 - 968	L 3300 N 1725 E	5	.1	215	8	70	24	48
929 - 969	L 3300 N 1750 E	5	.2	209	6	83	22	25
929 - 970	L 3300 N 1775 E	10	.4	187	7	79	19	244
929 - 971	L 3300 N 1800 E	45	.3	186	6	81	19	42
929 - 972	L 3300 N 1825 E	15	.2	191	6	79	23	67
929 - 973	L 3300 N 1850 E	10	.3	187	8	73	23	38
929 - 974	L 3300 N 1875 E	5	.3	159	8	82	18	27
929 - 975	L 3300 N 1900 E	5	.2	146	6	77	20	36



ECO-TECH LABORATORIES LTD.


ASSAYING - ENVIRONMENTAL TESTING

10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

Placer Dome Inc.

NOVEMBER 30, 1989

ET#	Description	Au (ppb)	Ag (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	As (ppm)	Hg (ppb)
929 - 976	L 3300 N 1925 E	20	.1	149	9	71	19	38
929 - 977	L 3300 N 1950 E	5	.2	138	8	78	18	25
929 - 978	L 3300 N 1975 E	5	.2	124	7	76	17	17
929 - 979	L 3300 N 2000 E	5	.5	131	8	80	18	21
929 - 980	L 3300 N 2025 E	10	.1	144	10	74	21	17
929 - 981	L 3300 N 2050 E	5	.2	119	7	73	19	25
929 - 982	L 3300 N 2075 E	10	.1	126	8	77	20	19
929 - 983	L 3300 N 2100 E	5	.2	121	7	76	21	23
929 - 984	L 3300 N 2125 E	35	.1	127	8	79	18	17
929 - 985	L 3300 N 2150 E	5	.3	126	8	77	20	25
929 - 986	L 3300 N 2175 E	5	.2	150	6	70	20	40
929 - 987	L 3300 N 2200 E	25	.3	163	8	79	25	32
929 - 988	L 3300 N 2225 E	5	.2	127	9	72	20	19
929 - 989	L 3300 N 2250 E	5	.2	139	8	65	21	27
929 - 990	L 3300 N 2275 E	5	.3	132	9	76	19	30
929 - 991	L 3300 N 2300 E	10	.2	135	8	78	18	30
929 - 992	L 3300 N 2325 E	5	.2	140	11	82	19	23
929 - 993	L 3300 N 2350 E	5	.3	177	12	86	24	85
929 - 994	L 3300 N 2375 E	10	.3	171	9	77	22	10
929 - 995	L 3300 N 2400 E	10	.4	218	11	77	25	135
929 - 996	L 3300 N 2425 E	10	.2	181	12	78	25	38
929 - 997	L 3300 N 2450 E	5	.2	159	11	79	23	30
929 - 998	L 3300 N 2475 E	5	.3	152	6	77	19	25
929 - 999	L 3300 N 2500 E	5	.2	160	7	81	21	33
929 - 1000	L 3300 N 2525 E	15	.2	157	8	86	18	5
929 - 1001	L 3300 N 2550 E	20	.3	154	6	87	19	25
929 - 1002	L 3300 N 2575 E	15	.3	161	7	84	22	33
929 - 1003	L 3300 N 2600 E	30	.2	163	7	81	18	43
929 - 1004	L 3300 N 2625 E	10	.2	156	8	94	21	45
929 - 1005	L 3300 N 2650 E	20	.1	192	7	93	24	20
929 - 1006	L 3300 N 2675 E	15	.1	135	9	92	23	35
929 - 1007	L 3300 N 2700 E	5	.2	131	10	93	19	38
929 - 1008	L 3300 N 2725 E	5	.1	109	8	113	19	28
929 - 1009	L 3300 N 2750 E	5	.3	122	9	103	19	25
929 - 1010	L 3300 N 2775 E	10	.1	138	7	91	25	33
929 - 1011	L 3300 N 2800 E	10	.1	147	8	91	25	45
929 - 1012	L 3300 N 2825 E	5	.2	128	7	89	24	35
929 - 1013	L 3300 N 2850 E	30	.2	125	7	97	22	23
929 - 1014	L 3300 N 2875 E	20	.2	141	9	70	26	50
929 - 1015	L 3300 N 2900 E	20	.2	156	7	94	27	35
929 - 1016	L 3300 N 2925 E	35	.1	123	6	86	24	15
929 - 1017	L 3300 N 2950 E	50	.1	129	5	81	24	30
929 - 1018	L 3300 N 2975 E	45	.2	148	7	91	28	20
929 - 1019	L 3300 N 3000 E	20	.1	191	6	99	24	25
929 - 1020	L 3300 N 3025 E	35	.3	134	6	92	22	25



ECO-TECH LABORATORIES LTD.


ASSAYING - ENVIRONMENTAL TESTING

10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

Placer Dome Inc.

NOVEMBER 30, 1989

ET#	Description	Au (ppb)	Ag (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	As (ppm)	Hg (ppb)
929 - 1021	L 3300 N 3050 E	15	.3	138	6	79	18	28
929 - 1022	L 3300 N 3075 E	15	.2	173	5	80	27	20
929 - 1023	L 3300 N 3100 E	5	.3	137	5	79	22	18
929 - 1024	L 3300 N 3125 E	10	.2	144	6	70	19	33
929 - 1025	L 3300 N 3150 E	15	.1	134	8	56	20	53
929 - 1026	L 3300 N 3175 E	10	.1	131	9	71	19	28
929 - 1027	L 3300 N 3200 E	5	.1	122	9	74	20	20
929 - 1028	L 3300 N 3225 E	10	.1	133	7	83	23	43
929 - 1029	L 3300 N 3250 E	5	.1	122	8	76	22	43
929 - 1030	L 3400 N 1500 E	5	.2	115	7	63	14	5
929 - 1031	L 3400 N 1525 E	5	.1	107	7	61	22	15
929 - 1032	L 3400 N 1550 E	5	.2	112	9	73	18	18
929 - 1033	L 3400 N 1575 E	5	.2	136	7	75	19	15
929 - 1034	L 3400 N 1600 E	30	.2	155	8	69	22	48
929 - 1035	L 3400 N 1625 E	35	.1	161	9	69	25	63
929 - 1036	L 3400 N 1650 E	5	.2	153	9	73	23	23
929 - 1037	L 3400 N 1675 E	10	.1	158	8	68	18	18
929 - 1038	L 3400 N 1700 E	5	.1	143	9	74	19	23
929 - 1039	L 3400 N 1725 E	10	<.1	159	8	71	22	43
929 - 1040	L 3400 N 1750 E	5	.2	151	9	73	17	20
929 - 1041	L 3400 N 1775 E	5	.1	147	10	75	22	25
929 - 1042	L 3400 N 1800 E	5	.1	124	9	71	21	13
929 - 1043	L 3400 N 1825 E	5	.1	120	9	68	24	18
929 - 1044	L 3400 N 1850 E	5	.4	175	15	102	25	138
929 - 1045	L 3400 N 1875 E	5	.2	114	10	75	19	13
929 - 1046	L 3400 N 1900 E	15	.2	129	9	78	23	13
929 - 1047	L 3400 N 1925 E	10	.2	136	10	78	22	18
929 - 1048	L 3400 N 1950 E	15	.2	144	9	79	24	23
929 - 1049	L 3400 N 1975 E	10	.3	144	9	76	20	11
929 - 1050	L 3400 N 2000 E	20	.2	133	8	78	22	15
929 - 1051	L 3400 N 2025 E	15	.2	127	8	79	20	8
929 - 1052	L 3400 N 2050 E	15	.2	128	10	80	19	10
929 - 1053	L 3400 N 2075 E	5	.2	121	8	67	19	11
929 - 1054	L 3400 N 2100 E	20	.1	133	10	78	18	13
929 - 1055	L 3400 N 2125 E	10	.3	123	17	84	19	13
929 - 1056	L 3400 N 2150 E	15	.3	144	10	76	22	30
929 - 1057	L 3400 N 2175 E	10	.1	116	11	77	18	10
929 - 1058	L 3400 N 2200 E	75	.4	131	8	82	18	15
929 - 1059	L 3400 N 2225 E	10	.3	134	10	76	19	4
929 - 1060	L 3400 N 2250 E	10	.2	121	8	74	16	5
929 - 1061	L 3400 N 2275 E	15	.2	136	10	79	23	5
929 - 1062	L 3400 N 2300 E	10	.1	135	10	71	18	8
929 - 1063	L 3400 N 2325 E	35	.3	180	11	77	24	27
929 - 1064	L 3400 N 2350 E	10	.2	145	11	81	19	10
929 - 1065	L 3400 N 2375 E	5	.2	156	12	85	21	4



ECO-TECH LABORATORIES LTD.


ASSAYING - ENVIRONMENTAL TESTING

10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

Placer Dome Inc.

NOVEMBER 30, 1989

ET#	Description	Au (ppb)	Ag (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	As (ppm)	Hg (ppb)
929 - 1066	L 3400 N 2400 E	10	.2	154	11	83	22	25
929 - 1067	L 3400 N 2425 E	5	.1	161	12	87	24	35
929 - 1068	L 3400 N 2450 E	10	.2	139	12	79	25	30
929 - 1069	L 3400 N 2475 E	10	.1	133	11	83	20	30
929 - 1070	L 3400 N 2500 E	10	.3	122	12	.87	18	25
929 - 1071	L 3400 N 2525 E	15	.1	150	12	90	22	30
929 - 1072	L 3400 N 2550 E	10	.2	129	10	81	18	20
929 - 1073	L 3400 N 2575 E	5	.2	140	12	86	20	30
929 - 1074	L 3400 N 2600 E	20	.3	147	11	76	18	35
929 - 1075	L 3400 N 2625 E	10	.3	138	10	79	17	30
929 - 1076	L 3400 N 2650 E	10	.2	111	10	82	14	20
929 - 1077	L 3400 N 2675 E	10	.2	121	14	81	18	25
929 - 1078	L 3400 N 2700 E	40	.2	169	12	93	20	30
929 - 1079	L 3400 N 2725 E	25	.5	98	11	92	24	95
929 - 1080	L 3400 N 2750 E	10	.2	120	12	97	21	30
929 - 1081	L 3400 N 2775 E	15	.3	180	11	95	24	20
929 - 1082	L 3400 N 2800 E	20	.4	202	11	92	28	40
929 - 1083	L 3400 N 2825 E	20	.5	207	10	133	26	20
929 - 1084	L 3400 N 2850 E	5	.6	235	12	87	32	75
929 - 1085	L 3400 N 2875 E	10	.3	215	11	98	31	25
929 - 1086	L 3400 N 2900 E	10	.3	213	11	101	32	20
929 - 1087	L 3400 N 2925 E	5	.2	170	12	98	27	20
929 - 1088	L 3400 N 2950 E	5	.1	182	10	80	26	25
929 - 1089	L 3400 N 2975 E	5	.2	224	12	92	29	25
929 - 1090	L 3400 N 3000 E	5	.4	229	13	122	33	95
929 - 1091	L 3400 N 3025 E	10	.2	197	10	89	28	45
929 - 1092	L 3400 N 3050 E	5	.1	192	10	88	26	25
929 - 1093	L 3400 N 3075 E	5	.2	180	9	87	24	25
929 - 1094	L 3400 N 3100 E	15	.1	204	9	96	24	20
929 - 1095	L 3400 N 3125 E	5	.2	178	8	82	23	15
929 - 1096	L 3400 N 3150 E	10	.2	171	9	100	26	20
929 - 1097	L 3400 N 3175 E	5	.3	161	11	103	24	20
929 - 1098	L 3400 N 3200 E	5	<.1	152	8	88	22	25
929 - 1099	L 3400 N 3225 E	5	<.1	126	9	86	23	25
929 - 1100	L 3400 N 3250 E	5	.1	117	7	60	20	20
929 - 1101	L 3500 N 1500 E	<5	.1	112	6	81	13	15
929 - 1102	L 3500 N 1525 E	5	.2	100	8	73	24	15
929 - 1103	L 3500 N 1550 E	5	.2	89	7	54	27	20
929 - 1104	L 3500 N 1575 E	5	.3	135	7	75	28	15
929 - 1105	L 3500 N 1600 E	5	.2	163	11	69	35	25
929 - 1106	L 3500 N 1625 E	5	.3	202	12	82	28	25
929 - 1107	L 3500 N 1650 E	5	.1	157	10	69	22	20
929 - 1108	L 3500 N 1675 E	5	.1	168	11	68	23	25
929 - 1109	L 3500 N 1700 E	5	.1	135	8	70	22	15
929 - 1110	L 3500 N 1725 E	5	.2	120	10	71	25	20



ECO-TECH LABORATORIES LTD.


ASSAYING - ENVIRONMENTAL TESTING

10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

Placer Dome Inc.

NOVEMBER 30, 1989

ET#	Description	Au (ppb)	Ag (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	As (ppm)	Hg (ppb)
929 - 1111	L 3500 N 1750 E	5	.1	120	12	68	21	15
929 - 1112	L 3500 N 1775 E	5	.2	114	12	74	20	20
929 - 1113	L 3500 N 1800 E	5	.1	145	11	72	23	20
929 - 1114	L 3500 N 1825 E	5	.1	156	13	78	25	30
929 - 1115	L 3500 N 1850 E	10	.1	174	12	79	30	45
929 - 1116	L 3500 N 1875 E	5	1.5	155	>1000	94	24	25
929 - 1117	L 3500 N 1900 E	5	.1	173	15	77	23	35
929 - 1118	L 3500 N 1925 E	15	.2	164	10	77	25	35
929 - 1119	L 3500 N 1950 E	5	.1	149	11	71	30	30
929 - 1120	L 3500 N 1975 E	5	.5	140	9	75	23	25
929 - 1121	L 3500 N 2000 E	5	.2	132	11	73	20	20
929 - 1122	L 3500 N 2025 E	5	.3	129	11	75	23	20
929 - 1123	L 3500 N 2050 E	15	.2	122	9	72	17	25
929 - 1124	L 3500 N 2075 E	15	.2	129	9	73	20	25
929 - 1125	L 3500 N 2100 E	10	.2	139	9	76	20	25
929 - 1126	L 3500 N 2125 E	15	.2	150	12	75	22	15
929 - 1127	L 3500 N 2150 E	15	.2	172	12	78	25	20
929 - 1128	L 3500 N 2175 E	15	.1	199	8	78	28	30
929 - 1129	L 3500 N 2200 E	25	.2	184	9	74	26	15
929 - 1130	L 3500 N 2225 E	20	.4	196	11	75	25	50
929 - 1131	L 3500 N 2250 E	30	.1	149	10	71	22	15
929 - 1132	L 3500 N 2275 E	10	.2	139	11	79	24	10
929 - 1133	L 3500 N 2300 E	10	.3	133	9	73	23	15
929 - 1134	L 3500 N 2325 E	15	.2	145	12	74	24	15
929 - 1135	L 3500 N 2350 E	10	.3	126	10	75	21	20
929 - 1136	L 3500 N 2375 E	20	.2	168	9	77	24	30
929 - 1137	L 3500 N 2400 E	15	.3	140	10	74	22	25
929 - 1138	L 3500 N 2425 E	5	.3	141	10	76	21	20
929 - 1139	L 3500 N 2450 E	15	.3	145	8	67	20	20
929 - 1140	L 3500 N 2475 E	10	.7	153	14	107	20	55
929 - 1141	L 3500 N 2500 E	10	.3	146	15	70	21	25
929 - 1142	L 3500 N 2525 E	10	.2	116	12	73	20	25
929 - 1143	L 3500 N 2550 E	15	.3	137	13	74	18	25
929 - 1144	L 3500 N 2575 E	15	.4	127	14	76	23	20
929 - 1145	L 3500 N 2600 E	15	.2	174	14	77	21	30
929 - 1146	L 3500 N 2625 E	25	.4	191	13	78	26	30
929 - 1147	L 3500 N 2650 E	15	.3	192	12	77	25	35
929 - 1148	L 3500 N 2675 E	20	.3	182	14	72	24	50
929 - 1149	L 3500 N 2700 E	15	.2	115	12	66	19	20
929 - 1150	L 3500 N 2725 E	45	.4	197	10	87	24	25
929 - 1151	L 3500 N 2750 E	30	.5	223	8	94	27	55
929 - 1152	L 3500 N 2775 E	45	.6	194	10	79	31	120
929 - 1153	L 3500 N 2800 E	30	.4	207	8	89	31	70
929 - 1154	L 3500 N 2825 E	15	.3	214	9	111	27	30
929 - 1155	L 3500 N 2850 E	10	.3	239	12	119	27	40



ECO-TECH LABORATORIES LTD.


ASSAYING - ENVIRONMENTAL TESTING

10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

Placer Dome Inc.

NOVEMBER 30, 1989

ET#	Description	Au (ppb)	Ag (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	As (ppm)	Hg (ppb)
929 - 1156	L 3500 N 2875 E	15	.4	164	6	96	23	30
929 - 1157	L 3500 N 2900 E	10	.3	179	9	121	24	25
929 - 1158	L 3500 N 2925 E	10	.3	197	12	119	26	25
929 - 1159	L 3500 N 2950 E	40	.4	238	11	114	25	40
929 - 1160	L 3500 N 2975 E	15	.4	215	9	120	27	30
929 - 1161	L 3500 N 3000 E	35	.3	184	10	96	26	25
929 - 1162	L 3500 N 3025 E	15	.4	178	12	116	26	55
929 - 1163	L 3500 N 3050 E	15	.3	169	11	114	24	30
929 - 1164	L 3500 N 3075 E	30	.2	166	11	108	26	25
929 - 1165	L 3500 N 3100 E	25	.4	176	10	98	24	30
929 - 1166	L 3500 N 3125 E	10	.3	159	12	94	23	25
929 - 1167	L 3500 N 3150 E	15	.2	120	10	119	19	15
929 - 1168	L 3500 N 3175 E	25	.2	134	9	82	23	35
929 - 1169	L 3500 N 3200 E	5	.3	99	9	80	17	25
929 - 1170	L 3500 N 3225 E	10	.2	94	7	76	16	20
929 - 1171	L 3500 N 3250 E	5	.1	84	9	55	16	50
929 - 1172	L 3500 N 3275 E	10	.2	72	8	54	18	25
929 - 1173	L 3600 N 1800 E	15	.2	126	9	83	24	30
929 - 1174	L 3600 N 1825 E	10	.3	151	10	83	22	35
929 - 1175	L 3600 N 1850 E	15	.2	158	11	79	25	35
929 - 1176	L 3600 N 1875 E	10	.3	127	10	81	22	30
929 - 1177	L 3600 N 1900 E	10	.3	170	12	84	27	50
929 - 1178	L 3600 N 1925 E	10	.3	144	6	71	25	35
929 - 1179	L 3600 N 1950 E	10	.3	147	11	80	24	30
929 - 1180	L 3600 N 1975 E	5	.4	123	10	77	21	20
929 - 1181	L 3600 N 2000 E	15	.3	114	10	79	20	20
929 - 1182	L 3600 N 2025 E	15	.4	115	8	84	19	20
929 - 1183	L 3600 N 2050 E	10	.1	89	9	68	16	15
929 - 1184	L 3600 N 2075 E	5	.2	128	11	82	20	20
929 - 1185	L 3600 N 2100 E	10	.2	125	9	73	20	15
929 - 1186	L 3600 N 2125 E	5	.3	131	10	82	21	15
929 - 1187	L 3600 N 2150 E	5	.1	129	10	84	22	20
929 - 1188	L 3600 N 2175 E	5	.3	124	11	73	22	35
929 - 1189	L 3600 N 2200 E	10	.3	150	9	76	24	20
929 - 1190	L 3600 N 2225 E	5	.2	103	12	86	18	20
929 - 1191	L 3600 N 2250 E	5	.2	97	11	84	16	15
929 - 1192	L 3600 N 2275 E	15	.1	115	11	94	18	20
929 - 1193	L 3600 N 2300 E	5	.3	294	10	111	21	40
929 - 1194	L 3600 N 2325 E	15	.4	194	12	88	37	20
929 - 1195	L 3600 N 2350 E	20	.4	356	13	84	33	40
929 - 1196	L 3600 N 2375 E	10	.1	226	7	83	27	20
929 - 1197	L 3600 N 2400 E	25	.3	215	9	81	31	20
929 - 1198	L 3600 N 2425 E	5	.2	173	8	83	25	20
929 - 1199	L 3600 N 2450 E	20	.2	256	7	92	31	35
929 - 1200	L 3600 N 2475 E	15	.1	191	7	85	24	20



ECO-TECH LABORATORIES LTD.


ASSAYING - ENVIRONMENTAL TESTING

10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

Placer Dome Inc.

NOVEMBER 30, 1989

ET#	Description	Au (ppb)	Ag (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	As (ppm)	Hg (ppb)
929 - 1201	L 3600 N 2500 E	15	.2	230	10	91	27	25
929 - 1202	L 3600 N 2525 E	10	.3	173	9	90	23	15
929 - 1203	L 3600 N 2550 E	10	.4	195	7	89	26	25
929 - 1204	L 3600 N 2575 E	10	.2	159	9	96	22	20
929 - 1205	L 3600 N 2600 E	5	.2	136	8	87	18	20
929 - 1206	L 3600 N 2625 E	5	.1	130	9	91	16	15
929 - 1207	L 3600 N 2650 E	10	.2	266	9	106	29	30
929 - 1208	L 3600 N 2675 E	10	.1	253	11	132	33	30
929 - 1209	L 3600 N 2700 E	5	.1	167	8	146	23	20
929 - 1210	L 3600 N 2725 E	5	.1	159	10	185	20	20
929 - 1211	L 3600 N 2750 E	10	.1	163	12	122	19	20
929 - 1212	L 3600 N 2775 E	20	.2	201	8	98	24	55
929 - 1213	L 3600 N 2800 E	10	.1	191	9	122	24	20
929 - 1214	L 3600 N 2825 E	10	.2	203	10	137	29	80
929 - 1215	L 3600 N 2850 E	15	.1	168	12	148	24	20
929 - 1216	L 3600 N 2875 E	5	.3	201	11	129	23	20
929 - 1217	L 3600 N 2900 E	10	.3	251	9	104	23	25
929 - 1218	L 3600 N 2925 E	10	.2	229	8	95	23	20
929 - 1219	L 3600 N 2950 E	5	.2	166	14	116	20	25
929 - 1220	L 3600 N 2975 E	10	.2	201	11	105	25	40
929 - 1221	L 3600 N 3000 E	10	.1	194	10	96	24	30
929 - 1222	L 3600 N 3025 E	35	.2	189	11	104	24	10
929 - 1223	L 3600 N 3050 E	10	.1	174	13	108	22	15
929 - 1224	L 3600 N 3075 E	15	.1	171	11	107	21	20
929 - 1225	L 3600 N 3100 E	5	.1	158	12	111	20	25
929 - 1226	L 3600 N 3125 E	<5	.1	161	12	113	22	30
929 - 1227	L 3600 N 3150 E	5	.2	148	11	104	21	20
929 - 1228	L 3600 N 3175 E	15	.3	186	12	98	23	25
929 - 1229	L 3600 N 3200 E	10	.2	167	12	97	22	30
929 - 1230	L 3600 N 3225 E	10	.2	148	9	104	20	20
929 - 1231	L 3600 N 3250 E	5	.1	139	9	93	21	30
929 - 1232	L 3600 N 3275 E	20	.2	144	10	90	19	40
929 - 1233	L 3700 N 1800 E	15	.1	186	10	81	25	25
929 - 1234	L 3700 N 1825 E	15	.2	195	10	87	21	15
929 - 1235	L 3700 N 1850 E	10	.3	190	9	77	20	20
929 - 1236	L 3700 N 1875 E	10	.1	152	11	74	18	25
929 - 1237	L 3700 N 1900 E	<5	.2	150	10	69	18	10
929 - 1238	L 3700 N 1925 E	5	.2	151	9	83	16	15
929 - 1239	L 3700 N 1950 E	<5	.3	169	11	92	19	30
929 - 1240	L 3700 N 1975 E	<5	.1	166	9	88	19	35
929 - 1241	L 3700 N 2000 E	10	.2	163	9	89	20	20
929 - 1242	L 3700 N 2025 E	<5	.1	192	10	87	23	10
929 - 1243	L 3700 N 2050 E	5	.1	208	9	88	24	20
929 - 1244	L 3700 N 2075 E	5	.2	146	9	87	19	25
929 - 1245	L 3700 N 2100 E	<5	.1	143	11	81	18	30



ECO-TECH LABORATORIES LTD.


ASSAYING - ENVIRONMENTAL TESTING

10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

Placer Dome Inc.

NOVEMBER 30, 1989

ET#	Description	Au (ppb)	Ag (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	As (ppm)	Hg (ppb)
929 - 1246	L 3700 N 2125 E	5	.2	144	10	80	19	35
929 - 1247	L 3700 N 2150 E	5	.1	155	10	81	21	20
929 - 1248	L 3700 N 2175 E	5	.2	122	11	79	19	40
929 - 1249	L 3700 N 2200 E	<5	.1	123	11	85	18	30
929 - 1250	L 3700 N 2225 E	<5	.3	131	9	69	10	25
929 - 1251	L 3700 N 2250 E	25	.2	106	11	52	12	35
929 - 1252	L 3700 N 2275 E	15	.1	213	12	79	26	40
929 - 1253	L 3700 N 2300 E	5	.2	228	12	72	29	25
929 - 1254	L 3700 N 2325 E	10	.3	306	11	83	31	30
929 - 1255	L 3700 N 2350 E	10	.2	331	12	91	34	20
929 - 1256	L 3700 N 2375 E	80	1.1	417	13	69	96	20
929 - 1257	L 3700 N 2400 E	25	.4	286	13	88	34	35
929 - 1258	L 3700 N 2425 E	<5	.3	172	12	106	18	15
929 - 1259	L 3700 N 2450 E	15	.2	140	10	98	18	15
929 - 1260	L 3700 N 2475 E	65	.6	289	11	96	39	120
929 - 1261	L 3700 N 2500 E	45	.5	247	12	86	28	50
929 - 1262	L 3700 N 2525 E	15	.3	188	10	95	20	15
929 - 1263	L 3700 N 2550 E	20	.3	201	9	126	18	10
929 - 1264	L 3700 N 2575 E	30	.1	216	8	88	19	20
929 - 1265	L 3700 N 2600 E	10	.1	215	9	83	19	40
929 - 1266	L 3700 N 2625 E	25	.1	173	9	85	18	25
929 - 1267	L 3700 N 2650 E	10	.2	191	8	144	26	15
929 - 1268	L 3700 N 2675 E	10	.2	208	7	153	24	20
929 - 1269	L 3700 N 2700 E	20	.2	207	8	133	23	20
929 - 1270	L 3700 N 2725 E	20	.1	290	9	109	25	20
929 - 1271	L 3700 N 2750 E	30	.2	258	9	115	23	20
929 - 1272	L 3700 N 2775 E	15	.2	187	12	123	17	15
929 - 1273	L 3700 N 2900 E	25	.2	233	11	110	23	20
929 - 1274	L 3700 N 2825 E	5	.1	213	10	106	23	20
929 - 1275	L 3700 N 2850 E	5	.1	179	11	115	24	15
929 - 1276	L 3700 N 2875 E	15	.1	181	14	112	22	15
929 - 1277	L 3700 N 2900 E	10	.1	221	8	114	26	20
929 - 1278	L 3700 N 2925 E	10	.2	199	11	107	24	20
929 - 1279	L 3700 N 2950 E	10	.2	220	9	111	26	25
929 - 1280	L 3700 N 2975 E	5	.1	213	10	109	24	20
929 - 1281	L 3700 N 3000 E	15	.2	201	7	121	28	65
929 - 1282	L 3700 N 3025 E	5	.1	194	11	123	22	15
929 - 1283	L 3700 N 3050 E	5	.2	201	12	107	23	15
929 - 1284	L 3700 N 3075 E	5	.2	188	9	106	23	15
929 - 1285	L 3700 N 3100 E	20	.2	205	7	98	24	20
929 - 1286	L 3700 N 3125 E	15	.1	199	9	94	22	20
929 - 1287	L 3700 N 3150 E	5	.2	194	6	99	21	15
929 - 1288	L 3700 N 3175 E	5	.1	50	6	24	12	10
929 - 1289	L 3700 N 3200 E	5	.1	142	9	85	19	15
929 - 1290	L 3700 N 3225 E	10	.1	127	11	91	19	25



ECO-TECH LABORATORIES LTD.


ASSAYING - ENVIRONMENTAL TESTING

10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

Placer Dome Inc.

NOVEMBER 30, 1989

ET#	Description	Au (ppb)	Ag (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	As (ppm)	Hg (ppb)
929 - 1291	L 3700 N 3250 E	5	.1	145	10	97	20	20
929 - 1292	L 3700 N 3275 E	10	.1	134	11	90	19	20
929 - 1293	L 3700 N 3300 E	5	.1	141	10	112	18	15
929 - 1294	L 3800 N 1800 E	5	.2	108	9	91	16	15
929 - 1295	L 3800 N 1825 E	5	.1	107	12	89	15	15
929 - 1296	L 3800 N 1850 E	5	.1	136	13	79	19	20
929 - 1297	L 3800 N 1875 E	10	.1	145	11	83	19	15
929 - 1298	L 3800 N 1900 E	10	.1	156	10	81	21	25
929 - 1299	L 3800 N 1925 E	5	.1	147	10	91	21	20
929 - 1300	L 3800 N 1950 E	10	.1	148	11	86	22	25
929 - 1301	L 3800 N 1975 E	5	.1	128	11	87	21	20
929 - 1302	L 3800 N 2000 E	5	.2	155	6	85	24	25
929 - 1303	L 3800 N 2025 E	5	.2	138	10	87	21	15
929 - 1304	L 3800 N 2050 E	5	.2	133	12	85	21	15
929 - 1305	L 3800 N 2075 E	5	.2	119	12	91	18	15
929 - 1306	L 3800 N 2100 E	5	.2	120	9	96	18	20
929 - 1307	L 3800 N 2125 E	<5	.2	106	10	87	17	10
929 - 1308	L 3800 N 2150 E	10	.1	96	9	88	15	15
929 - 1309	L 3800 N 2175 E	5	.1	114	11	84	15	15
929 - 1310	L 3800 N 2200 E	5	.1	81	9	65	9	10
929 - 1311	L 3800 N 2225 E	5	.1	102	12	68	11	10
929 - 1312	L 3800 N 2250 E	<5	.1	142	11	83	15	20
929 - 1313	L 3800 N 2275 E	<5	.1	135	14	84	18	15
929 - 1314	L 3800 N 2300 E	<5	.1	187	11	88	18	20
929 - 1315	L 3800 N 2325 E	<5	.2	182	19	90	17	15
929 - 1316	L 3800 N 2350 E	<5	.1	185	12	92	22	15
929 - 1317	L 3800 N 2375 E	<5	.3	203	17	108	24	15
929 - 1318	L 3800 N 2400 E	<5	.2	156	18	97	22	15
929 - 1319	L 3800 N 2425 E	<5	.2	142	16	95	20	20
929 - 1320	L 3800 N 2450 E	<5	.2	175	14	91	20	20
929 - 1321	L 3800 N 2475 E	<5	.1	213	16	110	32	15
929 - 1322	L 3800 N 2500 E	<5	.3	97	20	89	26	15
929 - 1323	L 3800 N 2525 E	25	.3	145	16	110	35	10
929 - 1324	L 3800 N 2550 E	<5	.1	143	22	191	21	10
929 - 1325	L 3800 N 2575 E	<5	.2	245	19	117	26	15
929 - 1326	L 3800 N 2600 E	<5	.1	222	18	122	24	20
929 - 1327	L 3800 N 2625 E	<5	.2	180	20	116	22	15
929 - 1328	L 3800 N 2650 E	<5	.1	166	17	113	21	15
929 - 1329	L 3800 N 2675 E	<5	.3	278	17	123	25	20
929 - 1330	L 3800 N 2700 E	<5	.3	322	9	114	25	20
929 - 1331	L 3800 N 2725 E	<5	.3	316	11	116	29	15
929 - 1332	L 3800 N 2750 E	<5	.2	264	9	122	26	20
929 - 1333	L 3800 N 2775 E	<5	.2	278	11	119	27	25
929 - 1334	L 3800 N 2800 E	<5	.1	263	12	110	26	20
929 - 1335	L 3800 N 2825 E	<5	.1	216	13	106	25	20



ECO-TECH LABORATORIES LTD.


ASSAYING - ENVIRONMENTAL TESTING

10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

Placer Dome Inc.

NOVEMBER 30, 1989

ET#	Description	Au (ppb)	Ag (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	As (ppm)	Hg (ppb)
929 - 1336	L 3800 N 2850 E	25	.2	164	10	108	22	20
929 - 1337	L 3800 N 2875 E	<5	.2	172	12	103	23	25
929 - 1338	L 3800 N 2900 E	<5	.1	177	14	106	24	30
929 - 1339	L 3800 N 2925 E	<5	.1	163	16	102	24	20
929 - 1340	L 3800 N 2950 E	<5	.2	149	8	111	22	20
929 - 1341	L 3800 N 2975 E	<5	.2	181	12	107	24	15
929 - 1342	L 3800 N 3000 E	<5	.2	202	9	106	23	20
929 - 1343	L 3800 N 3025 E	<5	.1	199	12	112	22	15
929 - 1344	L 3800 N 3050 E	<5	.2	183	11	103	21	20
929 - 1345	L 3800 N 3075 E	<5	.1	169	9	104	22	20
929 - 1346	L 3800 N 3100 E	<5	.1	161	6	95	22	50
929 - 1347	L 3800 N 3125 E	<5	.1	134	9	93	21	25
929 - 1348	L 3800 N 3150 E	<5	.2	136	12	89	19	25
929 - 1349	L 3800 N 3175 E	<5	.2	134	19	98	20	35
929 - 1350	L 3800 N 3200 E	<5	.2	116	16	108	17	20
929 - 1351	L 3800 N 3225 E	<5	.2	135	13	92	20	15
929 - 1352	L 3800 N 3250 E	<5	.1	119	20	85	19	25
929 - 1353	L 3800 N 3275 E	<5	.1	94	19	71	16	25
929 - 1354	L 3800 N 3300 E	<5	.2	112	12	84	18	20
929 - 1355	L 3900 N 1800 E	10	.2	151	12	88	19	15
929 - 1356	L 3900 N 1825 E	5	.2	226	10	86	31	30
929 - 1357	L 3900 N 1850 E	10	.2	187	14	87	25	20
929 - 1358	L 3900 N 1875 E	15	.3	205	5	78	27	40
929 - 1359	L 3900 N 1900 E	20	.2	210	6	85	24	20
929 - 1360	L 3900 N 1925 E	25	.3	195	6	77	24	20
929 - 1361	L 3900 N 1950 E	10	.3	153	7	78	20	25
929 - 1362	L 3900 N 1975 E	<5	.2	143	6	84	18	20
929 - 1363	L 3900 N 2000 E	<5	.2	121	11	81	17	20
929 - 1364	L 3900 N 2025 E	<5	.2	112	8	86	16	20
929 - 1365	L 3900 N 2050 E	<5	.3	120	6	84	17	15
929 - 1366	L 3900 N 2075 E	<5	.4	134	11	91	17	20
929 - 1367	L 3900 N 2100 E	<5	.3	130	18	79	16	20
929 - 1368	L 3900 N 2125 E	<5	.1	125	13	89	17	15
929 - 1369	L 3900 N 2150 E	<5	.3	110	12	116	14	15
929 - 1370	L 3900 N 2175 E	<5	.3	174	10	105	18	30
929 - 1371	L 3900 N 2200 E	<5	.2	187	9	81	16	35
929 - 1372	L 3900 N 2225 E	<5	.4	192	15	94	19	20
929 - 1373	L 3900 N 2250 E	<5	.2	232	10	83	21	25
929 - 1374	L 3900 N 2275 E	<5	.2	128	11	88	14	20
929 - 1375	L 3900 N 2300 E	<5	.3	186	12	93	26	30
929 - 1376	L 3900 N 2325 E	5	.3	193	12	124	26	20
929 - 1377	L 3900 N 2350 E	5	.2	212	11	115	24	30
929 - 1378	L 3900 N 2375 E	<5	.1	126	9	133	18	10
929 - 1379	L 3900 N 2400 E	15	.2	253	9	85	24	15
929 - 1380	L 3900 N 2425 E	25	.2	398	11	105	30	20



ECO-TECH LABORATORIES LTD.


ASSAYING - ENVIRONMENTAL TESTING

10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

Placer Dome Inc.

NOVEMBER 30, 1989

ET#	Description	Au (ppb)	Ag (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	As (ppm)	Hg (ppb)
929 - 1381	L 3900 N 2450 E	10	.3	206	12	109	23	15
929 - 1382	L 3900 N 2475 E	25	.4	355	9	71	17	15
929 - 1383	L 3900 N 2500 E	10	.4	291	8	68	18	15
929 - 1384	L 3900 N 2525 E	65	.2	183	8	66	34	10
929 - 1385	L 3900 N 2550 E	10	.1	346	9	117	28	10
929 - 1386	L 3900 N 2575 E	30	.2	328	13	106	33	15
929 - 1387	L 3900 N 2600 E	20	.1	248	12	110	27	20
929 - 1388	L 3900 N 2625 E	15	.1	379	10	107	26	20
929 - 1389	L 3900 N 2650 E	<5	.1	362	11	98	23	100
929 - 1390	L 3900 N 2675 E	60	.3	451	10	109	33	40
929 - 1391	L 3900 N 2700 E	65	.3	329	9	108	28	35
929 - 1392	L 3900 N 2725 E	10	.2	314	12	111	28	30
929 - 1393	L 3900 N 2750 E	10	.1	225	10	118	27	20
929 - 1394	L 3900 N 2775 E	30	.3	286	12	119	27	45
929 - 1395	L 3900 N 2800 E	5	.2	229	9	112	23	20
929 - 1396	L 3900 N 2825 E	<5	.4	193	11	127	20	20
929 - 1397	L 3900 N 2850 E	<5	.3	197	13	125	22	25
929 - 1398	L 3900 N 2875 E	5	.3	175	12	106	22	25
929 - 1399	L 3900 N 2900 E	65	.2	202	13	111	24	30
929 - 1400	L 3900 N 2925 E	<5	.1	184	11	112	24	25
929 - 1401	L 3900 N 2950 E	<5	.1	183	11	102	23	30
929 - 1402	L 3900 N 2975 E	<5	.2	187	10	97	23	20
929 - 1403	L 3900 N 3000 E	<5	.2	176	9	96	23	20
929 - 1404	L 3900 N 3025 E	<5	.2	238	12	99	25	55
929 - 1405	L 3900 N 3050 E	<5	.2	182	10	94	23	30
929 - 1406	L 3900 N 3075 E	<5	.3	158	13	106	19	20
929 - 1407	L 3900 N 3100 E	<5	.1	174	12	100	24	20
929 - 1408	L 3900 N 3125 E	<5	.1	145	8	100	19	40
929 - 1409	L 3900 N 3150 E	<5	.2	155	10	94	20	15
929 - 1410	L 3900 N 3175 E	5	.3	113	7	65	19	30
929 - 1411	L 3900 N 3200 E	10	.2	125	8	67	19	30
929 - 1412	L 3900 N 3225 E	<5	.4	98	9	86	17	15
929 - 1413	L 3900 N 3250 E	<5	.3	110	7	80	20	20
929 - 1414	L 4000 N 1800 E	<5	.3	148	10	92	20	25
929 - 1415	L 4000 N 1825 E	<5	.2	146	10	83	19	20
929 - 1416	L 4000 N 1850 E	10	.2	147	11	87	20	20
929 - 1417	L 4000 N 1875 E	<5	.2	143	10	93	18	15
929 - 1418	L 4000 N 1900 E	15	.2	140	9	79	17	20
929 - 1419	L 4000 N 1925 E	20	.3	176	9	77	18	20
929 - 1420	L 4000 N 1950 E	<5	.2	138	10	81	17	20
929 - 1421	L 4000 N 1975 E	5	.2	108	11	77	15	15
929 - 1422	L 4000 N 2000 E	5	.2	113	10	76	17	15
929 - 1423	L 4000 N 2025 E	10	.4	114	11	82	17	25
929 - 1424	L 4000 N 2050 E	<5	.7	153	13	82	20	20
929 - 1425	L 4000 N 2075 E	<5	.5	131	9	84	17	20



ECO-TECH LABORATORIES LTD.

ASSAYING - ENVIRONMENTAL TESTING

10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

Placer Dome Inc.

NOVEMBER 30, 1989

ET#	Description	Au (ppb)	Ag (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	As (ppm)	Hg (ppb)
929 - 1426	L 4000 N 2100 E	<5	.6	156	11	86	17	25
929 - 1427	L 4000 N 2125 E	15	.7	128	12	97	18	25
929 - 1428	L 4000 N 2150 E	10	.5	149	10	91	22	30
929 - 1429	L 4000 N 2175 E	20	.5	138	11	87	21	20
929 - 1430	L 4000 N 2200 E	10	.3	134	13	88	16	40
929 - 1431	L 4000 N 2225 E	20	.4	142	10	95	17	15
929 - 1432	L 4000 N 2250 E	15	.3	161	9	92	20	10
929 - 1433	L 4000 N 2275 E	20	.4	181	10	85	21	30
929 - 1434	L 4000 N 2300 E	<5	.6	135	9	86	18	25
929 - 1435	L 4000 N 2325 E	10	.4	176	12	92	20	35
929 - 1436	L 4000 N 2350 E	15	.3	155	12	101	21	40
929 - 1437	L 4000 N 2375 E	10	.4	173	11	124	21	20
929 - 1438	L 4000 N 2400 E	5	.4	149	9	121	19	10
929 - 1439	L 4000 N 2425 E	<5	.2	181	10	100	21	15
929 - 1440	L 4000 N 2450 E	20	.2	158	11	96	18	30
929 - 1441	L 4000 N 2475 E	<5	.2	174	12	107	20	45
929 - 1442	L 4000 N 2500 E	30	.6	175	12	105	19	45
929 - 1443	L 4000 N 2525 E	35	.2	303	13	108	28	50
929 - 1444	L 4000 N 2550 E	35	.9	269	15	105	26	20
929 - 1445	L 4000 N 2575 E	60	.5	212	12	121	19	25
929 - 1446	L 4000 N 2600 E	10	.4	260	14	166	27	15
929 - 1447	L 4000 N 2625 E	15	.6	263	12	151	30	20
929 - 1448	L 4000 N 2650 E	25	.3	235	13	136	34	10
929 - 1449	L 4000 N 2675 E	10	.2	243	11	123	31	35
929 - 1450	L 4000 N 2700 E	10	.3	278	12	110	29	20
929 - 1451	L 4000 N 2725 E	15	.5	215	10	104	24	10
929 - 1452	L 4000 N 2750 E	20	.2	192	9	121	22	15
929 - 1453	L 4000 N 2775 E	5	.2	186	9	116	20	20
929 - 1454	L 4000 N 2800 E	<5	.2	39	7	26	7	10
929 - 1455	L 4000 N 2825 E	<5	.2	78	8	54	11	30
929 - 1456	L 4000 N 2850 E	<5	.1	27	7	21	5	15
929 - 1457	L 4000 N 2875 E	<5	.2	89	6	45	12	40
929 - 1458	L 4000 N 2900 E	<5	.2	132	7	53	18	45
929 - 1459	L 4000 N 2925 E	<5	.2	240	9	94	26	10
929 - 1460	L 4000 N 2950 E	20	.2	259	10	87	28	15
929 - 1461	L 4000 N 2975 E	10	.1	267	12	94	29	20
929 - 1462	L 4000 N 3000 E	10	.1	178	9	92	24	30
929 - 1463	L 4000 N 3025 E	15	.2	180	11	101	24	35
929 - 1464	L 4000 N 3050 E	<5	.3	169	9	93	26	25
929 - 1465	L 4000 N 3075 E	<5	.2	137	8	79	23	10
929 - 1466	L 4000 N 3100 E	<5	.1	112	10	66	20	10
929 - 1467	L 4000 N 3125 E	<5	.1	107	11	71	18	15
929 - 1468	L 4000 N 3150 E	<5	.1	96	15	90	17	20
929 - 1469	L 4000 N 3175 E	5	.1	99	12	78	19	15
929 - 1470	L 4000 N 3200 E	<5	.2	91	13	82	18	20
929 - 1471	L 4000 N 3225 E	<5	.1	88	18	81	17	20

Jutta Jealouse
ECO-TECH LABORATORIES LTD.
JUTTA JEALOUSE
B.C. Certified Assayer