

ECO-TECH LABORATORIES LTD.

ASSAYING - ENVIRONMENTAL TESTING

10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

SEPTEMBER 7, 1989

860957
TR, KIN

CERTIFICATE OF ANALYSIS ETK 89-673

Placer Dome Inc.
401, 1450 Pearson Place
KAMLOOPS, B.C.
V1S 1J9

```

=====
DATE RECEIVED:  AUGUST 30, 1989   REJECTS:      N/A
PROJECT:         1M                PULPS:       STORE
NUMBER SAMPLES:  14                N O T E :    > = MORE THAN
TYPE SAMPLES:   SILT                * - 30 MESH  ** - 20 MESH
=====


```

ET#	Description	Au (ppb)	Ag (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	As (ppm)
673 - 1	TR89 HM 04051	<5*	<.1	47	10	70	6
673 - 2	TR89 HM 04052	5*	<.1	28	10	63	10
673 - 3	04053	<5*	<.1	27	9	62	8
673 - 4	04055	<5*	.3	65	8	65	40
673 - 5	04056	5**	.2	28	6	55	19
673 - 6	04058	<5	.2	30	9	70	9
673 - 7	04059	10	.3	83	7	70	5
673 - 8	HM 04060 IE DRUNK	5	<.1	11	9	27	5
673 - 9	04062	<5	<.1	34	4	72	7
673 - 10	IM89 HM 04063	<5	<.1	36	7	61	11
673 - 11	TR KIN 89 HM 04064	<5*	<.1	40	8	95	6
673 - 12	TR89 HM 04065	<5*	<.1	56	11	73	11
673 - 13	04066	<5**	<.1	36	7	131	16
673 - 14	04067	<5**	<.1	23	6	69	36

Doug Howard

 ECO-TECH LABORATORIES LTD.
 DOUG HOWARD
 B.C. Certified Assayer

F A X - ROB PEASE
SC89/PLACER7



ECO-TECH LABORATORIES LTD.

ASSAYING - ENVIRONMENTAL TESTING

10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

SEPTEMBER 11, 1989

CERTIFICATE OF ANALYSIS ETK 89-672

=====


Placer Dome Inc.
401, 1450 Pearson Place
KAMLOOPS, B.C.
V1S 1J9

=====


DATE RECEIVED:	AUGUST 30, 1989	REJECTS:	STORE
PROJECT:	1M	PULPS:	STORE
NUMBER SAMPLES:	12		
TYPE SAMPLES:	ROCK	NOTE:	< = LESS THAN

=====

ET#	Description	Au (ppb)	Ag (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	As (ppm)	As (%)
672 - 1	43001	<5	.1	33	8	50	6	
672 - 2	43002	5	.1	40	10	41	11	
672 - 3	43003	<5	.2	20	13	42	21	
672 - 4	43004	5	.1	31	7	38	10	
672 - 5	43005	5	.8	23	12	11	>1000	.35
672 - 6	43006	<5	.1	34	11	128	256	
672 - 7	43007	5	.2	16	8	16	>1000	.13
672 - 8	43008	5	.1	7	22	40	97	
672 - 9	43201	<5	.1	49	8	156	36	
672 - 10	43202	<5	.1	55	9	79	28	
672 - 11	43203	10	.1	16	7	75	>1000	3.8
672 - 12	43204	25	.1	53	7	48	395	


ECO-TECH LABORATORIES LTD.
DOUG HOWARD
B.C. Certified Assayer

F A X - ROB PEASE
SC89/PLACER7



ECO-TECH LABORATORIES LTD.

ASSAYING - ENVIRONMENTAL TESTING

10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

SEPTEMBER 13, 1989


CERTIFICATE OF ANALYSIS ETK 89-674

Placer Dome Inc.
 401, 1450 Pearson Place
 KAMLOOPS, B.C.
 V1S 1J9

DATE RECEIVED: AUGUST 30, 1989
 PROJECT: 1M
 NUMBER SAMPLES: 227
 TYPE SAMPLES: SOIL

REJECTS: N/A
 PULPS: STORE
 NOTE: * -42 SCREEN ** -30 SCREEN
 N O T E : > = MORE THAN

ET#	Description	Au (ppb)	Ag (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	As (ppm)
674 - 1	L 700 E 7 + 75 N *	<5	.1	32	12	70	96
674 - 2	L 700 E 8 + 00 N	<5	.1	34	13	104	74
674 - 3	L 700 E 8 + 25 N	5	.1	28	11	90	40
674 - 4	L 700 E 8 + 50 N	<5	.1	151	10	70	36
674 - 5	L 700 E 8 + 75 N *	5	.1	41	10	93	24
674 - 6	L 700 E 9 + 00 N	<5	<.1	32	13	80	22
674 - 7	L 700 E 9 + 25 N	10	<.1	43	12	82	49
674 - 8	L 700 E 9 + 50 N	<5	.1	38	11	67	8
674 - 9	L 700 E 9 + 75 N A	5	.1	38	10	77	10
674 - 10	L 700 E 9 + 75 N B	10	<.1	64	11	108	45
674 - 11	L 750 E 8 + 50 N	15	<.1	28	10	84	35
674 - 12	L 750 E 8 + 75 N	10	<.1	36	12	90	14
674 - 13	L 750 E 9 + 00 N	<5	.1	39	11	108	32
674 - 14	L 750 E 9 + 25 N	10	.1	35	12	76	16
674 - 15	L 750 E 9 + 50 N	15	.1	36	11	83	11
674 - 16	L 750 E 9 + 75 N	5	.1	29	10	86	10
674 - 17	L 800 E 8 + 75 N	20	.1	60	14	91	37
674 - 18	L 800 E 9 + 00 N *	10	.1	45	10	101	26
674 - 19	L 800 E 9 + 25 N	5	.1	92	12	92	62
674 - 20	L 800 E 9 + 50 N	15	.1	66	12	101	42
674 - 21	L 800 E 9 + 75 N *	<5	.1	55	9	110	38
674 - 22	L 850 E 9 + 00 N *	<5	.1	152	11	115	63
674 - 23	L 850 E 9 + 25 N	5	.2	146	12	106	58
674 - 24	L 850 E 9 + 50 N	5	.1	86	11	105	79
674 - 25	L 850 E 9 + 75 N	10	.1	67	11	144	76
674 - 26	L 900 E 9 + 50 N	5	.1	110	12	97	46
674 - 27	L 900 E 9 + 75 N *	10	.1	112	10	75	59
674 - 28	L 9 + 50 E 9 + 75 N *	5	<.1	86	9	64	46
674 - 29	L 1000 E 975 N	<5	<.1	58	9	94	41
674 - 30	L 1000 E 1000 N	<5	.1	42	11	190	32




ECO-TECH LABORATORIES LTD.

ASSAYING - ENVIRONMENTAL TESTING
 10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

Placer Dome Inc.

SEPTEMBER 13, 1989

ET#	Description	Au (ppb)	Ag (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	As (ppm)	
674 - 31	L 1000 E	7 + 00 E *	10	<.1	28	10	58	11
674 - 32	L 1000 E	7 + 25 E *	5	.1	35	9	78	13
674 - 33	L 1000 E	7 + 50 E *	5	.1	40	11	83	14
674 - 34	L 1000 E	7 + 75 E	<5	<.1	37	12	82	17
674 - 35	L 1000 E	8 + 00 E	5	.1	37	13	123	20
674 - 36	L 1000 E	8 + 25 E	15	<.1	53	11	100	42
674 - 37	L 1000 E	8 + 50 E	10	.1	67	11	132	175
674 - 38	L 1000 E	8 + 75 E	15	<.1	54	8	106	94
674 - 39	L 1000 E	8 + 00 E	20	<.1	80	8	94	125
674 - 40	L 1000 E	9 + 25 E	10	.1	87	10	118	91
674 - 41	L 1000 E	9 + 50 E	5	.1	64	9	175	48
674 - 42	L 1050 E	7 + 00 E	5	<.1	28	8	88	17
674 - 43	L 1050 E	7 + 25 E	<5	<.1	36	9	79	11
674 - 44	L 1050 E	7 + 50 E	15	<.1	34	8	84	14
674 - 45	L 1050 E	7 + 75 E	15	<.1	32	8	92	12
674 - 46	L 1050 E	8 + 00 E	10	<.1	29	8	116	16
674 - 47	L 10 + 50 N	8 + 25 E	15	<.1	58	12	95	84
674 - 48	L 10 + 50 N	9 + 50 E	10	<.1	64	10	100	156
674 - 49	L 10 + 50 N	8 + 75 E	<5	.1	66	10	160	102
674 - 50	L 10 + 50 N	8 + 00 E	5	<.1	103	11	102	346
674 - 51	L 10 + 50 N	9 + 25 E	<5	<.1	105	11	122	179
674 - 52	L 10 + 50 N	9 + 50 E	5	.1	58	10	129	71
674 - 53	L 10 + 50 N	9 + 75 E	5	.1	93	8	83	80
674 - 54	L 1050 N	1000 E	10	<.1	64	8	85	67
674 - 55	L 1050 N	1025 E	5	<.1	54	7	110	89
674 - 56	L 1050 N	1050 E	<5	<.1	43	6	82	64
674 - 57	L 1050 N	1075 E	<5	<.1	43	7	81	116
674 - 58	L 1100 N	7 + 50 E	5	<.1	27	8	90	30
674 - 59	L 1100 N	7 + 75 E **	<5	<.1	31	7	103	32
674 - 60	L 1100 N	8 + 00 E	<5	<.1	30	8	81	14
674 - 61	L 1100 N	8 + 25 E	<5	<.1	40	10	82	43
674 - 62	L 1100 N	8 + 50 E	<5	<.1	34	14	105	98
674 - 63	L 1100 N	8 + 75 E	<5	<.1	59	16	101	235
674 - 64	L 1100 N	9 + 00 E	<5	.1	38	11	103	48
674 - 65	L 1100 N	9 + 25 E	5	.1	68	9	98	98
674 - 66	L 1100 N	9 + 50 E	5	.2	76	12	117	90
674 - 67	L 1100 N	9 + 75 E **	5	.1	93	12	96	128
674 - 68	L 1100 N	10 + 00 E	10	.2	69	12	106	365
674 - 69	L 1100 N	10 + 25 E	5	.2	57	11	106	340
674 - 70	L 1100 N	10 + 50 E	10	.2	61	12	92	450
674 - 71	L 1100 N	10 + 75 E	5	.1	68	11	80	169
674 - 72	L 1100 N	1100 E	5	.2	51	11	125	>1000
674 - 73	L 1100 N	1125 E	5	.1	56	12	138	961
674 - 74	L 1100 N	1150 E	5	.2	52	9	109	>1000
674 - 75	L 1150 N	750 E	5	.1	39	8	74	76



ECO-TECH LABORATORIES LTD.


ASSAYING - ENVIRONMENTAL TESTING

10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (804) 573-5700 Fax 573-4557

Placer Dome Inc.

SEPTEMBER 13, 1989

ET#	Description	Au (ppb)	Ag (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	As (ppm)		
674 - 76	L 1150 N	775 E	5	.1	30	8	63	33	
674 - 77	L 1150 N	800 E	5	.1	44	9	84	28	
674 - 78	L 1150 N	825 E	5	.1	34	8	73	49	
674 - 79	L 1150 N	850 E	5	.1	32	10	103	21	
674 - 80	L 1150 N	875 E	5	.2	23	9	128	7	
674 - 81	L 1150 N	900 E	5	.1	25	9	102	18	
674 - 82	L 1150 N	925 E	5	.2	59	12	96	76	
674 - 83	L 1150 N	950 E	5	.1	64	13	128	89	
674 - 84	L 1150 N	975 E	5	.2	58	10	108	83	
674 - 85	L 1150 N	1000 E	5	.2	63	11	121	85	
674 - 86	L 1150 N	1025 E	**	5	.1	50	13	130	63
674 - 87	L 1150 N	1050 E	5	.2	55	12	109	299	
674 - 88	L 1150 N	1075 E	5	.1	46	19	146	66	
674 - 89	L 1150 N	1100 E	5	.2	45	12	79	561	
674 - 90	L 1150 N	1125 E	5	.2	53	12	98	687	
674 - 91	L 1150 N	1150 E	10	.2	50	13	102	356	
674 - 92	L 1150 N	1175 E	10	.2	45	12	108	393	
674 - 93	L 1150 N	1200 E	5	.1	43	11	83	937	
674 - 94	L 1150 N	1225 E	5	.1	54	7	99	542	
674 - 95	L 1150 N	1250 E	5	.1	29	6	111	48	
674 - 96	L 1200 N	750 E	5	.2	34	7	74	37	
674 - 97	L 1200 N	775 E	5	.1	29	6	71	18	
674 - 98	L 1200 N	800 E	5	.1	31	8	83	21	
674 - 99	L 1200 N	825 E	5	.2	46	7	80	47	
674 - 100	L 1200 N	850 E	5	.1	52	9	83	71	
674 - 101	L 1200 N	875 E	5	.2	48	8	91	87	
674 - 102	L 1200 N	900 E	*	10	.1	30	9	83	53
674 - 103	L 1200 N	925 E	5	<.1	30	10	123	32	
674 - 104	L 1200 N	950 E	10	<.1	44	11	109	60	
674 - 105	L 1200 N	975 E	5	<.1	45	7	78	49	
674 - 106	L 1200 N	100 E	10	<.1	44	12	138	38	
674 - 107	L 1200 N	1025 E	5	<.1	56	13	108	52	
674 - 108	L 1200 N	1050 E	**	5	<.1	37	11	72	35
674 - 109	L 1200 N	1075 E	**	10	<.1	77	11	86	63
674 - 110	L 1200 N	1100 E	10	<.1	32	10	65	67	
674 - 111	L 1200 N	1125 E	5	<.1	35	12	76	76	
674 - 112	L 1200 N	1150 E	5	.1	31	9	118	74	
674 - 113	L 1200 N	1175 E	5	<.1	18	10	74	70	
674 - 114	L 1200 N	1200 E	10	<.1	18	9	85	58	
674 - 115	L 1200 N	1225 E	5	<.1	26	9	52	64	
674 - 116	L 1200 N	1250 E	5	.1	21	10	69	43	
674 - 117	L 1250 N	8 + 50 E	10	.1	12	9	67	26	
674 - 118	L 1250 N	8 + 75 E	5	<.1	49	12	79	57	
674 - 119	L 1250 N	9 + 00 E	10	.1	34	11	102	71	
674 - 120	L 1250 N	9 + 25 E	5	.1	38	11	157	65	



ECO-TECH LABORATORIES LTD.


ASSAYING - ENVIRONMENTAL TESTING

10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

Placer Dome Inc.

SEPTEMBER 13, 1989

ET#	Description	Au (ppb)	Ag (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	As (ppm)	
674 - 166	L 1400 N	1100 E	5	.1	31	12	110	46
674 - 167	L 1400 N	1125 E	5	<.1	24	16	76	31
674 - 168	L 1400 N	1150 E	10	<.1	34	10	100	87
674 - 169	L 1400 N	1175 E	5	.1	39	10	140	105
674 - 170	L 1400 N	1200 E	5	.1	38	11	136	108
674 - 171	L 1400 N	12 + 25 E	10	.1	25	9	112	80
674 - 172	L 1400 N	12 + 50 E	5	.1	21	9	166	67
674 - 173	L 1450 N	1000 E	5	.1	23	9	108	45
674 - 174	L 1450 N	1025 E	5	<.1	32	10	96	95
674 - 175	L 1450 N	1050 E	5	<.1	50	11	104	117
674 - 176	L 1450 N	1075 E	5	.1	30	10	95	64
674 - 177	L 1450 N	1100 E	10	<.1	35	10	98	59
674 - 178	L 1450 N	1125 E	5	.1	48	9	83	90
674 - 179	L 1450 N	1150 E	5	.1	43	8	86	193
674 - 180	L 1450 N	1175 E	10	.1	53	10	84	502
674 - 181	L 1450 N	1200 E	5	<.1	37	8	117	90
674 - 182	L 1450 N	1225 E	5	<.1	27	8	74	161
674 - 183	L 1450 N	1250 E	5	<.1	23	7	66	60
674 - 184	L 1500 N	1000 E	5	.1	31	9	93	76
674 - 185	L 1500 N	1025 E	5	<.1	30	8	87	140
674 - 186	L 1500 N	1050 E	10	<.1	47	8	67	229
674 - 187	L 1500 N	1075 E	5	.1	42	16	72	66
674 - 188	L 1500 N	1100 E	5	.1	62	7	144	54
674 - 189	L 1500 N	1125 E	5	.1	33	7	97	85
674 - 190	L 1500 N	1150 E	10	.1	33	8	79	99
674 - 191	L 1500 N	1175 E	10	<.1	31	7	76	90
674 - 192	L 1500 N	1200 E	5	<.1	26	8	98	96
674 - 193	L 1500 N	1225 E	10	<.1	32	9	57	261
674 - 194	L 1500 N	1250 E	15	<.1	43	8	54	48
674 - 195	L 1550 N	1000 E	5	<.1	32	8	61	69
674 - 196	L 1550 N	1025 E	5	.1	34	7	125	62
674 - 197	L 1550 N	1050 E	5	<.1	30	7	91	86
674 - 198	L 1550 N	1075 E	5	<.1	41	10	76	110
674 - 199	L 1550 N	1100 E	10	.1	42	11	87	91
674 - 200	L 1550 N	1125 E	5	<.1	35	11	67	98
674 - 201	L 1550 N	1150 E	5	<.1	40	10	92	291
674 - 202	L 1550 N	1175 E	10	<.1	31	8	67	264
674 - 203	L 1550 N	1200 E	5	<.1	29	12	138	130
674 - 204	L 1550 N	1225 E	5	<.1	31	10	50	211
674 - 205	L 1550 N	1250 E	10	<.1	30	11	82	63
674 - 206	L 1600 N	1000 E	5	<.1	35	10	81	61
674 - 207	L 1600 N	1025 E	10	.1	33	12	113	54
674 - 208	L 1600 N	1050 E	10	.1	34	7	76	66
674 - 209	L 1600 N	1075 E	5	<.1	29	7	68	45
674 - 210	L 1600 N	1100 E	10	.1	33	8	117	80



ECO-TECH LABORATORIES LTD.


ASSAYING - ENVIRONMENTAL TESTING

10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557


Placer Dome Inc.

SEPTEMBER 13, 1989

ET#	Description	Au (ppb)	Ag (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	As (ppm)
674 - 211	L 1600 N 1125 E	5	.1	38	8	67	82
674 - 212	L 1600 N 1150 E	5	<.1	47	9	62	398
674 - 213	L 1600 N 1175 E	5	<.1	32	9	104	81
674 - 214	L 1600 N 1200 E	10	<.1	30	9	97	98
674 - 215	L 1600 N 1225 E	5	<.1	36	9	80	68
674 - 216	L 1600 N 1250 E	<5	.1	28	9	92	42
674 - 217	L 1650 N 1000 E	5	.1	29	7	81	36
674 - 218	L 1650 N 1025 E	5	.2	29	12	80	43
674 - 219	L 1650 N 1050 E	10	.2	26	6	94	27
674 - 220	L 1650 N 1075 E	5	.1	32	7	84	70
674 - 221	L 1650 N 1100 E	5	.1	36	8	98	82
674 - 222	L 1650 N 1125 E	5	.1	41	7	106	356
674 - 223	L 1650 N 1150 E	5	.1	42	9	121	292
674 - 224	L 1650 N 1175 E	5	.1	35	8	87	118
674 - 225	L 1650 N 1200 E	5	<.1	40	8	117	113
674 - 226	L 1650 N 1225 E	5	.1	36	9	83	111
674 - 227	L 1650 N 1250 E	5	.1	37	9	178	29


ECO-TECH LABORATORIES LTD.
DOUG HOWARD
B.C. Certified Assayer

F A X - ROB PEASE
SC89/PLACER7



ECO-TECH LABORATORIES LTD.

ASSAYING - ENVIRONMENTAL TESTING

10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

SEPTEMBER 13, 1989

CERTIFICATE OF ANALYSIS ETK 89-675

=====


Placer Dome Inc.
401, 1450 Pearson Place
KAMLOOPS, B.C.
V1S 1J9

DATE RECEIVED: AUGUST 30, 1989
PROJECT: 1M
NUMBER SAMPLES: 237
TYPE SAMPLES: SOIL

REJECTS: N/A
PULPS: STORE

NOTE: < = LESS THAN

ET#	Description	Au (ppb)	Ag (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	As (ppm)
675 - 1	TR L 1600 N 1800 E	35	.1	20	6	68	7
675 - 2	TR L 1600 N 1825 E	15	.2	21	6	122	3
675 - 3	TR L 1600 N 1850 E	35	<.1	20	5	64	3
675 - 4	TR L 1600 N 1875 E	5	<.1	21	5	90	8
675 - 5	TR L 1600 N 1900 E	25	.2	40	6	95	9
675 - 6	TR L 1600 N 1925 E	20	.1	26	5	76	10
675 - 7	TR L 1600 N 1950 E	5	.1	50	4	103	10
675 - 8	TR L 1600 N 1975 E	20	<.1	32	6	66	11
675 - 9	TR L 1600 N 2000 E	35	<.1	40	5	54	15
675 - 10	TR L 1600 N 2025 E	5	<.1	33	6	85	13
675 - 11	TR L 1600 N 2050 E	65	<.1	28	6	68	12
675 - 12	TR L 1600 N 2075 E	10	<.1	32	4	48	13
675 - 13	TR L 1600 N 2100 E	5	.2	22	4	71	10
675 - 14	TR L 1600 N 2125 E	5	.2	48	4	65	17
675 - 15	TR L 1600 N 2150 E	10	.1	57	5	68	15
675 - 16	TR L 1600 N 2175 E	<5	.1	58	6	71	19
675 - 17	TR L 1600 N 2200 E	20	.2	70	7	70	18
675 - 18	TR L 1650 N 1800 E	60	.1	27	4	107	21
675 - 19	TR L 1650 N 1825 E	15	.2	23	3	79	6
675 - 20	TR L 1650 N 1850 E	5	.1	18	4	82	4
675 - 21	TR L 1650 N 1875 E	5	.2	21	5	92	7
675 - 22	TR L 1650 N 1900 E	<5	.1	43	4	60	14
675 - 23	TR L 1650 N 1925 E	20	.3	58	3	66	12
675 - 24	TR L 1650 N 1950 E	30	.1	29	2	59	13
675 - 25	TR L 1650 N 1975 E	15	.1	22	4	56	10
675 - 26	TR L 1650 N 2000 E	20	.2	30	3	94	10
675 - 27	TR L 1650 N 2025 E	10	.1	36	3	54	12
675 - 28	TR L 1650 N 2050 E	15	.1	51	4	69	10
675 - 29	TR L 1650 N 2075 E	20	.1	102	5	73	17
675 - 30	TR L 1650 N 2100 E	15	.2	70	4	150	16



ECO-TECH LABORATORIES LTD.


ASSAYING - ENVIRONMENTAL TESTING

10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

Placer Dome Inc.

SEPTEMBER 13, 1989

ET#	Description	Au (ppb)	Ag (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	As (ppm)		
675 - 31	TR L 1650 N	2125	E	<5	.1	23	3	91	10
675 - 32	TR L 1650 N	2150	E	<5	.3	39	4	77	12
675 - 33	TR L 1650 N	2175	E	5	.1	33	6	68	11
675 - 34	TR L 1650 N	2200	E	5	.1	32	2	51	10
675 - 35	TR L 1700 N	1800	E	<5	<.1	53	3	73	17
675 - 36	TR L 1700 N	1825	E	<5	.1	25	5	126	9
675 - 37	TR L 1700 N	1850	E	<5	<.1	29	3	121	7
675 - 38	TR L 1700 N	1875	E	<5	.1	25	3	95	8
675 - 39	TR L 1700 N	1900	E	20	.2	31	7	56	9
675 - 40	TR L 1700 N	1925	E	15	.1	35	4	60	9
675 - 41	TR L 1700 N	1950	E	5	<.1	27	2	42	12
675 - 42	TR L 1700 N	1975	E	10	.1	42	3	65	18
675 - 43	TR L 1700 N	2000	E	<5	.1	45	5	69	22
675 - 44	TR L 1700 N	2025	E	10	<.1	69	3	78	26
675 - 45	TR L 1700 N	2050	E	10	<.1	49	2	53	25
675 - 46	TR L 1700 N	2075	E	<5	.1	27	3	122	14
675 - 47	TR L 1700 N	2100	E	5	.1	19	5	53	7
675 - 48	TR L 1700 N	2125	E	<5	.1	45	3	68	11
675 - 49	TR L 1700 N	2150	E	5	<.1	20	6	115	13
675 - 50	TR L 1700 N	2175	E	<5	<.1	25	7	122	9
675 - 51	TR L 1700 N	2200	E	5	<.1	29	5	95	10
675 - 52	TR L 1750 N	1800	E	5	<.1	17	3	109	6
675 - 53	TR L 1750 N	1825	E	<5	<.1	32	4	115	8
675 - 54	TR L 1750 N	1850	E	5	.1	26	6	88	9
675 - 55	TR L 1750 N	1875	E	5	<.1	30	3	154	9
675 - 56	TR L 1750 N	1900	E	15	.1	23	6	80	7
675 - 57	TR L 1750 N	1925	E	10	<.1	42	4	57	11
675 - 58	TR L 1750 N	1950	E	<5	.1	38	5	73	15
675 - 59	TR L 1750 N	1975	E	25	<.1	21	4	47	10
675 - 60	TR L 1750 N	2000	E	90	<.1	15	5	84	9
675 - 61	TR L 1750 N	2025	E	5	<.1	21	3	76	8
675 - 62	TR L 1750 N	2050	E	15	.1	19	2	80	5
675 - 63	TR L 1750 N	2075	E	10	.2	20	4	137	9
675 - 64	TR L 1750 N	2100	E	5	.1	16	3	112	5
675 - 65	TR L 1750 N	2125	E	10	.2	21	5	138	4
675 - 66	TR L 1750 N	2150	E	10	.1	20	3	92	8
675 - 67	TR L 1750 N	2175	E	15	<.1	55	3	64	13
675 - 68	TR L 1750 N	2200	E	<5	.2	41	4	86	13
675 - 69	TR L 1800 N	1800	E	<5	.1	33	2	103	10
675 - 70	TR L 1800 N	1825	E	5	.1	39	3	125	10
675 - 71	TR L 1800 N	1875	E	5	.2	29	5	114	9
675 - 72	TR L 1800 N	1900	E	10	<.1	35	6	87	11
675 - 73	TR L 1800 N	1925	E	10	<.1	49	3	90	11
675 - 74	TR L 1800 N	1950	E	5	<.1	59	6	62	11
675 - 75	TR L 1800 N	1975	E	<5	.1	23	4	67	8



ECO-TECH LABORATORIES LTD.


ASSAYING - ENVIRONMENTAL TESTING

10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

Placer Dome Inc.

SEPTEMBER 13, 1989

ET#	Description	Au (ppb)	Ag (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	As (ppm)
675 - 76	TR L 1800 N 2000 E	25	<.1	29	4	65	8
675 - 77	TR L 1800 N 2025 E	5	.1	29	6	74	11
675 - 78	TR L 1800 N 2050 E	<5	.1	28	4	51	9
675 - 79	TR L 1800 N 2075 E	<5	.1	32	7	96	10
675 - 80	TR L 1800 N 2100 E	10	.1	37	8	80	6
675 - 81	TR L 1800 N 2125 E	5	.2	32	9	74	8
675 - 82	TR L 1800 N 2150 E	5	.1	31	7	73	9
675 - 83	TR L 1800 N 2175 E	10	.1	32	8	85	7
675 - 84	TR L 1800 N 2200 E	<5	.2	46	11	105	10
675 - 85	TR L 1850 N 1800 E	<5	.2	55	8	65	48
675 - 86	TR L 1850 N 1825 E	<5	.1	37	9	81	14
675 - 87	TR L 1850 N 1850 E	<5	<.1	38	9	133	10
675 - 88	TR L 1850 N 1875 E	10	<.1	51	10	95	8
675 - 89	TR L 1850 N 1900 E	<5	.1	67	10	69	9
675 - 90	TR L 1850 N 1925 E	15	.1	66	11	68	15
675 - 91	TR L 1850 N 1950 E	10	.1	30	13	70	8
675 - 92	TR L 1850 N 1975 E	5	.1	31	11	69	6
675 - 93	TR L 1850 N 2000 E	<5	<.1	29	10	70	10
675 - 94	TR L 1850 N 2025 E	<5	.1	28	9	65	6
675 - 95	TR L 1850 N 2050 E	<5	.1	45	12	73	14
675 - 96	TR L 1850 N 2075 E	15	.1	32	10	90	7
675 - 97	TR L 1850 N 2100 E	10	.1	29	7	63	5
675 - 98	TR L 1850 N 2125 E	<5	<.1	27	8	116	3
675 - 99	TR L 1850 N 2150 E	<5	.1	35	7	185	4
675 - 100	TR L 1850 N 2175 E	15	<.1	40	9	73	9
675 - 101	TR 1850 N 2200 E	15	<.1	22	7	83	12
675 - 102	TR 1900 N 1800 E	20	<.1	34	8	112	7
675 - 103	TR 1900 N 1825 E	20	.1	30	6	67	6
675 - 104	TR 1900 N 1850 E	5	.1	63	9	73	15
675 - 105	TR 1900 N 1875 E	10	.1	65	9	88	13
675 - 106	TR 1900 N 1900 E	<5	<.1	30	8	97	7
675 - 107	TR 1900 N 1925 E	15	<.1	39	5	71	16
675 - 108	TR 1900 N 1950 E	5	<.1	36	7	67	10
675 - 109	TR 1900 N 1975 E	10	.1	31	6	105	8
675 - 110	TR 1900 N 2000 E	30	<.1	28	7	80	11
675 - 111	TR 1900 N 2025 E	10	<.1	35	7	71	7
675 - 112	TR 1900 N 2050 E	5	.1	61	9	83	9
675 - 113	TR 1900 N 2075 E	10	.1	70	8	77	6
675 - 114	TR 1900 N 2100 E	<5	<.1	59	9	60	14
675 - 115	TR 1900 N 2125 E	10	<.1	52	8	63	13
675 - 116	TR 1900 N 2150 E	15	.1	50	8	75	15
675 - 117	TR 1900 N 2175 E	15	<.1	46	7	66	18
675 - 118	TR 1900 N 2200 E	10	<.1	33	7	82	10
675 - 119	TR1 L 1950 N 1800 E	10	<.1	32	8	53	14
675 - 120	TR1 L 1950 N 1825 E	20	<.1	49	7	65	11



ECO-TECH LABORATORIES LTD.


ASSAYING - ENVIRONMENTAL TESTING

10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

Placer Dome Inc.

SEPTEMBER 13, 1989

ET#	Description	Au (ppb)	Ag (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	As (ppm)
675 - 121	TR1 L 1950 N 1850 E	5	<.1	37	9	155	9
675 - 122	TR1 L 1950 N 1875 E	10	<.1	30	8	70	7
675 - 123	TR1 L 1950 N 1900 E	<5	.1	39	10	69	10
675 - 124	TR1 L 1950 N 1925 E	10	<.1	33	7	51	6
675 - 125	TR1 L 1950 N 1950 E	<5	.1	39	7	66	8
675 - 126	TR1 L 1950 N 1975 E	<5	.1	26	7	104	7
675 - 127	TR1 L 1950 N 2000 E	10	<.1	50	10	86	14
675 - 128	TR1 L 1950 N 2025 E	15	<.1	48	10	81	16
675 - 129	TR1 L 1950 N 2050 E	5	.2	40	9	83	14
675 - 130	TR1 L 1950 N 2075 E	<5	<.1	31	9	79	8
675 - 131	TR1 L 1950 N 2100 E	10	<.1	34	10	76	6
675 - 132	TR1 L 1950 N 2125 E	5	.1	28	11	91	11
675 - 133	TR1 L 1950 N 2150 E	10	.1	37	9	82	9
675 - 134	TR1 L 1950 N 2175 E	10	<.1	38	12	110	10
675 - 135	TR1 L 1950 N 2200 E	5	<.1	37	8	125	11
675 - 136	TR1 L 2000 N 1800 E	<5	<.1	26	7	111	8
675 - 137	TR1 L 2000 N 1825 E	5	.1	55	8	118	7
675 - 138	TR1 L 2000 N 1850 E	10	<.1	28	8	90	6
675 - 139	TR1 L 2000 N 1875 E	20	.1	58	9	83	12
675 - 140	TR1 L 2000 N 1900 E	<5	<.1	35	8	80	10
675 - 141	TR1 L 2000 N 1925 E	25	.1	30	8	100	8
675 - 142	TR1 L 2000 N 1950 E	<5	<.1	42	11	86	7
675 - 143	TR1 L 2000 N 1975 E	10	<.1	56	8	97	11
675 - 144	TR1 L 2000 N 2000 E	30	<.1	55	8	100	14
675 - 145	TR1 L 2000 N 2025 E	10	.1	49	8	105	16
675 - 146	TR1 L 2000 N 2050 E	15	<.1	54	9	98	18
675 - 147	TR1 L 2000 N 2075 E	20	<.1	48	9	89	15
675 - 148	TR1 L 2000 N 2100 E	10	.1	47	9	82	12
675 - 149	TR1 L 2000 N 2125 E	25	<.1	46	8	87	14
675 - 150	TR1 L 2000 N 2150 E	5	<.1	39	10	211	8
675 - 151	TR1 L 2000 N 2175 E	20	<.1	45	9	90	10
675 - 152	TR1 L 2000 N 2200 E	5	.1	25	8	104	7
675 - 153	TR1 L 2000 E 20 + 50 N B	10	.2	66	9	77	15
675 - 154	TR1 L 20 + 50 N 1800 E	10	<.1	26	6	82	17
675 - 155	TR1 L 20 + 50 N 1825 E	5	<.1	28	5	71	9
675 - 156	TR1 L 20 + 50 N 1850 E	10	.1	31	5	66	12
675 - 157	TR1 L 20 + 50 N 1875 E	10	.1	35	7	73	29
675 - 158	TR1 L 20 + 50 N 1900 E	20	.2	33	8	86	30
675 - 159	TR1 L 20 + 50 N 19 + 25 E	5	.1	30	6	115	30
675 - 160	TR1 L 20 + 50 N 19 + 50 E	15	<.1	47	8	106	45
675 - 161	TR1 L 20 + 50 N 1975 N	10	.1	46	7	107	54
675 - 162	TR1 L 2100 N 1800 E	5	.2	26	8	73	50
675 - 163	TR1 L 2100 N 1825 E	5	<.1	29	7	61	55
675 - 164	TR1 L 2100 N 1850 E	<5	.1	36	5	66	58
675 - 165	TR1 L 2100 N 1875 E	10	<.1	22	3	70	67



ECO-TECH LABORATORIES LTD.


ASSAYING - ENVIRONMENTAL TESTING

10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

Placer Dome Inc.

SEPTEMBER 13, 1989

ET#	Description	Au (ppb)	Ag (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	As (ppm)
675 - 166	TR1 L 2100 N 1900 E	10	<.1	28	2	56	70
675 - 167	TR1 L 2100 N 1925 E	15	.1	34	6	111	11
675 - 168	TR1 L 2100 N 1950 E	50	.1	44	11	142	16
675 - 169	TR1 L 2100 N 19 + 75 E	<5	.1	46	10	97	16
675 - 170	TR1 L 2100 N 20 + 00 E	5	<.1	44	8	105	15
675 - 171	TR1 L 2100 N 2025 E	10	.1	39	6	75	17
675 - 172	TR1 L 2100 N 2050 E	5	.1	42	4	73	19
675 - 173	TR1 L 2100 N 2075 E	15	<.1	46	9	109	18
675 - 174	TR1 L 2100 N 2100 E	10	.1	38	6	114	16
675 - 175	TR1 L 2100 N 2125 E	15	.1	29	5	76	12
675 - 176	TR1 L 2100 N 2150 E	<5	<.1	25	3	66	12
675 - 177	TR1 L 2100 N 2175 E	5	<.1	22	6	97	8
675 - 178	TR1 L 2100 N 2200 E	10	<.1	29	6	87	14
675 - 179	TR1 L 2050 N 20 + 25 E B	25	.1	33	5	86	11
675 - 180	TR1 L 2050 N 2025 E	15	.1	31	6	92	11
675 - 181	TR1 L 2050 N 20 + 50 E B	10	<.1	55	7	74	18
675 - 182	TR1 L 2050 N 2050 E	5	<.1	23	5	86	13
675 - 183	TR1 L 2050 N 20 + 75 E B	25	<.1	72	17	112	34
675 - 184	TR1 L 2050 N 2075 E	5	<.1	41	7	63	19
675 - 185	TR1 L 2050 N 20 + 00 E B	5	.1	31	5	84	11
675 - 186	TR1 L 2050 N 2100 E	15	.1	49	4	97	17
675 - 187	TR1 L 2050 N 2125 E	10	<.1	46	3	79	17
675 - 188	TR1 L 2050 N 2150 E	10	.1	36	10	108	13
675 - 189	TR1 L 2050 N 2175 E	35	<.1	31	5	65	14
675 - 190	TR1 L 2050 N 2200 E	10	.1	30	6	78	10
675 - 191	TR1 L 2155 N 1550 E	10	<.1	20	4	87	6
675 - 192	TR1 L 2155 N 1575 E	15	.1	31	3	62	8
675 - 193	TR1 L 2185 N 1525 E	15	<.1	21	2	80	7
675 - 194	TR1 L 2200 N 1150 E	5	<.1	32	3	172	12
675 - 195	TR1 L 2200 N 1175 E	30	.1	26	3	67	12
675 - 196	TR1 L 2200 N 1200 E	10	<.1	25	7	114	8
675 - 197	TR1 L 2200 N 1225 E	25	<.1	19	4	77	7
675 - 198	TR1 L 2200 N 1250 E	10	.1	17	3	100	8
675 - 199	TR1 L 2200 N 1275 E	15	<.1	23	2	87	12
675 - 200	TR1 L 2200 N 1300 E	5	<.1	16	5	76	12
675 - 201	TR1 L 2200 N 1325 E	15	<.1	17	2	71	6
675 - 202	TR1 L 2200 N 1350 E	35	<.1	15	1	64	5
675 - 203	TR1 L 2200 N 1375 E	5	.1	20	5	99	5
675 - 204	TR1 L 2200 N 1400 E	5	<.1	25	2	72	8
675 - 205	TR1 L 2200 N 1425 E	<5	<.1	49	1	89	7
675 - 206	TR1 L 2200 N 1450 E	10	.1	27	2	69	9
675 - 207	TR1 L 2200 N 1475 E	<5	<.1	38	4	77	11
675 - 208	TR1 L 2200 N 1500 E	35	.1	38	2	85	11
675 - 209	TR1 L 22 + 85 N 14 + 25 E	5	.2	37	3	87	12
675 - 210	TR1 L 22 + 85 N 14 + 50 E	5	.3	61	5	76	10



ECO-TECH LABORATORIES LTD.


ASSAYING - ENVIRONMENTAL TESTING

10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557


Placer Dome Inc.

SEPTEMBER 13, 1989

ET#	Description	Au (ppb)	Ag (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	As (ppm)
675 - 211	TR1 L 22 + 85 N 14 + 75 E	5	.1	46	5	93	11
675 - 212	TR1 L 22 + 85 N 15 + 00 E	5	<.1	60	3	101	10
675 - 213	TR1 L 22 + 85 N 15 + 25 E	5	.2	35	1	98	12
675 - 214	TR1 L 22 + 65 N 15 + 50 E	5	.1	29	1	132	10
675 - 215	TR1 L 22 + 65 N 15 + 75 E	5	<.1	41	2	151	10
675 - 216	TR1 L 22 + 65 N 16 + 00 E	5	.2	29	8	118	9
675 - 217	TR1 L 2300 N 11 + 50 E	<5	.1	33	6	103	14
675 - 218	TR1 L 2300 N 11 + 75 E	5	<.1	34	4	149	10
675 - 219	TR1 L 2300 N 12 + 00 E	5	<.1	49	4	46	17
675 - 220	TR1 L 2300 N 12 + 25 E	25	<.1	25	4	90	10
675 - 221	TR1 L 2300 N 12 + 50 E	10	<.1	19	6	72	10
675 - 222	TR1 L 2300 N 12 + 75 E	10	.1	24	6	49	8
675 - 223	TR1 L 2300 N 13 + 00 E	10	.1	26	5	54	9
675 - 224	TR1 L 2300 N 13 + 25 E	10	.1	35	7	61	12
675 - 225	TR1 L 2300 N 13 + 50 E	5	<.1	32	6	72	12
675 - 226	TR1 L 2300 N 13 + 75 E	5	<.1	34	5	67	8
675 - 227	TR1 L 2300 N 14 + 00 E	5	.1	35	7	48	11


ECO-TECH LABORATORIES LTD.
DOUG HOWARD
B.C. Certified Assayer

F A X - ROB PEASE
SC89/PLACER7



ECO-TECH LABORATORIES LTD.

ASSAYING - ENVIRONMENTAL TESTING

10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557


SEPTEMBER 14, 1989

CERTIFICATE OF ANALYSIS ETK 89-695

Placer Dome Inc.
401, 1450 Pearson Place
KAMLOOPS, B.C.
V1S 1J9

DATE RECEIVED:	SEPT. 5, 1989	REJECTS:	N/A
PROJECT:	GENERAL 1M	PULPS:	STORE
NUMBER SAMPLES:	16.0		
TYPE SAMPLES:	BULK	NOTE :	< = LESS THAN

ET#	Description	SAMPLE WEIGHT/g		Au (ppb)	Ag (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	As (ppm)
695 - 1	4051	180.6	- 150	145	.2	48	5	79	16
		2724.0	-35	1650 2950 25 20 20	<.1	39	4	72	14
695 - 2	4052	312.6	- 150	130	.4	68	6	74	13
		2383.5	-35	45 15 15 15	<.1	42	7	74	13
695 - 3	4053	319.5	- 150	15	.1	27	4	80	7
		1135.0	-35	10 5 15 15 10	<.1	35	5	90	11
695 - 4	4055	465.3	- 150	5	.1	57	8	71	47
		2837.5	-35	5 5 20 10 10	<.1	69	6	88	52



ECO-TECH LABORATORIES LTD.


ASSAYING - ENVIRONMENTAL TESTING

10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

Placer Dome Inc.

SEPTEMBER 14, 1989

ET#	Description	SAMPLE WEIGHT/g		Au (ppb)	Ag (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	As (ppm)
695 - 5	4056	589.5	- 150	5	<.1	34	6	67	21
		2043.0	-35	5 10 10 15 15		35	5	81	25
695 - 6	4057	304.3	- 150	10	<.1	57	8	78	12
		2156.5	-35	5 75 10 10 5		36	6	76	14
695 - 7	4058	366.5	- 150	10	<.1	40	8	85	10
		4880.5	-35	445 20 20 10		34	7	77	11
695 - 8	4059	250.5	- 150	25	<.1	51	7	82	11
		2156.5	-35	40 25 125 10 10		24	7	67	9
695 - 9	4060	174.5	- 150	5	<.1	22	9	61	17
		908.0	-35	15 5 10 5 10		32	8	75	23
695 - 10	4062	1098.0	- 150	165	<.1	38	9	78	9
		3859.0	-35	50 65 10 15 10		39	7	79	9
695 - 11	4063	195.8	- 150	45	<.1	39	8	92	15
		1475.5	-35	60 50 5 5 5		27	9	84	16



ECO-TECH LABORATORIES LTD.

ASSAYING - ENVIRONMENTAL TESTING

10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557


Placer Dome Inc.

SEPTEMBER 14, 1989

ET#	Description	SAMPLE WEIGHT/g		Au (ppb)	Ag (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	As (ppm)
695 - 12	4064	255.4	- 150	75	.1	52	11	85	13
				85					
		2270.0	-35	80					
				12	.1	43	10	83	12
				5					
				5					
695 - 13	4065	151.9	- 150	90	.1	59	10	83	10
				85					
		1475.5	-35	70					
				5	<.1	58	11	88	13
				15					
				10					
695 - 14	4067	166.8	- 150	210	.2	39	6	81	49
				65					
		2610.5	-35	70					
				10	<.1	27	7	71	49
				5					
				5					
695 - 15	4068	191.3	- 150	45	.1	37	7	55	33
				55					
		1475.5	-35	55					
				5	<.1	32	8	59	38
				10					
				5					
695 - 16	4069	199.2	- 150	10	.3	51	5	63	15
				60					
		2270.0	-35	55					
				10	<.1	32	9	58	13
				10					
				5					

ECO-TECH LABORATORIES LTD.
 Doug Howard
 B.C. Certified Assayer

FAX: ROB PEASE
 SC89/PLACER6



ECO-TECH LABORATORIES LTD.

ASSAYING - ENVIRONMENTAL TESTING
 10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

BB + RP.

SEPTEMBER 15, 1989

CERTIFICATE OF ANALYSIS ETK 89-696

=====

Placer Dome Inc.
 401, 1450 Pearson Place
 KAMLOOPS, B.C.
 V1S 1J9


=====

DATE RECEIVED:	SEPT. 5, 1989	REJECTS:	N/A
PROJECT:	GENERAL 1M	PULPS:	STORE
NUMBER SAMPLES:	18		
TYPE SAMPLES:	MOSS		

N O T E : < = LESS THAN

=====

ET#	Description	Au (ppb)	Ag (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	As (ppm)
696 - 1	4051 - 150	35	<.1	122	17	70	9
		15					
		15					
	- 80/+ 150	15	<.1	85	25	61	7
		10					
		15					
696 - 2	4052 - 150	15	<.1	113	14	62	11
		20					
		15					
	- 80/+ 150	10	<.1	107	14	49	16
		15					
		20					
696 - 3	4053 - 150	<5	<.1	89	13	86	6
	- 80/+ 150	15	<.1	5	3	3	3
696 - 4	4054 - 150	5	.1	43	16	50	4
	- 80/+ 150	15	<.1	32	14	39	4
696 - 5	4055 - 150	10	<.1	78	18	170	68
		5					
		5					
	- 80/+ 150	5	<.1	72	13	79	56
		5					



ECO-TECH LABORATORIES LTD.


ASSAYING - ENVIRONMENTAL TESTING

10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

Placer Dome Inc.

SEPTEMBER 15, 1989

ET#	Description	Au (ppb)	Ag (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	As (ppm)
696 - 6	4056 - 150	20	<.1	91	18	77	34
		15					
		10					
	- 80/+ 150	10	<.1	42	8	69	24
696 - 7	4057 - 150	10	.2	75	11	127	10
		15					
		5					
	- 80/+ 150	15	<.1	31	10	58	3
		10					
		15					
696 - 8	4058 - 150	15	.2	264	57	93	6
		10					
		5					
	- 80/+ 150	15	<.1	62	23	44	2
		20					
696 - 9	4059 - 150	20	.1	179	16	41	2
		10					
		15					
	- 80/+ 150	30	<.1	112	10	22	2
696 - 10	4060 - 150	10	<.1	94	28	65	1
		20					
	- 80/+ 150	20	<.1	38	17	19	2
696 - 11	4061 - 150	10	<.1	288	18	136	<1
	- 80/+ 150	<5	<.1	101	15	74	4
696 - 12	4062 - 150	10	<.1	79	18	68	4
		20					
		15					
	- 80/+ 150	10	<.1	37	11	49	2
		10					
696 - 13	4063 - 150	20	<.1	113	14	80	8
		15					
		25					



ECO-TECH LABORATORIES LTD.


ASSAYING - ENVIRONMENTAL TESTING

10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

Placer Dome Inc.

SEPTEMBER 15, 1989

ET#	Description	Au (ppb)	Ag (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	As (ppm)
696 - 13	4063 - 80/+ 150	10	<.1	60	14	63	6
696 - 14	4064 - 150	15	.1	141	15	55	4
		20					
		10					
	- 80/+ 150	15	<.1	45	14	35	14
		10					
696 - 15	4066 - 150	15	<.1	88	13	60	44
		5					
		10					
	- 80/+ 150	15	<.1	42	14	40	50
		10					
		10					
696 - 16	4067 - 150	5	<.1	132	20	54	42
		5					
		5					
	- 80/+ 150	10	<.1	40	10	46	34
696 - 17	4068 - 150	10	<.1	98	11	45	9
		15					
		15					
	- 80/+ 150	10	<.1	51	10	34	6
696 - 18	4069 - 150	20	<.1	192	13	42	6
		15					
		15					
	- 80/+ 150	15	<.1	67	9	10	3


ECO-TECH LABORATORIES LTD.
Doug Howard
B.C. Certified Assayer

FAX: ROB PEASE
SC89/PLACER6