

CHEMEX LABS LTD.

RECEIVED
JUL - 4 1991

1416 CROWN STREET
NORTH VANCOUVER, B. C.
CANADA
TELEPHONE: 988-6955

BB Group
FISH LAKE
860969

• CHEMISTS • GEOCHEMISTS • ANALYSTS • ASSAYERS

CERTIFICATE OF ANALYSIS

NO. 7635

TO: Taseko Mines,
248 - 2nd Ave.,
Kamloops, B. C.

INVOICE NO. 2574


DATE RECEIVED Jan 8/70

DATE ANALYSED Jan 13/70

ATTN:

SAMPLE NO.:	Oz/Ton Gold	Oz/Ton Silver
69-5 174-180	0.004	
180-190	0.003	
190-200	0.010	
200-210	0.004	
210-220	0.003	
220-230	0.003	
230-240	0.003	
240-250	0.003	
250-260	0.006	
260-270	0.004	
270-280	0.004	0.01
280-290	0.022	
290-300	0.008	
300-310	0.009	
310-320	0.010	
320-330	0.008	<0.01
330-340	0.008	
340-350	0.005	
350-360	0.004	
360-370	0.003	
370-380	0.003	
380-390	<0.003	
390-400	0.005	
400-410	0.003	
410-420	0.004	
420-430	0.009	
430-440	0.005	
440-450	0.009	
450-460	0.004	
460-470	0.006	
470-480	0.004	
480-490	0.004	
490-501	0.003	
501-504	0.004	

Certified by *R. H. Stewart*



CHEMEX LABS LTD.

1416 CROWN STREET
NORTH VANCOUVER, B. C.
CANADA
TELEPHONE: 988-6955

• CHEMISTS • GEOCHEMISTS • ANALYSTS • ASSAYERS

CERTIFICATE OF ANALYSIS

NO. 7443

TO: Taseko Mines,
248 - 2nd Ave.,
Kamloops, B. C.

INVOICE NO. 2443


DATE RECEIVED Nov. 24/69

DATE ANALYSED

ATTN: Mr. Foster

cc: Mr. Dansey

SAMPLE NO.:	% Copper		
25651	0.12	Hole 69-6	108-120
25652	0.06		120-130
25653	0.11		130-140
25654	0.14		140-150
25655	0.23		150-160
25656	0.15		160-170
25657	0.14		170-180
25658	0.12		180-190
25659	0.12		190-200
25660	0.13		200-210
25661	0.16		210-220
25662	0.09		220-230
25663	0.16		230-240
25664	0.13		240-250
25665	0.08		250-260
25666	0.06		260-270
25667	0.08		270-280
25668	0.08		280-290
25669	0.03		290-300
25670	0.06		300-310
25671	0.07		310-320
25672	0.07		320-330
25673	0.06		330-340
25674	0.09		340-350
25675	0.08		350-360
25676	0.14 ^{1/2}		360-364
25678	0.10		368-370
25679	0.11		370-380
25680	0.10		380-390
25681	0.15		390-400
25682	0.14		400-410
25683	0.18		410-420
25684	0.22		420-430
25685	0.24		430-440
25686	0.25		440-450
25687	0.16		450-460
25688	0.16		460-470
25689	0.28		470-480
25690	0.19		480-490
25691	0.25		490-500

Certified by 

CHEMEX LABS . D.

1416 CROWN STREET — NORTH VANCOUVER, B.C. — TELEPHONE 988-6955

Certificate of Analysis

No. 6044

To: Taseko Mines,
248 2nd Ave.,
Kamloops, B. C.

Atten.:

Invoice No. 1889

SAMPLE No.	% Copper	% Lead	% Zinc	% Molybdenum	Oz/Ton Silver	Oz/Ton Gold
25907	0.01 <i>E-A</i>	<0.01	0.01	<0.001	0.01	0.009
25908	0.20 <i>F-B</i>	<0.01	0.01	0.001	<0.01	0.009
25909	0.06 <i>E</i>	<0.01	0.01	0.001	0.01	0.009
25910	0.09 <i>E</i>	<0.01	0.02	0.002	<0.01	0.009
25911	0.05 <i>F</i>	<0.01	0.01	<0.001	0.01	0.026
25912	0.21 <i>F-C</i>	0.13	0.03	0.005	0.15	0.012
25913	0.32 <i>DD-B</i>	<0.01	<0.01	0.002	0.01	0.011
25914	0.30 <i>DD-C</i>	<0.01	<0.01	0.002	0.03	0.010
25916	0.11 <i>DD-D</i>	<0.01	0.02	0.001	<0.01	0.009
25915	Spectrograph for <u>all 6 elements.</u>					
<i>See above</i>						

Date Received
Date Analysed

August 27/69

Sept. 2/69

CERTIFIED BY

[Signature]

RESULTS of Assays made on samples of ore submitted by: MESSRS. TASEKO MINES LTD.

MARK	Copper %	Mark	Copper %
<u>D. D. B.</u>		<u>D. D. B.</u>	
9076 44 - 50	0.12	9094 220 - 230	0.32
9077 50 - 60	0.23	9095 230 - 240	0.27
9078 60 - 70	0.28	9096 240 - 250	0.25
9079 70 - 80	0.33	9097 250 - 260	0.37
9080 80 - 90	0.36	9098 260 - 270	0.20
9081 90 - 100	0.26	9099 270 - 280	0.22
9082 100 - 110	0.15	9100 280 - 290	0.26
9083 110 - 120	0.10	9101 290 - 300	0.55
9084 120 - 130	0.03	9102 300 - 310	0.45
9085 130 - 140	0.20	9103 310 - 320	0.38
9086 140 - 150	0.66	9104 320 - 330	0.25
9087 150 - 160	0.35	9105 330 - 340	0.35
9088 160 - 170	0.12	9106 340 - 350	0.39
9089 170 - 180	0.36	9107 350 - 360	0.26
9090 180 - 190	0.29	9108 360 - 370	0.25
9091 190 - 200	0.22	9109 370 - 380	0.28
9092 200 - 210	0.25	9110 380 - 390	0.24
9093 210 - 220	0.21	9111 390 - 400	0.35

Assays made by:

[Signature]

SHEET NO. 2
FILE NO. 319168/214

J. R. WILLIAMS & SON LTD.

MUTUAL 5-5821

PROVINCIAL ASSAYERS

580 NELSON STREET

VANCOUVER 2, B.C. August 20th, 1969

RESULTS of Assays made on samples of ore submitted by: MESSRS. TASEKO MINES LTD.

MARK	Gold ozs/ton	Copper %
<u>D. D. B.</u>		
9112 400 - 410		0.31
9113 410 - 420		0.22
9114 420 - 430		0.31
9115 430 - 440		0.37
9116 440 - 450		0.21
9117 450 - 460		0.29
9118 460 - 470		0.33
9119 470 - 480		0.27
9120 480 - 490		0.20
9121 490 - 503		0.17
Comp. 9076/ 9121 44 ¹ - 503 ²	0.01	

Assays made by:

[Signature]

003

BETHLEHEM COPPER CORPORATION LTD.

ASHCROFT, B. C.

July 23 - 69 19

TASEKO:

SAMPLE No.	DESCRIPTION	OZS. PER TON			PER CENT					
		GOLD	SILVER	COPPER	MO.	SULPHUR				
9076	DDH-65-1 D.D. - B 42-50			.12						
77	50-60			.25						
78	60-70			.28						
79	70-80			.33						
80	80-90			.35						
81	90-100			.20						
82	100-110			.20						
83	110-120			.11						
84	120-130			.03						
85	130-140			.20						
86	140-150			.63						
87	150-160			.32						
88	160-170			.16						
89	170-180			.30						
90	180-190			.29						
91	190-200			.19						
92	200-210			.26						
93	210-220			.21						
94	220-230			.29						
95	230-240			.28						
96	240-250			.25						
97	250-260			.37						
98	260-270			.19						
9099	270-280			.21						

ASSAYER

BETHLEHEM COPPER CORPORATION LTD.

ASHCROFT, B. C.

July 23 - 69 19

TASK: _____

SAMPLE No.	DESCRIPTION	OZS. PER TON			PER CENT			
		GOLD	SILVER	COPPER	MO	SULPHUR		
9100	D.D. - B 280-290			.23				
01	290 - 300			.35				
02	300 - 310			.50				
03	310 - 320			.41				
04	320 - 330			.26				
05	330 - 340			.32				
06	340 - 350			.37				
07	350 - 360			.32				
08	360 - 370			.29				
09	370 - 380			.24				
10	380 - 390			.25				
11	390 - 400			.38				
12	400 - 410			.31				
13	410 - 420			.27				
14	420 - 430			.23				
15	430 - 440			.32				
16	440 - 450			.23				
17	450 - 460			.33				
18	460 - 470			.37				
19	470 - 480			.31				
20	490 - 490			.20				
9121	490-503			.16				
COMPO.	D.D. - B			.28				

200 - .32

ASSAYER

BETHLEHEM COPPER CORPORATION LTD.

ASHCROFT, B. C.

TASEKO:

July 25 - 69

19

SAMPLE No.	DESCRIPTION	OZS. PER TON			PER CENT								
		GOLD	SILVER	COPPER	MO.	SULPHUR							
9176	DDH-69-2 D34 C.			.35									
77				.76									
78				.60									
79				1.14									
9179- 1/2	50 - 60			.37									
9180				.30									
81				.64									
9181- 1/2	80 - 90			.36									
9182				.17									
83				.20									
84				.15									
85				.16									
86				.20									
87				.15									
88				.10									
89				.07									
90	7 0			.11									
9190- 1/2	120 - 130			.08									
9191				.05									
92				.06									
93				.20									
94				.07									
95				.18									
9196				.15									

ASSAYER

BETHLEHEM COPPER CORPORATION LTD.

ASHCROFT, B. C.

Taseko

August 2,

19 69

SAMPLE No.	DESCRIPTION	OZS. PER TON			PER CENT								
		GOLD	SILVER	COPPER	MO.	SULPHUR							
DDH-69-3 D.D.H. - D	19 - 30			.25									
Core	30 - 40			.16									
	40 - 50			.37									
	50 - 60			.29									
	60 - 70			.34									
	70 - 80			.17									
	80 - 90			.13									
	90 - 100			.05									
	100 - 110			.06									
	110 - 120			.08									
	120 - 130			.12									
	130 - 140			.12									
	140 - 150			.15									
	150 - 160			.16									
	160 - 170			.17									
	170 - 180			.08									
	180 - 190			.09									
	190 - 200			.06									
	200 - 210			.04									
	210 - 220			.06									
	220 - 230			.03									
	230 - 240			.04									
	240 - 250			.10									
	250 - 260			.04									
	260 - 270			.06									
	270 - 280			.06									
	280 - 290			.10									
	290 - 300			.08									

L. Matthews ASSAYER

BETHLEHEM COPPER CORPORATION LTD.

ASHCROFT, B. C.

TASEKO:

August 4 - 69 19

SAMPLE No.	DESCRIPTION	OZS. PER TON			PER CENT			
		GOLD	SILVER	COPPER	MO.	SULPHUR		
DDH-69-A D.D.-E	40 - 50			.25				
xxxx	50 - 60			.56				
Core.	60 - 70			.49				
	70 - 80			.30				
	80 - 90			.35				
	90 - 100			.45				
	100 - 110			.28				
	110 - 120			.36				
	120 - 130			.26				
	130 - 140			.22				
	140 - 150			.32				
	150 - 160			.21				
	160 - 170			.25				
	170 - 180			.44				
	180 - 190			.32				
	190 - 200			.36				
	200 - 210			.44				
	210 - 220			.45				
	220 - 230			.32				
	230 - 240			.35				
	240 - 250			.18				
	250 - 260			.10				
	260 - 270			.07				
D.D. & E								
SLUDGE	70 - 80			.28				

G.L. Matthews ASSAYER

BETHLEHEM COPPER CORPORATION LTD.

ASHCROFT, B. C.

August 4 - 69 19__

TASEKO:

SAMPLE No.	DESCRIPTION	OZS. PER TON			PER CENT			
		GOLD	SILVER	COPPER	MO.	SULPHUR		
D.D.H.- E	270 - 280			.10				
	280 - 290			.27				
	290 - 300			.29				
	300 - 310			.31				
	310 - 320			.14				
	320 - 330			.19				
	330 - 340			.18				
	340 - 350			.29				
	350 - 360			.32				
	360 - 370			.14				
	370 - 380			.33				
	380 - 390			.28				
	390 - 400			.28				
	400 - 410			.30				
	410 - 420			.32				
	420 - 430			.30				
	430 - 440			.23				
	440 - 450			.27				
	450 - 460			.31				
	460 - 470			.22				
	470 - 480			.28				
	480 - 490			.27				
	490 - 500			.28				
	500 - 510			.32				

L.L. Matthews ASSAYER

BETHLEHEM COPPER CORPORATION LTD.

ASHCROFT, B. C.

TASKO:

May 28 - 69 19

SAMPLE No.	DESCRIPTION	OZS. PER TON			PER CENT					
		GOLD	SILVER	COPPER	MO.	SULPHUR				
P.H. - 1	40 - 50			.14						
	50 - 60			.11						
	60 - 70			.14						
	70 - 80			.11						
	80 - 90	.010	.05	.13						
	90 - 100			.09						
	100 - 110			.13						
	110 - 120			.29						
	120 - 130			.18						
	130 - 140	.005	Tr	.15						
	140 - 150			.11						
	150 - 160			.08						
	160 - 170			.23						
	170 - 180			.16						
	180 - 190	.005	Tr	.10						
	190 - 200			.11						
	200 - 210			.15						
	210 - 220			.29						
	220 - 230			.16						
	230 - 240	.010	Tr	.12						
	240 - 250			.12						
	250 - 260			.14						
	260 - 270			.22						
	270 - 280			.16						
	280 - 290	.005	.06	.14						
	290 - 300			.14						

J. L. Matthews ASSAYER

BETHLEHEM COPPER CORPORATION LTD.

ASHCROFT, B. C.

June 2 - 69 19

TASEKO:

SAMPLE No.	DESCRIPTION	OZS. PER TON			PER CENT				
		GOLD	SILVER	COPPER	MO.	SULPHUR			
P.E. - 2	30 - 40			.20					
	40 - 50			.22					
	50 - 60			.14					
	60 - 70			.15					
	70 - 80			.13					
	80 - 90			.12					
	90 - 100			.16					
	100 - 110			.12					
	110 - 120			.10					
	120 - 130			.11					
	130 - 140			.12					
	140 - 150			.10					
	150 - 160			.11					
	160 - 170			.15					
	170 - 180			.11					
	180 - 190			.10					
	190 - 200			.19					
	200 - 210			.14					
	210 - 220			.19					
	220 - 230			.18					
	230 - 240			.23					
	240 - 250			.22					
	250 - 260			.27					
	260 - 270			.25					
	270 - 280			.23					
	280 - 290			.20					
	290 - 300			.16					
	COMPO.			.15		Tr			

ASSAYER

BETHLEHEM COPPER CORPORATION LTD.

ASHCROFT, B. C.

TASKO:

June 2 - 69 19

SAMPLE No.	DESCRIPTION	OZS. PER TON			PER CENT								
		GOLD	SILVER	COPPER	MO.	SULPHUR							
P.H. - 3	26 - 40			.13									
	40 - 50			.10									
	50 - 60			.12									
	60 - 70			.10									
	70 - 80			.13									
	80 - 90			.15									
	90 - 100			.17									
	100 - 110			.08									
	110 - 120			.11									
	120 - 130			.11									
	130 - 140			.23									
	140 - 150			.28									
	150 - 160			.33									
	160 - 170			.26									
	170 - 180			.21									
	180 - 190			.17									
	190 - 200			.16									
	200 - 210			.19									
	210 - 220			.20									
	220 - 230			.19									
	230 - 240			.17									
	240 - 250			.20									
	250 - 260			.18									
	260 - 270			.17									
	270 - 280			.18									
	280 - 290			.16									
	290 - 300			.17									
P.H. - 3	COMPO.			.16									Tr

ASSAYER

BETHLEHEM COPPER CORPORATION LTD.

ASHCROFT, B. C.

June 2 - 69

19

TASEFO:

SAMPLE No.	DESCRIPTION	OZS. PER TON			PER CENT								
		GOLD	SILVER	COPPER	MO.	SULPHUR							
P.H. - 4	25 - 30			.05									
	30 - 40			.10									
	40 - 50			.20									
	50 - 60			.31									
	60 - 70			.16									
	70 - 80			.16									
	80 - 90			.14									
	90 - 100			.08									
	100 - 110			.10									
	110 - 120			.09									
	120 - 130			.09									
	130 - 140			.09									
	140 - 150			.07									
	150 - 160			.03									
	160 - 170			.09									
	170 - 180			.09									
	180 - 190			.08									
	190 - 200			.03									
	200 - 210			.07									
	210 - 220			.10									
	220 - 230			.03									
	230 - 240			.07									
	240 - 250			.07									
	250 - 260			.07									
	260 - 270			.27									
	270 - 280			.09									
	280 - 290			.03									
	290 - 300			.09									

P.H. - 4

COMPO.

.11

Tr

ASSAYER

BETHLEHEM COPPER CORPORATION LTD.

ASHCROFT, B. C.

June 2 - 69 19

TAGGED:

SAMPLE No.	DESCRIPTION	OZS. PER TON			PER CENT			
		GOLD	SILVER	COPPER	MO.	SULPHUR	MOS.	
P.H. - 5	30 - 40			.19				
	40 - 50			.24				
	50 - 60			.45				
	60 - 70			.35				
	70 - 80			.34				
	80 - 90			.48				
	90 - 100			.46				
	100 - 110			.46				
	110 - 120			.35				
	120 - 130			.34				
	130 - 140			.30				
	140 - 150			.24				
	150 - 160			.31				
	160 - 170			.23				
	170 - 180			.26				
	180 - 190			.27				
	190 - 200			.31				
	200 - 210			.29				
	210 - 220			.22				
	220 - 230			.31				
	230 - 240			.29				
	240 - 250			.27				
	250 - 260			.30				
	260 - 270			.27				
	270 - 280			.22				
	280 - 290			.22				
	290 - 300			.20				
P.H. - 5	COMPO.			.30	.005		.008	

ASSAYER

BETHLEHEM COPPER CORPORATION LTD.

ASHCROFT, B. C.

June 2 - 69 19__

TASEKO:

SAMPLE No.	DESCRIPTION	OZS. PER TON			PER CENT									
		GOLD	SILVER	COPPER	MO.	SULPHUR								
P.H. - 6	12 - 20			.34										
	20 - 30			.65										
	30 - 40			.57										
	40 - 50			.58										
	50 - 60			.40										
	60 - 70			.20										
	70 - 80			.31										
	80 - 90			.27										
	90 - 100			.17										
	100 - 110			.14										
	110 - 120			.20										
	120 - 130			.18										
	130 - 140			.19										
	140 - 150			.24										
	150 - 160			.22										
	160 - 170			.13										
	170 - 180			.12										
	180 - 190			.14										
	190 - 200			.15										
	200 - 210			.17										
	210 - 220			.23										
	220 - 230			.20										
	230 - 240			.15										
	240 - 250			.16										
	250 - 260			.16										
	260 - 270			.16										
	270 - 280			.17										
	280 - 290			.17										
	290 - 300			.13										
P.H. - 6	COMPO.			.24				Tr						

ASSAYER

BETHLEHEM COPPER CORPORATION LTD.

ASHCROFT, B. C.

July 14 - 69

19

TASEKO:

SAMPLE No.	DESCRIPTION	OZS. PER TON			PER CENT									
		GOLD	SILVER	COPPER	MO.	SULPHUR								
P.H.- A	12 - 20			.01										
	20 - 30			.02										
	30 - 40			.03										
	40 - 50			.05										
	50 - 60			.03										
	60 - 70			.02										
	70 - 80			.02										
	80 - 90			.02										
	90 - 100			.02										
	100 - 110			.02										
	110 - 120			.02										
	120 - 130			.03										
	130 - 140			.02										
	140 - 150			.02										
	150 - 160			.02										
	160 - 170			.01										
	170 - 180			.02										
	180 - 190			.02										
	190 - 200			.02										
	200 - 210			.03										
	210 - 220			.02										
	220 - 230			.02										
	230 - 240			.01										

ASSAYER

BETHLEHEM COPPER CORPORATION LTD.

ASHCROFT, B. C.

July 11 - 69 19__

TASEKO:

SAMPLE No.	DESCRIPTION	OZS. PER TON			PER CENT			
		GOLD	SILVER	COPPER	MO.	SULPHUR		
P.H. - B	15 - 20			.02				
	20 - 30			.02				
	30 - 40			.03				
	40 - 50			.01				
	50 - 60			.18				
	60 - 70			.31				
	70 - 80			.34				
	80 - 90			.28				
	90 - 100			.26				
	100 - 110			.26				
	110 - 120			.30				
	120 - 130			.32				
	130 - 140			.25				
	140 - 150			.34				
	150 - 160			.30				
	160 - 170			.24				
	170 - 180			.19				
	180 - 190			.18				
	190 - 200			.13				
	200 - 210			.18				
	210 - 220			.18				
	220 - 230			.17				
	230 - 240			.19				
	240 - 250			.18				

over the line

G. L. Matthews ASSAYER

PHC

BETHLEHEM COPPER CORPORATION LTD.

ASHCROFT, B. C.

TASEKO:

July 2 - 69

19

SAMPLE No.	DESCRIPTION	OZS. PER TON			PER CENT								
		GOLD	SILVER	COPPER	MO.	SULPHUR							
P.H.- C	20 - 30			.18									
	25 - 40			.19									
	40 - 50			.25									
	50 - 60			.18									
	60 - 70			.21									
	70 - 80	→		.17									
	80 - 90			.19									
	90 - 100			.19									
	100 - 110			.24									
	110 - 120			.16									
	120 - 130			.15									
	130 - 140			.19									
	140 - 150			.19									
	150 - 160			.16									
	160 - 170			.20									
	170 - 180			.16									
	180 - 190			.20									
	190 - 200			.21									
	200 - 210			.33									
	210 - 220			.45									
	220 - 230			.25									
	230 - 240			.21									
	240 - 250			.29									
	250 - 260			.26									
	260 - 270			.16									

[Signature] ASSAYER

BETHLEHEM COPPER CORPORATION LTD.

ASHCROFT, B. C.

July 25 - 69 19__

TASEKO:

SAMPLE No.	DESCRIPTION	OZS. PER TON			PER CENT									
		GOLD	SILVER	COPPER	MO.	SULPHUR								
P.H.- A	COMFC.	.005	.07	.02	Tr									
P.H.- B	"	.005	.04	.18	Tr									
P.H.- D	"	.005	.04	.09	Tr									
P.H.- E	"	.010	.10	.07	Tr									
P.H.- F	"	.010	.18	.06	Tr									
D.D.- B	"	.010	.02	.28	Tr									

G. L. Matthews ASSAYER

BETHLEHEM COPPER CORPORATION LTD.

ASHCROFT, B. C.

Taseko

August 13, 1969

SAMPLE No.	DESCRIPTION	OZS. PER TON		PER CENT				
		GOLD	SILVER	COPPER	MO	SULPHUR	Pb.	Zn.
D.D.H.-C	Composite	.017	.06	.25	Tr.			
D.D.H.-D	Composite	.005	.11	.17	Tr.		Tr.	1.96

BETHLEHEM COPPER CORPORATION LTD.

ASHCROFT, B. C.

Taseko

August 8, 1969

SAMPLE No.	DESCRIPTION	OZS. PER TON		PER CENT				
		GOLD	SILVER	COPPER	MO	SULPHUR	Pb.	Zn.
D.D.-C	Composite	.017	.06		tr.			
D.D.-D	Composite	.005	.11	.17	tr.		tr.	3.30
D.D.-E	Composite			.29	tr.			

BETHLEHEM COPPER CORPORATION LTD.

ASHCROFT, B. C.

August 26, 1969

Taseko

SAMPLE No.	DESCRIPTION	OZS. PER TON		PERCENT			
		GOLD	SILVER	COPPER	Fe	ANTHRACITE	En
D.D.H.-E	Composite						1.71
D.D.H.-D	Core 19 - 30						1.35
	30 - 40						1.44
	40 - 50						1.46
	50 - 60						1.56
	60 - 70						1.44
	70 - 80						1.44
	80 - 90						1.39
	90 - 100						1.50
	Sludge 20 - 30						1.50

G.L. Matthews ASSAYER