
CORDILLERAN ENGINEERING LTD.

1980 GUINNESS TOWER, 1055 WEST HASTINGS STREET, VANCOUVER, B.C. V6E 2E9 TEL: (604) 681-8381

DELIVERED BY COURIER

September 27, 1988

Placer Dome Inc.
Suite 1600 - 1055 Dunsmuir Street
Vancouver, B.C.
V7X 1P1

Attention: Mr. E. Kimura
Exploration Manager
Western Canada

Copy to: → Mr. L. C. Reinertson
Senior Vice-President
Exploration


Dear Mr. Kimura:

Oka Property
Final Progress Report

All results from the Oka drill program have been received and a summary of the samples with values greater than 1000 ppb Au is appended. The most consistent encouraging results were returned from the west side of the Iron Horse drill grid. Drill Sections and drill logs are currently being finalized. Inspection of the drill areas by the Mines Inspector will take place on conclusion of the Elk project when the excavator can be mobilized to the Oka property.


Yours very truly,

CORDILLERAN ENGINEERING LTD.


W. Jakubowski
Project Geologist

WJ/lis

cc JWS, Az, WJ, JDR



O K A P R O J E C T

SUMMARY OF SIGNIFICANT RESULTS

<u>AREA</u>	<u>HOLE</u>	<u>SAMPLE #</u>	<u>DEPTH (ft)</u>	<u>Au ppb</u>	<u>Au Oz/t Equiv</u>	<u>Au ASSAY</u>	<u>AVERAGED INTERVAL</u>	<u>AVERAGE Au Oz/t</u>	
Iron Horse	4	88- 4- 66	325'-330'	1440	0.04	0.05			
	5	88- 5- 46	225'-230'	1560	0.04	0.03			
	5	88- 5- 47	230'-235'	5230	0.15	0.14			
	5	88- 5- 49	240'-245'	7450	0.22	0.01 To 0.02*			
	5	88- 5- 59	290'-295'	1390	0.04	0.04			
	15	88-15-102	505'-510'	5925	0.17	0.15	505-515(10')	0.17	
	15	88-15-103	510'-515'	3220	0.09	0.10			
	16	88-16- 94	465'-470'	1290	0.04	0.001 To 0.003*			
	16	88-16-125	620'-625'	1080	0.03	0.03			
	16	88-16-140	695'-700'	3430	0.10	0.11			
	19	88-19- 27	130'-135'	1020	0.03	0.03			
	20	88-20- 78	385'-390'	1570	0.05	0.05	385-405(20')	0.17	
	20	88-20- 79	390'-395'	2580	0.08	0.08	395-405(10')	0.27	
	20	88-20- 80	395'-400'	12045	0.35	0.39			
	20	88-20- 81	400'-405'	5780	0.17	0.15			
	21	88-21- 79	390'-395'	3420	0.10	0.10			
	Bolivar West	26	88-26- 69	340'-345'	14330	0.42	0.41		
	Bolivar East	31	88-31- 2	5'- 10'	3380	0.10	0.06		
		32	88-32- 31	150'-155'	1520	0.04	0.05		
		32	88-32- 89	440'-445'	7070	0.21	0.06 To 0.54*		
		34	88-34- 7	30'- 35'	1040	0.03	0.06		
Bolivar Road	39	88-39- 16	75'- 80'	2032	0.06	0.06			
Iron Horse	41	88-41- 32	155'-160'	1880	0.06	0.06			


Note

* Nugget effect from native gold??

O K A P R O J E C T

SUMMARY OF SIGNIFICANT RESULTS

AREA	HOLE	SAMPLE#	DEPTH (m)	Au ppb	AVERAGED INTERVAL	AVERAGE Au ppb
IRON HORSE	4	88- 4- 66	99.1-100.6	1440		
	5	88- 5- 46	68.6- 70.1	1560	68.6- 71.6 (3.0m)	3395
		47	70.1- 71.6	5230		
		49	73.2- 74.7	7450		
		59	88.4- 89.9	1390		
	15	88-15-102	153.9-155.4	5925	153.9-157.0 (3.1m)	4572
		103	155.4-157.0	3220		
	16	88-16- 94	141.7-143.3	1290		
		125	189.0-190.5	1080		
		140	211.8-213.4	3430		
19	88-19- 27	39.6- 41.2	1020			
20	88-20- 78	117.4-118.9	1570	117.4-123.4 (6.0m)	5494	
	79	118.9-120.4	2580			
	80	120.4-121.9	12045			
	81	121.9-123.4	5780			
21	88-21- 79	118.9-120.4	3420			
BOLIVAR WEST	26	88-26- 69	103.6-105.2	14330		
BOLIVAR EAST	31	88-31- 2	1.5- 3.0	3380		
	32	88-32- 31	45.7- 47.2	1520		
		89	134.1-135.6	7070		
34	88-34- 7	9.1- 10.7	1040			
BOLIVAR ROAD	39	88-39- 16	22.9- 24.4	2032		
IRON HORSE	41	88-41- 32	47.2- 48.7	1880		



LEGEND

- 4 GRANODIORITE
- 3 LIMESTONE AND SKARN; ARGILLITE SANDSTONE AND MINOR GREENSTONE
- Au SOIL GEOCHEMICAL ANOMALY
- 1987 TRENCHING AREA
- GOLD SHOWING: $\frac{\text{oz / Ton Au}}{\text{Sample Length}}$
- AREA OF REVERSE CIRCULATION DRILLING



FAIRFIELD MINERALS LTD.
 COMPILATION MAP
 OKA GOLD PROPERTY
 SOUTH OKANAGAN AREA
 N.T.S. 82E/13W OSOY00S MINING DIVISION, B.C.

Scale 1: 50,000



Scale in Miles

CORDILLERAN ENGINEERING LTD.
 1980-1055 W. HASTINGS STREET
 VANCOUVER, B.C. V6E 2E9
 JULY 31, 1988

CORDILLERAN ENGINEERING LTD.

1980 GUINNESS TOWER, 1055 WEST HASTINGS STREET, VANCOUVER, B.C. V6E 2E9 TEL: (604) 681-8381

DELIVERED BY COURIER

October 3, 1988



Placer Dome Inc.
Suite 1600 - 1055 Dunsmuir
Bentall 4
Vancouver, B.C.
V7X 1P1

Attention: Mr. E. Kimura
Exploration Manager
Western Canada

Copy to: → Mr. L. C. Reinertson
Senior Vice-President
Exploration


Dear Mr. Kimura:

Oka Property

Further to your recent request we enclose a summary of significant results over 300 ppb Au on the 1988 Reverse Circulation Drill Program.

Yours very truly,

CORDILLERAN ENGINEERING LTD.


J. W. Stollery, P. Eng.
President

JWS/lis
Enc.

cc JWS, AZ, JDR, WJ

OKA PROPERTY
 1988 Reverse Circulation Drill Program
Summary of Significant Results (300 ppb+)

<u>Sample</u>	<u>Depth (Metres)</u>	<u>ppb Au</u>
Hole # 1 - 4	4.6 - 6.1	671
1 - 4A		682
2 - 22	32.0 - 33.5	590
4 - 49	73.2 - 74.7	0.049 305
4 - 66	99.1 - 100.6	1440
4 - 67	100.6 - 102.1	335
4 - 77	115.8 - 117.4	335
5 - 42	62.5 - 64.0	550
5 - 43	64.0 - 65.5	0.033 320
5 - 46	68.6 - 70.1	0.136 1560
5 - 47	70.1 - 71.6	5230
5 - 48	71.6 - 73.2	0.054 750
5 - 49	73.2 - 74.7	7450
5 - 51	76.2 - 77.7	520
5 - 56	83.8 - 85.3	0.042 320
5 - 59	88.4 - 89.9	1390
5 - 60	89.9 - 91.4	345
5 - 62	93.0 - 94.5	950
6 - 11	15.2 - 16.7	505
14 - 17	24.4 - 25.9	845
15 - 102	153.9 - 155.4	5925
15 - 103	155.4 - 157.0	3220
15 - 104	157.0 - 158.5	560
15 - 108	161.3 - 164.6	330
15 - 111	167.6 - 169.2	390
16 - 4	4.5 - 6.1	625
16 - 5	6.1 - 7.6	285
16 - 94	141.7 - 143.3	1290
16 - 125	189.0 - 190.5	1080
16 - 127	192.0 - 193.5	670
16 - 132	199.6 - 201.2	320
16 - 140	211.8 - 213.4	3430
19 - 27	39.6 - 41.2	1020
19 - 80	120.4 - 121.9	420

OKA PROPERTY
 Significant Results

<u>Sample</u>	<u>Depth (Metres)</u>	<u>ppb Au</u>
Hole #20 - 3	3.0 - 4.6	390
20 - 27	39.6 - 41.2	570
20 - 28	41.2 - 42.7	810
20 - 33	48.7 - 50.3	610
20 - 59	88.4 - 88.9	315
20 - 67	100.6 - 102.1	615
20 - 68	102.1 - 103.6	295
20 - 74	111.2 - 112.8	295
20 - 76	114.3 - 115.8	355
20 - 77	115.8 - 117.4	310
20 - 78	117.4 - 118.9	1570
20 - 79	118.9 - 120.4	2580
20 - 80	120.4 - 121.9	12045
20 - 81	121.9 - 123.4	5780
20 - 82	123.4 - 125.0	285
20 - 84	126.5 - 128.0	305
21 - 68	102.1 - 103.6	850
21 - 69	103.6 - 105.2	360
21 - 71	106.7 - 108.2	270
21 - 72	108.2 - 109.7	360
21 - 73	109.7 - 111.2	305
21 - 79	118.9 - 120.4	3420
21 - 80	120.4 - 121.9	660
21 - 82	123.4 - 125.0	530
21 - 85	128.0 - 129.5	295
25 - 128	193.6 - 195.1	405
26 - 69	103.6 - 105.2	14330
26 - 70	105.2 - 106.7	535
26 - 71	106.7 - 108.2	521
27 - 9	12.2 - 13.7	590
27 - 12	16.7 - 18.3	675
27 - 20	29.0 - 30.5	380
27 - 32	47.2 - 48.7	693
27 - 33	48.7 - 50.2	412
27 - 58	86.9 - 88.4	540
27 - 69	103.6 - 105.2	290
28 - 4	4.6 - 6.1	525
28 - 12	16.7 - 18.3	550
28 - 35	51.8 - 53.3	480
29 - 38	56.4 - 57.9	430
29 - 47	70.1 - 71.6	410

OKA PROPERTY
Significant Results

<u>Sample</u>	<u>Depth (Metres)</u>	<u>ppb Au</u>
Hole #30 - 19	27.4 - 29.0	550
31 - 2	1.5 - 3.0	3380
31 - 3	3.0 - 4.6	430
32 - 2	1.5 - 3.0	480
32 - 6	7.6 - 9.1	355
32 - 7	9.1 - 10.7	325
32 - 31	45.7 - 47.2	1520
32 - 32	47.2 - 48.7	650
32 - 89	134.1 - 135.6	7070
32 - 90	135.6 - 137.2	360
34 - 4	4.6 - 6.1	305
34 - 7	9.1 - 10.7	1040
34 - 30	44.2 - 45.7	355
37 - 12	16.7 - 18.3	760
37A- 18	25.9 - 27.4	505
39 - 6	7.6 - 9.1	520
39 - 7	9.1 - 10.7	395
39 - 12	16.7 - 18.3	592
39 - 16	22.9 - 24.4	2032
41 - 32	47.2 - 48.7	1880